


Test_Mode	802.11 g Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18990.7996	-26.27	62.77	36.50	74.00	37.50	PASS	Horizontal	PK
2	20139.7056	-25.24	60.84	35.60	74.00	38.40	PASS	Horizontal	PK
3	21576.9431	-25.75	61.00	35.25	74.00	38.75	PASS	Horizontal	PK
4	23183.1673	-24.39	59.11	34.72	74.00	39.28	PASS	Horizontal	PK
5	24605.4442	-21.87	57.62	35.75	74.00	38.25	PASS	Horizontal	PK
6	25788.6915	-20.81	56.94	36.13	74.00	37.87	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19074.443	-26.20	61.92	35.72	74.00	38.28	PASS	Vertical	PK
2	19965.9586	-24.73	60.39	35.66	74.00	38.34	PASS	Vertical	PK
3	20747.6499	-25.76	61.21	35.45	74.00	38.55	PASS	Vertical	PK
4	22287.9115	-25.27	61.25	35.98	74.00	38.02	PASS	Vertical	PK
5	23861.8345	-22.21	59.15	36.94	74.00	37.06	PASS	Vertical	PK
6	25543.2017	-20.92	56.41	35.49	74.00	38.51	PASS	Vertical	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1641.9095	14.04	36.55	50.59	74.00	23.41	PASS	Horizontal	PK
2	2775.3184	16.97	37.66	54.63	74.00	19.37	PASS	Horizontal	PK
3	4469.0979	-9.85	55.93	46.08	74.00	27.92	PASS	Horizontal	PK
4	7883.3256	-1.44	52.26	50.82	74.00	23.18	PASS	Horizontal	PK
5	13207.6805	6.33	51.45	57.78	74.00	16.22	PASS	Horizontal	PK
6	17799.9867	15.78	46.25	62.03	74.00	11.97	PASS	Horizontal	PK
7	2779.7186	17.06	18.42	35.48	54.00	18.52	PASS	Horizontal	AV
8	13198.6799	6.35	39.75	46.10	54.00	7.90	PASS	Horizontal	AV
9	17875.9917	15.50	32.71	48.21	54.00	5.79	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1744.983	14.10	37.21	51.31	74.00	22.69	PASS	Vertical	PK
2	2974.665	17.91	36.80	54.71	74.00	19.29	PASS	Vertical	PK
3	4330.0887	-10.09	55.57	45.48	74.00	28.52	PASS	Vertical	PK
4	7696.3131	-1.73	51.64	49.91	74.00	24.09	PASS	Vertical	PK
5	13285.6857	6.16	51.61	57.77	74.00	16.23	PASS	Vertical	PK
6	17673.9783	14.97	46.34	61.31	74.00	12.69	PASS	Vertical	PK
7	2970.5314	17.94	18.16	36.10	54.00	17.90	PASS	Vertical	AV
8	13192.6795	6.35	39.76	46.11	54.00	7.89	PASS	Vertical	AV
9	17773.9849	16.35	31.82	48.17	54.00	5.83	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18970.0588	-26.27	62.62	36.35	74.00	37.65	PASS	Horizontal	PK
2	20256.3303	-25.50	60.16	34.66	74.00	39.34	PASS	Horizontal	PK
3	21791.4917	-25.54	60.54	35.00	74.00	39.00	PASS	Horizontal	PK
4	23572.1429	-23.13	58.50	35.37	74.00	38.63	PASS	Horizontal	PK
5	25205.5682	-21.05	56.55	35.50	74.00	38.50	PASS	Horizontal	PK
6	26308.9124	-21.25	57.89	36.64	74.00	37.36	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18973.1189	-26.27	61.86	35.59	74.00	38.41	PASS	Vertical	PK
2	20317.8727	-25.49	60.36	34.87	74.00	39.13	PASS	Vertical	PK
3	21848.954	-25.60	60.75	35.15	74.00	38.85	PASS	Vertical	PK
4	23361.3345	-23.70	59.47	35.77	74.00	38.23	PASS	Vertical	PK
5	24592.8637	-21.86	57.41	35.55	74.00	38.45	PASS	Vertical	PK
6	26030.1012	-20.97	57.60	36.63	74.00	37.37	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1712.8475	14.14	35.95	50.09	74.00	23.91	PASS	Horizontal	PK
2	2773.5849	16.94	38.01	54.95	74.00	19.05	PASS	Horizontal	PK
3	3815.0543	-12.33	57.08	44.75	74.00	29.25	PASS	Horizontal	PK
4	7289.286	-2.90	52.47	49.57	74.00	24.43	PASS	Horizontal	PK
5	12545.6364	4.25	52.14	56.39	74.00	17.61	PASS	Horizontal	PK
6	17847.9899	16.08	46.65	62.73	74.00	11.27	PASS	Horizontal	PK
7	2790.1193	17.30	18.39	35.69	54.00	18.31	PASS	Horizontal	AV
8	12574.6383	4.50	41.20	45.70	54.00	8.30	PASS	Horizontal	AV
9	17848.9899	16.08	32.05	48.13	54.00	5.87	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1721.5148	14.21	37.22	51.43	74.00	22.57	PASS	Vertical	PK
2	2919.0613	17.57	37.01	54.58	74.00	19.42	PASS	Vertical	PK
3	4258.0839	-10.47	56.46	45.99	74.00	28.01	PASS	Vertical	PK
4	6966.2644	-3.06	51.05	47.99	74.00	26.01	PASS	Vertical	PK
5	13200.68	6.35	51.22	57.57	74.00	16.43	PASS	Vertical	PK
6	17780.9854	16.20	46.81	63.01	74.00	10.99	PASS	Vertical	PK
7	2910.5274	17.77	18.37	36.14	54.00	17.86	PASS	Vertical	AV
8	13186.6791	6.36	39.96	46.32	54.00	7.68	PASS	Vertical	AV
9	17853.9903	15.99	32.49	48.48	54.00	5.52	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19175.767	-26.08	61.76	35.68	74.00	38.32	PASS	Horizontal	PK
2	20355.9542	-25.49	61.82	36.33	74.00	37.67	PASS	Horizontal	PK
3	21647.3259	-25.69	60.71	35.02	74.00	38.98	PASS	Horizontal	PK
4	22915.2366	-25.41	59.36	33.95	74.00	40.05	PASS	Horizontal	PK
5	24057.3423	-22.14	57.61	35.47	74.00	38.53	PASS	Horizontal	PK
6	25337.8335	-21.31	57.08	35.77	74.00	38.23	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19036.0214	-26.23	61.80	35.57	74.00	38.43	PASS	Vertical	PK
2	20282.8513	-25.50	60.54	35.04	74.00	38.96	PASS	Vertical	PK
3	21146.4859	-25.82	61.07	35.25	74.00	38.75	PASS	Vertical	PK
4	22178.0871	-25.44	60.11	34.67	74.00	39.33	PASS	Vertical	PK
5	23406.2162	-23.55	58.72	35.17	74.00	38.83	PASS	Vertical	PK
6	24801.9721	-21.96	57.09	35.13	74.00	38.87	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1630.9754	13.86	36.91	50.77	74.00	23.23	PASS	Horizontal	PK
2	2791.5861	17.30	36.39	53.69	74.00	20.31	PASS	Horizontal	PK
3	3884.0589	-12.01	56.32	44.31	74.00	29.69	PASS	Horizontal	PK
4	6400.2267	-4.37	51.45	47.08	74.00	26.92	PASS	Horizontal	PK
5	10231.4821	1.81	51.14	52.95	74.00	21.05	PASS	Horizontal	PK
6	17866.9911	15.70	46.69	62.39	74.00	11.61	PASS	Horizontal	PK
7	17778.9853	16.25	31.72	47.97	54.00	6.03	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1651.1101	13.99	35.98	49.97	74.00	24.03	PASS	Vertical	PK
2	2820.7881	17.14	37.36	54.50	74.00	19.50	PASS	Vertical	PK
3	4335.089	-10.09	55.33	45.24	74.00	28.76	PASS	Vertical	PK
4	7919.328	-1.37	52.97	51.60	74.00	22.40	PASS	Vertical	PK
5	13726.7151	7.21	50.83	58.04	74.00	15.96	PASS	Vertical	PK
6	17776.9851	16.29	46.07	62.36	74.00	11.64	PASS	Vertical	PK
7	2807.7205	17.26	18.39	35.65	54.00	18.35	PASS	Vertical	AV
8	13706.7138	7.25	39.29	46.54	54.00	7.46	PASS	Vertical	AV
9	17772.9849	16.38	31.74	48.12	54.00	5.88	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19223.3689	-26.01	61.16	35.15	74.00	38.85	PASS	Horizontal	PK
2	20391.3157	-25.48	61.50	36.02	74.00	37.98	PASS	Horizontal	PK
3	21507.9203	-25.81	61.10	35.29	74.00	38.71	PASS	Horizontal	PK
4	23086.9435	-25.07	59.44	34.37	74.00	39.63	PASS	Horizontal	PK
5	24845.8338	-22.00	57.32	35.32	74.00	38.68	PASS	Horizontal	PK
6	25743.8098	-20.79	57.97	37.18	74.00	36.82	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19215.5486	-26.03	61.56	35.53	74.00	38.47	PASS	Vertical	PK
2	20389.9556	-25.48	60.66	35.18	74.00	38.82	PASS	Vertical	PK
3	21435.4974	-25.85	60.54	34.69	74.00	39.31	PASS	Vertical	PK
4	22776.171	-25.04	59.41	34.37	74.00	39.63	PASS	Vertical	PK
5	23928.1371	-22.08	58.04	35.96	74.00	38.04	PASS	Vertical	PK
6	25066.1626	-21.78	56.71	34.93	74.00	39.07	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1451.6301	13.06	36.21	49.27	74.00	24.73	PASS	Horizontal	PK
2	2685.3124	17.17	37.64	54.81	74.00	19.19	PASS	Horizontal	PK
3	4335.089	-10.09	55.50	45.41	74.00	28.59	PASS	Horizontal	PK
4	7761.3174	-1.58	52.16	50.58	74.00	23.42	PASS	Horizontal	PK
5	13716.7144	7.22	51.12	58.34	74.00	15.66	PASS	Horizontal	PK
6	17871.9915	15.58	46.19	61.77	74.00	12.23	PASS	Horizontal	PK
7	2685.3124	17.17	18.42	35.59	54.00	18.41	PASS	Horizontal	AV
8	13760.7174	7.29	39.13	46.42	54.00	7.58	PASS	Horizontal	AV
9	17912.9942	15.29	32.99	48.28	54.00	5.72	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1457.6305	13.02	36.61	49.63	74.00	24.37	PASS	Vertical	PK
2	2916.6611	17.63	36.80	54.43	74.00	19.57	PASS	Vertical	PK
3	4314.0876	-10.10	55.07	44.97	74.00	29.03	PASS	Vertical	PK
4	7678.3119	-1.94	51.75	49.81	74.00	24.19	PASS	Vertical	PK
5	11713.5809	2.60	53.49	56.09	74.00	17.91	PASS	Vertical	PK
6	17765.9844	16.54	46.20	62.74	74.00	11.26	PASS	Vertical	PK
7	2874.6583	17.42	18.61	36.03	54.00	17.97	PASS	Vertical	AV
8	11828.5886	2.47	41.18	43.65	54.00	10.35	PASS	Vertical	AV
9	17850.9901	16.07	32.31	48.38	54.00	5.62	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19174.067	-26.09	62.32	36.23	74.00	37.77	PASS	Horizontal	PK
2	20520.5208	-25.84	61.38	35.54	74.00	38.46	PASS	Horizontal	PK
3	21795.5718	-25.53	60.96	35.43	74.00	38.57	PASS	Horizontal	PK
4	22983.9194	-25.63	58.29	32.66	74.00	41.34	PASS	Horizontal	PK
5	24044.7618	-22.10	57.86	35.76	74.00	38.24	PASS	Horizontal	PK
6	25664.2466	-20.75	56.82	36.07	74.00	37.93	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19140.0656	-26.12	62.62	36.50	74.00	37.50	PASS	Vertical	PK
2	20460.6784	-25.66	61.03	35.37	74.00	38.63	PASS	Vertical	PK
3	21601.4241	-25.74	61.29	35.55	74.00	38.45	PASS	Vertical	PK
4	23339.5736	-23.77	58.59	34.82	74.00	39.18	PASS	Vertical	PK
5	24672.7669	-21.90	57.05	35.15	74.00	38.85	PASS	Vertical	PK
6	26065.8026	-21.05	57.21	36.16	74.00	37.84	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1730.7154	14.17	36.68	50.85	74.00	23.15	PASS	Horizontal	PK
2	2942.3962	17.65	37.17	54.82	74.00	19.18	PASS	Horizontal	PK
3	4329.0886	-10.10	54.60	44.50	74.00	29.50	PASS	Horizontal	PK
4	7679.312	-1.93	52.77	50.84	74.00	23.16	PASS	Horizontal	PK
5	12576.6384	4.51	51.77	56.28	74.00	17.72	PASS	Horizontal	PK
6	17860.9907	15.84	47.37	63.21	74.00	10.79	PASS	Horizontal	PK
7	2969.7313	17.94	18.23	36.17	54.00	17.83	PASS	Horizontal	AV
8	12629.642	4.55	41.02	45.57	54.00	8.43	PASS	Horizontal	AV
9	17856.9905	15.93	32.50	48.43	54.00	5.57	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1679.7787	14.02	37.82	51.84	74.00	22.16	PASS	Vertical	PK
2	2827.8552	17.22	36.52	53.74	74.00	20.26	PASS	Vertical	PK
3	4280.0853	-10.28	55.83	45.55	74.00	28.45	PASS	Vertical	PK
4	7809.3206	-2.00	52.71	50.71	74.00	23.29	PASS	Vertical	PK
5	13808.7206	7.64	50.73	58.37	74.00	15.63	PASS	Vertical	PK
6	17852.9902	16.02	45.96	61.98	74.00	12.02	PASS	Vertical	PK
7	13743.7162	7.18	39.58	46.76	54.00	7.24	PASS	Vertical	AV
8	17788.9859	16.03	32.04	48.07	54.00	5.93	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19128.5051	-26.13	62.10	35.97	74.00	38.03	PASS	Horizontal	PK
2	20191.7277	-25.47	61.09	35.62	74.00	38.38	PASS	Horizontal	PK
3	21054.6822	-25.93	61.38	35.45	74.00	38.55	PASS	Horizontal	PK
4	22470.8388	-25.07	60.23	35.16	74.00	38.84	PASS	Horizontal	PK
5	24391.5757	-21.72	57.50	35.78	74.00	38.22	PASS	Horizontal	PK
6	25630.5852	-20.72	56.73	36.01	74.00	37.99	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422Mhz
Remark:	\	Test_Date	2026/6/18

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19539.9216	-25.60	62.04	36.44	74.00	37.56	PASS	Vertical	PK
2	21068.6227	-25.92	60.55	34.63	74.00	39.37	PASS	Vertical	PK
3	22179.4472	-25.44	61.10	35.66	74.00	38.34	PASS	Vertical	PK
4	22989.3596	-25.65	59.40	33.75	74.00	40.25	PASS	Vertical	PK
5	24140.3056	-22.43	57.74	35.31	74.00	38.69	PASS	Vertical	PK
6	25314.0326	-21.27	57.01	35.74	74.00	38.26	PASS	Vertical	PK