


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1411.3608	12.92	36.70	49.62	74.00	24.38	PASS	Horizontal	PK
2	2736.2491	16.91	37.07	53.98	74.00	20.02	PASS	Horizontal	PK
3	3896.0597	-11.98	57.19	45.21	74.00	28.79	PASS	Horizontal	PK
4	7876.3251	-1.47	52.95	51.48	74.00	22.52	PASS	Horizontal	PK
5	12574.6383	4.50	52.86	57.36	74.00	16.64	PASS	Horizontal	PK
6	17900.9934	14.97	47.18	62.15	74.00	11.85	PASS	Horizontal	PK
7	12568.6379	4.44	41.17	45.61	54.00	8.39	PASS	Horizontal	AV
8	17856.9905	15.93	31.89	47.82	54.00	6.18	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1373.3582	12.73	37.25	49.98	74.00	24.02	PASS	Vertical	PK
2	2679.1786	17.09	37.46	54.55	74.00	19.45	PASS	Vertical	PK
3	3845.0563	-12.11	57.17	45.06	74.00	28.94	PASS	Vertical	PK
4	7898.3266	-1.36	52.00	50.64	74.00	23.36	PASS	Vertical	PK
5	13679.712	7.34	50.62	57.96	74.00	16.04	PASS	Vertical	PK
6	17804.987	15.81	46.77	62.58	74.00	11.42	PASS	Vertical	PK
7	2688.1125	17.21	18.47	35.68	54.00	18.32	PASS	Vertical	AV
8	13668.7112	7.38	39.09	46.47	54.00	7.53	PASS	Vertical	AV
9	17772.9849	16.38	32.42	48.80	54.00	5.20	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19277.4311	-25.89	61.97	36.08	74.00	37.92	PASS	Horizontal	PK
2	20345.7538	-25.49	60.93	35.44	74.00	38.56	PASS	Horizontal	PK
3	21342.6737	-25.84	61.03	35.19	74.00	38.81	PASS	Horizontal	PK
4	22675.867	-25.01	59.38	34.37	74.00	39.63	PASS	Horizontal	PK
5	24302.1521	-22.15	58.71	36.56	74.00	37.44	PASS	Horizontal	PK
6	25593.8638	-20.73	56.63	35.90	74.00	38.10	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18942.1777	-26.28	62.21	35.93	74.00	38.07	PASS	Vertical	PK
2	20790.4916	-25.67	60.90	35.23	74.00	38.77	PASS	Vertical	PK
3	22141.0256	-25.53	60.28	34.75	74.00	39.25	PASS	Vertical	PK
4	23531.3413	-23.23	58.21	34.98	74.00	39.02	PASS	Vertical	PK
5	24754.0302	-21.94	56.84	34.90	74.00	39.10	PASS	Vertical	PK
6	25999.5	-20.90	57.28	36.38	74.00	37.62	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1567.3712	13.48	35.95	49.43	74.00	24.57	PASS	Horizontal	PK
2	2839.856	17.52	36.96	54.48	74.00	19.52	PASS	Horizontal	PK
3	4070.0713	-11.21	54.84	43.63	74.00	30.37	PASS	Horizontal	PK
4	7738.3159	-1.49	52.21	50.72	74.00	23.28	PASS	Horizontal	PK
5	13696.7131	7.27	51.07	58.34	74.00	15.66	PASS	Horizontal	PK
6	17769.9847	16.45	45.96	62.41	74.00	11.59	PASS	Horizontal	PK
7	2865.0577	17.39	18.09	35.48	54.00	18.52	PASS	Horizontal	AV
8	13677.7118	7.35	39.09	46.44	54.00	7.56	PASS	Horizontal	AV
9	17772.9849	16.38	31.47	47.85	54.00	6.15	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1571.7715	13.48	36.25	49.73	74.00	24.27	PASS	Vertical	PK
2	2692.3795	17.20	36.45	53.65	74.00	20.35	PASS	Vertical	PK
3	4311.0874	-10.11	55.82	45.71	74.00	28.29	PASS	Vertical	PK
4	8294.353	-1.01	51.91	50.90	74.00	23.10	PASS	Vertical	PK
5	13742.7162	7.18	50.74	57.92	74.00	16.08	PASS	Vertical	PK
6	17873.9916	15.53	46.74	62.27	74.00	11.73	PASS	Vertical	PK
7	13684.7123	7.31	39.22	46.53	54.00	7.47	PASS	Vertical	AV
8	17846.9898	16.07	32.07	48.14	54.00	5.86	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19220.9888	-26.02	62.26	36.24	74.00	37.76	PASS	Horizontal	PK
2	20529.3612	-25.86	60.52	34.66	74.00	39.34	PASS	Horizontal	PK
3	22224.669	-25.37	60.55	35.18	74.00	38.82	PASS	Horizontal	PK
4	23466.7387	-23.39	58.52	35.13	74.00	38.87	PASS	Horizontal	PK
5	24610.5444	-21.87	57.49	35.62	74.00	38.38	PASS	Horizontal	PK
6	25319.8128	-21.28	57.05	35.77	74.00	38.23	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19468.1787	-25.61	61.83	36.22	74.00	37.78	PASS	Vertical	PK
2	21279.7712	-25.80	61.07	35.27	74.00	38.73	PASS	Vertical	PK
3	22190.6676	-25.42	60.52	35.10	74.00	38.90	PASS	Vertical	PK
4	23643.8858	-22.90	58.13	35.23	74.00	38.77	PASS	Vertical	PK
5	25095.0638	-21.62	57.05	35.43	74.00	38.57	PASS	Vertical	PK
6	26134.1454	-21.21	57.52	36.31	74.00	37.69	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1532.5688	13.46	36.14	49.60	74.00	24.40	PASS	Horizontal	PK
2	2847.9899	17.34	36.95	54.29	74.00	19.71	PASS	Horizontal	PK
3	3856.0571	-12.07	57.31	45.24	74.00	28.76	PASS	Horizontal	PK
4	6710.2474	-3.34	51.09	47.75	74.00	26.25	PASS	Horizontal	PK
5	13177.6785	6.37	51.47	57.84	74.00	16.16	PASS	Horizontal	PK
6	17770.9847	16.42	46.38	62.80	74.00	11.20	PASS	Horizontal	PK
7	2845.723	17.39	18.49	35.88	54.00	18.12	PASS	Horizontal	AV
8	13184.679	6.36	39.65	46.01	54.00	7.99	PASS	Horizontal	AV
9	17856.9905	15.93	32.34	48.27	54.00	5.73	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1513.9009	13.29	37.44	50.73	74.00	23.27	PASS	Vertical	PK
2	2981.7321	17.88	37.30	55.18	74.00	18.82	PASS	Vertical	PK
3	4895.1263	-8.30	54.50	46.20	74.00	27.80	PASS	Vertical	PK
4	7767.3178	-1.66	52.47	50.81	74.00	23.19	PASS	Vertical	PK
5	13697.7132	7.27	50.58	57.85	74.00	16.15	PASS	Vertical	PK
6	17980.9987	16.67	45.59	62.26	74.00	11.74	PASS	Vertical	PK
7	2967.8645	17.90	18.43	36.33	54.00	17.67	PASS	Vertical	AV
8	13741.7161	7.18	39.56	46.74	54.00	7.26	PASS	Vertical	AV
9	17777.9852	16.27	32.26	48.53	54.00	5.47	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19001.6801	-26.27	62.20	35.93	74.00	38.07	PASS	Horizontal	PK
2	20438.5775	-25.59	61.54	35.95	74.00	38.05	PASS	Horizontal	PK
3	22140.6856	-25.53	60.06	34.53	74.00	39.47	PASS	Horizontal	PK
4	23543.9218	-23.20	58.65	35.45	74.00	38.55	PASS	Horizontal	PK
5	24880.5152	-22.04	57.55	35.51	74.00	38.49	PASS	Horizontal	PK
6	26273.891	-21.29	57.23	35.94	74.00	38.06	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18765.3706	-26.36	61.86	35.50	74.00	38.50	PASS	Vertical	PK
2	19923.4569	-24.86	61.03	36.17	74.00	37.83	PASS	Vertical	PK
3	21937.0175	-25.72	60.30	34.58	74.00	39.42	PASS	Vertical	PK
4	23589.8236	-23.08	58.79	35.71	74.00	38.29	PASS	Vertical	PK
5	25087.5835	-21.66	56.83	35.17	74.00	38.83	PASS	Vertical	PK
6	25966.8587	-20.89	56.99	36.10	74.00	37.90	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1536.0357	13.48	36.46	49.94	74.00	24.06	PASS	Horizontal	PK
2	2860.124	17.36	36.60	53.96	74.00	20.04	PASS	Horizontal	PK
3	4250.0833	-10.54	55.05	44.51	74.00	29.49	PASS	Horizontal	PK
4	8269.3513	-0.98	51.38	50.40	74.00	23.60	PASS	Horizontal	PK
5	13751.7168	7.18	50.70	57.88	74.00	16.12	PASS	Horizontal	PK
6	17791.9861	15.96	46.07	62.03	74.00	11.97	PASS	Horizontal	PK
7	13676.7118	7.35	39.69	47.04	54.00	6.96	PASS	Horizontal	AV
8	17770.9847	16.42	32.02	48.44	54.00	5.56	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1647.7765	14.03	36.67	50.70	74.00	23.30	PASS	Vertical	PK
2	2833.9889	17.35	37.67	55.02	74.00	18.98	PASS	Vertical	PK
3	3775.0517	-12.64	56.89	44.25	74.00	29.75	PASS	Vertical	PK
4	6676.2451	-3.64	51.70	48.06	74.00	25.94	PASS	Vertical	PK
5	10227.4818	1.78	51.46	53.24	74.00	20.76	PASS	Vertical	PK
6	17823.9883	15.92	46.48	62.40	74.00	11.60	PASS	Vertical	PK
7	2861.7241	17.37	18.30	35.67	54.00	18.33	PASS	Vertical	AV
8	17857.9905	15.91	32.30	48.21	54.00	5.79	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18937.7575	-26.28	61.65	35.37	74.00	38.63	PASS	Horizontal	PK
2	20167.9267	-25.37	61.00	35.63	74.00	38.37	PASS	Horizontal	PK
3	21395.7158	-25.88	62.44	36.56	74.00	37.44	PASS	Horizontal	PK
4	22795.8918	-25.05	59.84	34.79	74.00	39.21	PASS	Horizontal	PK
5	24070.9428	-22.18	58.01	35.83	74.00	38.17	PASS	Horizontal	PK
6	25483.6993	-21.13	57.64	36.51	74.00	37.49	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19122.3849	-26.15	62.19	36.04	74.00	37.96	PASS	Vertical	PK
2	20604.1642	-26.06	61.29	35.23	74.00	38.77	PASS	Vertical	PK
3	21938.7175	-25.72	60.32	34.60	74.00	39.40	PASS	Vertical	PK
4	23419.4768	-23.51	58.39	34.88	74.00	39.12	PASS	Vertical	PK
5	24623.4649	-21.88	57.05	35.17	74.00	38.83	PASS	Vertical	PK
6	25748.91	-20.79	56.97	36.18	74.00	37.82	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1697.9132	14.06	36.37	50.43	74.00	23.57	PASS	Horizontal	PK
2	2967.7312	17.90	36.81	54.71	74.00	19.29	PASS	Horizontal	PK
3	4373.0915	-10.08	55.83	45.75	74.00	28.25	PASS	Horizontal	PK
4	7486.2991	-2.32	52.48	50.16	74.00	23.84	PASS	Horizontal	PK
5	12537.6358	4.21	52.54	56.75	74.00	17.25	PASS	Horizontal	PK
6	17917.9945	15.43	46.83	62.26	74.00	11.74	PASS	Horizontal	PK
7	12556.6371	4.34	41.32	45.66	54.00	8.34	PASS	Horizontal	AV
8	17854.9903	15.97	32.25	48.22	54.00	5.78	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1577.7719	13.53	35.86	49.39	74.00	24.61	PASS	Vertical	PK
2	2772.9182	16.93	37.34	54.27	74.00	19.73	PASS	Vertical	PK
3	3808.0539	-12.38	57.88	45.50	74.00	28.50	PASS	Vertical	PK
4	5886.1924	-5.60	52.80	47.20	74.00	26.80	PASS	Vertical	PK
5	9176.4118	0.16	52.36	52.52	74.00	21.48	PASS	Vertical	PK
6	16421.8948	10.41	51.01	61.42	74.00	12.58	PASS	Vertical	PK
7	2782.5188	17.13	18.56	35.69	54.00	18.31	PASS	Vertical	AV
8	16434.8957	10.68	38.67	49.35	54.00	4.65	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18821.1328	-26.29	61.95	35.66	74.00	38.34	PASS	Horizontal	PK
2	20186.9675	-25.45	60.81	35.36	74.00	38.64	PASS	Horizontal	PK
3	21303.5721	-25.82	61.49	35.67	74.00	38.33	PASS	Horizontal	PK
4	22720.4088	-25.03	59.59	34.56	74.00	39.44	PASS	Horizontal	PK
5	24253.8702	-22.38	58.22	35.84	74.00	38.16	PASS	Horizontal	PK
6	25658.1263	-20.74	56.47	35.73	74.00	38.27	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18653.1661	-26.58	62.27	35.69	74.00	38.31	PASS	Vertical	PK
2	19941.8177	-24.80	61.23	36.43	74.00	37.57	PASS	Vertical	PK
3	21327.3731	-25.83	61.62	35.79	74.00	38.21	PASS	Vertical	PK
4	22729.5892	-25.03	58.95	33.92	74.00	40.08	PASS	Vertical	PK
5	23823.7529	-22.28	58.11	35.83	74.00	38.17	PASS	Vertical	PK
6	25218.8288	-21.08	57.36	36.28	74.00	37.72	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422Mhz
Remark:	\	Test_Date	2026/6/18


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1533.3689	13.46	36.18	49.64	74.00	24.36	PASS	Horizontal	PK
2	2709.714	17.12	37.68	54.80	74.00	19.20	PASS	Horizontal	PK
3	3784.0523	-12.58	57.52	44.94	74.00	29.06	PASS	Horizontal	PK
4	6326.2217	-4.58	52.19	47.61	74.00	26.39	PASS	Horizontal	PK
5	10229.482	1.80	50.35	52.15	74.00	21.85	PASS	Horizontal	PK
6	17878.9919	15.42	46.79	62.21	74.00	11.79	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422Mhz
Remark:	\	Test_Date	2026/6/18

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1558.5706	13.51	37.30	50.81	74.00	23.19	PASS	Vertical	PK
2	2898.7933	17.71	37.01	54.72	74.00	19.28	PASS	Vertical	PK
3	4133.0755	-10.95	54.93	43.98	74.00	30.02	PASS	Vertical	PK
4	7371.2914	-3.03	53.19	50.16	74.00	23.84	PASS	Vertical	PK
5	13085.6724	6.13	50.69	56.82	74.00	17.18	PASS	Vertical	PK
6	17853.9903	15.99	46.29	62.28	74.00	11.72	PASS	Vertical	PK
7	2905.4604	17.75	18.04	35.79	54.00	18.21	PASS	Vertical	AV
8	13198.6799	6.35	39.73	46.08	54.00	7.92	PASS	Vertical	AV
9	17857.9905	15.91	32.28	48.19	54.00	5.81	PASS	Vertical	AV