


|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2422Mhz   |
| Remark:   | \                              | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 36.18          | 52.14          | 74.00          | 21.86       | PASS   | Horizont | PK     |
| 2              | 2390        | 15.96       | 22.26          | 38.22          | 54.00          | 15.78       | PASS   | Horizont | AV     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2422Mhz   |
| Remark:   | \                              | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 35.45          | 51.41          | 74.00          | 22.59       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 22.36          | 38.32          | 54.00          | 15.68       | PASS   | Vertical | AV     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2452Mhz   |
| Remark:   | \                              | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 34.67          | 50.96          | 74.00          | 23.04       | PASS   | Horizont | PK     |
| 2              | 2483.5      | 16.29       | 22.25          | 38.54          | 54.00          | 15.46       | PASS   | Horizont | AV     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2452Mhz   |
| Remark:   | \                              | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 35.75          | 52.04          | 74.00          | 21.96       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 22.52          | 38.81          | 54.00          | 15.19       | PASS   | Vertical | AV     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 2412Mhz   |
| Remark:   | \                               | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 34.29          | 50.25          | 74.00          | 23.75       | PASS   | Horizont | PK     |
| 2              | 2390        | 15.96       | 22.14          | 38.10          | 54.00          | 15.90       | PASS   | Horizont | AV     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 2412Mhz   |
| Remark:   | \                               | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 35.17          | 51.13          | 74.00          | 22.87       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 22.01          | 37.97          | 54.00          | 16.03       | PASS   | Vertical | AV     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 2462Mhz   |
| Remark:   | \                               | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 33.79          | 50.08          | 74.00          | 23.92       | PASS   | Horizont | PK     |
| 2              | 2483.5      | 16.29       | 20.40          | 36.69          | 54.00          | 17.31       | PASS   | Horizont | AV     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 2462Mhz   |
| Remark:   | \                               | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 34.39          | 50.68          | 74.00          | 23.32       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 20.33          | 36.62          | 54.00          | 17.38       | PASS   | Vertical | AV     |

|           |                              |                |           |
|-----------|------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40) Transmitting | Test_Frequency | 2422Mhz   |
| Remark:   | \                            | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 36.33          | 52.29          | 74.00          | 21.71       | PASS   | Horizont | PK     |
| 2              | 2390        | 15.96       | 22.14          | 38.10          | 54.00          | 15.90       | PASS   | Horizont | AV     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 2422Mhz   |
| Remark:   | \                               | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 36.98          | 52.94          | 74.00          | 21.06       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 21.93          | 37.89          | 54.00          | 16.11       | PASS   | Vertical | AV     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 2452Mhz   |
| Remark:   | \                               | Test_Date      | 2026/6/17 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 35.85          | 52.14          | 74.00          | 21.86       | PASS   | Horizont | PK     |
| 2              | 2483.5      | 16.29       | 23.16          | 39.45          | 54.00          | 14.55       | PASS   | Horizont | AV     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 2452Mhz   |
| Remark:   | \                               | Test_Date      | 2026/6/17 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 37.58          | 53.87          | 74.00          | 20.13       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 22.43          | 38.72          | 54.00          | 15.28       | PASS   | Vertical | AV     |

Note:  
The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:  
Final Test Level =Receiver Reading - Correct Factor  
Correct Factor = Preamplifier Factor– Antenna Factor–Cable Factor

**6 Appendix A**

Refer to Appendix: 2.4G Wi-Fi of EED32S80800403

**7 PHOTOGRAPHS**

Refer to Appendix Photographs of Report No.EED32S80800401.

## Statement

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule stated in ILAC-G8:09/2019/CNAS-GL015:2022;
5. Without written approval of CTI, this report can't be reproduced except in full;

\*\*\* End of Report \*\*\*