


Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2554.1422	16.71	34.11	50.82	68.20	17.38	PASS	Vertical	PK
2	5014.0606	25.15	33.04	58.19	74.00	15.81	PASS	Vertical	PK
3	6490.0996	28.62	32.27	60.89	68.20	7.31	PASS	Vertical	PK
4	9660.933	1.17	52.82	53.99	68.20	14.21	PASS	Vertical	PK
5	13147.9074	6.03	51.62	57.65	68.20	10.55	PASS	Vertical	PK
6	17009.2255	12.62	51.37	63.99	68.20	4.21	PASS	Vertical	PK
7	5008.7804	25.18	10.40	35.58	54.00	18.42	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18378.4151	-26.73	62.47	35.74	74.00	38.26	PASS	Horizontal	PK
2	21881.8353	-25.64	60.19	34.55	68.20	33.65	PASS	Horizontal	PK
3	24811.4725	-21.97	57.57	35.60	68.20	32.60	PASS	Horizontal	PK
4	27934.7174	-21.15	57.18	36.03	68.20	32.17	PASS	Horizontal	PK
5	32402.6561	-18.04	52.71	34.67	68.20	33.53	PASS	Horizontal	PK
6	36605.7042	-15.79	48.42	32.63	68.20	35.57	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18364.3346	-26.75	61.74	34.99	74.00	39.01	PASS	Vertical	PK
2	21188.3675	-25.76	60.87	35.11	74.00	38.89	PASS	Vertical	PK
3	24348.5739	-21.93	56.81	34.88	68.20	33.32	PASS	Vertical	PK
4	27851.9941	-21.09	56.67	35.58	68.20	32.62	PASS	Vertical	PK
5	32417.6167	-18.11	53.36	35.25	68.20	32.95	PASS	Vertical	PK
6	36514.1806	-16.16	48.74	32.58	68.20	35.62	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2656.8863	17.05	32.88	49.93	68.20	18.27	PASS	Horizontal	PK
2	5032.7613	25.32	32.52	57.84	74.00	16.16	PASS	Horizontal	PK
3	6479.9792	28.67	32.92	61.59	68.20	6.61	PASS	Horizontal	PK
4	9693.1347	1.17	52.68	53.85	68.20	14.35	PASS	Horizontal	PK
5	13874.7437	7.64	50.43	58.07	68.20	10.13	PASS	Horizontal	PK
6	17027.6264	12.50	50.59	63.09	68.20	5.11	PASS	Horizontal	PK
7	4999.32	24.98	10.45	35.43	54.00	18.57	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2561.4025	16.79	33.40	50.19	68.20	18.01	PASS	Vertical	PK
2	5103.6041	26.26	31.67	57.93	74.00	16.07	PASS	Vertical	PK
3	6471.6189	28.32	32.38	60.70	68.20	7.50	PASS	Vertical	PK
4	9661.5081	1.17	53.97	55.14	68.20	13.06	PASS	Vertical	PK
5	13805.1653	7.04	51.21	58.25	68.20	9.95	PASS	Vertical	PK
6	17585.9793	14.06	49.54	63.60	68.20	4.60	PASS	Vertical	PK
7	5146.9459	27.49	8.24	35.73	54.00	18.27	PASS	Vertical	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18589.6236	-26.69	62.94	36.25	74.00	37.75	PASS	Horizontal	PK
2	21638.0655	-25.70	61.17	35.47	68.20	32.73	PASS	Horizontal	PK
3	24351.214	-21.91	57.18	35.27	68.20	32.93	PASS	Horizontal	PK
4	27813.2725	-21.07	56.79	35.72	68.20	32.48	PASS	Horizontal	PK
5	32404.4162	-18.05	52.65	34.60	68.20	33.60	PASS	Horizontal	PK
6	37459.3384	-15.54	48.12	32.58	68.20	35.62	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210Mhz
Remark:	\	Test_Date	2026/6/23

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18401.2961	-26.70	63.06	36.36	74.00	37.64	PASS	Vertical	PK
2	21773.5909	-25.56	60.48	34.92	68.20	33.28	PASS	Vertical	PK
3	25197.8079	-21.05	56.37	35.32	68.20	32.88	PASS	Vertical	PK
4	28232.1693	-21.33	57.08	35.75	68.20	32.45	PASS	Vertical	PK
5	32340.1736	-18.42	52.92	34.50	68.20	33.70	PASS	Vertical	PK
6	35759.1104	-16.63	50.19	33.56	68.20	34.64	PASS	Vertical	PK

U-NII-2A:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2671.6269	17.33	34.18	51.51	68.20	16.69	PASS	Horizontal	PK
2	5080.2832	25.63	31.80	57.43	74.00	16.57	PASS	Horizontal	PK
3	6403.6361	28.39	32.62	61.01	68.20	7.19	PASS	Horizontal	PK
4	9686.8093	1.17	53.53	54.70	68.20	13.50	PASS	Horizontal	PK
5	13174.9337	6.30	51.97	58.27	68.20	9.93	PASS	Horizontal	PK
6	17022.4511	12.53	52.00	64.53	68.20	3.67	PASS	Horizontal	PK
7	5029.9012	25.29	9.84	35.13	54.00	18.87	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2584.9434	16.62	33.24	49.86	68.20	18.34	PASS	Vertical	PK
2	5023.741	25.15	33.04	58.19	74.00	15.81	PASS	Vertical	PK
3	6479.5392	28.65	32.52	61.17	68.20	7.03	PASS	Vertical	PK
4	9668.9834	1.16	53.38	54.54	68.20	13.66	PASS	Vertical	PK
5	13142.1571	6.07	51.42	57.49	68.20	10.71	PASS	Vertical	PK
6	17064.4282	12.32	50.68	63.00	68.20	5.20	PASS	Vertical	PK
7	5007.6803	25.15	10.20	35.35	54.00	18.65	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18414.4966	-26.70	61.38	34.68	74.00	39.32	PASS	Horizontal	PK
2	21752.4701	-25.58	59.30	33.72	68.20	34.48	PASS	Horizontal	PK
3	24550.102	-21.82	56.77	34.95	68.20	33.25	PASS	Horizontal	PK
4	27808.8724	-21.07	56.86	35.79	68.20	32.41	PASS	Horizontal	PK
5	32448.4179	-18.25	53.57	35.32	68.20	32.88	PASS	Horizontal	PK
6	36441.1376	-16.52	49.47	32.95	74.00	41.05	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18352.8941	-26.76	61.89	35.13	74.00	38.87	PASS	Vertical	PK
2	21235.8894	-25.77	60.16	34.39	74.00	39.61	PASS	Vertical	PK
3	24418.0967	-21.69	56.76	35.07	68.20	33.13	PASS	Vertical	PK
4	27782.4713	-21.10	56.74	35.64	68.20	32.56	PASS	Vertical	PK
5	32394.7358	-18.06	53.37	35.31	68.20	32.89	PASS	Vertical	PK
6	36564.3426	-15.93	47.83	31.90	68.20	36.30	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2680.4272	17.30	35.07	52.37	68.20	15.83	PASS	Horizontal	PK
2	5033.6413	25.33	32.46	57.79	74.00	16.21	PASS	Horizontal	PK
3	6462.8185	28.25	32.17	60.42	68.20	7.78	PASS	Horizontal	PK
4	9662.6581	1.16	52.70	53.86	68.20	14.34	PASS	Horizontal	PK
5	13114.5557	6.30	51.00	57.30	68.20	10.90	PASS	Horizontal	PK
6	17667.0584	14.75	48.55	63.30	68.20	4.90	PASS	Horizontal	PK
7	5016.4807	25.11	10.24	35.35	54.00	18.65	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2574.163	16.67	33.17	49.84	68.20	18.36	PASS	Vertical	PK
2	4997.3399	24.97	32.99	57.96	74.00	16.04	PASS	Vertical	PK
3	6482.3993	28.66	32.37	61.03	68.20	7.17	PASS	Vertical	PK
4	9705.2103	1.16	53.25	54.41	68.20	13.79	PASS	Vertical	PK
5	13142.7321	6.07	51.38	57.45	68.20	10.75	PASS	Vertical	PK
6	17019.001	12.56	51.43	63.99	68.20	4.21	PASS	Vertical	PK
7	5029.4612	25.28	9.85	35.13	54.00	18.87	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18630.1052	-26.63	62.07	35.44	74.00	38.56	PASS	Horizontal	PK
2	21280.7712	-25.80	59.82	34.02	74.00	39.98	PASS	Horizontal	PK
3	24350.334	-21.92	56.77	34.85	68.20	33.35	PASS	Horizontal	PK
4	27785.9914	-21.09	56.83	35.74	68.20	32.46	PASS	Horizontal	PK
5	32400.016	-18.03	52.74	34.71	68.20	33.49	PASS	Horizontal	PK
6	37385.4154	-15.87	47.36	31.49	68.20	36.71	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18371.3749	-26.74	62.20	35.46	74.00	38.54	PASS	Vertical	PK
2	21647.7459	-25.69	59.87	34.18	68.20	34.02	PASS	Vertical	PK
3	24602.0241	-21.87	56.75	34.88	68.20	33.32	PASS	Vertical	PK
4	27993.6797	-21.19	56.22	35.03	68.20	33.17	PASS	Vertical	PK
5	32424.657	-18.14	53.07	34.93	68.20	33.27	PASS	Vertical	PK
6	36603.9442	-15.77	48.49	32.72	68.20	35.48	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2567.3427	16.72	33.07	49.79	68.20	18.41	PASS	Horizontal	PK
2	5004.3802	25.08	32.93	58.01	74.00	15.99	PASS	Horizontal	PK
3	6444.9978	28.29	32.00	60.29	68.20	7.91	PASS	Horizontal	PK
4	9736.8368	1.12	53.51	54.63	68.20	13.57	PASS	Horizontal	PK
5	13716.0358	7.25	51.33	58.58	68.20	9.62	PASS	Horizontal	PK
6	17585.4043	14.05	49.32	63.37	68.20	4.83	PASS	Horizontal	PK
7	5013.1805	25.16	10.42	35.58	54.00	18.42	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2558.9824	16.78	33.08	49.86	68.20	18.34	PASS	Vertical	PK
2	5081.6033	25.65	33.06	58.71	74.00	15.29	PASS	Vertical	PK
3	6489.4396	28.62	31.79	60.41	68.20	7.79	PASS	Vertical	PK
4	9654.0327	1.17	52.64	53.81	68.20	14.39	PASS	Vertical	PK
5	13714.8857	7.25	50.83	58.08	68.20	10.12	PASS	Vertical	PK
6	17558.3779	13.92	50.24	64.16	68.20	4.04	PASS	Vertical	PK
7	5104.2642	26.29	8.75	35.04	54.00	18.96	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18350.254	-26.77	62.52	35.75	74.00	38.25	PASS	Horizontal	PK
2	21212.1285	-25.76	60.76	35.00	74.00	39.00	PASS	Horizontal	PK
3	24625.785	-21.89	56.07	34.18	68.20	34.02	PASS	Horizontal	PK
4	27993.6797	-21.19	57.36	36.17	68.20	32.03	PASS	Horizontal	PK
5	32516.1806	-18.55	53.68	35.13	68.20	33.07	PASS	Horizontal	PK
6	36569.6228	-15.90	47.87	31.97	68.20	36.23	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18335.2934	-26.79	61.72	34.93	74.00	39.07	PASS	Vertical	PK
2	21808.7924	-25.54	60.11	34.57	68.20	33.63	PASS	Vertical	PK
3	25186.3675	-21.11	56.49	35.38	68.20	32.82	PASS	Vertical	PK
4	27988.3995	-21.19	57.33	36.14	68.20	32.06	PASS	Vertical	PK
5	32429.9372	-18.17	52.69	34.52	68.20	33.68	PASS	Vertical	PK
6	35870.8748	-16.93	50.14	33.21	68.20	34.99	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2568.2227	16.70	33.31	50.01	68.20	18.19	PASS	Horizontal	PK
2	5003.9402	25.07	32.80	57.87	74.00	16.13	PASS	Horizontal	PK
3	6457.9783	28.27	32.45	60.72	68.20	7.48	PASS	Horizontal	PK
4	9731.6616	1.13	52.53	53.66	68.20	14.54	PASS	Horizontal	PK
5	13113.4057	6.31	51.45	57.76	68.20	10.44	PASS	Horizontal	PK
6	17033.9517	12.45	51.07	63.52	68.20	4.68	PASS	Horizontal	PK
7	5007.6803	25.15	10.18	35.33	54.00	18.67	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2575.263	16.66	32.78	49.44	68.20	18.76	PASS	Vertical	PK
2	5009.6604	25.19	33.93	59.12	74.00	14.88	PASS	Vertical	PK
3	6489.8796	28.62	31.48	60.10	68.20	8.10	PASS	Vertical	PK
4	9681.0591	1.17	52.36	53.53	68.20	14.67	PASS	Vertical	PK
5	13721.7861	7.24	50.94	58.18	68.20	10.02	PASS	Vertical	PK
6	17025.9013	12.51	51.35	63.86	68.20	4.34	PASS	Vertical	PK
7	5009.8804	25.20	10.29	35.49	54.00	18.51	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270Mhz
Remark:	\	Test_Date	2026/6/23

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18462.8985	-26.70	62.39	35.69	74.00	38.31	PASS	Horizontal	PK
2	21022.0409	-25.98	60.11	34.13	74.00	39.87	PASS	Horizontal	PK
3	23904.1562	-22.13	57.40	35.27	74.00	38.73	PASS	Horizontal	PK
4	27121.5649	-21.88	56.57	34.69	68.20	33.51	PASS	Horizontal	PK
5	31657.2663	-19.71	54.46	34.75	74.00	39.25	PASS	Horizontal	PK
6	36609.2244	-15.81	49.04	33.23	68.20	34.97	PASS	Horizontal	PK