


Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18557.0623	-26.69	61.56	34.87	74.00	39.13	PASS	Vertical	PK
2	21587.9035	-25.75	61.08	35.33	68.20	32.87	PASS	Vertical	PK
3	25239.1696	-21.12	56.20	35.08	68.20	33.12	PASS	Vertical	PK
4	28904.5162	-21.38	55.86	34.48	68.20	33.72	PASS	Vertical	PK
5	32401.7761	-18.04	52.62	34.58	68.20	33.62	PASS	Vertical	PK
6	36538.8216	-16.05	48.86	32.81	68.20	35.39	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2584.7234	16.62	33.95	50.57	68.20	17.63	PASS	Horizontal	PK
2	5023.961	25.16	33.56	58.72	74.00	15.28	PASS	Horizontal	PK
3	6450.718	28.35	33.03	61.38	68.20	6.82	PASS	Horizontal	PK
4	9652.8826	1.17	53.04	54.21	68.20	13.99	PASS	Horizontal	PK
5	13158.8329	6.11	51.56	57.67	68.20	10.53	PASS	Horizontal	PK
6	17011.5256	12.60	50.17	62.77	68.20	5.43	PASS	Horizontal	PK
7	5033.6413	25.33	9.89	35.22	54.00	18.78	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2562.5025	16.77	34.23	51.00	68.20	17.20	PASS	Vertical	PK
2	5001.3001	25.01	32.68	57.69	74.00	16.31	PASS	Vertical	PK
3	6482.8393	28.66	31.68	60.34	68.20	7.86	PASS	Vertical	PK
4	9647.7074	1.17	53.64	54.81	68.20	13.39	PASS	Vertical	PK
5	13721.2111	7.24	50.77	58.01	68.20	10.19	PASS	Vertical	PK
6	17027.6264	12.50	51.76	64.26	68.20	3.94	PASS	Vertical	PK
7	5007.9003	25.16	10.52	35.68	54.00	18.32	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18638.9056	-26.61	61.38	34.77	74.00	39.23	PASS	Horizontal	PK
2	21790.3116	-25.54	59.59	34.05	68.20	34.15	PASS	Horizontal	PK
3	25140.6056	-21.36	56.65	35.29	68.20	32.91	PASS	Horizontal	PK
4	28701.228	-21.70	56.14	34.44	68.20	33.76	PASS	Horizontal	PK
5	32358.6543	-18.30	52.63	34.33	68.20	33.87	PASS	Horizontal	PK
6	36604.8242	-15.78	48.30	32.52	68.20	35.68	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18923.1569	-26.28	60.71	34.43	74.00	39.57	PASS	Vertical	PK
2	21783.2713	-25.54	59.67	34.13	68.20	34.07	PASS	Vertical	PK
3	25153.8062	-21.29	56.15	34.86	68.20	33.34	PASS	Vertical	PK
4	28781.3113	-21.52	57.38	35.86	68.20	32.34	PASS	Vertical	PK
5	32349.854	-18.35	52.42	34.07	68.20	34.13	PASS	Vertical	PK
6	36582.8233	-15.83	48.15	32.32	68.20	35.88	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5290Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2593.5237	16.59	34.39	50.98	68.20	17.22	PASS	Horizontal	PK
2	4999.1	24.98	32.98	57.96	74.00	16.04	PASS	Horizontal	PK
3	6498.2399	28.36	30.26	58.62	68.20	9.58	PASS	Horizontal	PK
4	9697.7349	1.17	53.39	54.56	68.20	13.64	PASS	Horizontal	PK
5	13090.9795	6.41	51.32	57.73	68.20	10.47	PASS	Horizontal	PK
6	16998.8749	12.66	51.13	63.79	68.20	4.41	PASS	Horizontal	PK
7	4994.4798	24.94	10.46	35.40	54.00	18.60	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5290Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2561.4025	16.79	33.53	50.32	68.20	17.88	PASS	Vertical	PK
2	5034.9614	25.34	32.66	58.00	74.00	16.00	PASS	Vertical	PK
3	6482.6193	28.66	31.76	60.42	68.20	7.78	PASS	Vertical	PK
4	9659.783	1.17	54.17	55.34	68.20	12.86	PASS	Vertical	PK
5	13142.7321	6.07	51.50	57.57	68.20	10.63	PASS	Vertical	PK
6	17025.3263	12.52	50.35	62.87	68.20	5.33	PASS	Vertical	PK
7	5005.0402	25.09	10.30	35.39	54.00	18.61	PASS	Vertical	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5290Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18709.3084	-26.47	61.87	35.40	74.00	38.60	PASS	Horizontal	PK
2	21749.83	-25.58	59.35	33.77	68.20	34.43	PASS	Horizontal	PK
3	25075.483	-21.72	56.53	34.81	68.20	33.39	PASS	Horizontal	PK
4	27909.1964	-21.13	56.16	35.03	68.20	33.17	PASS	Horizontal	PK
5	32354.2542	-18.33	53.12	34.79	68.20	33.41	PASS	Horizontal	PK
6	36483.3793	-16.32	47.72	31.40	74.00	42.60	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5290Mhz
Remark:	\	Test_Date	2026/6/23

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18701.3881	-26.49	61.02	34.53	74.00	39.47	PASS	Vertical	PK
2	21812.3125	-25.55	59.50	33.95	68.20	34.25	PASS	Vertical	PK
3	25247.9699	-21.14	56.27	35.13	68.20	33.07	PASS	Vertical	PK
4	29080.5232	-21.37	55.48	34.11	68.20	34.09	PASS	Vertical	PK
5	32399.136	-18.04	52.69	34.65	68.20	33.55	PASS	Vertical	PK
6	36563.4625	-15.93	48.25	32.32	68.20	35.88	PASS	Vertical	PK

U-NII-2C:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2669.6468	17.33	33.72	51.05	68.20	17.15	PASS	Horizont	PK
2	5005.2602	25.10	33.03	58.13	74.00	15.87	PASS	Horizont	PK
3	6480.6392	28.67	32.19	60.86	68.20	7.34	PASS	Horizont	PK
4	9637.9319	1.19	53.48	54.67	68.20	13.53	PASS	Horizont	PK
5	13104.2052	6.38	51.04	57.42	68.20	10.78	PASS	Horizont	PK
6	17590.0045	14.07	49.36	63.43	68.20	4.77	PASS	Horizont	PK
7	5006.3603	25.12	10.62	35.74	54.00	18.26	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2566.4627	16.73	35.23	51.96	68.20	16.24	PASS	Vertical	PK
2	5012.3005	25.17	33.51	58.68	74.00	15.32	PASS	Vertical	PK
3	6456.6583	28.29	32.85	61.14	68.20	7.06	PASS	Vertical	PK
4	9617.8059	1.23	53.72	54.95	68.20	13.25	PASS	Vertical	PK
5	13155.9578	6.07	51.84	57.91	68.20	10.29	PASS	Vertical	PK
6	17587.7044	14.06	49.79	63.85	68.20	4.35	PASS	Vertical	PK
7	5004.1602	25.07	10.65	35.72	54.00	18.28	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18439.1376	-26.70	62.08	35.38	74.00	38.62	PASS	Horizontal	PK
2	21273.7309	-25.80	59.93	34.13	74.00	39.87	PASS	Horizontal	PK
3	24607.3043	-21.87	56.98	35.11	68.20	33.09	PASS	Horizontal	PK
4	27768.3907	-21.13	56.52	35.39	68.20	32.81	PASS	Horizontal	PK
5	32394.7358	-18.06	52.75	34.69	68.20	33.51	PASS	Horizontal	PK
6	36307.3723	-16.73	49.62	32.89	68.20	35.31	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18374.895	-26.73	61.43	34.70	74.00	39.30	PASS	Vertical	PK
2	21249.09	-25.78	61.36	35.58	74.00	38.42	PASS	Vertical	PK
3	23850.474	-22.23	57.70	35.47	74.00	38.53	PASS	Vertical	PK
4	27000.12	-21.83	56.35	34.52	68.20	33.68	PASS	Vertical	PK
5	32406.1762	-18.06	52.78	34.72	68.20	33.48	PASS	Vertical	PK
6	36616.2647	-15.84	48.39	32.55	68.20	35.65	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2565.1426	16.74	34.15	50.89	68.20	17.31	PASS	Horizontal	PK
2	4994.4798	24.94	33.38	58.32	74.00	15.68	PASS	Horizontal	PK
3	6450.718	28.35	32.79	61.14	68.20	7.06	PASS	Horizontal	PK
4	9727.0614	1.13	53.57	54.70	68.20	13.50	PASS	Horizontal	PK
5	13729.2615	7.23	51.20	58.43	68.20	9.77	PASS	Horizontal	PK
6	17577.9289	14.02	48.72	62.74	68.20	5.46	PASS	Horizontal	PK
7	5007.4603	25.14	10.48	35.62	54.00	18.38	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2680.2072	17.29	33.88	51.17	68.20	17.03	PASS	Vertical	PK
2	4954.8782	25.03	33.17	58.20	74.00	15.80	PASS	Vertical	PK
3	6481.0792	28.66	33.11	61.77	68.20	6.43	PASS	Vertical	PK
4	9697.1599	1.17	52.84	54.01	68.20	14.19	PASS	Vertical	PK
5	13675.7838	6.91	51.20	58.11	68.20	10.09	PASS	Vertical	PK
6	17590.5795	14.07	49.35	63.42	68.20	4.78	PASS	Vertical	PK
7	5005.7002	25.10	10.59	35.69	54.00	18.31	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18624.825	-26.64	61.37	34.73	74.00	39.27	PASS	Horizontal	PK
2	21741.9097	-25.59	59.65	34.06	68.20	34.14	PASS	Horizontal	PK
3	24421.6169	-21.70	56.99	35.29	68.20	32.91	PASS	Horizontal	PK
4	27932.0773	-21.15	56.25	35.10	68.20	33.10	PASS	Horizontal	PK
5	32410.5764	-18.07	52.61	34.54	68.20	33.66	PASS	Horizontal	PK
6	36353.1341	-16.72	48.52	31.80	68.20	36.40	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18466.4187	-26.70	61.47	34.77	74.00	39.23	PASS	Vertical	PK
2	21963.6785	-25.76	59.64	33.88	68.20	34.32	PASS	Vertical	PK
3	25331.5733	-21.30	56.46	35.16	68.20	33.04	PASS	Vertical	PK
4	28682.7473	-21.75	57.01	35.26	68.20	32.94	PASS	Vertical	PK
5	32400.016	-18.03	53.08	35.05	68.20	33.15	PASS	Vertical	PK
6	36567.8627	-15.91	48.78	32.87	68.20	35.33	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2678.0071	17.29	33.28	50.57	68.20	17.63	PASS	Horizontal	PK
2	5031.0012	25.30	33.28	58.58	74.00	15.42	PASS	Horizontal	PK
3	6453.3581	28.32	33.83	62.15	68.20	6.05	PASS	Horizontal	PK
4	9618.9559	1.22	54.07	55.29	68.20	12.91	PASS	Horizontal	PK
5	13728.1114	7.23	51.09	58.32	68.20	9.88	PASS	Horizontal	PK
6	17630.8315	14.25	48.97	63.22	68.20	4.98	PASS	Horizontal	PK
7	5003.7201	25.06	10.58	35.64	54.00	18.36	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2681.3073	17.31	33.62	50.93	68.20	17.27	PASS	Vertical	PK
2	4996.6799	24.96	33.01	57.97	74.00	16.03	PASS	Vertical	PK
3	6449.618	28.36	32.35	60.71	68.20	7.49	PASS	Vertical	PK
4	9649.4325	1.16	53.03	54.19	68.20	14.01	PASS	Vertical	PK
5	13751.6876	7.21	51.24	58.45	68.20	9.75	PASS	Vertical	PK
6	17645.7823	14.32	48.75	63.07	68.20	5.13	PASS	Vertical	PK
7	5009.8804	25.20	10.43	35.63	54.00	18.37	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18777.9511	-26.33	60.63	34.30	74.00	39.70	PASS	Horizontal	PK
2	21924.957	-25.71	59.79	34.08	68.20	34.12	PASS	Horizontal	PK
3	25129.1652	-21.43	56.79	35.36	68.20	32.84	PASS	Horizontal	PK
4	28001.6001	-21.20	56.65	35.45	68.20	32.75	PASS	Horizontal	PK
5	32389.4556	-18.10	53.78	35.68	68.20	32.52	PASS	Horizontal	PK
6	35833.9134	-16.84	49.50	32.66	68.20	35.54	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18555.3022	-26.69	61.40	34.71	74.00	39.29	PASS	Vertical	PK
2	21906.4763	-25.68	59.41	33.73	68.20	34.47	PASS	Vertical	PK
3	25196.0478	-21.06	56.36	35.30	68.20	32.90	PASS	Vertical	PK
4	28020.0808	-21.21	56.66	35.45	68.20	32.75	PASS	Vertical	PK
5	32373.6149	-18.20	53.07	34.87	68.20	33.33	PASS	Vertical	PK
6	36317.9327	-16.73	50.02	33.29	68.20	34.91	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510Mhz
Remark:	\	Test_Date	2026/6/23

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2669.4268	17.32	33.01	50.33	68.20	17.87	PASS	Horizontal	PK
2	5043.1017	25.45	32.77	58.22	74.00	15.78	PASS	Horizontal	PK
3	6486.7995	28.63	32.06	60.69	68.20	7.51	PASS	Horizontal	PK
4	9661.5081	1.17	52.94	54.11	68.20	14.09	PASS	Horizontal	PK
5	13145.6073	6.04	51.84	57.88	68.20	10.32	PASS	Horizontal	PK
6	17579.079	14.02	49.29	63.31	68.20	4.89	PASS	Horizontal	PK
7	5005.7002	25.10	10.59	35.69	54.00	18.31	PASS	Horizontal	AV