


Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2585.8234	16.61	33.70	50.31	68.20	17.89	PASS	Vertical	PK
2	5010.3204	25.20	33.47	58.67	74.00	15.33	PASS	Vertical	PK
3	6497.3599	28.39	32.69	61.08	68.20	7.12	PASS	Vertical	PK
4	9632.7566	1.20	52.81	54.01	68.20	14.19	PASS	Vertical	PK
5	13747.6624	7.23	51.86	59.09	68.20	9.11	PASS	Vertical	PK
6	17583.6792	14.04	48.99	63.03	68.20	5.17	PASS	Vertical	PK
7	5007.9003	25.16	10.55	35.71	54.00	18.29	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18779.7112	-26.33	61.85	35.52	74.00	38.48	PASS	Horizontal	PK
2	21760.3904	-25.57	59.87	34.30	68.20	33.90	PASS	Horizontal	PK
3	25297.2519	-21.23	56.98	35.75	68.20	32.45	PASS	Horizontal	PK
4	28277.9311	-21.38	56.66	35.28	68.20	32.92	PASS	Horizontal	PK
5	32387.6955	-18.11	53.03	34.92	68.20	33.28	PASS	Horizontal	PK
6	36507.1403	-16.20	48.06	31.86	68.20	36.34	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18673.2269	-26.54	60.95	34.41	74.00	39.59	PASS	Vertical	PK
2	21128.5251	-25.84	60.13	34.29	74.00	39.71	PASS	Vertical	PK
3	23808.2323	-22.32	57.44	35.12	74.00	38.88	PASS	Vertical	PK
4	27796.5519	-21.07	56.52	35.45	68.20	32.75	PASS	Vertical	PK
5	32341.9337	-18.41	52.67	34.26	68.20	33.94	PASS	Vertical	PK
6	36544.1018	-16.02	48.70	32.68	68.20	35.52	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5550Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2561.1824	16.79	34.02	50.81	68.20	17.39	PASS	Vertical	PK
2	4989.4196	24.91	33.70	58.61	74.00	15.39	PASS	Vertical	PK
3	6486.3595	28.64	32.28	60.92	68.20	7.28	PASS	Vertical	PK
4	9727.0614	1.13	53.29	54.42	68.20	13.78	PASS	Vertical	PK
5	13661.4081	6.70	51.48	58.18	68.20	10.02	PASS	Vertical	PK
6	17598.6299	14.11	49.13	63.24	68.20	4.96	PASS	Vertical	PK
7	5013.8406	25.15	10.70	35.85	54.00	18.15	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5550Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18909.9564	-26.28	61.99	35.71	74.00	38.29	PASS	Horizontal	PK
2	21592.3037	-25.74	60.34	34.60	68.20	33.60	PASS	Horizontal	PK
3	24576.5031	-21.85	57.13	35.28	68.20	32.92	PASS	Horizontal	PK
4	27799.192	-21.06	56.18	35.12	68.20	33.08	PASS	Horizontal	PK
5	32385.0554	-18.13	52.89	34.76	68.20	33.44	PASS	Horizontal	PK
6	35677.2671	-16.38	49.80	33.42	68.20	34.78	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5550Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18874.755	-26.28	61.29	35.01	74.00	38.99	PASS	Vertical	PK
2	21774.471	-25.56	59.61	34.05	68.20	34.15	PASS	Vertical	PK
3	25195.1678	-21.07	55.91	34.84	68.20	33.36	PASS	Vertical	PK
4	27908.3163	-21.13	56.81	35.68	68.20	32.52	PASS	Vertical	PK
5	32402.6561	-18.04	52.49	34.45	68.20	33.75	PASS	Vertical	PK
6	36673.4669	-16.17	48.98	32.81	68.20	35.39	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2684.6074	17.36	33.22	50.58	68.20	17.62	PASS	Horizontal	PK
2	5003.5001	25.06	33.31	58.37	74.00	15.63	PASS	Horizontal	PK
3	6484.8194	28.65	32.45	61.10	68.20	7.10	PASS	Horizontal	PK
4	9613.7807	1.24	53.16	54.40	68.20	13.80	PASS	Horizontal	PK
5	13150.7825	6.01	52.84	58.85	68.20	9.35	PASS	Horizontal	PK
6	17602.6551	14.13	48.97	63.10	68.20	5.10	PASS	Horizontal	PK
7	5009.2204	25.18	10.46	35.64	54.00	18.36	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2575.703	16.66	33.37	50.03	68.20	18.17	PASS	Vertical	PK
2	5003.2801	25.06	33.37	58.43	74.00	15.57	PASS	Vertical	PK
3	6478.6591	28.62	32.51	61.13	68.20	7.07	PASS	Vertical	PK
4	9717.2859	1.15	54.05	55.20	68.20	13.00	PASS	Vertical	PK
5	13089.8295	6.41	51.31	57.72	68.20	10.48	PASS	Vertical	PK
6	17599.205	14.12	50.01	64.13	68.20	4.07	PASS	Vertical	PK
7	5007.9003	25.16	10.52	35.68	54.00	18.32	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18973.3189	-26.27	60.81	34.54	74.00	39.46	PASS	Horizontal	PK
2	22438.8976	-25.08	58.98	33.90	74.00	40.10	PASS	Horizontal	PK
3	25347.4139	-21.33	56.90	35.57	68.20	32.63	PASS	Horizontal	PK
4	28923.877	-21.37	56.44	35.07	68.20	33.13	PASS	Horizontal	PK
5	32365.6946	-18.25	53.45	35.20	68.20	33.00	PASS	Horizontal	PK
6	36260.7304	-16.73	48.92	32.19	68.20	36.01	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18792.9117	-26.30	61.23	34.93	74.00	39.07	PASS	Vertical	PK
2	21838.7135	-25.58	60.06	34.48	68.20	33.72	PASS	Vertical	PK
3	24572.1029	-21.84	56.72	34.88	68.20	33.32	PASS	Vertical	PK
4	27977.8391	-21.18	56.38	35.20	68.20	33.00	PASS	Vertical	PK
5	32348.0939	-18.36	52.43	34.07	68.20	34.13	PASS	Vertical	PK
6	35693.1077	-16.43	50.89	34.46	68.20	33.74	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5530Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2688.1275	17.41	32.96	50.37	68.20	17.83	PASS	Horizontal	PK
2	5038.2615	25.38	32.40	57.78	74.00	16.22	PASS	Horizontal	PK
3	6491.1996	28.58	32.75	61.33	68.20	6.87	PASS	Horizontal	PK
4	9656.9078	1.17	53.44	54.61	68.20	13.59	PASS	Horizontal	PK
5	13731.5616	7.23	51.49	58.72	68.20	9.48	PASS	Horizontal	PK
6	17553.7777	13.89	50.75	64.64	68.20	3.56	PASS	Horizontal	PK
7	5008.1203	25.16	10.40	35.56	54.00	18.44	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5530Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2654.0262	17.07	33.28	50.35	68.20	17.85	PASS	Vertical	PK
2	5003.5001	25.06	33.14	58.20	74.00	15.80	PASS	Vertical	PK
3	6492.2997	28.54	32.81	61.35	68.20	6.85	PASS	Vertical	PK
4	9632.7566	1.20	53.84	55.04	68.20	13.16	PASS	Vertical	PK
5	13061.6531	6.41	51.70	58.11	68.20	10.09	PASS	Vertical	PK
6	17569.8785	13.98	49.41	63.39	68.20	4.81	PASS	Vertical	PK
7	5003.7201	25.06	10.68	35.74	54.00	18.26	PASS	Vertical	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5530Mhz
Remark:	\	Test_Date	2026/6/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19122.9249	-26.15	61.41	35.26	74.00	38.74	PASS	Horizontal	PK
2	22397.5359	-25.10	58.96	33.86	74.00	40.14	PASS	Horizontal	PK
3	25370.2948	-21.38	56.20	34.82	68.20	33.38	PASS	Horizontal	PK
4	28709.1484	-21.69	56.88	35.19	68.20	33.01	PASS	Horizontal	PK
5	32345.4538	-18.39	53.60	35.21	68.20	32.99	PASS	Horizontal	PK
6	36561.7025	-15.94	49.12	33.18	68.20	35.02	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5530Mhz
Remark:	\	Test_Date	2026/6/23

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18577.3031	-26.69	62.50	35.81	74.00	38.19	PASS	Vertical	PK
2	21291.3317	-25.81	59.32	33.51	74.00	40.49	PASS	Vertical	PK
3	24382.8953	-21.77	57.37	35.60	68.20	32.60	PASS	Vertical	PK
4	27976.9591	-21.18	57.36	36.18	68.20	32.02	PASS	Vertical	PK
5	32392.9757	-18.07	53.22	35.15	68.20	33.05	PASS	Vertical	PK
6	36569.6228	-15.90	48.20	32.30	68.20	35.90	PASS	Vertical	PK

U-NII-3:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/5/14


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1495.4598	13.41	33.51	46.92	74.00	27.08	PASS	Horizont	PK
2	2949.718	17.63	33.78	51.41	68.20	16.79	PASS	Horizont	PK
3	5791.1316	28.43	32.39	60.82	68.20	7.38	PASS	Horizont	PK
4	7436.7218	-2.56	48.84	46.28	74.00	27.72	PASS	Horizont	PK
5	13158.2579	6.10	43.78	49.88	68.20	18.32	PASS	Horizont	PK
6	17100.08	12.25	43.06	55.31	68.20	12.89	PASS	Horizont	PK
7	5744.0498	28.40	9.18	37.58	54.00	16.42	PASS	Horizont	AV
8	17089.7295	12.27	28.69	40.96	54.00	13.04	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/5/14


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1437.1575	13.00	34.05	47.05	74.00	26.95	PASS	Vertical	PK
2	3052.4621	18.02	35.08	53.10	68.20	15.10	PASS	Vertical	PK
3	5855.3742	28.48	32.54	61.02	68.20	7.18	PASS	Vertical	PK
4	7424.0712	-2.77	49.69	46.92	74.00	27.08	PASS	Vertical	PK
5	11843.7422	3.00	45.77	48.77	74.00	25.23	PASS	Vertical	PK
6	17596.3298	14.11	41.32	55.43	68.20	12.77	PASS	Vertical	PK
7	5825.893	28.46	9.37	37.83	54.00	16.17	PASS	Vertical	AV
8	17588.2794	14.07	24.95	39.02	54.00	14.98	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/5/14


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18551.7821	-26.69	61.01	34.32	74.00	39.68	PASS	Horizontal	PK
2	21208.6083	-25.76	59.49	33.73	74.00	40.27	PASS	Horizontal	PK
3	24333.6133	-22.00	55.87	33.87	68.20	34.33	PASS	Horizontal	PK
4	27977.8391	-21.18	56.15	34.97	68.20	33.23	PASS	Horizontal	PK
5	32466.0186	-18.33	52.21	33.88	68.20	34.32	PASS	Horizontal	PK
6	37555.2622	-15.06	47.11	32.05	68.20	36.15	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/5/14


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18299.212	-26.84	61.00	34.16	74.00	39.84	PASS	Vertical	PK
2	21518.3807	-25.80	58.40	32.60	68.20	35.60	PASS	Vertical	PK
3	25351.8141	-21.34	55.94	34.60	68.20	33.60	PASS	Vertical	PK
4	28659.8664	-21.81	55.17	33.36	68.20	34.84	PASS	Vertical	PK
5	32608.5843	-18.93	52.79	33.86	68.20	34.34	PASS	Vertical	PK
6	37528.8612	-15.20	47.90	32.70	68.20	35.50	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/5/14


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1894.5558	14.64	33.55	48.19	68.20	20.01	PASS	Horizontal	PK
2	3025.621	18.16	33.55	51.71	68.20	16.49	PASS	Horizontal	PK
3	6492.9597	28.66	33.38	62.04	68.20	6.16	PASS	Horizontal	PK
4	8564.3532	-0.54	47.09	46.55	68.20	21.65	PASS	Horizontal	PK
5	13159.408	6.11	43.77	49.88	68.20	18.32	PASS	Horizontal	PK
6	17593.4547	14.09	42.02	56.11	68.20	12.09	PASS	Horizontal	PK
7	6488.9996	28.65	10.18	38.83	54.00	15.17	PASS	Horizontal	AV
8	17646.3573	14.32	24.74	39.06	54.00	14.94	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/5/14

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1317.9127	12.53	34.39	46.92	74.00	27.08	PASS	Vertical	PK
2	2330.3932	15.96	35.70	51.66	74.00	22.34	PASS	Vertical	PK
3	5791.1316	28.43	32.11	60.54	68.20	7.66	PASS	Vertical	PK
4	7619.581	-1.71	48.07	46.36	74.00	27.64	PASS	Vertical	PK
5	11720.686	2.81	45.14	47.95	74.00	26.05	PASS	Vertical	PK
6	17043.7272	12.39	43.36	55.75	68.20	12.45	PASS	Vertical	PK
7	5830.2932	28.46	9.24	37.70	54.00	16.30	PASS	Vertical	AV
8	17044.8772	12.38	28.35	40.73	54.00	13.27	PASS	Vertical	AV

