




Neutron Engineering Inc.

K360 ANT TEST REPORT

Antenna Specifications

Main technical specifications	
Frequency (MHz)	2400/2450/2500
Impedance (Ω)	50 ± 10
Gain(dBi)	max 0.11
VSWR	<1.0
Admitted power	1mW
Polarization	Linear, Vertical
Radiation	Omni-directional
Connector Type	PCB
Physical properties	
Antenna base	PCB
Operating temp	$-20^{\circ}\text{C} \sim +60^{\circ}\text{C}$
Storage temp	$-20^{\circ}\text{C} \sim +70^{\circ}\text{C}$

1.MEASUREMENTS SETUP




Manufacturer: Dongguan Yuzhenrong Trading Co., Ltd.
Address: Room 204, No.74, Humen Xinlian 9th Street, Humen Village,
Humen Town, Dongguan City, Guangdong



Neutron Engineering Inc.

2.SIZE OF THE ANTENNA





Neutron Engineering Inc.


Test Result (Gain)

Frequency (MHz)	Max Gain (dBi)	
	Vertical	Horizontal
2400	-8.12	0.11
2450	-7.50	-0.49
2500	-6.89	-0.78



Neutron Engineering Inc.

Antenna Pattern-Vertical




NEUTRON ENGINEERING INC.

No.3,Jinshagang 1st Road, ShiXia, Dalang Town, Dong Guan, China.523792



Neutron Engineering Inc.

Antenna Pattern-Horizontal



NEUTRON ENGINEERING INC.

No.3,Jinshagang 1st Road, ShiXia, Dalang Town, Dong Guan, China.523792