



Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1238.483	47.06	24.96	2.30	38.35	35.97	74.00	-38.03	VERTICAL Peak
2	1687.347	47.72	25.69	2.80	37.91	38.30	74.00	-35.70	VERTICAL Peak
3	3445.535	47.26	28.87	4.18	36.96	43.35	68.20	-24.85	VERTICAL Peak
4	4392.376	47.96	30.66	4.70	36.81	46.51	74.00	-27.49	VERTICAL Peak
5	11510.000	36.73	39.90	8.41	37.15	47.89	74.00	-26.11	VERTICAL Peak
6	17265.000	32.54	43.21	10.24	35.33	50.66	68.20	-17.54	VERTICAL Peak


Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Trace: (Discrete)

	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	47.30	24.46	2.27	38.42	35.61	74.00	-38.39	HORIZONTAL	Peak
2	1667.951	47.14	25.66	2.80	37.91	37.69	74.00	-36.31	HORIZONTAL	Peak
3	3445.535	47.63	28.87	4.18	36.96	43.72	68.20	-24.48	HORIZONTAL	Peak
4	4379.699	47.26	30.64	4.69	36.81	45.78	74.00	-28.22	HORIZONTAL	Peak
5	11590.000	37.21	39.72	8.37	37.14	48.16	74.00	-25.84	HORIZONTAL	Peak
6	17385.000	30.59	43.57	10.53	35.32	49.37	68.20	-18.83	HORIZONTAL	Peak


Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1116.093	47.72	24.40	2.25	38.43	35.94	74.00	-38.06	VERTICAL	Peak
2	1639.274	47.13	25.62	2.80	37.93	37.62	68.20	-30.58	VERTICAL	Peak
3	3289.821	47.31	28.74	4.05	37.03	43.07	68.20	-25.13	VERTICAL	Peak
4	4379.699	47.09	30.64	4.69	36.81	45.61	74.00	-28.39	VERTICAL	Peak
5	11590.000	36.87	39.72	8.37	37.14	47.82	74.00	-26.18	VERTICAL	Peak
6	17385.000	30.51	43.57	10.53	35.32	49.29	68.20	-18.91	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1271.123	46.89	25.11	2.46	38.33	36.13	68.20	-32.07	HORIZONTAL Peak
2	1697.129	47.96	25.71	2.80	37.89	38.58	74.00	-35.42	HORIZONTAL Peak
3	3270.858	48.22	28.71	4.04	37.04	43.93	68.20	-24.27	HORIZONTAL Peak
4	4405.090	46.75	30.68	4.70	36.81	45.32	68.20	-22.88	HORIZONTAL Peak
5	11550.000	37.49	39.84	8.40	37.14	48.59	74.00	-25.41	HORIZONTAL Peak
6	17325.000	30.67	43.40	10.39	35.32	49.14	68.20	-19.06	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Trace: (Discrete)

	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	47.97	25.02	2.34	38.35	36.98	68.20	-31.22	VERTICAL	Peak
2	1592.571	47.87	25.57	2.80	37.98	38.26	74.00	-35.74	VERTICAL	Peak
3	3132.079	48.92	28.51	3.95	37.14	44.24	68.20	-23.96	VERTICAL	Peak
4	4254.921	48.54	30.34	4.62	36.81	46.69	74.00	-27.31	VERTICAL	Peak
5	11550.000	36.58	39.84	8.40	37.14	47.68	74.00	-26.32	VERTICAL	Peak
6	17325.000	30.52	43.40	10.39	35.32	48.99	68.20	-19.21	VERTICAL	Peak

8 Test Setup Photo

Refer to Appendix - Setup Photos-BTWIFI for GZCR2112021460AT

9 EUT Constructional Details (EUT Photos)

Refer to Appendix - Photographs of EUT Constructional Details for GZCR2112021460AT

10 Appendix

1. Duty Cycle

1.1 Ant1

1.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	T _{on} (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	2.063	2.095	98.47	0.07	0.00
		5200	2.064	2.096	98.47	0.07	0.03
		5240	2.063	2.096	98.43	0.07	0.03
		5260	2.064	2.096	98.47	0.07	0.03
		5300	2.064	2.096	98.47	0.07	0.03
		5320	2.063	2.096	98.43	0.07	0.03
		5500	2.064	2.096	98.47	0.07	0.03
		5580	2.064	2.096	98.47	0.07	0.03
		5700	2.064	2.096	98.47	0.07	0.03
		5745	2.063	2.096	98.43	0.07	0.03
		5785	2.064	2.096	98.47	0.07	0.03
		5825	2.064	2.096	98.47	0.07	0.03
802.11n (HT20)	SISO	5180	1.920	1.952	98.36	0.07	0.00
		5200	1.919	1.951	98.36	0.07	0.03
		5240	1.920	1.952	98.36	0.07	0.03
		5260	1.920	1.952	98.36	0.07	0.03
		5300	1.920	1.952	98.36	0.07	0.03
		5320	1.920	1.952	98.36	0.07	0.03
		5500	1.920	1.952	98.36	0.07	0.03
		5580	1.919	1.951	98.36	0.07	0.03
		5700	1.919	1.951	98.36	0.07	0.03
		5745	1.919	1.951	98.36	0.07	0.03
		5785	1.920	1.952	98.36	0.07	0.03
		5825	1.919	1.951	98.36	0.07	0.03
802.11n (HT40)	SISO	5190	0.646	0.690	93.62	0.29	0.00
		5230	0.647	0.690	93.77	0.28	0.03
		5270	0.646	0.689	93.76	0.28	0.03
		5310	0.646	0.689	93.76	0.28	0.07
		5510	0.646	0.690	93.62	0.29	0.03
		5550	0.646	0.690	93.62	0.29	0.03




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

		5670	0.646	0.690	93.62	0.29	0.03
		5755	0.646	0.689	93.76	0.28	0.03
		5795	0.647	0.690	93.77	0.28	0.00
802.11ac (VHT20)	SISO	5180	1.316	1.358	96.91	0.14	0.03
		5200	1.315	1.357	96.90	0.14	0.03
		5240	1.316	1.357	96.98	0.13	0.03
		5260	1.315	1.357	96.90	0.14	0.00
		5300	1.316	1.357	96.98	0.13	0.03
		5320	1.315	1.357	96.90	0.14	0.00
		5500	1.316	1.358	96.91	0.14	0.00
		5580	1.316	1.357	96.98	0.13	0.03
		5700	1.316	1.358	96.91	0.14	0.03
		5745	1.316	1.357	96.98	0.13	0.00
		5785	1.316	1.357	96.98	0.13	0.00
		5825	1.315	1.357	96.90	0.14	0.07
802.11ac (VHT40)	SISO	5190	0.952	0.984	96.75	0.14	0.03
		5230	0.952	0.984	96.75	0.14	0.03
		5270	0.952	0.983	96.85	0.14	0.03
		5310	0.950	0.984	96.54	0.15	0.03
		5510	0.950	0.983	96.64	0.15	0.04
		5550	0.950	0.983	96.64	0.15	0.03
		5670	0.950	0.984	96.54	0.15	0.03
		5755	0.952	0.984	96.75	0.14	0.03
802.11ac (VHT80)	SISO	5795	0.952	0.983	96.85	0.14	0.03
		5210	0.460	0.492	93.50	0.29	0.07
		5290	0.460	0.492	93.50	0.29	0.04
		5530	0.459	0.492	93.29	0.30	0.07
		5610	0.460	0.491	93.69	0.28	0.03
		5775	0.459	0.491	93.48	0.29	0.03


1.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV



802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



2. Bandwidth


2.1 OBW

2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Ant	99% Occupied Bandwidth (MHz)	Verdict
				Result	
802.11a	SISO	5180	1	20.614	Pass
		5200	1	20.838	Pass
		5240	1	20.497	Pass
		5260	1	19.577	Pass
		5300	1	20.367	Pass
		5320	1	20.338	Pass
		5500	1	19.999	Pass
		5580	1	20.327	Pass
		5700	1	19.998	Pass
		5745	1	21.644	Pass
		5785	1	21.948	Pass
		5825	1	23.182	Pass
802.11n (HT20)	SISO	5180	1	20.491	Pass
		5200	1	20.344	Pass
		5240	1	20.509	Pass
		5260	1	21.925	Pass
		5300	1	22.906	Pass
		5320	1	23.212	Pass
		5500	1	19.924	Pass
		5580	1	19.770	Pass
		5700	1	19.803	Pass
		5745	1	21.941	Pass
		5785	1	21.385	Pass
		5825	1	22.422	Pass
802.11n (HT40)	SISO	5190	1	40.524	Pass
		5230	1	42.540	Pass
		5270	1	44.243	Pass
		5310	1	46.393	Pass
		5510	1	39.466	Pass
		5550	1	38.049	Pass
		5670	1	37.683	Pass
		5755	1	40.763	Pass
		5795	1	42.503	Pass

802.11ac (VHT20)	SISO	5180	1	20.099	Pass
		5200	1	20.039	Pass
		5240	1	20.815	Pass
		5260	1	20.883	Pass
		5300	1	22.452	Pass
		5320	1	23.030	Pass
		5500	1	20.074	Pass
		5580	1	19.973	Pass
		5700	1	19.846	Pass
		5745	1	22.001	Pass
		5785	1	20.874	Pass
		5825	1	22.194	Pass
802.11ac (VHT40)	SISO	5190	1	41.415	Pass
		5230	1	40.668	Pass
		5270	1	43.062	Pass
		5310	1	45.195	Pass
		5510	1	38.448	Pass
		5550	1	38.856	Pass
		5670	1	38.100	Pass
		5755	1	44.460	Pass
		5795	1	45.541	Pass
802.11ac (VHT80)	SISO	5210	1	83.091	Pass
		5290	1	88.890	Pass
		5530	1	78.265	Pass
		5610	1	77.795	Pass
		5775	1	87.132	Pass


2.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV



802.11a_MCH_5300MHz_Ant1_NTNV



802.11a_HCH_5320MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
Guangzhou branch Testing Center EEC Laboratory 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com


802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV



802.11a_HCH_5700MHz_Ant1_NTNV



802.11a_LCH_5745MHz_Ant1_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.