



## Appendix C

### RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: TV Remote

Test Model: RC20

#### Environmental Conditions


|                    |           |
|--------------------|-----------|
| Temperature:       | 22.4° C   |
| Relative Humidity: | 53.5%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Kay Hu    |
| Supervised by:     | Li Huan   |


### C.1 6dB Bandwidth

## Test Result


| TestMode  | Antenna | Channel | DTS BW<br>[MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|-----------|---------|---------|-----------------|----------|----------|------------|---------|
| 11B       | Ant1    | 2412    | 8.160           | 2407.840 | 2416.000 | 0.5        | PASS    |
|           |         | 2437    | 8.600           | 2432.400 | 2441.000 | 0.5        | PASS    |
|           |         | 2462    | 8.120           | 2457.880 | 2466.000 | 0.5        | PASS    |
| 11G       | Ant1    | 2412    | 16.400          | 2403.720 | 2420.120 | 0.5        | PASS    |
|           |         | 2437    | 16.360          | 2428.760 | 2445.120 | 0.5        | PASS    |
|           |         | 2462    | 16.160          | 2453.760 | 2469.920 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2412    | 16.640          | 2403.480 | 2420.120 | 0.5        | PASS    |
|           |         | 2437    | 17.360          | 2428.120 | 2445.480 | 0.5        | PASS    |
|           |         | 2462    | 16.360          | 2454.040 | 2470.400 | 0.5        | PASS    |
| 11N40SISO | Ant1    | 2422    | 35.200          | 2404.400 | 2439.600 | 0.5        | PASS    |
|           |         | 2437    | 35.120          | 2419.400 | 2454.520 | 0.5        | PASS    |
|           |         | 2452    | 35.200          | 2434.400 | 2469.600 | 0.5        | PASS    |

## Test Graphs







11B\_Ant1\_2462




11G\_Ant1\_2412




11G\_Ant1\_2437




11G\_Ant1\_2462




11N20SISO\_Ant1\_2412




11N20SISO\_Ant1\_2437




11N20SISO\_Ant1\_2462




11N40SISO\_Ant1\_2422



11N40SISO\_Ant1\_2437



11N40SISO\_Ant1\_2452





## C.2 Maximum conducted output power

### Test Result

| TestMode  | Antenna | Channel | Result[dBm] | Limit[dBm] | Verdict |
|-----------|---------|---------|-------------|------------|---------|
| 11B       | Ant1    | 2412    | 16.99       | ≤30        | PASS    |
|           |         | 2437    | 17.29       | ≤30        | PASS    |
|           |         | 2462    | 17.14       | ≤30        | PASS    |
| 11G       | Ant1    | 2412    | 17.11       | ≤30        | PASS    |
|           |         | 2437    | 17.75       | ≤30        | PASS    |
|           |         | 2462    | 17.95       | ≤30        | PASS    |
| 11N20SISO | Ant1    | 2412    | 17.17       | ≤30        | PASS    |
|           |         | 2437    | 17.70       | ≤30        | PASS    |
|           |         | 2462    | 17.98       | ≤30        | PASS    |
| 11N40SISO | Ant1    | 2422    | 16.90       | ≤30        | PASS    |
|           |         | 2437    | 16.38       | ≤30        | PASS    |
|           |         | 2452    | 16.29       | ≤30        | PASS    |



### C.3 Maximum power spectral density


#### Test Result

| TestMode  | Antenna | Channel | Result[dBm/3-100kHz] | Limit[dBm/3kHz] | Verdict |
|-----------|---------|---------|----------------------|-----------------|---------|
| 11B       | Ant1    | 2412    | -7.54                | ≤8              | PASS    |
|           |         | 2437    | -8.52                | ≤8              | PASS    |
|           |         | 2462    | -8.64                | ≤8              | PASS    |
| 11G       | Ant1    | 2412    | -13.77               | ≤8              | PASS    |
|           |         | 2437    | -12.73               | ≤8              | PASS    |
|           |         | 2462    | -12.14               | ≤8              | PASS    |
| 11N20SISO | Ant1    | 2412    | -14.34               | ≤8              | PASS    |
|           |         | 2437    | -13.9                | ≤8              | PASS    |
|           |         | 2462    | -11.3                | ≤8              | PASS    |
| 11N40SISO | Ant1    | 2422    | -18.21               | ≤8              | PASS    |
|           |         | 2437    | -18.34               | ≤8              | PASS    |
|           |         | 2452    | -18.42               | ≤8              | PASS    |




## Test Graphs


11B\_Ant1\_2412




11B\_Ant1\_2437




11B\_Ant1\_2462




11G\_Ant1\_2412




11G\_Ant1\_2437




11G\_Ant1\_2462




11N20SISO\_Ant1\_2412




11N20SISO\_Ant1\_2437




11N20SISO\_Ant1\_2462




11N40SISO\_Ant1\_2422



11N40SISO\_Ant1\_2437



11N40SISO\_Ant1\_2452







## C.4 Band edge measurements

### Test Result


| TestMode  | Antenna | ChName | Channel | RefLevel[dBm] | Result[dBm] | Limit[dBm] | Verdict |
|-----------|---------|--------|---------|---------------|-------------|------------|---------|
| 11B       | Ant1    | Low    | 2412    | 5.55          | -38.5       | ≤-14.45    | PASS    |
|           |         | High   | 2462    | 5.71          | -47.5       | ≤-14.29    | PASS    |
| 11G       | Ant1    | Low    | 2412    | -1.19         | -42.36      | ≤-21.19    | PASS    |
|           |         | High   | 2462    | -0.84         | -47.74      | ≤-20.84    | PASS    |
| 11N20SISO | Ant1    | Low    | 2412    | -1.21         | -42.9       | ≤-21.21    | PASS    |
|           |         | High   | 2462    | -0.41         | -48.08      | ≤-20.41    | PASS    |
| 11N40SISO | Ant1    | Low    | 2422    | -3.86         | -30.91      | ≤-23.86    | PASS    |
|           |         | High   | 2452    | -4.32         | -30.65      | ≤-24.32    | PASS    |

### Test Graphs







11G\_Ant1\_Low\_2412




11G\_Ant1\_High\_2462




11N20SISO\_Ant1\_Low\_2412




11N20SISO\_Ant1\_High\_2462



11N40SISO\_Ant1\_Low\_2422



11N40SISO\_Ant1\_High\_2452






## C.5 Conducted Spurious Emission


### Test Result

| TestMode  | Antenna | Channel | FreqRange<br>[Mhz] | RefLevel<br>[dBm] | Result<br>[dBm] | Limit<br>[dBm] | Verdict |
|-----------|---------|---------|--------------------|-------------------|-----------------|----------------|---------|
| 11B       | Ant1    | 2412    | Reference          | 7.04              | 7.04            | ---            | PASS    |
|           |         |         | 30~1000            | 7.04              | -61.37          | $\leq -12.96$  | PASS    |
|           |         |         | 1000~26500         | 7.04              | -47.28          | $\leq -12.96$  | PASS    |
|           |         | 2437    | Reference          | 7.36              | 7.36            | ---            | PASS    |
|           |         |         | 30~1000            | 7.36              | -61.08          | $\leq -12.64$  | PASS    |
|           |         |         | 1000~26500         | 7.36              | -47.85          | $\leq -12.64$  | PASS    |
|           |         | 2462    | Reference          | 7.39              | 7.39            | ---            | PASS    |
|           |         |         | 30~1000            | 7.39              | -61.91          | $\leq -12.61$  | PASS    |
|           |         |         | 1000~26500         | 7.39              | -47.54          | $\leq -12.61$  | PASS    |
| 11G       | Ant1    | 2412    | Reference          | 3.95              | 3.95            | ---            | PASS    |
|           |         |         | 30~1000            | 3.95              | -61.41          | $\leq -16.05$  | PASS    |
|           |         |         | 1000~26500         | 3.95              | -47.42          | $\leq -16.05$  | PASS    |
|           |         | 2437    | Reference          | 4.39              | 4.39            | ---            | PASS    |
|           |         |         | 30~1000            | 4.39              | -61.33          | $\leq -15.61$  | PASS    |
|           |         |         | 1000~26500         | 4.39              | -47.32          | $\leq -15.61$  | PASS    |
|           |         | 2462    | Reference          | 4.10              | 4.10            | ---            | PASS    |
|           |         |         | 30~1000            | 4.10              | -62.15          | $\leq -15.9$   | PASS    |
|           |         |         | 1000~26500         | 4.10              | -47.86          | $\leq -15.9$   | PASS    |
| 11N20SISO | Ant1    | 2412    | Reference          | 2.85              | 2.85            | ---            | PASS    |
|           |         |         | 30~1000            | 2.85              | -61.4           | $\leq -17.15$  | PASS    |
|           |         |         | 1000~26500         | 2.85              | -47.09          | $\leq -17.15$  | PASS    |
|           |         | 2437    | Reference          | 2.90              | 2.90            | ---            | PASS    |
|           |         |         | 30~1000            | 2.90              | -61.24          | $\leq -17.1$   | PASS    |
|           |         |         | 1000~26500         | 2.90              | -47.53          | $\leq -17.1$   | PASS    |
|           |         | 2462    | Reference          | 3.78              | 3.78            | ---            | PASS    |
|           |         |         | 30~1000            | 3.78              | -61.8           | $\leq -16.22$  | PASS    |
|           |         |         | 1000~26500         | 3.78              | -47.54          | $\leq -16.22$  | PASS    |
| 11N40SISO | Ant1    | 2422    | Reference          | -3.90             | -3.90           | ---            | PASS    |
|           |         |         | 30~1000            | -3.90             | -60.5           | $\leq -23.9$   | PASS    |
|           |         |         | 1000~26500         | -3.90             | -46.26          | $\leq -23.9$   | PASS    |
|           |         | 2437    | Reference          | -4.25             | -4.25           | ---            | PASS    |
|           |         |         | 30~1000            | -4.25             | -60.77          | $\leq -24.25$  | PASS    |
|           |         |         | 1000~26500         | -4.25             | -46.09          | $\leq -24.25$  | PASS    |
|           |         | 2452    | Reference          | -4.38             | -4.38           | ---            | PASS    |
|           |         |         | 30~1000            | -4.38             | -60.85          | $\leq -24.38$  | PASS    |
|           |         |         | 1000~26500         | -4.38             | -46             | $\leq -24.38$  | PASS    |




## Test Graphs







11B\_Ant1\_2437\_0~Reference




11B\_Ant1\_2437\_30~1000




11B\_Ant1\_2437\_1000~26500




11B\_Ant1\_2462\_0~Reference




11B\_Ant1\_2462\_30~1000




11B\_Ant1\_2462\_1000~26500




11G\_Ant1\_2412\_0~Reference




11G\_Ant1\_2412\_30~1000




11G\_Ant1\_2412\_1000~26500




11G\_Ant1\_2437\_0~Reference




11G\_Ant1\_2437\_30~1000




11G\_Ant1\_2437\_1000~26500




11G\_Ant1\_2462\_0~Reference




11G\_Ant1\_2462\_30~1000




11G\_Ant1\_2462\_1000~26500




11N20SISO\_Ant1\_2412\_0~Reference




11N20SISO\_Ant1\_2412\_30~1000




11N20SISO\_Ant1\_2412\_1000~26500




11N20SISO\_Ant1\_2437\_0~Reference




11N20SISO\_Ant1\_2437\_30~1000




11N20SISO\_Ant1\_2437\_1000~26500




11N20SISO\_Ant1\_2462\_0~Reference




11N20SISO\_Ant1\_2462\_30~1000




11N20SISO\_Ant1\_2462\_1000~26500




11N40SISO\_Ant1\_2422\_0~Reference




11N40SISO\_Ant1\_2422\_30~1000




11N40SISO\_Ant1\_2422\_1000~26500




11N40SISO\_Ant1\_2437\_0~Reference




11N40SISO\_Ant1\_2437\_30~1000




11N40SISO\_Ant1\_2437\_1000~26500



11N40SISO\_Ant1\_2452\_0~Reference



11N40SISO\_Ant1\_2452\_30~1000





## C.6 Duty Cycle


### Test Result

| TestMode  | Antenna | Channel | Transmission Duration [ms] | Transmission Period [ms] | Duty Cycle [%] | Limit | Verdict |
|-----------|---------|---------|----------------------------|--------------------------|----------------|-------|---------|
| 11B       | Ant1    | 2412    | 8.42                       | 8.52                     | 98.83          | ---   | PASS    |
|           |         | 2437    | 8.42                       | 8.52                     | 98.83          | ---   | PASS    |
|           |         | 2462    | 8.42                       | 8.52                     | 98.83          | ---   | PASS    |
| 11G       | Ant1    | 2412    | 1.39                       | 1.49                     | 93.29          | ---   | PASS    |
|           |         | 2437    | 1.40                       | 1.50                     | 93.33          | ---   | PASS    |
|           |         | 2462    | 1.39                       | 1.50                     | 92.67          | ---   | PASS    |
| 11N20SISO | Ant1    | 2412    | 1.30                       | 1.41                     | 92.20          | ---   | PASS    |
|           |         | 2437    | 1.30                       | 1.41                     | 92.20          | ---   | PASS    |
|           |         | 2462    | 1.30                       | 1.41                     | 92.20          | ---   | PASS    |
| 11N40SISO | Ant1    | 2422    | 0.64                       | 0.68                     | 94.12          | ---   | PASS    |
|           |         | 2437    | 0.64                       | 0.68                     | 94.12          | ---   | PASS    |
|           |         | 2452    | 0.64                       | 0.68                     | 94.12          | ---   | PASS    |




## Test Graphs


11B\_Ant1\_2412




11B\_Ant1\_2437




11B\_Ant1\_2462




11G\_Ant1\_2412




11G\_Ant1\_2437




11G\_Ant1\_2462




11N20SISO\_Ant1\_2412




11N20SISO\_Ant1\_2437




11N20SISO\_Ant1\_2462



11N40SISO\_Ant1\_2422



11N40SISO\_Ant1\_2437





## C.7 Emissions in Restricted Bands

### Test Result

| TestMode      | Channel | Detector | Freq.<br>[MHz] | Result<br>[dBm] | Limit<br>[dBm] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Verdict |
|---------------|---------|----------|----------------|-----------------|----------------|--------------------|-------------------|---------|
| 11B           | 2412    | AV       | 2310.000       | -48.84          | ≤-41.20        | 46.36              | ≤54               | PASS    |
|               |         | AV       | 2389.700       | -47.95          | ≤-41.20        | 47.25              | ≤54               | PASS    |
|               |         | AV       | 2390.000       | -48.02          | ≤-41.20        | 47.18              | ≤54               | PASS    |
|               |         | Peak     | 2310.000       | -46.78          | ≤-21.20        | 48.42              | ≤74               | PASS    |
|               |         | Peak     | 2377.870       | -37.36          | ≤-21.20        | 57.84              | ≤74               | PASS    |
|               |         | Peak     | 2390.000       | -41.79          | ≤-21.20        | 53.41              | ≤74               | PASS    |
|               | 2462    | AV       | 2483.500       | -47.22          | ≤-41.20        | 47.98              | ≤54               | PASS    |
|               |         | AV       | 2483.560       | -47.11          | ≤-41.20        | 48.09              | ≤54               | PASS    |
|               |         | AV       | 2500.000       | -47.52          | ≤-41.20        | 47.68              | ≤54               | PASS    |
|               |         | Peak     | 2483.500       | -43.17          | ≤-21.20        | 52.03              | ≤74               | PASS    |
|               |         | Peak     | 2485.100       | -39.21          | ≤-21.20        | 55.99              | ≤74               | PASS    |
|               |         | Peak     | 2500.000       | -43.96          | ≤-21.20        | 51.24              | ≤74               | PASS    |
| 11G           | 2412    | AV       | 2310.000       | -48.45          | ≤-41.20        | 46.75              | ≤54               | PASS    |
|               |         | AV       | 2389.960       | -45.55          | ≤-41.20        | 49.65              | ≤54               | PASS    |
|               |         | AV       | 2390.000       | -45.55          | ≤-41.20        | 49.65              | ≤54               | PASS    |
|               |         | Peak     | 2310.000       | -42.78          | ≤-21.20        | 52.42              | ≤74               | PASS    |
|               |         | Peak     | 2388.140       | -34.99          | ≤-21.20        | 60.21              | ≤74               | PASS    |
|               |         | Peak     | 2390.000       | -39.05          | ≤-21.20        | 56.15              | ≤74               | PASS    |
|               | 2462    | AV       | 2483.500       | -45.6           | ≤-41.20        | 49.60              | ≤54               | PASS    |
|               |         | AV       | 2483.670       | -45.53          | ≤-41.20        | 49.67              | ≤54               | PASS    |
|               |         | AV       | 2500.000       | -47.26          | ≤-41.20        | 47.94              | ≤54               | PASS    |
|               |         | Peak     | 2483.500       | -37.18          | ≤-21.20        | 58.02              | ≤74               | PASS    |
|               |         | Peak     | 2483.560       | -32.14          | ≤-21.20        | 63.06              | ≤74               | PASS    |
|               |         | Peak     | 2500.000       | -40.31          | ≤-21.20        | 54.89              | ≤74               | PASS    |
| 11N20<br>SISO | 2412    | AV       | 2310.000       | -48.27          | ≤-41.20        | 46.93              | ≤54               | PASS    |
|               |         | AV       | 2389.440       | -46.15          | ≤-41.20        | 49.05              | ≤54               | PASS    |
|               |         | AV       | 2390.000       | -46.32          | ≤-41.20        | 48.88              | ≤54               | PASS    |
|               |         | Peak     | 2310.000       | -41.68          | ≤-21.20        | 53.52              | ≤74               | PASS    |
|               |         | Peak     | 2388.920       | -36.55          | ≤-21.20        | 58.65              | ≤74               | PASS    |
|               |         | Peak     | 2390.000       | -37.86          | ≤-21.20        | 57.34              | ≤74               | PASS    |
|               | 2462    | AV       | 2483.500       | -45.96          | ≤-41.20        | 49.24              | ≤54               | PASS    |
|               |         | AV       | 2483.560       | -45.86          | ≤-41.20        | 49.34              | ≤54               | PASS    |
|               |         | AV       | 2500.000       | -47.31          | ≤-41.20        | 47.89              | ≤54               | PASS    |
|               |         | Peak     | 2483.500       | -37.61          | ≤-21.20        | 57.59              | ≤74               | PASS    |
|               |         | Peak     | 2486.860       | -35.41          | ≤-21.20        | 59.79              | ≤74               | PASS    |
|               |         | Peak     | 2500.000       | -41             | ≤-21.20        | 54.20              | ≤74               | PASS    |



|               |      |      |          |        |               |       |           |      |
|---------------|------|------|----------|--------|---------------|-------|-----------|------|
| 11N40<br>SISO | 2422 | AV   | 2310.000 | -47.77 | $\leq -41.20$ | 47.43 | $\leq 54$ | PASS |
|               |      | AV   | 2389.310 | -45.27 | $\leq -41.20$ | 49.93 | $\leq 54$ | PASS |
|               |      | AV   | 2390.000 | -45.77 | $\leq -41.20$ | 49.43 | $\leq 54$ | PASS |
|               |      | Peak | 2310.000 | -38.32 | $\leq -21.20$ | 56.88 | $\leq 74$ | PASS |
|               |      | Peak | 2389.050 | -31.29 | $\leq -21.20$ | 63.91 | $\leq 74$ | PASS |
|               |      | Peak | 2390.000 | -32.59 | $\leq -21.20$ | 62.61 | $\leq 74$ | PASS |
|               | 2452 | AV   | 2483.500 | -45.95 | $\leq -41.20$ | 49.25 | $\leq 54$ | PASS |
|               |      | AV   | 2483.670 | -45.52 | $\leq -41.20$ | 49.68 | $\leq 54$ | PASS |
|               |      | AV   | 2500.000 | -46.69 | $\leq -41.20$ | 48.51 | $\leq 54$ | PASS |
|               |      | Peak | 2483.500 | -31.56 | $\leq -21.20$ | 63.64 | $\leq 74$ | PASS |
|               |      | Peak | 2486.310 | -29.55 | $\leq -21.20$ | 65.65 | $\leq 74$ | PASS |
|               |      | Peak | 2500.000 | -37.77 | $\leq -21.20$ | 57.43 | $\leq 74$ | PASS |


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




## Test Graphs


11B\_Ant1\_Low\_2412\_AV




11B\_Ant1\_Low\_2412\_Peak




11B\_Ant1\_High\_2462\_AV




11B\_Ant1\_High\_2462\_Peak




11G\_Ant1\_Low\_2412\_AV




11G\_Ant1\_Low\_2412\_Peak




11G\_Ant1\_High\_2462\_AV




11G\_Ant1\_High\_2462\_Peak




11N20SISO\_Ant1\_Low\_2412\_AV




11N20SISO\_Ant1\_Low\_2412\_Peak




11N20SISO\_Ant1\_High\_2462\_AV




11N20SISO\_Ant1\_High\_2462\_Peak



11N40SISO\_Ant1\_Low\_2422\_AV



11N40SISO\_Ant1\_Low\_2422\_Peak



11N40SISO\_Ant1\_High\_2452\_AV

