




、



Li-ion Battery 锂离子电池 7.4V 18.72Wh
Model 型号：XHL18650-2S Rated Capacity 额定容量：2600mAh
Limited Charge Voltage 充电限制电压：8.4V 2ICR37/70
Implementation Standard 执行标准：GB31241-2014 红（+）黑（-）
CAUTION: Only the charger specified by the manufacturer can be used; Do not disassemble, crush or put into fire; Do not continue to use in case of severe swelling ; Do not place in high temperature environment.Do not use the battery after it is soaked in water!
警告：只能使用厂家指定充电器；禁止拆解、挤压或投入火中；如出现严重膨胀，请勿继续使用，请勿置于高温环境中，电池浸水后禁止使用！
Made in China by ShenZhen New Light Energy Co., Ltd.
制造商：深圳市新辉卓能科技有限公司
XHZN221100010



TM1
BOSI
BS181360



TM1
BOSI
BS181360





Wifi ANT



LED
C5
BL-M8821CU1
U81
RTL8821CU
M81GDP1 GM34
CB7
R9
R10





TM1_BS_BOI_V01
2023-05
JE2
mm



TM1
BOSI
BS181360



TM1














飞凌嵌入式
FORLINX EMBEDDED
FETMX8MPX-C V1.0









TM1-Host-Power-V0.3
2024-01
5V
10 20 30 40 50 60 70 80 90 100
0 70 60 50 40 30 20 10 mm



BOSI
BS181360
10 20 30 40 50 60 70 80 90 100 10 20 30 40 50 60 70 80 90 200
90 80 70 60 50 40 30 20 10 100 90 80 70 60 50 40 30 20 10 mm









10 20 30 40 50 60 70 80 90 100 10 20 30 40
90 80 70 60 50 40 30 20 10 mm


RA19
LED2
R80
C18
C10
RA35
C13
C1
U16
R6
RA31
RA32
J1
339745_V1.47



TM1_Host_ERT_V0.2
2023-03



BOSI
BS181360









60 50 40 30 20 10 100 90 80 70 60 50 40 30 20 10 mm
10 20 30 40 50 60 70 80 90 100 10 20 30 40 50 60 70 80 90 200 10 20
BS181360



10 100 90 80 70 60 50 40 30 20 10 mm
10 20 30 40 50 60 70 80 90 100 10 20 30 40 50


TM1_Host_ERT_V0.2
2023-03
ARM
SJTAG


80 70 60 50 40 30 20 10 mm
10 20 30 40 50 60 70 80 90 100 10 2


BS181360






MINI PUMP
CJP37-C06B1
DC 3V
QC PASS


MINI PUMP
CJP37-C06B1
QC PASS


ASP02 V2.1 2019-9
SP02
10 20 30 40 50 60 70 80 90
70 60 50 40 30 20 10 mm


RoHS
E305654
JX02 94V-0
0222
10 20 30 40 50 60 70 80 90
70 60 50 40 30 20 10 mm







339745_Y141-230525
TM1-BCI-SpO2-V0.2
2023-05


BOSI
BS181360


BOSI
BS181360

`




STM32F101
ARM
R1117S
11.0592MHz