





**99% Bandwidth:****11A Ant1 5785**

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062\_A5


Master TRF : Dated 2026-06-01




11A\_Ant2\_5785




11A\_Ant1\_5825




11A\_Ant2\_5825




## 11N20MIMO\_Ant1\_5745




## 11N20MIMO\_Ant2\_5745




## 11N20MIMO\_Ant1\_5785




## 11N20MIMO\_Ant2\_5785




## 11N20MIMO\_Ant1\_5825




## 11N20MIMO\_Ant2\_5825




## 11N40MIMO\_Ant1\_5755




## 11N40MIMO\_Ant2\_5755




## 11N40MIMO\_Ant1\_5795



## 11N40MIMO\_Ant2\_5795



## 11AC20MIMO\_Ant1\_5745




## 11AC20MIMO\_Ant2\_5745

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062\_A5


Master TRF : Dated 2026-06-01




## 11AC20MIMO\_Ant1\_5785




## 11AC20MIMO\_Ant2\_5785




## 11AC20MIMO\_Ant1\_5825



## 11AC20MIMO\_Ant2\_5825



## 11AC40MIMO\_Ant1\_5755




## 11AC40MIMO\_Ant2\_5755

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062\_A5


Master TRF : Dated 2026-06-01




## 11AC40MIMO\_Ant1\_5795




## 11AC40MIMO\_Ant2\_5795




## 11AC80MIMO\_Ant1\_5775




## 11AC80MIMO\_Ant2\_5775




## 11AX20MIMO\_Ant1\_5745




## 11AX20MIMO\_Ant2\_5745




## 11AX20MIMO\_Ant1\_5785




## 11AX20MIMO\_Ant2\_5785




## 11AX20MIMO\_Ant1\_5825




## 11AX20MIMO\_Ant2\_5825




## 11AX40MIMO\_Ant1\_5755




## 11AX40MIMO\_Ant2\_5755



## 11AX40MIMO\_Ant1\_5795



## 11AX40MIMO\_Ant2\_5795




## 11AX80MIMO\_Ant1\_5775

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062\_A5


Master TRF : Dated 2026-06-01



## 11AX80MIMO\_Ant2\_5775

**6dB Bandwidth:**

## 11A\_Ant1\_5745



## 11A\_Ant2\_5745

CTC Laboratories, Inc.

Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China


Tel.: (86)755-27521059

Fax: (86)755-27521011


Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062\_A5


Master TRF : Dated 2026-06-01



## 11A\_Ant1\_5785



## 11A\_Ant2\_5785



## 11A\_Ant1\_5825

CTC Laboratories, Inc.

Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China


Tel.: (86)755-27521059

Fax: (86)755-27521011


Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062\_A5


Master TRF : Dated 2026-06-01




11A\_Ant2\_5825




11N20MIMO\_Ant1\_5745




11N20MIMO\_Ant2\_5745



## 11N20MIMO\_Ant1\_5785



## 11N20MIMO\_Ant2\_5785




## 11N20MIMO\_Ant1\_5825

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062\_A5


Master TRF : Dated 2026-06-01




## 11N20MIMO\_Ant2\_5825




## 11N40MIMO\_Ant1\_5755




## 11N40MIMO\_Ant2\_5755




## 11N40MIMO\_Ant1\_5795




## 11N40MIMO\_Ant2\_5795




## 11AC20MIMO\_Ant1\_5745




## 11AC20MIMO\_Ant2\_5745




## 11AC20MIMO\_Ant1\_5785




## 11AC20MIMO\_Ant2\_5785




## 11AC20MIMO\_Ant1\_5825




## 11AC20MIMO\_Ant2\_5825




## 11AC40MIMO\_Ant1\_5755




## 11AC40MIMO\_Ant2\_5755




## 11AC40MIMO\_Ant1\_5795




## 11AC40MIMO\_Ant2\_5795




## 11AC80MIMO\_Ant1\_5775




## 11AC80MIMO\_Ant2\_5775




## 11AX20MIMO\_Ant1\_5745



## 11AX20MIMO\_Ant2\_5745



## 11AX20MIMO\_Ant1\_5785



## 11AX20MIMO\_Ant2\_5785

CTC Laboratories, Inc.

Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China


Tel.: (86)755-27521059

Fax: (86)755-27521011


Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062\_A5


Master TRF : Dated 2026-06-01




## 11AX20MIMO\_Ant1\_5825




## 11AX20MIMO\_Ant2\_5825




## 11AX40MIMO\_Ant1\_5755




## 11AX40MIMO\_Ant2\_5755




## 11AX40MIMO\_Ant1\_5795




## 11AX40MIMO\_Ant2\_5795



## 11AX80MIMO\_Ant1\_5775



## 11AX80MIMO\_Ant2\_5775




### 3.5. Output Power

#### Limit

#### FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

| Test Item              | Limit                                                          | Frequency Range (MHz) |
|------------------------|----------------------------------------------------------------|-----------------------|
| Conducted Output Power | Fixed: 1 Watt (30dBm)<br>Mobile and Portable:<br>250mW (24dBm) | 5150~5250             |
|                        | 250mW (24dBm)                                                  | 5250~5350             |
|                        | 250mW (24dBm)                                                  | 5500~5700             |
|                        | 1 Watt (30dBm)                                                 | 5725~5850             |

#### Test Configuration



#### Test Procedure

The measurement is according to section 3 of KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

#### Test Mode

Please refer to the clause 2.4.

**Test Result**

| Test Mode  | Antenna | Freq(MHz) | Result [dBm] | Limit [dBm] | Verdict |
|------------|---------|-----------|--------------|-------------|---------|
| 11A        | Ant1    | 5745      | 19.59        | ≤29.19      | PASS    |
|            | Ant2    | 5745      | 19.24        | ≤29.19      | PASS    |
|            | Ant1    | 5785      | 19.64        | ≤29.19      | PASS    |
|            | Ant2    | 5785      | 19.27        | ≤29.19      | PASS    |
|            | Ant1    | 5825      | 19.33        | ≤29.19      | PASS    |
|            | Ant2    | 5825      | 19.16        | ≤29.19      | PASS    |
| 11N20MIMO  | Ant1    | 5745      | 17.06        | /           | PASS    |
|            | Ant2    | 5745      | 15.89        | /           | PASS    |
|            | total   | 5745      | 19.52        | ≤24.42      | PASS    |
|            | Ant1    | 5785      | 17.01        | /           | PASS    |
|            | Ant2    | 5785      | 15.61        | /           | PASS    |
|            | total   | 5785      | 19.38        | ≤24.42      | PASS    |
|            | Ant1    | 5825      | 17.02        | /           | PASS    |
|            | Ant2    | 5825      | 15.43        | /           | PASS    |
| 11N40MIMO  | Ant1    | 5755      | 16.06        | /           | PASS    |
|            | Ant2    | 5755      | 14.78        | /           | PASS    |
|            | total   | 5755      | 18.48        | ≤24.42      | PASS    |
|            | Ant1    | 5795      | 15.91        | /           | PASS    |
|            | Ant2    | 5795      | 14.47        | /           | PASS    |
|            | total   | 5795      | 18.26        | ≤24.42      | PASS    |
| 11AC20MIMO | Ant1    | 5745      | 16.78        | /           | PASS    |
|            | Ant2    | 5745      | 15.61        | /           | PASS    |
|            | total   | 5745      | 19.24        | ≤24.42      | PASS    |
|            | Ant1    | 5785      | 17.20        | /           | PASS    |
|            | Ant2    | 5785      | 15.77        | /           | PASS    |
|            | total   | 5785      | 19.55        | ≤24.42      | PASS    |
|            | Ant1    | 5825      | 16.79        | /           | PASS    |
|            | Ant2    | 5825      | 15.17        | /           | PASS    |
| 11AC40MIMO | Ant1    | 5755      | 15.87        | /           | PASS    |
|            | Ant2    | 5755      | 14.58        | /           | PASS    |
|            | total   | 5755      | 18.28        | ≤24.42      | PASS    |
|            | Ant1    | 5795      | 15.66        | /           | PASS    |
|            | Ant2    | 5795      | 14.17        | /           | PASS    |
|            | total   | 5795      | 17.99        | ≤24.42      | PASS    |
| 11AC80MIMO | Ant1    | 5775      | 15.37        | /           | PASS    |
|            | Ant2    | 5775      | 13.98        | /           | PASS    |
|            | total   | 5775      | 17.74        | ≤24.42      | PASS    |
| 11AX20MIMO | Ant1    | 5745      | 16.93        | /           | PASS    |
|            | Ant2    | 5745      | 15.93        | /           | PASS    |
|            | total   | 5745      | 19.47        | ≤24.42      | PASS    |
|            | Ant1    | 5785      | 16.79        | /           | PASS    |
|            | Ant2    | 5785      | 15.44        | /           | PASS    |
|            | total   | 5785      | 19.18        | ≤24.42      | PASS    |
|            | Ant1    | 5825      | 17.49        | /           | PASS    |
|            | Ant2    | 5825      | 15.47        | /           | PASS    |
| 11AX40MIMO | Ant1    | 5755      | 15.66        | /           | PASS    |
|            | Ant2    | 5755      | 14.45        | /           | PASS    |
|            | total   | 5755      | 18.11        | ≤24.42      | PASS    |
|            | Ant1    | 5795      | 16.14        | /           | PASS    |
|            | Ant2    | 5795      | 14.71        | /           | PASS    |
|            | total   | 5795      | 18.49        | ≤24.42      | PASS    |
| 11AX80MIMO | Ant1    | 5775      | 14.90        | /           | PASS    |
|            | Ant2    | 5775      | 13.90        | /           | PASS    |
|            | total   | 5775      | 17.44        | ≤24.42      | PASS    |

### 3.6. Power Spectral Density

#### Limit

#### **FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)**

For the 5.15~5.25GHz band:

- Outdoor AP  
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.  
If  $G_{TX} > 6\text{dBi}$ , then  $\text{PSD} = 17 - (G_{TX} - 6)$ .
- Indoor AP  
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.  
If  $G_{TX} > 6\text{dBi}$ , then  $\text{PSD} = 17 - (G_{TX} - 6)$ .
- Point-to-point AP  
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.  
If  $G_{TX} > 23\text{dBi}$ , then  $\text{PSD} = 17 - (G_{TX} - 23)$ .
- Client devices  
The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.  
If  $G_{TX} > 6\text{dBi}$ , then  $\text{PSD} = 11 - (G_{TX} - 6)$ .

For the 5.25~5.35GHz band:

The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.  
If  $G_{TX} > 6\text{dBi}$ , then  $\text{PSD} = 11 - (G_{TX} - 6)$ .

For the 5.47~5.725GHz band:


The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.  
If  $G_{TX} > 6\text{dBi}$ , then  $\text{PSD} = 11 - (G_{TX} - 6)$ .

For the 5.725~5.85GHz band:

- Point-to-multipoint systems (P2M)  
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.  
If  $G_{TX} > 6\text{dBi}$ , then  $\text{PSD} = 30 - (G_{TX} - 6)$ .
- Point-to-point systems (P2P)  
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.

Note:  $G_{TX}$ : EUT Antenna gain.

#### **Test Configuration**



#### **Test Procedure**

The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement is according to KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

- (1) The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.
- (2) Set analyzer center frequency to transmitting frequency.
- (3) Set the span to encompass the entire emissions bandwidth (EBW) (alternatively, the entire 99% OBW) of the signal.
- (4) RBW=1MHz for devices operating in the bands 5.15-5.25 GHz, 5.25-5.35 GHz, and 5.47-5.725 GHz  
RBW=500kHz for devices operating in the band 5.725-5.85 GHz.

(5) Set the VBW to:  $\geq 3$  RBW

(6) Detector: AVG

(7) Trace: Max Hold and View

(7) Sweep time: auto

(8) Trace average at least 100 traces in power averaging.

(9) User the peak marker function to determine the maximum amplitude level within the RBW. Apply correction to the result if different RBW is used.

NOTE: The EUT was set to continuously transmitting in each mode and low, middle and high channel for the test.

### Test Mode

Please refer to the clause 2.4.

### Test Result

| TestMode   | Antenna | Freq(MHz) | Read  | DC Factor | Result [dBm/500kHz] | Limit [dBm/500kHz] | Verdict |
|------------|---------|-----------|-------|-----------|---------------------|--------------------|---------|
| 11A        | Ant1    | 5745      | 6.53  | 0.18      | 6.71                | $\leq 29.19$       | PASS    |
|            | Ant2    | 5745      | 6.31  | 0.18      | 6.49                | $\leq 29.19$       | PASS    |
|            | Ant1    | 5785      | 6.28  | 0.18      | 6.46                | $\leq 29.19$       | PASS    |
|            | Ant2    | 5785      | 6.68  | 0.18      | 6.86                | $\leq 29.19$       | PASS    |
|            | Ant1    | 5825      | 6.25  | 0.18      | 6.43                | $\leq 29.19$       | PASS    |
|            | Ant2    | 5825      | 5.99  | 0.18      | 6.17                | $\leq 29.19$       | PASS    |
| 11N20MIMO  | Ant1    | 5745      | 3.92  | 0.20      | 4.12                | /                  | PASS    |
|            | Ant2    | 5745      | 2.57  | 0.20      | 2.77                | /                  | PASS    |
|            | total   | 5745      | ---   | ---       | 6.51                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5785      | 3.57  | 0.19      | 3.76                | /                  | PASS    |
|            | Ant2    | 5785      | 2.6   | 0.20      | 2.80                | /                  | PASS    |
|            | total   | 5785      | ---   | ---       | 6.32                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5825      | 4.02  | 0.20      | 4.22                | /                  | PASS    |
|            | Ant2    | 5825      | 2.06  | 0.20      | 2.26                | /                  | PASS    |
| 11N40MIMO  | total   | 5825      | ---   | ---       | 6.36                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5755      | -0.05 | 0.39      | 0.34                | /                  | PASS    |
|            | Ant2    | 5755      | -1.48 | 0.38      | -1.10               | /                  | PASS    |
|            | total   | 5755      | ---   | ---       | 2.69                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5795      | -0.72 | 0.39      | -0.33               | /                  | PASS    |
|            | Ant2    | 5795      | -1.72 | 0.39      | -1.33               | /                  | PASS    |
|            | total   | 5795      | ---   | ---       | 2.21                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5745      | 3.02  | 0.37      | 3.39                | /                  | PASS    |
| 11AC20MIMO | Ant2    | 5745      | 2.19  | 0.36      | 2.55                | /                  | PASS    |
|            | total   | 5745      | ---   | ---       | 6.00                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5785      | 3.74  | 0.37      | 4.11                | /                  | PASS    |
|            | Ant2    | 5785      | 2.39  | 0.37      | 2.76                | /                  | PASS    |
|            | total   | 5785      | ---   | ---       | 6.50                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5825      | 3.32  | 0.37      | 3.69                | /                  | PASS    |
|            | Ant2    | 5825      | 1.59  | 0.37      | 1.96                | /                  | PASS    |
|            | total   | 5825      | ---   | ---       | 5.92                | $\leq 24.42$       | PASS    |
| 11AC40MIMO | Ant1    | 5755      | -0.53 | 0.69      | 0.16                | /                  | PASS    |
|            | Ant2    | 5755      | -2.2  | 0.69      | -1.51               | /                  | PASS    |
|            | total   | 5755      | ---   | ---       | 2.42                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5795      | -1.02 | 0.69      | -0.33               | /                  | PASS    |
|            | Ant2    | 5795      | -2.64 | 0.69      | -1.95               | /                  | PASS    |
|            | total   | 5795      | ---   | ---       | 1.95                | $\leq 24.42$       | PASS    |
| 11AC80MIMO | Ant1    | 5775      | -8.36 | 4.85      | -3.51               | /                  | PASS    |
|            | Ant2    | 5775      | -9.33 | 4.62      | -4.71               | /                  | PASS    |
|            | total   | 5775      | ---   | ---       | -1.06               | $\leq 24.42$       | PASS    |
| 11AX20MIMO | Ant1    | 5745      | 2.89  | 0.44      | 3.33                | /                  | PASS    |
|            | Ant2    | 5745      | 2.17  | 0.44      | 2.61                | /                  | PASS    |
|            | total   | 5745      | ---   | ---       | 6.00                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5785      | 2.97  | 0.44      | 3.41                | /                  | PASS    |
|            | Ant2    | 5785      | 1.6   | 0.44      | 2.04                | /                  | PASS    |
|            | total   | 5785      | ---   | ---       | 5.79                | $\leq 24.42$       | PASS    |
|            | Ant1    | 5825      | 3.21  | 0.44      | 3.65                | /                  | PASS    |

|            |       |      |       |      |       |        |      |
|------------|-------|------|-------|------|-------|--------|------|
|            | Ant2  | 5825 | 1.13  | 0.44 | 1.57  | /      | PASS |
|            | total | 5825 | ---   | ---  | 5.74  | ≤24.42 | PASS |
| 11AX40MIMO | Ant1  | 5755 | -1.1  | 0.75 | -0.35 | /      | PASS |
|            | Ant2  | 5755 | -3.11 | 0.75 | -2.36 | /      | PASS |
|            | total | 5755 | ---   | ---  | 1.77  | ≤24.42 | PASS |
|            | Ant1  | 5795 | -0.48 | 0.75 | 0.27  | /      | PASS |
|            | Ant2  | 5795 | -2.13 | 0.75 | -1.38 | /      | PASS |
|            | total | 5795 | ---   | ---  | 2.53  | ≤24.42 | PASS |
| 11AX80MIMO | Ant1  | 5775 | -8.14 | 4.47 | -3.67 | /      | PASS |
|            | Ant2  | 5775 | -9.36 | 4.69 | -4.67 | /      | PASS |
|            | total | 5775 | ---   | ---  | -1.13 | ≤24.42 | PASS |