



Test results (Below 30 MHz) – Worst case: 802.11g_2 437 MHz

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Quasi peak data								
0.56	H	56.60	20.21	-32.69	40.00	4.12	32.64	28.52
0.70	V	51.20	20.24	-32.68	40.00	-1.24	30.72	31.96
1.12	H	50.10	20.31	-32.64	40.00	-2.23	26.62	28.85



Test results (Below 1 000 MHz) – Worst case: 802.11g_2 437 MHz


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Quasi peak data								
235.03	H	39.60	16.60	-31.02	-	25.18	46.02	20.84
291.05	H	40.20	18.95	-30.81	-	28.34	46.02	17.68
399.21	H	27.60	21.46	-30.97	-	18.09	46.02	27.93
479.96	V	26.60	23.10	-30.58	-	19.12	46.02	26.90
594.06	V	26.30	24.60	-30.10	-	20.80	46.02	25.22
742.47	H	29.70	25.62	-29.93	-	25.39	46.02	20.63




Test results (Above 1 000 MHz)

802.11b_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 388.29 ¹⁾	H	53.90	27.00	-29.93	-	50.97	74.00	23.03
4 823.85 ¹⁾	H	59.40	32.30	-41.77	-	49.93	74.00	24.07
7 235.20	H	50.70	36.57	-38.91	-	48.36	74.00	25.64
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11b_2 437 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 874.01 ¹⁾	H	61.20	32.64	-41.65	-	52.19	74.00	21.81
7 342.50 ¹⁾	H	51.90	36.42	-38.95	-	49.37	74.00	24.63
Average Data								
4 874.01 ¹⁾	H	59.13	32.64	-41.65	0.18	50.30	54.00	3.70

Average data




Blank

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11b_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 496.43 ¹⁾	H	51.80	27.86	-29.78	-	49.88	74.00	24.12
4 923.93 ¹⁾	H	61.50	32.65	-41.53	-	52.62	74.00	21.38
7 350.23 ¹⁾	V	52.20	36.40	-38.96	-	49.64	74.00	24.36
Average Data								
4 923.93 ¹⁾	H	58.85	32.65	-41.53	0.18	50.15	54.00	3.85


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11b_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.51 ¹⁾	H	54.60	27.74	-29.80	-	52.54	74.00	21.46
4 933.99 ¹⁾	H	60.10	32.67	-41.51	-	51.26	74.00	22.74
7 401.95 ¹⁾	V	52.40	36.30	-38.99	-	49.71	74.00	24.29
Average Data								
2 483.51 ¹⁾	H	45.56	27.74	-29.80	0.18	43.68	54.00	10.32
4 933.99 ¹⁾	H	58.39	32.67	-41.51	0.18	49.73	54.00	4.27

Average data




Date: 13 FEB 2026 08:50:41




Date: 11 FEB 2026 19:29:42


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11b_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 485.96 ¹⁾	H	58.50	27.76	-29.80	-	56.46	74.00	17.54
4 944.20 ¹⁾	H	57.60	32.69	-41.48	-	48.81	74.00	25.19
7 446.90 ¹⁾	V	52.30	36.21	-39.01	-	49.50	74.00	24.50
Average Data								
2 485.96 ¹⁾	H	52.84	27.76	-29.80	0.18	50.98	54.00	3.02



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.99 ¹⁾	H	69.20	27.00	-29.93	-	66.27	74.00	7.73
4 827.72 ¹⁾	H	58.30	32.31	-41.76	-	48.85	74.00	25.15
7 197.50	H	51.70	36.59	-38.93	-	49.36	74.00	24.64
Average Data								
2 389.99 ¹⁾	H	51.13	27.00	-29.93	0.27	48.47	54.00	5.53



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 873.15 ¹⁾	H	57.80	32.64	-41.65	-	48.79	74.00	25.21
7 329.93 ¹⁾	V	52.70	36.44	-38.94	-	50.20	74.00	23.80
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.61 ¹⁾	H	67.40	27.77	-29.80	-	65.37	74.00	8.63
4 924.38 ¹⁾	H	56.20	32.65	-41.53	-	47.32	74.00	26.68
7 429.50 ¹⁾	H	52.50	36.24	-39.00	-	49.74	74.00	24.26
Average Data								
2 483.61 ¹⁾	H	51.72	27.74	-29.80	0.27	49.93	54.00	4.07



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 158.50	V	73.60	27.02	-44.78	-	55.84	74.00	18.16
2 483.56 ¹⁾	H	67.20	27.74	-29.80	-	65.14	74.00	8.86
4 933.08 ¹⁾	H	56.50	32.67	-41.51	-	47.66	74.00	26.34
7 429.98 ¹⁾	V	52.40	36.24	-39.00	-	49.64	74.00	24.36
Average Data								
2 483.56 ¹⁾	H	49.67	27.74	-29.80	0.27	47.88	54.00	6.12



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 163.08	H	73.20	27.10	-44.77	-	55.53	74.00	18.47
2 483.51 ¹⁾	H	67.20	27.74	-29.80	-	65.14	74.00	8.86
4 899.25 ¹⁾	H	53.70	32.80	-41.59	-	44.91	74.00	29.09
7 423.22 ¹⁾	H	52.90	36.25	-39.00	-	50.15	74.00	23.85
Average Data								
2 483.51 ¹⁾	H	52.41	27.74	-29.80	0.27	50.62	54.00	3.38



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11n HT20_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.95 ¹⁾	H	68.90	27.00	-29.93	-	65.97	74.00	8.03
4 823.85 ¹⁾	H	59.20	32.30	-41.77	-	49.73	74.00	24.27
7 277.73 ¹⁾	V	52.80	36.66	-38.92	-	50.54	74.00	23.46
Average Data								
2 389.95 ¹⁾	H	52.42	27.00	-29.93	0.28	49.77	54.00	4.23

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
4 872.18 ¹⁾	H	58.90	32.63	-41.65	-	49.88	74.00	24.12
7 283.05 ¹⁾	V	52.30	36.67	-38.92	-	50.05	74.00	23.95
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.51 ¹⁾	H	70.80	27.74	-29.80	-	68.74	74.00	5.26
4 924.38 ¹⁾	H	56.60	32.65	-41.53	-	47.72	74.00	26.28
7 453.67 ¹⁾	H	53.70	36.30	-39.01	-	50.99	74.00	23.01
Average Data								
2 483.51 ¹⁾	H	51.72	27.74	-29.80	0.28	49.94	54.00	4.06



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11n HT20_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 158.58	H	73.50	27.01	-44.78	-	55.73	74.00	18.27
2 483.66 ¹⁾	H	70.80	27.74	-29.80	-	68.74	74.00	5.26
4 935.50 ¹⁾	H	54.70	32.67	-41.50	-	45.87	74.00	28.13
7 447.87 ¹⁾	V	52.90	36.20	-39.01	-	50.09	74.00	23.91
Average Data								
2 483.66 ¹⁾	H	52.08	27.74	-29.80	0.28	50.30	54.00	3.70

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 163.08	H	71.90	27.10	-44.77	-	54.23	74.00	19.77
2 483.52 ¹⁾	H	68.20	27.74	-29.80	-	66.14	74.00	7.86
4 992.05 ¹⁾	V	53.30	32.97	-41.37	-	44.90	74.00	29.10
7 374.40 ¹⁾	H	52.40	36.35	-38.97	-	49.78	74.00	24.22
Average Data								
2 483.52 ¹⁾	H	52.65	27.74	-29.80	0.28	50.87	54.00	3.13



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 422 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 119.33	H	73.20	27.31	-44.81	-	55.70	74.00	18.30
2 389.94 ¹⁾	H	68.10	27.00	-29.93	-	65.17	74.00	8.83
4 829.17 ¹⁾	H	56.00	32.32	-41.75	-	46.57	74.00	27.43
7 309.63 ¹⁾	H	52.60	36.48	-38.93	-	50.15	74.00	23.85
Average Data								
2 389.94 ¹⁾	H	49.99	27.00	-29.93	0.55	47.61	54.00	6.39



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11n HT40_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 880.88 ¹⁾	H	58.70	32.69	-41.63	-	49.76	74.00	24.24
7 302.38 ¹⁾	H	51.90	36.50	-38.93	-	49.47	74.00	24.53
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz

