


Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.80	37.80
62	5310	39.70	37.80

CH54




Date: 3.DEC.2021 14:05:11

CH62
26 dB Bandwidth




Date: 3.DEC.2021 14:07:09

99 % Occupied Bandwidth



Date: 3.DEC.2021 14:04:20




Date: 3.DEC.2021 14:06:18

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.69	16.90
116	5580	21.80	16.90
140	5700	22.40	17.10

CH100




Date: 3.DEC.2021 10:29:15

CH116
26 dB Bandwidth




Date: 3.DEC.2021 10:30:56

CH140




Date: 3.DEC.2021 10:32:35


99 % Occupied Bandwidth



Date: 3.DEC.2021 10:29:26



Date: 3.DEC.2021 10:30:08




Date: 3.DEC.2021 10:31:48

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.80	18.00
116	5580	21.75	18.00
140	5700	21.89	18.10

CH100




Date: 3.DEC.2021 11:07:18

CH116
26 dB Bandwidth




Date: 3.DEC.2021 11:08:57

CH140




Date: 3.DEC.2021 11:10:38


99 % Occupied Bandwidth



Date: 3.DEC.2021 11:06:31



Date: 3.DEC.2021 11:08:09




Date: 3.DEC.2021 11:09:49

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.70	36.80
110	5550	39.80	36.80
134	5670	39.90	37.20

CH102




Date: 3.DEC.2021 11:27:55

CH110
26 dB Bandwidth




Date: 3.DEC.2021 11:29:54

CH134




Date: 3.DEC.2021 11:32:01


99 % Occupied Bandwidth



Date: 3.DEC.2021 11:27:03



Date: 3.DEC.2021 11:29:01




Date: 3.DEC.2021 11:31:08

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.01	76.00
122	5610	82.21	76.00

CH106




Date: 3.DEC.2021 11:45:06

CH122
26 dB Bandwidth




Date: 3.DEC.2021 11:47:41

99 % Occupied Bandwidth



Date: 3.DEC.2021 11:44:01




Date: 3.DEC.2021 11:46:38

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.75	19.30
116	5580	21.75	19.30
140	5700	23.49	19.40

CH100




Date: 3.DEC.2021 13:47:45

CH116
26 dB Bandwidth




Date: 3.DEC.2021 13:49:40

CH140




Date: 3.DEC.2021 13:53:19


99 % Occupied Bandwidth



Date: 3.DEC.2021 13:46:53



Date: 3.DEC.2021 13:48:45




Date: 3.DEC.2021 13:52:28

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.80	77.20
122	5610	81.80	77.20

CH106




Date: 3.DEC.2021 14:24:34

CH122
26 dB Bandwidth




Date: 3.DEC.2021 14:26:33

99 % Occupied Bandwidth



Date: 3.DEC.2021 14:23:34




Date: 3.DEC.2021 14:25:30

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.35	17.10	0.50	Complies
157	5785	16.55	17.20	0.50	Complies
165	5825	16.39	17.20	0.50	Complies

CH149




Date: 3.DEC.2021 10:34:29

CH157
6 dB Bandwidth




Date: 3.DEC.2021 10:36:55

CH165




Date: 3.DEC.2021 10:38:40


99 % Occupied Bandwidth



Date: 3.DEC.2021 10:33:32



Date: 3.DEC.2021 10:35:59




Date: 3.DEC.2021 10:37:42

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.65	18.10	0.50	Complies
157	5785	17.80	18.10	0.50	Complies
165	5825	17.75	18.10	0.50	Complies

CH149




Date: 3.DEC.2021 11:12:28

CH157
6 dB Bandwidth




Date: 3.DEC.2021 11:14:33

CH165




Date: 3.DEC.2021 11:16:12


99 % Occupied Bandwidth



Date: 3.DEC.2021 11:11:34



Date: 3.DEC.2021 11:13:39




Date: 3.DEC.2021 11:15:19

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.50	37.20	0.50	Complies
159	5795	36.50	37.20	0.50	Complies

CH151




Date: 3.DEC.2021 11:34:33

CH159
6 dB Bandwidth




Date: 3.DEC.2021 11:36:45

99 % Occupied Bandwidth



Date: 3.DEC.2021 11:33:38




Date: 3.DEC.2021 11:35:48

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.79	76.00	0.50	Complies

CH155 6 dB Bandwidth



Date: 3.DEC.2021 11:51:33

99 % Occupied Bandwidth




Date: 3.DEC.2021 11:50:28

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.15	19.30	0.50	Complies
157	5785	19.00	19.50	0.50	Complies
165	5825	19.10	19.40	0.50	Complies

CH149




Date: 3.DEC.2021 13:55:09

CH157
6 dB Bandwidth




Date: 3.DEC.2021 13:57:03

CH165




Date: 3.DEC.2021 13:59:08


99 % Occupied Bandwidth



Date: 3.DEC.2021 13:54:13



Date: 3.DEC.2021 13:56:04




Date: 3.DEC.2021 13:58:11


Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.59	38.00	0.50	Complies
159	5795	37.70	38.00	0.50	Complies



CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.80	77.20	0.50	Complies

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.63	0.23	12.86	30.00	1.0000	Complies
40	5200	12.41	0.23	12.64	30.00	1.0000	Complies
48	5240	12.25	0.23	12.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.46	0.23	13.69	30.00	1.0000	Complies
40	5200	13.44	0.23	13.67	30.00	1.0000	Complies
48	5240	13.47	0.23	13.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.30	30.00	1.0000	Complies
40	5200	16.19	30.00	1.0000	Complies
48	5240	16.14	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.68	0.23	12.91	30.00	1.0000	Complies
40	5200	12.63	0.23	12.86	30.00	1.0000	Complies
48	5240	12.54	0.23	12.77	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.62	0.23	13.85	30.00	1.0000	Complies
40	5200	13.57	0.23	13.80	30.00	1.0000	Complies
48	5240	13.62	0.23	13.85	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.41	30.00	1.0000	Complies
40	5200	16.36	30.00	1.0000	Complies
48	5240	16.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.85	0.23	13.08	30.00	1.0000	Complies
46	5230	12.44	0.23	12.67	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.51	0.23	13.74	30.00	1.0000	Complies
46	5230	13.41	0.23	13.64	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.43	30.00	1.0000	Complies
46	5230	16.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.78	0.00	12.78	30.00	1.0000	Complies
40	5200	12.72	0.00	12.72	30.00	1.0000	Complies
48	5240	12.64	0.00	12.64	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.66	0.00	13.66	30.00	1.0000	Complies
40	5200	13.62	0.00	13.62	30.00	1.0000	Complies
48	5240	13.64	0.00	13.64	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.25	30.00	1.0000	Complies
40	5200	16.20	30.00	1.0000	Complies
48	5240	16.18	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.89	0.13	13.02	30.00	1.0000	Complies
46	5230	12.51	0.13	12.64	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.55	0.13	13.68	30.00	1.0000	Complies
46	5230	13.49	0.13	13.62	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.38	30.00	1.0000	Complies
46	5230	16.17	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.67	0.26	12.93	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.47	0.26	13.73	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.36	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.65	0.09	12.74	30.00	1.0000	Complies
40	5200	12.53	0.09	12.62	30.00	1.0000	Complies
48	5240	12.45	0.09	12.54	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.66	0.09	13.75	30.00	1.0000	Complies
40	5200	13.62	0.09	13.71	30.00	1.0000	Complies
48	5240	13.58	0.09	13.67	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.29	30.00	1.0000	Complies
40	5200	16.21	30.00	1.0000	Complies
48	5240	16.15	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.89	0.16	13.05	30.00	1.0000	Complies
46	5230	12.85	0.16	13.01	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.63	0.16	13.79	30.00	1.0000	Complies
46	5230	13.66	0.16	13.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.45	30.00	1.0000	Complies
46	5230	16.45	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.66	0.30	12.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.44	0.30	13.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.38	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.31	0.23	12.54	23.98	0.2500	Complies
60	5300	11.92	0.23	12.15	23.98	0.2500	Complies
64	5320	11.98	0.23	12.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.66	0.23	13.89	23.98	0.2500	Complies
60	5300	13.62	0.23	13.85	23.98	0.2500	Complies
64	5320	13.46	0.23	13.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.28	23.98	0.2500	Complies
60	5300	16.09	23.98	0.2500	Complies
64	5320	16.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.09	0.23	12.32	23.98	0.2500	Complies
60	5300	12.04	0.23	12.27	23.98	0.2500	Complies
64	5320	12.09	0.23	12.32	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.68	0.23	13.91	23.98	0.2500	Complies
60	5300	13.57	0.23	13.80	23.98	0.2500	Complies
64	5320	13.62	0.23	13.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.20	23.98	0.2500	Complies
60	5300	16.11	23.98	0.2500	Complies
64	5320	16.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.76	0.23	11.99	23.98	0.2500	Complies
62	5310	11.69	0.23	11.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.67	0.23	13.90	23.98	0.2500	Complies
62	5310	13.41	0.23	13.64	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.06	23.98	0.2500	Complies
62	5310	15.87	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.24	0.00	12.24	23.98	0.2500	Complies
60	5300	12.31	0.00	12.31	23.98	0.2500	Complies
64	5320	12.18	0.00	12.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.71	0.00	13.71	23.98	0.2500	Complies
60	5300	13.61	0.00	13.61	23.98	0.2500	Complies
64	5320	13.65	0.00	13.65	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.05	23.98	0.2500	Complies
60	5300	16.02	23.98	0.2500	Complies
64	5320	15.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.85	0.13	11.98	23.98	0.2500	Complies
62	5310	11.86	0.13	11.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.74	0.13	13.87	23.98	0.2500	Complies
62	5310	13.48	0.13	13.61	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.04	23.98	0.2500	Complies
62	5310	15.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.91	0.26	12.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.82	0.26	14.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.21	0.09	12.30	23.98	0.2500	Complies
60	5300	12.14	0.09	12.23	23.98	0.2500	Complies
64	5320	12.19	0.09	12.28	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.71	0.09	13.80	23.98	0.2500	Complies
60	5300	13.67	0.09	13.76	23.98	0.2500	Complies
64	5320	13.71	0.09	13.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.13	23.98	0.2500	Complies
60	5300	16.07	23.98	0.2500	Complies
64	5320	16.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.72	0.16	11.88	23.98	0.2500	Complies
62	5310	11.63	0.16	11.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.55	0.16	13.71	23.98	0.2500	Complies
62	5310	13.31	0.16	13.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.90	23.98	0.2500	Complies
62	5310	15.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.44	0.30	11.74	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.56	0.30	13.86	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.75	0.23	12.98	23.98	0.2500	Complies
116	5580	12.79	0.23	13.02	23.98	0.2500	Complies
140	5700	13.07	0.23	13.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.53	0.23	13.76	23.98	0.2500	Complies
116	5580	13.06	0.23	13.29	23.98	0.2500	Complies
140	5700	13.12	0.23	13.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.40	23.98	0.2500	Complies
116	5580	16.17	23.98	0.2500	Complies
140	5700	16.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.71	0.23	12.94	23.98	0.2500	Complies
116	5580	12.78	0.23	13.01	23.98	0.2500	Complies
140	5700	13.02	0.23	13.25	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.57	0.23	13.80	23.98	0.2500	Complies
116	5580	13.11	0.23	13.34	23.98	0.2500	Complies
140	5700	13.06	0.23	13.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.40	23.98	0.2500	Complies
116	5580	16.19	23.98	0.2500	Complies
140	5700	16.28	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.85	0.23	13.08	23.98	0.2500	Complies
110	5550	12.74	0.23	12.97	23.98	0.2500	Complies
134	5670	12.61	0.23	12.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.16	0.23	13.39	23.98	0.2500	Complies
110	5550	13.13	0.23	13.36	23.98	0.2500	Complies
134	5670	13.11	0.23	13.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.25	23.98	0.2500	Complies
110	5550	16.18	23.98	0.2500	Complies
134	5670	16.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.77	0.00	12.77	23.98	0.2500	Complies
116	5580	12.85	0.00	12.85	23.98	0.2500	Complies
140	5700	13.08	0.00	13.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.59	0.00	13.59	23.98	0.2500	Complies
116	5580	13.17	0.00	13.17	23.98	0.2500	Complies
140	5700	13.11	0.00	13.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.21	23.98	0.2500	Complies
116	5580	16.02	23.98	0.2500	Complies
140	5700	16.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.94	0.13	13.07	23.98	0.2500	Complies
110	5550	12.78	0.13	12.91	23.98	0.2500	Complies
134	5670	12.66	0.13	12.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.24	0.13	13.37	23.98	0.2500	Complies
110	5550	13.21	0.13	13.34	23.98	0.2500	Complies
134	5670	13.17	0.13	13.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.24	23.98	0.2500	Complies
110	5550	16.14	23.98	0.2500	Complies
134	5670	16.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.77	0.26	13.03	23.98	0.2500	Complies
122	5610	12.66	0.26	12.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.31	0.26	13.57	23.98	0.2500	Complies
122	5610	13.49	0.26	13.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.32	23.98	0.2500	Complies
122	5610	16.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.63	0.09	12.72	23.98	0.2500	Complies
116	5580	12.85	0.09	12.94	23.98	0.2500	Complies
140	5700	13.07	0.09	13.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.34	0.09	13.43	23.98	0.2500	Complies
116	5580	13.16	0.09	13.25	23.98	0.2500	Complies
140	5700	12.99	0.09	13.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.10	23.98	0.2500	Complies
116	5580	16.11	23.98	0.2500	Complies
140	5700	16.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.86	0.16	13.02	23.98	0.2500	Complies
110	5550	12.83	0.16	12.99	23.98	0.2500	Complies
134	5670	12.76	0.16	12.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.31	0.16	13.47	23.98	0.2500	Complies
110	5550	13.24	0.16	13.40	23.98	0.2500	Complies
134	5670	13.13	0.16	13.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.26	23.98	0.2500	Complies
110	5550	16.21	23.98	0.2500	Complies
134	5670	16.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.01	0.30	13.31	23.98	0.2500	Complies
122	5610	12.57	0.30	12.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.31	0.30	13.61	23.98	0.2500	Complies
122	5610	13.32	0.30	13.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.48	23.98	0.2500	Complies
122	5610	16.27	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.87	0.23	13.10	30.00	1.0000	Complies
157	5785	12.91	0.23	13.14	30.00	1.0000	Complies
165	5825	12.95	0.23	13.18	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.87	0.23	13.10	30.00	1.0000	Complies
157	5785	12.94	0.23	13.17	30.00	1.0000	Complies
165	5825	13.02	0.23	13.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.11	30.00	1.0000	Complies
157	5785	16.16	30.00	1.0000	Complies
165	5825	16.22	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.21	0.23	13.44	30.00	1.0000	Complies
157	5785	13.12	0.23	13.35	30.00	1.0000	Complies
165	5825	13.07	0.23	13.30	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.96	0.23	13.19	30.00	1.0000	Complies
157	5785	13.16	0.23	13.39	30.00	1.0000	Complies
165	5825	13.22	0.23	13.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.33	30.00	1.0000	Complies
157	5785	16.38	30.00	1.0000	Complies
165	5825	16.38	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.26	0.23	13.49	30.00	1.0000	Complies
159	5795	12.94	0.23	13.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.99	0.23	13.22	30.00	1.0000	Complies
159	5795	13.17	0.23	13.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.37	30.00	1.0000	Complies
159	5795	16.29	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.24	0.00	13.24	30.00	1.0000	Complies
157	5785	13.17	0.00	13.17	30.00	1.0000	Complies
165	5825	13.13	0.00	13.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.02	0.00	13.02	30.00	1.0000	Complies
157	5785	13.26	0.00	13.26	30.00	1.0000	Complies
165	5825	13.28	0.00	13.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.14	30.00	1.0000	Complies
157	5785	16.23	30.00	1.0000	Complies
165	5825	16.22	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.31	0.13	13.44	30.00	1.0000	Complies
159	5795	13.04	0.13	13.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.09	0.13	13.22	30.00	1.0000	Complies
159	5795	13.27	0.13	13.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.35	30.00	1.0000	Complies
159	5795	16.30	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.21	0.26	13.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.02	0.26	13.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.39	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.34	0.09	13.43	30.00	1.0000	Complies
157	5785	13.22	0.09	13.31	30.00	1.0000	Complies
165	5825	13.16	0.09	13.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.25	0.09	13.34	30.00	1.0000	Complies
157	5785	13.28	0.09	13.37	30.00	1.0000	Complies
165	5825	13.34	0.09	13.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.40	30.00	1.0000	Complies
157	5785	16.35	30.00	1.0000	Complies
165	5825	16.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.23	0.16	13.39	30.00	1.0000	Complies
159	5795	13.26	0.16	13.42	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.23	0.16	13.39	30.00	1.0000	Complies
159	5795	13.14	0.16	13.30	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.40	30.00	1.0000	Complies
159	5795	16.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.25	0.30	13.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.81	0.30	13.11	30.00	1.0000	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.35	30.00	1.0000	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.74	0.23	0.97	17.00	Complies
40	5200	0.80	0.23	1.03	17.00	Complies
48	5240	0.47	0.23	0.70	17.00	Complies



Date: 3.DEC.2021 15:22:58




Date: 3.DEC.2021 15:23:36




Date: 3.DEC.2021 15:24:14

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.20	0.23	1.43	17.00	Complies
40	5200	1.23	0.23	1.46	17.00	Complies
48	5240	1.34	0.23	1.57	17.00	Complies



Date: 3.DEC.2021 10:48:11



Date: 3.DEC.2021 10:48:42




Date: 3.DEC.2021 10:49:16

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.22	17.00	Complies
40	5200	4.26	17.00	Complies
48	5240	4.17	17.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.16	0.00	-0.16	17.00	Complies
40	5200	-0.30	0.00	-0.30	17.00	Complies
48	5240	-0.84	0.00	-0.84	17.00	Complies



Date: 4.DEC.2021 08:54:08




Date: 4.DEC.2021 08:54:31




Date: 4.DEC.2021 08:54:55

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.13	0.00	1.13	17.00	Complies
40	5200	1.07	0.00	1.07	17.00	Complies
48	5240	1.31	0.00	1.31	17.00	Complies



Date: 3.DEC.2021 10:57:03



Date: 3.DEC.2021 10:58:40




Date: 3.DEC.2021 11:00:17

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.54	17.00	Complies
40	5200	3.45	17.00	Complies
48	5240	3.38	17.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.06	0.13	-2.93	17.00	Complies
46	5230	-3.46	0.13	-3.33	17.00	Complies




Date: 4.DEC.2021 08:59:23




Date: 4.DEC.2021 08:59:49

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.72	0.13	-1.59	17.00	Complies
46	5230	-1.68	0.13	-1.55	17.00	Complies



Date: 3.DEC.2021 11:20:00




Date: 3.DEC.2021 11:21:47

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.81	17.00	Complies
46	5230	0.67	17.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.46	0.26	-6.20	17.00	Complies



Date: 4.DEC.2021 09:06:22

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.65	0.26	-4.39	17.00	Complies




Date: 3.DEC.2021 11:40:47

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.19	17.00	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.01	0.09	-0.92	17.00	Complies
40	5200	-0.94	0.09	-0.85	17.00	Complies
48	5240	-1.41	0.09	-1.32	17.00	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.55	0.09	0.64	17.00	Complies
40	5200	0.58	0.09	0.67	17.00	Complies
48	5240	0.60	0.09	0.69	17.00	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.94	17.00	Complies
40	5200	2.99	17.00	Complies
48	5240	2.81	17.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.43	0.16	-3.27	17.00	Complies
46	5230	-3.84	0.16	-3.68	17.00	Complies

CH38



Date: 4.DEC.2021 09:17:40

CH46




Date: 4.DEC.2021 09:18:06

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.34	0.16	-2.18	17.00	Complies
46	5230	-2.22	0.16	-2.06	17.00	Complies

CH38



Date: 3.DEC.2021 14:01:59

CH46




Date: 3.DEC.2021 14:03:48

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.32	17.00	Complies
46	5230	0.22	17.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.57	0.30	-6.27	17.00	Complies



Date: 4.DEC.2021 09:22:43

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.13	0.30	-4.83	17.00	Complies




Date: 3.DEC.2021 14:20:33

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.48	17.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.30	0.23	0.53	11.00	Complies
60	5300	0.30	0.23	0.53	11.00	Complies
64	5320	0.21	0.23	0.44	11.00	Complies



Date: 3.DEC.2021 15:24:52




Date: 3.DEC.2021 15:25:24




Date: 3.DEC.2021 15:26:04

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.67	0.23	1.90	11.00	Complies
60	5300	1.66	0.23	1.89	11.00	Complies
64	5320	1.54	0.23	1.77	11.00	Complies



Date: 3.DEC.2021 10:49:50



Date: 3.DEC.2021 10:50:25




Date: 3.DEC.2021 10:51:01

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.28	11.00	Complies
60	5300	4.27	11.00	Complies
64	5320	4.16	11.00	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.47	0.00	-1.47	11.00	Complies
60	5300	-2.09	0.00	-2.09	11.00	Complies
64	5320	-1.94	0.00	-1.94	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.43	0.00	1.43	11.00	Complies
60	5300	1.35	0.00	1.35	11.00	Complies
64	5320	1.49	0.00	1.49	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.23	11.00	Complies
60	5300	2.97	11.00	Complies
64	5320	3.12	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-4.81	0.13	-4.68	11.00	Complies
62	5310	-5.18	0.13	-5.05	11.00	Complies

CH54



Date: 4.DEC.2021 09:00:29

CH62




Date: 4.DEC.2021 09:00:58

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.48	0.13	-1.35	11.00	Complies
62	5310	-1.43	0.13	-1.30	11.00	Complies

CH54



Date: 3.DEC.2021 11:23:48

CH62




Date: 3.DEC.2021 11:26:25

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.31	11.00	Complies
62	5310	0.23	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.12	0.26	-7.86	11.00	Complies



Date: 4.DEC.2021 09:06:53

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.35	0.26	-4.09	11.00	Complies




Date: 3.DEC.2021 11:43:03

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.57	11.00	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.01	0.09	-1.92	11.00	Complies
60	5300	-2.42	0.09	-2.33	11.00	Complies
64	5320	-2.26	0.09	-2.17	11.00	Complies



Date: 4.DEC.2021 09:13:18




Date: 4.DEC.2021 09:13:42




Date: 4.DEC.2021 09:14:03

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.87	0.09	0.96	11.00	Complies
60	5300	0.63	0.09	0.72	11.00	Complies
64	5320	0.86	0.09	0.95	11.00	Complies



Date: 3.DEC.2021 13:41:04



Date: 3.DEC.2021 13:42:49



Date: 3.DEC.2021 13:45:45


Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.77	11.00	Complies
60	5300	2.47	11.00	Complies
64	5320	2.68	11.00	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.75	0.16	-5.59	11.00	Complies
62	5310	-5.98	0.16	-5.82	11.00	Complies

CH54



Date: 4.DEC.2021 09:18:36

CH62




Date: 4.DEC.2021 09:19:02

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.30	0.16	-2.14	11.00	Complies
62	5310	-2.46	0.16	-2.30	11.00	Complies

CH54



Date: 3.DEC.2021 14:05:33

CH62




Date: 3.DEC.2021 14:07:31

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.52	11.00	Complies
62	5310	-0.70	11.00	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.91	0.30	-8.61	11.00	Complies



Date: 4.DEC.2021 09:23:23

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.10	0.30	-4.80	11.00	Complies



Date: 3.DEC.2021 14:22:40

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.29	11.00	Complies