


Antenna Specification

Summary


ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-5.5	-4.25	-4.77	-5.25	-4.46	-4.86
MAX. Gain	-4.25dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	29mm					
Manufacture	Zhuhai Wicue Technology Co.Ltd					



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	- 5.5	-30.0801	-11. 18716
2450	-4.25	-25.5604	-10.58023
2500	-4.77	-27.0315	-10.99127

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-5.25	-28.5424	-10.9594
2450	-4.46	-26.5837	-10.7702
2500	-4.86	-27.5214	-10.56432

ANT Test Labs :