


Antenna Specification

Summary


ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-6.5	-5.25	-5.77	-7.25	-5.46	- 5.86
MAX. Gain	-5.25dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	26.5mm					
Manufacture	Zhuhai Wicue Technology Co.Ltd					



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-6.5	-33.0801	-11.68716
2450	-5.25	-26.5604	-10.48023
2500	-5.77	-28.0315	-10.89127

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-7.25	-37.1424	-12.4294
2450	-5.46	-27.5837	-10.7702
2500	-5.86	-29.5214	-9.20432

ANT Test Labs :