







11G_Ant2_2462_0-Reference




11G_Ant2_2462_30-1000




11G_Ant2_2462_1000-26500




11N20MIMO Ant1_2412_0~Reference




11N20MIMO Ant1_2412_30~1000




11N20MIMO Ant1_2412_1000~26500




11N20MIMO Ant2 2412 0~Reference




11N20MIMO Ant2 2412 30~1000




11N20MIMO Ant2 2412 1000~26500



11N20MIMO Ant1_2437_0~Reference




11N20MIMO Ant1_2437_30~1000




11N20MIMO Ant1_2437_1000~26500




11N20MIMO_Ant2_2437_0~Reference




11N20MIMO_Ant2_2437_30~1000




11N20MIMO_Ant2_2437_1000~26500




11N20MIMO Ant1_2462_0~Reference




11N20MIMO Ant1_2462_30~1000




11N20MIMO Ant1_2462_1000~26500



11N20MIMO Ant2_2462_0~Reference




11N20MIMO Ant2_2462_30~1000




11N20MIMO Ant2_2462_1000~26500




11N40MIMO Ant1_2422_0~Reference




11N40MIMO Ant1_2422_30~1000




11N40MIMO Ant1_2422_1000~26500




11N40MIMO Ant2_2422_0~Reference




11N40MIMO Ant2_2422_30~1000




11N40MIMO Ant2_2422_1000~26500



11N40MIMO Ant1_2437_0~Reference




11N40MIMO Ant1_2437_30~1000




11N40MIMO Ant1_2437_1000~26500




11N40MIMO Ant2 2437_0~Reference




11N40MIMO Ant2 2437_30~1000




11N40MIMO Ant2 2437_1000~26500




11N40MIMO Ant1_2452_0~Reference




11N40MIMO Ant1_2452_30~1000




11N40MIMO Ant1_2452_1000~26500



11N40MIMO_Ant2_2452_0~Reference



11N40MIMO_Ant2_2452_30~1000



11N40MIMO_Ant2_2452_1000~26500

**11.7. Appendix G: Duty Cycle****11.7.1. Test Result**

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B	12.17	12.21	0.9967	99.67	0.01	0.08	0.01
11G	2.01	2.06	0.9757	97.57	0.11	0.50	1
11N20MIMO	1.88	1.93	0.9741	97.41	0.11	0.53	1
11N40MIMO	0.92	0.96	0.9583	95.83	0.18	1.09	2

Note:

Duty Cycle Correction Factor=10log (1/x).


Where: x is Duty Cycle (Linear)

Where: T is On Time


If that calculated VBW is not available on the analyzer then the next higher value should be used.

If the EUT is configured to transmit with duty cycle $\geq 98\%$, set VBW $\leq$ RBW/100 (i.e., 10 kHz) but not less than 10 Hz.


11.7.2. Test Graphs




11B_Ant1_2412



11G_Ant1_2412



11N20MIMO_Ant1_2412



11N40MIMO_Ant1_2422

END OF REPORT