






















Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5500-5700MHz)		



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		99% OBW (MHz)		Verdict
			Ant A	Ant B	Ant A	Ant B	
NVNT	a	5500	20.684	23.322	16.311	16.327	Pass
NVNT	a	5580	17.969	18.044	16.254	16.241	Pass
NVNT	a	5700	21.104	20.097	16.325	16.319	Pass
NVNT	n20	5500	23.693	23.6	17.445	17.453	Pass
NVNT	n20	5580	18.749	18.706	17.386	17.389	Pass
NVNT	n20	5700	21.473	20.129	17.472	17.46	Pass
NVNT	n40	5510	41.735	38.906	35.88	35.898	Pass
NVNT	n40	5550	38.229	38.264	35.82	35.854	Pass
NVNT	n40	5670	38.595	37.961	35.871	35.836	Pass
NVNT	ac20	5500	22.288	19.331	17.444	17.479	Pass
NVNT	ac20	5580	18.698	18.593	17.383	17.428	Pass
NVNT	ac20	5700	18.801	19.214	17.458	17.48	Pass
NVNT	ac40	5510	38.271	38.268	35.868	35.85	Pass
NVNT	ac40	5550	38.357	37.875	35.844	35.835	Pass
NVNT	ac40	5670	39.048	38.896	35.884	35.852	Pass
NVNT	ac80	5530	99.364	103.365	75.454	75.286	Pass
NVNT	ax20	5500	19.706	19.923	18.775	18.797	Pass
NVNT	ax20	5580	19.66	19.704	18.722	18.759	Pass
NVNT	ax20	5700	19.69	20.988	18.8	18.757	Pass
NVNT	ax40	5510	39.373	39.382	37.569	37.535	Pass
NVNT	ax40	5550	39.256	39.238	37.481	37.497	Pass
NVNT	ax40	5670	39.12	39.217	37.653	37.444	Pass
NVNT	ax80	5530	101.369	97.884	77.108	76.946	Pass
NVNT	be20	5500	24.015	24.355	18.769	18.738	Pass
NVNT	be20	5580	19.71	19.667	18.778	18.758	Pass
NVNT	be20	5700	19.653	19.706	18.722	18.793	Pass
NVNT	be40	5510	42.23	39.46	37.529	37.567	Pass
NVNT	be40	5550	39.227	39.144	37.461	37.447	Pass
NVNT	be40	5670	39.312	44.692	37.551	37.534	Pass
NVNT	be80	5530	102.156	90.981	77.061	77.1	Pass



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.




























































Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.
























































Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5745-5825MHz)		



Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)		99% OBW (MHz)		Limit -6 dB Bandwidth (MHz)	Verdict
			Ant A	Ant B	Ant A	Ant B		
NVNT	a	5745	15.33	15.892	16.302	16.297	0.5	Pass
NVNT	a	5785	16.308	15.657	16.276	16.249	0.5	Pass
NVNT	a	5825	14.463	14.147	16.317	16.325	0.5	Pass
NVNT	n20	5745	15.649	16.152	17.434	17.431	0.5	Pass
NVNT	n20	5785	16.489	15.658	17.394	17.381	0.5	Pass
NVNT	n20	5825	15.911	15.39	17.445	17.448	0.5	Pass
NVNT	n40	5755	35.13	33.835	35.869	35.869	0.5	Pass
NVNT	n40	5795	31.33	29.052	35.826	35.817	0.5	Pass
NVNT	ac20	5745	17.14	16.993	17.428	17.468	0.5	Pass
NVNT	ac20	5785	15.112	15.077	17.375	17.41	0.5	Pass
NVNT	ac20	5825	16.279	16.298	17.456	17.468	0.5	Pass
NVNT	ac40	5755	33.836	35.061	35.877	35.85	0.5	Pass
NVNT	ac40	5795	35.054	35.007	35.827	35.769	0.5	Pass
NVNT	ac80	5775	73.813	75.069	75.164	75.088	0.5	Pass
NVNT	ax20	5745	14.306	16.296	18.731	18.778	0.5	Pass
NVNT	ax20	5785	18.241	16.828	18.744	18.758	0.5	Pass
NVNT	ax20	5825	16.509	15.56	18.788	18.793	0.5	Pass
NVNT	ax40	5755	34.564	35.907	37.556	37.627	0.5	Pass
NVNT	ax40	5795	35.809	32.584	37.546	37.519	0.5	Pass
NVNT	ax80	5775	73.792	76.075	76.849	76.882	0.5	Pass
NVNT	be20	5745	17.976	17.514	18.762	18.778	0.5	Pass
NVNT	be20	5785	13.947	15.465	18.749	18.727	0.5	Pass
NVNT	be20	5825	14.203	16.189	18.752	18.749	0.5	Pass
NVNT	be40	5755	35.068	35.947	37.579	37.579	0.5	Pass
NVNT	be40	5795	35.09	35.1	37.574	37.4	0.5	Pass
NVNT	be80	5775	73.825	75.067	76.802	76.956	0.5	Pass



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.











































Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.

