






















Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5500-5700MHz)		



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		99% OBW (MHz)		Verdict
			Ant A	Ant B	Ant A	Ant B	
NVNT	a	5500	20.557	20.279	16.306	16.301	Pass
NVNT	a	5580	18.086	18.024	16.268	16.264	Pass
NVNT	a	5700	20.332	20.154	16.324	16.31	Pass
NVNT	n20	5500	20.983	20.487	17.459	17.464	Pass
NVNT	n20	5580	18.806	18.719	17.395	17.408	Pass
NVNT	n20	5700	21.627	20.386	17.463	17.453	Pass
NVNT	n40	5510	38.54	38.511	35.865	35.902	Pass
NVNT	n40	5550	38.227	38.322	35.838	35.827	Pass
NVNT	n40	5670	39.541	39.525	35.833	35.858	Pass
NVNT	ac20	5500	20.736	20.962	17.45	17.477	Pass
NVNT	ac20	5580	18.661	18.644	17.378	17.421	Pass
NVNT	ac20	5700	22.811	22.191	17.454	17.486	Pass
NVNT	ac40	5510	39.76	42.467	35.877	35.856	Pass
NVNT	ac40	5550	38.191	37.919	35.805	35.774	Pass
NVNT	ac40	5670	38.528	38.026	35.835	35.864	Pass
NVNT	ac80	5530	102.389	102.11	75.448	75.315	Pass
NVNT	ax20	5500	20.382	19.671	18.768	18.801	Pass
NVNT	ax20	5580	19.749	19.813	18.765	18.774	Pass
NVNT	ax20	5700	19.728	19.684	18.789	18.81	Pass
NVNT	ax40	5510	40.103	39.441	37.602	37.557	Pass
NVNT	ax40	5550	39.282	39.085	37.497	37.446	Pass
NVNT	ax40	5670	39.71	42.2	37.542	37.598	Pass
NVNT	ax80	5530	98.358	91.14	77.029	77.002	Pass
NVNT	be20	5500	21.041	21.205	18.766	18.757	Pass
NVNT	be20	5580	19.753	19.772	18.758	18.735	Pass
NVNT	be20	5700	19.695	19.732	18.757	18.773	Pass
NVNT	be40	5510	39.598	39.2	37.537	37.478	Pass
NVNT	be40	5550	39.173	39.159	37.565	37.513	Pass
NVNT	be40	5670	39.399	39.685	37.523	37.521	Pass
NVNT	be80	5530	99.305	95.421	76.969	77.116	Pass



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.




























































Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.




















































Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5745-5825MHz)		



Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)		99% OBW (MHz)		Limit -6 dB Bandwidth (MHz)	Verdict
			Ant A	Ant B	Ant A	Ant B		
NVNT	a	5745	13.805	15.724	16.288	16.327	0.5	Pass
NVNT	a	5785	15.092	15.067	16.264	16.267	0.5	Pass
NVNT	a	5825	14.992	15.139	16.313	16.295	0.5	Pass
NVNT	n20	5745	14.8	16.532	17.426	17.462	0.5	Pass
NVNT	n20	5785	16.54	16.527	17.394	17.382	0.5	Pass
NVNT	n20	5825	17.56	17.536	17.432	17.456	0.5	Pass
NVNT	n40	5755	32.597	35.26	35.877	35.74	0.5	Pass
NVNT	n40	5795	30.066	33.137	35.77	35.777	0.5	Pass
NVNT	ac20	5745	15.083	14.431	17.422	17.487	0.5	Pass
NVNT	ac20	5785	16.551	14.443	17.404	17.413	0.5	Pass
NVNT	ac20	5825	15.322	16.318	17.457	17.475	0.5	Pass
NVNT	ac40	5755	30.774	34.394	35.887	35.71	0.5	Pass
NVNT	ac40	5795	34.944	35.078	35.815	35.809	0.5	Pass
NVNT	ac80	5775	66.37	70.026	75.147	75.186	0.5	Pass
NVNT	ax20	5745	15.156	14.951	18.757	18.786	0.5	Pass
NVNT	ax20	5785	15.733	13.845	18.759	18.766	0.5	Pass
NVNT	ax20	5825	14.702	16.518	18.801	18.764	0.5	Pass
NVNT	ax40	5755	32.01	35.213	37.573	37.463	0.5	Pass
NVNT	ax40	5795	34.767	33.473	37.458	37.471	0.5	Pass
NVNT	ax80	5775	71.321	73.77	76.84	76.777	0.5	Pass
NVNT	be20	5745	15.609	18.442	18.788	18.797	0.5	Pass
NVNT	be20	5785	15.679	15.134	18.76	18.757	0.5	Pass
NVNT	be20	5825	14.44	16.77	18.743	18.778	0.5	Pass
NVNT	be40	5755	35.338	35.099	37.56	37.602	0.5	Pass
NVNT	be40	5795	35.038	35.031	37.462	37.512	0.5	Pass
NVNT	be80	5775	75.079	73.838	76.692	76.814	0.5	Pass



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.











































Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.

