





Duty Cycle NVNT be40 6965MHz AntA




Duty Cycle NVNT be40 7085MHz AntA






Duty Cycle NVNT be80 5985MHz AntA




Duty Cycle NVNT be80 6145MHz AntA






Duty Cycle NVNT be80 6385MHz AntA




Duty Cycle NVNT be80 6465MHz AntA






Duty Cycle NVNT be80 6545MHz AntA




Duty Cycle NVNT be80 6625MHz AntA






Duty Cycle NVNT be80 6705MHz AntA




Duty Cycle NVNT be80 6785MHz AntA






Duty Cycle NVNT be80 6865MHz AntA




Duty Cycle NVNT be80 6945MHz AntA






Duty Cycle NVNT be80 7025MHz AntA




Duty Cycle NVNT be160 6025MHz AntA






Duty Cycle NVNT be160 6185MHz AntA




Duty Cycle NVNT be160 6345MHz AntA






Duty Cycle NVNT be160 6505MHz AntA




Duty Cycle NVNT be160 6665MHz AntA






Duty Cycle NVNT be160 6825MHz AntA



Duty Cycle NVNT be160 6985MHz AntA



Appendix B. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Conducted Power (dBm)	Gain (dBi)	eirp Power	Limit (dBm)	Verdict
NVNT	ax20	5955	AntA	-5.13	4.84	-0.29	1.28	0.99	24	Pass
		6175		-3.69	4.98	1.29	1.28	2.57	24	Pass
		6415		-3.35	5.05	1.7	1.28	2.98	24	Pass
		6435		-3.03	4.98	1.95	1.28	3.23	24	Pass
		6475		-2.97	4.84	1.87	1.28	3.15	24	Pass
		6515		-3.57	4.98	1.41	1.28	2.69	24	Pass
		6535		-3.73	4.98	1.25	1.28	2.53	24	Pass
		6695		-3.39	4.84	1.45	1.28	2.73	24	Pass
		6855		-4.32	5.05	0.73	1.28	2.01	24	Pass
		6875		-4.72	4.98	0.26	1.28	1.54	24	Pass
		6895		-4.42	4.98	0.56	1.28	1.84	24	Pass
		6995		-3.91	4.84	0.93	1.28	2.21	24	Pass
		7115		-3.81	4.98	1.17	1.28	2.45	24	Pass
	ax40	5965		-1.05	4.84	3.79	1.28	5.07	24	Pass
		6165		3.1	4.98	8.08	1.28	9.36	24	Pass
		6405		2.76	4.98	7.74	1.28	9.02	24	Pass
		6445		3.59	4.98	8.57	1.28	9.85	24	Pass
		6485		3.53	4.84	8.37	1.28	9.65	24	Pass
		6525		3.73	4.98	8.71	1.28	9.99	24	Pass
		6565		3.02	4.98	8	1.28	9.28	24	Pass
		6685		2.54	4.98	7.52	1.28	8.8	24	Pass
		6845		2.16	4.98	7.14	1.28	8.42	24	Pass
		6885		1.83	4.98	6.81	1.28	8.09	24	Pass
		6925		2.34	4.98	7.32	1.28	8.6	24	Pass
		6965		2.34	4.98	7.32	1.28	8.6	24	Pass
		7085		2.47	4.98	7.45	1.28	8.73	24	Pass
	ax80	5985		1.45	5.14	6.59	1.28	7.87	24	Pass
		6145		4.73	4.98	9.71	1.28	10.99	24	Pass
		6385		3.91	5.14	9.05	1.28	10.33	24	Pass
		6465		4.48	5.14	9.62	1.28	10.9	24	Pass
		6545		5.21	5.14	10.35	1.28	11.63	24	Pass
		6625		4.8	5.14	9.94	1.28	11.22	24	Pass
		6705		4.99	5.14	10.13	1.28	11.41	24	Pass
		6785		4.87	4.98	9.85	1.28	11.13	24	Pass
		6865		4.53	4.98	9.51	1.28	10.79	24	Pass
		6945		4.26	5.14	9.4	1.28	10.68	24	Pass
		7025		4.8	5.14	9.94	1.28	11.22	24	Pass


	ax160	6025	1.33	4.98	6.31	1.28	7.59	24	Pass
		6185	4.1	4.98	9.08	1.28	10.36	24	Pass
		6345	3.54	5.14	8.68	1.28	9.96	24	Pass
		6505	3.89	5.14	9.03	1.28	10.31	24	Pass
		6665	3.97	4.98	8.95	1.28	10.23	24	Pass
		6825	3.77	4.98	8.75	1.28	10.03	24	Pass
		6985	3.44	4.98	8.42	1.28	9.7	24	Pass
	be20	5955	-0.24	1.63	1.39	1.28	2.67	24	Pass
		6175	1.12	1.54	2.66	1.28	3.94	24	Pass
		6415	0.43	1.67	2.1	1.28	3.38	24	Pass
		6435	0.59	1.54	2.13	1.28	3.41	24	Pass
		6475	0.31	1.54	1.85	1.28	3.13	24	Pass
		6515	0.61	1.67	2.28	1.28	3.56	24	Pass
		6535	1	1.54	2.54	1.28	3.82	24	Pass
		6695	0.36	1.54	1.9	1.28	3.18	24	Pass
		6855	0.64	1.54	2.18	1.28	3.46	24	Pass
		6875	-0.47	1.67	1.2	1.28	2.48	24	Pass
		6895	-0.99	1.67	0.68	1.28	1.96	24	Pass
		6995	-1.51	1.54	0.03	1.28	1.31	24	Pass
		7115	-1.06	1.63	0.57	1.28	1.85	24	Pass
	be40	5965	0.17	1.67	1.84	1.28	3.12	24	Pass
		6165	1.09	1.54	2.63	1.28	3.91	24	Pass
		6405	0.63	1.63	2.26	1.28	3.54	24	Pass
		6445	1.29	1.54	2.83	1.28	4.11	24	Pass
		6485	1.35	1.67	3.02	1.28	4.3	24	Pass
		6525	1.3	1.54	2.84	1.28	4.12	24	Pass
		6565	0.79	1.54	2.33	1.28	3.61	24	Pass
		6685	0.72	1.63	2.35	1.28	3.63	24	Pass
		6845	0.36	1.54	1.9	1.28	3.18	24	Pass
		6885	-0.46	1.67	1.21	1.28	2.49	24	Pass
		6925	0.43	1.54	1.97	1.28	3.25	24	Pass
		6965	0.09	1.54	1.63	1.28	2.91	24	Pass
		7085	0.4	1.67	2.07	1.28	3.35	24	Pass
	be80	5985	2.24	6.02	8.26	1.28	9.54	24	Pass
		6145	3.32	5.8	9.12	1.28	10.4	24	Pass
		6385	3.46	5.23	8.69	1.28	9.97	24	Pass
		6465	3.49	5.23	8.72	1.28	10	24	Pass
		6545	3.4	5.23	8.63	1.28	9.91	24	Pass
		6625	2.66	6.02	8.68	1.28	9.96	24	Pass
		6705	3.11	6.02	9.13	1.28	10.41	24	Pass
		6785	2.86	6.02	8.88	1.28	10.16	24	Pass
		6865	2.7	5.23	7.93	1.28	9.21	24	Pass


	be160	6945	2.52	5.8	8.32	1.28	9.6	24	Pass
		7025	2.22	5.23	7.45	1.28	8.73	24	Pass
		6025	3.72	3.48	7.2	1.28	8.48	24	Pass
		6185	3.65	3.48	7.13	1.28	8.41	24	Pass
		6345	3.71	3.55	7.26	1.28	8.54	24	Pass
		6505	3.7	3.55	7.25	1.28	8.53	24	Pass
		6665	4.09	3.55	7.64	1.28	8.92	24	Pass
		6825	3.02	3.48	6.5	1.28	7.78	24	Pass
		6985	2.47	3.55	6.02	1.28	7.3	24	Pass

Condition	Mode	Frequency (MHz)	eirp Power Ant A	eirp Power Ant B	Total eirp Power	Limit (dBm)	Verdict
NVNT	ax20	5955	0.99	4.05	5.79	24	Pass
NVNT	ax20	6175	2.57	3.62	6.14	24	Pass
NVNT	ax20	6415	2.98	4.05	6.56	24	Pass
NVNT	ax20	6435	3.23	3.7	6.48	24	Pass
NVNT	ax20	6475	3.15	3.98	6.60	24	Pass
NVNT	ax20	6515	2.69	3.24	5.98	24	Pass
NVNT	ax20	6535	2.53	2.95	5.76	24	Pass
NVNT	ax20	6695	2.73	3.31	6.04	24	Pass
NVNT	ax20	6855	2.01	1.98	5.01	24	Pass
NVNT	ax20	6875	1.54	2.6	5.11	24	Pass
NVNT	ax20	6895	1.84	2.46	5.17	24	Pass
NVNT	ax20	6995	2.21	1.24	4.76	24	Pass
NVNT	ax20	7115	2.45	4.49	6.60	24	Pass
NVNT	ax40	5965	5.07	7.23	9.29	24	Pass
NVNT	ax40	6165	9.36	8.93	12.16	24	Pass
NVNT	ax40	6405	9.02	8.39	11.73	24	Pass
NVNT	ax40	6445	9.85	8.93	12.42	24	Pass
NVNT	ax40	6485	9.65	7.24	11.62	24	Pass
NVNT	ax40	6525	9.99	8.86	12.47	24	Pass
NVNT	ax40	6565	9.28	8.79	12.05	24	Pass
NVNT	ax40	6685	8.8	8.17	11.51	24	Pass
NVNT	ax40	6845	8.42	8.15	11.30	24	Pass
NVNT	ax40	6885	8.09	7.81	10.96	24	Pass
NVNT	ax40	6925	8.6	8.37	11.50	24	Pass
NVNT	ax40	6965	8.6	8.89	11.76	24	Pass
NVNT	ax40	7085	8.73	8.87	11.81	24	Pass
NVNT	ax80	5985	7.87	8.08	10.99	24	Pass
NVNT	ax80	6145	10.99	9.91	13.49	24	Pass
NVNT	ax80	6385	10.33	8.24	12.42	24	Pass
NVNT	ax80	6465	10.9	9.6	13.31	24	Pass

NVNT	ax80	6545	11.63	9.4	13.67	24	Pass
NVNT	ax80	6625	11.22	8.48	13.07	24	Pass
NVNT	ax80	6705	11.41	8.93	13.35	24	Pass
NVNT	ax80	6785	11.13	8.35	12.97	24	Pass
NVNT	ax80	6865	10.79	7.81	12.56	24	Pass
NVNT	ax80	6945	10.68	8.18	12.62	24	Pass
NVNT	ax80	7025	11.22	7.24	12.68	24	Pass
NVNT	ax160	6025	7.59	7.18	10.40	24	Pass
NVNT	ax160	6185	10.36	8.57	12.57	24	Pass
NVNT	ax160	6345	9.96	7.92	12.07	24	Pass
NVNT	ax160	6505	10.31	8.2	12.39	24	Pass
NVNT	ax160	6665	10.23	8.5	12.46	24	Pass
NVNT	ax160	6825	10.03	8.24	12.24	24	Pass
NVNT	ax160	6985	9.7	8.87	12.32	24	Pass
NVNT	be20	5955	2.67	5.24	7.15	24	Pass
NVNT	be20	6175	3.94	8.35	9.69	24	Pass
NVNT	be20	6415	3.38	5.22	7.41	24	Pass
NVNT	be20	6435	3.41	5.43	7.55	24	Pass
NVNT	be20	6475	3.13	4.69	6.99	24	Pass
NVNT	be20	6515	3.56	5.16	7.44	24	Pass
NVNT	be20	6535	3.82	5.38	7.68	24	Pass
NVNT	be20	6695	3.18	5.27	7.36	24	Pass
NVNT	be20	6855	3.46	4.23	6.87	24	Pass
NVNT	be20	6875	2.48	4.25	6.46	24	Pass
NVNT	be20	6895	1.96	4.23	6.25	24	Pass
NVNT	be20	6995	1.31	3.85	5.77	24	Pass
NVNT	be20	7115	1.85	4.58	6.44	24	Pass
NVNT	be40	5965	3.12	6.85	8.38	24	Pass
NVNT	be40	6165	3.91	7.39	9.00	24	Pass
NVNT	be40	6405	3.54	6.24	8.11	24	Pass
NVNT	be40	6445	4.11	7.09	8.86	24	Pass
NVNT	be40	6485	4.3	6.28	8.41	24	Pass
NVNT	be40	6525	4.12	6.7	8.61	24	Pass
NVNT	be40	6565	3.61	6.46	8.28	24	Pass
NVNT	be40	6685	3.63	6.59	8.37	24	Pass
NVNT	be40	6845	3.18	6.16	7.93	24	Pass
NVNT	be40	6885	2.49	5.7	7.40	24	Pass
NVNT	be40	6925	3.25	6.58	8.24	24	Pass
NVNT	be40	6965	2.91	6.13	7.82	24	Pass
NVNT	be40	7085	3.35	6.73	8.37	24	Pass
NVNT	be80	5985	9.54	7.33	11.58	24	Pass
NVNT	be80	6145	10.4	8.41	12.53	24	Pass


NVNT	be80	6385	9.97	7.09	11.77	24	Pass
NVNT	be80	6465	10	7.85	12.07	24	Pass
NVNT	be80	6545	9.91	7.88	12.02	24	Pass
NVNT	be80	6625	9.96	6.92	11.71	24	Pass
NVNT	be80	6705	10.41	7.35	12.15	24	Pass
NVNT	be80	6785	10.16	6.75	11.79	24	Pass
NVNT	be80	6865	9.21	6.47	11.06	24	Pass
NVNT	be80	6945	9.6	8.14	11.94	24	Pass
NVNT	be80	7025	8.73	7.6	11.21	24	Pass
NVNT	be160	6025	8.48	9.69	12.14	24	Pass
NVNT	be160	6185	8.41	9.94	12.25	24	Pass
NVNT	be160	6345	8.54	10.09	12.39	24	Pass
NVNT	be160	6505	8.53	10.45	12.61	24	Pass
NVNT	be160	6665	8.92	10.39	12.73	24	Pass
NVNT	be160	6825	7.78	9.86	11.95	24	Pass
NVNT	be160	6985	7.3	9.67	11.66	24	Pass








Power NVNT ax20 6415MHz AntA




Power NVNT ax20 6435MHz AntA






Power NVNT ax20 6475MHz AntA




Power NVNT ax20 6515MHz AntA








Power NVNT ax20 6535MHz AntA




Power NVNT ax20 6695MHz AntA








Power NVNT ax20 6895MHz AntA




Power NVNT ax20 6995MHz AntA






Power NVNT ax20 7115MHz AntA




Power NVNT ax40 5965MHz AntA






Power NVNT ax40 6165MHz AntA




Power NVNT ax40 6405MHz AntA






Power NVNT ax40 6445MHz AntA




Power NVNT ax40 6485MHz AntA






Power NVNT ax40 6525MHz AntA




Power NVNT ax40 6565MHz AntA






Power NVNT ax40 6685MHz AntA




Power NVNT ax40 6845MHz AntA






Power NVNT ax40 6885MHz AntA




Power NVNT ax40 6925MHz AntA






Power NVNT ax40 6965MHz AntA




Power NVNT ax40 7085MHz AntA






Power NVNT ax80 5985MHz AntA




Power NVNT ax80 6145MHz AntA






Power NVNT ax80 6385MHz AntA




Power NVNT ax80 6465MHz AntA






Power NVNT ax80 6545MHz AntA




Power NVNT ax80 6625MHz AntA








Power NVNT ax80 6705MHz AntA




Power NVNT ax80 6785MHz AntA








Power NVNT ax80 7025MHz AntA




Power NVNT ax160 6025MHz AntA






Power NVNT ax160 6185MHz AntA




Power NVNT ax160 6345MHz AntA






Power NVNT ax160 6505MHz AntA




Power NVNT ax160 6665MHz AntA






Power NVNT ax160 6825MHz AntA




Power NVNT ax160 6985MHz AntA






Power NVNT be20 5955MHz AntA




Power NVNT be20 6175MHz AntA






Power NVNT be20 6415MHz AntA




Power NVNT be20 6435MHz AntA





Power NVNT be20 6475MHz AntA



Power NVNT be20 6515MHz AntA

