



802.11ax(HEW40)_MCH_6485MHz_SU / Ant1_NTNV




802.11ax(HEW80)_LCH_6465MHz_SU / Ant1_NTNV




5.2.3 EMask


802.11ax(HEW20) LCH 6535MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 6695MHz SU / Ant1 NTN




802.11ax(HEW20)_HCH_6855MHz_SU / Ant1_NTNV




802.11ax(HEW40)_LCH_6565MHz_SU / Ant1_NTNV




802.11ax(HEW40) MCH_6685MHz_SU / Ant1_NTNV




802.11ax(HEW40) HCH_6845MHz_SU / Ant1_NTNV




802.11ax(HEW80)_LCH_6625MHz_SU_/_Ant1_NTNV




802.11ax(HEW80)_MCH_6705MHz_SU_/_Ant1_NTNV



802.11ax(HEW80)_HCH_6785MHz_SU_ / Ant1_NTNV




802.11ax(HEW160)_MCH_6665MHz_SU_ / Ant1_NTNV




5.2.4 EMask


802.11ax(HEW20) LCH 6895MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 6995MHz SU / Ant1 NTN




802.11ax(HEW20)_HCH_7115MHz_SU / Ant1_NTNV




802.11ax(HEW40)_LCH_6925MHz_SU / Ant1_NTNV




802.11ax(HEW40) MCH 7005MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 7085MHz SU / Ant1 NTN




802.11ax(HEW80)_LCH_6945MHz_SU_/_Ant1_NTNV



802.11ax(HEW80)_HCH_7025MHz_SU_/_Ant1_NTNV




802.11ax(HEW160)_MCH_6985MHz_SU_/_Ant1_NTNV




5.2.5 EMask


802.11ax(HEW20) HCH 6875MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 6885MHz SU / Ant1 NTN



802.11ax(HEW80)_HCH_6865MHz_SU_ / _Ant1_NTNV




802.11ax(HEW160)_HCH_6825MHz_SU_ / _Ant1_NTNV




5.2.6 EMask


802.11ax(HEW40) HCH 6525MHz SU / Ant1 NTN



802.11ax(HEW80) HCH 6545MHz SU / Ant1 NTN



802.11ax(HEW160)_HCH_6505MHz_SU_/_Ant1_NTNV



6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	SISO	5955	SU	/	20	102	5955.000	5925 to 6425	Pass
							120	5955.000	5925 to 6425	Pass
							138	5955.000	5925 to 6425	Pass
						-30	120	5955.000	5925 to 6425	Pass
						-20	120	5955.000	5925 to 6425	Pass
						-10	120	5955.000	5925 to 6425	Pass
						0	120	5955.000	5925 to 6425	Pass
						10	120	5955.000	5925 to 6425	Pass
						30	120	5955.000	5925 to 6425	Pass
						40	120	5955.000	5925 to 6425	Pass
						50	120	5955.000	5925 to 6425	Pass
			6175	SU	/	20	102	6174.998	5925 to 6425	Pass
							120	6174.997	5925 to 6425	Pass
							138	6174.997	5925 to 6425	Pass
						-30	120	6174.996	5925 to 6425	Pass
						-20	120	6174.996	5925 to 6425	Pass
						-10	120	6174.995	5925 to 6425	Pass
						0	120	6174.995	5925 to 6425	Pass
						10	120	6174.995	5925 to 6425	Pass
						30	120	6174.995	5925 to 6425	Pass
						40	120	6174.995	5925 to 6425	Pass
						50	120	6174.995	5925 to 6425	Pass
			6415	SU	/	20	102	6414.993	5925 to 6425	Pass
							120	6414.993	5925 to 6425	Pass
							138	6414.993	5925 to 6425	Pass
						-30	120	6414.993	5925 to 6425	Pass
						-20	120	6414.993	5925 to 6425	Pass
						-10	120	6414.993	5925 to 6425	Pass
						0	120	6414.993	5925 to 6425	Pass
						10	120	6414.993	5925 to 6425	Pass
						30	120	6414.993	5925 to 6425	Pass
						40	120	6414.993	5925 to 6425	Pass
						50	120	6414.993	5925 to 6425	Pass
	802.11ax (HEW40)	SISO	5965	SU	/	20	102	5964.985	5925 to 6425	Pass
							120	5964.985	5925 to 6425	Pass
							138	5964.984	5925 to 6425	Pass
						-30	120	5964.984	5925 to 6425	Pass
						-20	120	5964.984	5925 to 6425	Pass
						-10	120	5964.984	5925 to 6425	Pass
						0	120	5964.984	5925 to 6425	Pass
						10	120	5964.984	5925 to 6425	Pass
						30	120	5964.984	5925 to 6425	Pass
						40	120	5964.984	5925 to 6425	Pass
						50	120	5964.983	5925 to 6425	Pass
			6165	SU	/	20	102	6164.988	5925 to 6425	Pass
							120	6164.986	5925 to 6425	Pass

							138	6164.985	5925 to 6425	Pass
						-30	120	6164.985	5925 to 6425	Pass
						-20	120	6164.984	5925 to 6425	Pass
						-10	120	6164.984	5925 to 6425	Pass
						0	120	6164.984	5925 to 6425	Pass
						10	120	6164.984	5925 to 6425	Pass
						30	120	6164.984	5925 to 6425	Pass
						40	120	6164.984	5925 to 6425	Pass
						50	120	6164.984	5925 to 6425	Pass
			6405	SU	/	20	102	6404.984	5925 to 6425	Pass
							120	6404.983	5925 to 6425	Pass
							138	6404.983	5925 to 6425	Pass
						-30	120	6404.983	5925 to 6425	Pass
						-20	120	6404.982	5925 to 6425	Pass
						-10	120	6404.982	5925 to 6425	Pass
						0	120	6404.982	5925 to 6425	Pass
						10	120	6404.982	5925 to 6425	Pass
						30	120	6404.982	5925 to 6425	Pass
						40	120	6404.982	5925 to 6425	Pass
						50	120	6404.982	5925 to 6425	Pass
	802.11ax (HEW80)	SISO	5985	SU	/	20	102	5984.985	5925 to 6425	Pass
							120	5984.985	5925 to 6425	Pass
							138	5984.984	5925 to 6425	Pass
						-30	120	5984.984	5925 to 6425	Pass
						-20	120	5984.984	5925 to 6425	Pass
						-10	120	5984.984	5925 to 6425	Pass
						0	120	5984.984	5925 to 6425	Pass
						10	120	5984.984	5925 to 6425	Pass
						30	120	5984.984	5925 to 6425	Pass
						40	120	5984.984	5925 to 6425	Pass
						50	120	5984.984	5925 to 6425	Pass
			6145	SU	/	20	102	6144.985	5925 to 6425	Pass
							120	6144.984	5925 to 6425	Pass
							138	6144.984	5925 to 6425	Pass
						-30	120	6144.984	5925 to 6425	Pass
						-20	120	6144.984	5925 to 6425	Pass
						-10	120	6144.983	5925 to 6425	Pass
						0	120	6144.983	5925 to 6425	Pass
						10	120	6144.983	5925 to 6425	Pass
						30	120	6144.983	5925 to 6425	Pass
						40	120	6144.983	5925 to 6425	Pass
						50	120	6144.984	5925 to 6425	Pass
			6385	SU	/	20	102	6384.988	5925 to 6425	Pass
							120	6384.984	5925 to 6425	Pass
							138	6384.983	5925 to 6425	Pass
						-30	120	6384.983	5925 to 6425	Pass
						-20	120	6384.982	5925 to 6425	Pass
						-10	120	6384.982	5925 to 6425	Pass
						0	120	6384.981	5925 to 6425	Pass
						10	120	6384.981	5925 to 6425	Pass
						30	120	6384.981	5925 to 6425	Pass
						40	120	6384.981	5925 to 6425	Pass
						50	120	6384.981	5925 to 6425	Pass
	802.11ax (HEW160)	SISO	6025	SU	/	20	102	6024.986	5925 to 6425	Pass
							120	6024.985	5925 to 6425	Pass
							138	6024.984	5925 to 6425	Pass
						-30	120	6024.984	5925 to 6425	Pass
						-20	120	6024.984	5925 to 6425	Pass
						-10	120	6024.984	5925 to 6425	Pass

						0	120	6024.984	5925 to 6425	Pass
						10	120	6024.984	5925 to 6425	Pass
						30	120	6024.984	5925 to 6425	Pass
						40	120	6024.984	5925 to 6425	Pass
						50	120	6024.984	5925 to 6425	Pass
			6185	SU	/	20	102	6184.986	5925 to 6425	Pass
							120	6184.985	5925 to 6425	Pass
							138	6184.985	5925 to 6425	Pass
						-30	120	6184.985	5925 to 6425	Pass
						-20	120	6184.984	5925 to 6425	Pass
						-10	120	6184.985	5925 to 6425	Pass
						0	120	6184.984	5925 to 6425	Pass
						10	120	6184.984	5925 to 6425	Pass
						30	120	6184.984	5925 to 6425	Pass
						40	120	6184.984	5925 to 6425	Pass
						50	120	6184.984	5925 to 6425	Pass
			6345	SU	/	20	102	6344.984	5925 to 6425	Pass
							120	6344.984	5925 to 6425	Pass
							138	6344.983	5925 to 6425	Pass
						-30	120	6344.982	5925 to 6425	Pass
						-20	120	6344.982	5925 to 6425	Pass
						-10	120	6344.982	5925 to 6425	Pass
						0	120	6344.982	5925 to 6425	Pass
						10	120	6344.982	5925 to 6425	Pass
						30	120	6344.982	5925 to 6425	Pass
						40	120	6344.982	5925 to 6425	Pass
						50	120	6344.982	5925 to 6425	Pass

6.1.2 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	SISO	6435	SU	/	20	102	6434.994	6425 to 6525	Pass
							120	6434.993	6425 to 6525	Pass
							138	6434.993	6425 to 6525	Pass
						-30	120	6434.993	6425 to 6525	Pass
						-20	120	6434.993	6425 to 6525	Pass
						-10	120	6434.993	6425 to 6525	Pass
						0	120	6434.992	6425 to 6525	Pass
						10	120	6434.992	6425 to 6525	Pass
						30	120	6434.992	6425 to 6525	Pass
						40	120	6434.992	6425 to 6525	Pass
						50	120	6434.992	6425 to 6525	Pass
			6475	SU	/	20	102	6474.995	6425 to 6525	Pass
							120	6474.995	6425 to 6525	Pass
							138	6474.994	6425 to 6525	Pass
						-30	120	6474.994	6425 to 6525	Pass
						-20	120	6474.993	6425 to 6525	Pass
						-10	120	6474.993	6425 to 6525	Pass
						0	120	6474.993	6425 to 6525	Pass
						10	120	6474.993	6425 to 6525	Pass
						30	120	6474.993	6425 to 6525	Pass
						40	120	6474.993	6425 to 6525	Pass
						50	120	6474.993	6425 to 6525	Pass
			6515	SU	/	20	102	6514.997	6425 to 6525	Pass
							120	6514.996	6425 to 6525	Pass
							138	6514.995	6425 to 6525	Pass

	802.11ax (HEW40)	SISO	6445	SU	/	-30	120	6514.995	6425 to 6525	Pass
						-20	120	6514.995	6425 to 6525	Pass
						-10	120	6514.995	6425 to 6525	Pass
						0	120	6514.995	6425 to 6525	Pass
						10	120	6514.995	6425 to 6525	Pass
						30	120	6514.995	6425 to 6525	Pass
						40	120	6514.995	6425 to 6525	Pass
						50	120	6514.995	6425 to 6525	Pass
	802.11ax (HEW40)	SISO	6445	SU	/	20	102	6444.989	6425 to 6525	Pass
							120	6444.985	6425 to 6525	Pass
							138	6444.984	6425 to 6525	Pass
						-30	120	6444.983	6425 to 6525	Pass
						-20	120	6444.983	6425 to 6525	Pass
						-10	120	6444.983	6425 to 6525	Pass
						0	120	6444.983	6425 to 6525	Pass
						10	120	6444.982	6425 to 6525	Pass
			6485	SU	/	30	120	6444.982	6425 to 6525	Pass
						40	120	6444.982	6425 to 6525	Pass
						50	120	6444.982	6425 to 6525	Pass
						20	102	6484.990	6425 to 6525	Pass
							120	6484.987	6425 to 6525	Pass
							138	6484.985	6425 to 6525	Pass
						-30	120	6484.984	6425 to 6525	Pass
						-20	120	6484.984	6425 to 6525	Pass
						-10	120	6484.984	6425 to 6525	Pass
						0	120	6484.984	6425 to 6525	Pass
						10	120	6484.984	6425 to 6525	Pass
						30	120	6484.984	6425 to 6525	Pass
						40	120	6484.983	6425 to 6525	Pass
						50	120	6484.983	6425 to 6525	Pass
	802.11ax (HEW80)	SISO	6465	SU	/	20	102	6464.992	6425 to 6525	Pass
							120	6464.988	6425 to 6525	Pass
							138	6464.985	6425 to 6525	Pass
						-30	120	6464.984	6425 to 6525	Pass
						-20	120	6464.983	6425 to 6525	Pass
						-10	120	6464.983	6425 to 6525	Pass
						0	120	6464.983	6425 to 6525	Pass
						10	120	6464.983	6425 to 6525	Pass
						30	120	6464.983	6425 to 6525	Pass
						40	120	6464.983	6425 to 6525	Pass
						50	120	6464.983	6425 to 6525	Pass

6.1.3 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	SISO	6535	SU	/	20	102	6535.001	6525 to 6875	Pass
							120	6534.998	6525 to 6875	Pass
							138	6534.998	6525 to 6875	Pass
						-30	120	6534.998	6525 to 6875	Pass
						-20	120	6534.997	6525 to 6875	Pass
						-10	120	6534.995	6525 to 6875	Pass
						0	120	6534.995	6525 to 6875	Pass
						10	120	6534.994	6525 to 6875	Pass
						30	120	6534.994	6525 to 6875	Pass
						40	120	6534.994	6525 to 6875	Pass
						50	120	6534.994	6525 to 6875	Pass

			6695	SU	/	20	102	6694.995	6525 to 6875	Pass
						20	120	6694.994	6525 to 6875	Pass
							138	6694.994	6525 to 6875	Pass
						-30	120	6694.993	6525 to 6875	Pass
						-20	120	6694.993	6525 to 6875	Pass
						-10	120	6694.993	6525 to 6875	Pass
						0	120	6694.993	6525 to 6875	Pass
						10	120	6694.993	6525 to 6875	Pass
						30	120	6694.993	6525 to 6875	Pass
						40	120	6694.993	6525 to 6875	Pass
						50	120	6694.993	6525 to 6875	Pass
			6855	SU	/	20	102	6854.992	6525 to 6875	Pass
							120	6854.992	6525 to 6875	Pass
							138	6854.991	6525 to 6875	Pass
						-30	120	6854.991	6525 to 6875	Pass
						-20	120	6854.991	6525 to 6875	Pass
						-10	120	6854.991	6525 to 6875	Pass
						0	120	6854.991	6525 to 6875	Pass
						10	120	6854.991	6525 to 6875	Pass
						30	120	6854.991	6525 to 6875	Pass
						40	120	6854.991	6525 to 6875	Pass
						50	120	6854.991	6525 to 6875	Pass
	802.11ax (HEW40)	SISO	6565	SU	/	20	102	6564.987	6525 to 6875	Pass
							120	6564.984	6525 to 6875	Pass
							138	6564.984	6525 to 6875	Pass
						-30	120	6564.983	6525 to 6875	Pass
						-20	120	6564.983	6525 to 6875	Pass
						-10	120	6564.982	6525 to 6875	Pass
						0	120	6564.982	6525 to 6875	Pass
						10	120	6564.982	6525 to 6875	Pass
						30	120	6564.982	6525 to 6875	Pass
						40	120	6564.982	6525 to 6875	Pass
						50	120	6564.982	6525 to 6875	Pass
			6685	SU	/	20	102	6684.982	6525 to 6875	Pass
							120	6684.981	6525 to 6875	Pass
							138	6684.981	6525 to 6875	Pass
						-30	120	6684.980	6525 to 6875	Pass
						-20	120	6684.980	6525 to 6875	Pass
						-10	120	6684.980	6525 to 6875	Pass
						0	120	6684.980	6525 to 6875	Pass
						10	120	6684.980	6525 to 6875	Pass
						30	120	6684.980	6525 to 6875	Pass
						40	120	6684.980	6525 to 6875	Pass
						50	120	6684.980	6525 to 6875	Pass
			6845	SU	/	20	102	6844.986	6525 to 6875	Pass
							120	6844.984	6525 to 6875	Pass
							138	6844.981	6525 to 6875	Pass
						-30	120	6844.981	6525 to 6875	Pass
						-20	120	6844.981	6525 to 6875	Pass
						-10	120	6844.981	6525 to 6875	Pass
						0	120	6844.981	6525 to 6875	Pass
						10	120	6844.981	6525 to 6875	Pass
						30	120	6844.981	6525 to 6875	Pass
						40	120	6844.981	6525 to 6875	Pass
						50	120	6844.981	6525 to 6875	Pass
	802.11ax (HEW80)	SISO	6625	SU	/	20	102	6624.988	6525 to 6875	Pass
							120	6624.984	6525 to 6875	Pass
							138	6624.983	6525 to 6875	Pass
						-30	120	6624.982	6525 to 6875	Pass

						-20	120	6624.982	6525 to 6875	Pass
						-10	120	6624.981	6525 to 6875	Pass
						0	120	6624.981	6525 to 6875	Pass
						10	120	6624.981	6525 to 6875	Pass
						30	120	6624.981	6525 to 6875	Pass
						40	120	6624.981	6525 to 6875	Pass
						50	120	6624.981	6525 to 6875	Pass
			6705	SU	/	20	102	6704.988	6525 to 6875	Pass
							120	6704.984	6525 to 6875	Pass
							138	6704.982	6525 to 6875	Pass
						-30	120	6704.981	6525 to 6875	Pass
						-20	120	6704.981	6525 to 6875	Pass
						-10	120	6704.981	6525 to 6875	Pass
						0	120	6704.981	6525 to 6875	Pass
						10	120	6704.981	6525 to 6875	Pass
						30	120	6704.981	6525 to 6875	Pass
						40	120	6704.981	6525 to 6875	Pass
						50	120	6704.981	6525 to 6875	Pass
			6785	SU	/	20	102	6784.984	6525 to 6875	Pass
							120	6784.983	6525 to 6875	Pass
							138	6784.981	6525 to 6875	Pass
						-30	120	6784.981	6525 to 6875	Pass
						-20	120	6784.981	6525 to 6875	Pass
						-10	120	6784.981	6525 to 6875	Pass
						0	120	6784.982	6525 to 6875	Pass
						10	120	6784.982	6525 to 6875	Pass
						30	120	6784.982	6525 to 6875	Pass
						40	120	6784.982	6525 to 6875	Pass
						50	120	6784.982	6525 to 6875	Pass
	802.11ax (HEW160)	SISO	6665	SU	/	20	102	6664.987	6525 to 6875	Pass
							120	6664.984	6525 to 6875	Pass
							138	6664.983	6525 to 6875	Pass
						-30	120	6664.983	6525 to 6875	Pass
						-20	120	6664.982	6525 to 6875	Pass
						-10	120	6664.982	6525 to 6875	Pass
						0	120	6664.982	6525 to 6875	Pass
						10	120	6664.982	6525 to 6875	Pass
						30	120	6664.982	6525 to 6875	Pass
						40	120	6664.982	6525 to 6875	Pass
						50	120	6664.982	6525 to 6875	Pass

6.1.4 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	SISO	6895	SU	/	20	102	6894.995	6875 to 7125	Pass
							120	6894.993	6875 to 7125	Pass
							138	6894.992	6875 to 7125	Pass
						-30	120	6894.991	6875 to 7125	Pass
						-20	120	6894.990	6875 to 7125	Pass
						-10	120	6894.990	6875 to 7125	Pass
						0	120	6894.990	6875 to 7125	Pass
						10	120	6894.990	6875 to 7125	Pass
						30	120	6894.989	6875 to 7125	Pass
						40	120	6894.989	6875 to 7125	Pass
						50	120	6894.989	6875 to 7125	Pass
			6995	SU	/	20	102	6994.995	6875 to 7125	Pass

							120	6994.994	6875 to 7125	Pass
							138	6994.994	6875 to 7125	Pass
						-30	120	6994.993	6875 to 7125	Pass
						-20	120	6994.993	6875 to 7125	Pass
						-10	120	6994.993	6875 to 7125	Pass
						0	120	6994.993	6875 to 7125	Pass
						10	120	6994.993	6875 to 7125	Pass
						30	120	6994.993	6875 to 7125	Pass
						40	120	6994.993	6875 to 7125	Pass
			50	120	6994.993	6875 to 7125	Pass			
			7115	SU	/	20	102	7114.998	6875 to 7125	Pass
							120	7114.999	6875 to 7125	Pass
							138	7114.999	6875 to 7125	Pass
						-30	120	7114.999	6875 to 7125	Pass
						-20	120	7114.999	6875 to 7125	Pass
						-10	120	7114.999	6875 to 7125	Pass
						0	120	7114.999	6875 to 7125	Pass
						10	120	7114.999	6875 to 7125	Pass
						30	120	7114.999	6875 to 7125	Pass
	40	120	7114.999	6875 to 7125	Pass					
	50	120	7114.999	6875 to 7125	Pass					
	802.11ax (HEW40)	SISO	6925	SU	/	20	102	6924.987	6875 to 7125	Pass
							120	6924.983	6875 to 7125	Pass
							138	6924.981	6875 to 7125	Pass
						-30	120	6924.981	6875 to 7125	Pass
						-20	120	6924.980	6875 to 7125	Pass
						-10	120	6924.980	6875 to 7125	Pass
						0	120	6924.980	6875 to 7125	Pass
						10	120	6924.980	6875 to 7125	Pass
						30	120	6924.980	6875 to 7125	Pass
						40	120	6924.980	6875 to 7125	Pass
						50	120	6924.980	6875 to 7125	Pass
			7005	SU	/	20	102	7004.990	6875 to 7125	Pass
							120	7004.985	6875 to 7125	Pass
							138	7004.984	6875 to 7125	Pass
						-30	120	7004.983	6875 to 7125	Pass
						-20	120	7004.982	6875 to 7125	Pass
						-10	120	7004.982	6875 to 7125	Pass
						0	120	7004.982	6875 to 7125	Pass
						10	120	7004.981	6875 to 7125	Pass
						30	120	7004.981	6875 to 7125	Pass
						40	120	7004.981	6875 to 7125	Pass
						50	120	7004.981	6875 to 7125	Pass
			7085	SU	/	20	102	7084.990	6875 to 7125	Pass
							120	7084.986	6875 to 7125	Pass
							138	7084.984	6875 to 7125	Pass
						-30	120	7084.983	6875 to 7125	Pass
						-20	120	7084.983	6875 to 7125	Pass
						-10	120	7084.982	6875 to 7125	Pass
						0	120	7084.982	6875 to 7125	Pass
						10	120	7084.982	6875 to 7125	Pass
						30	120	7084.982	6875 to 7125	Pass
						40	120	7084.982	6875 to 7125	Pass
						50	120	7084.982	6875 to 7125	Pass
	802.11ax (HEW80)	SISO	6945	SU	/	20	102	6944.990	6875 to 7125	Pass
							120	6944.984	6875 to 7125	Pass
							138	6944.983	6875 to 7125	Pass
						-30	120	6944.982	6875 to 7125	Pass
						-20	120	6944.981	6875 to 7125	Pass

			7025	SU	/	-10	120	6944.981	6875 to 7125	Pass
						0	120	6944.981	6875 to 7125	Pass
						10	120	6944.980	6875 to 7125	Pass
						30	120	6944.980	6875 to 7125	Pass
						40	120	6944.980	6875 to 7125	Pass
						50	120	6944.980	6875 to 7125	Pass
						20	102	7024.989	6875 to 7125	Pass
							120	7024.985	6875 to 7125	Pass
							138	7024.984	6875 to 7125	Pass
						-30	120	7024.983	6875 to 7125	Pass
						-20	120	7024.982	6875 to 7125	Pass
						-10	120	7024.982	6875 to 7125	Pass
						0	120	7024.982	6875 to 7125	Pass
						10	120	7024.982	6875 to 7125	Pass
						30	120	7024.982	6875 to 7125	Pass
						40	120	7024.982	6875 to 7125	Pass
						50	120	7024.982	6875 to 7125	Pass
	802.11ax (HEW160)	SISO	6985	SU	/	20	102	6984.990	6875 to 7125	Pass
							120	6984.985	6875 to 7125	Pass
							138	6984.983	6875 to 7125	Pass
						-30	120	6984.981	6875 to 7125	Pass
						-20	120	6984.981	6875 to 7125	Pass
						-10	120	6984.981	6875 to 7125	Pass
						0	120	6984.980	6875 to 7125	Pass
						10	120	6984.980	6875 to 7125	Pass
						30	120	6984.980	6875 to 7125	Pass
						40	120	6984.980	6875 to 7125	Pass
						50	120	6984.980	6875 to 7125	Pass

6.1.5 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	SISO	6875	SU	/	20	102	6874.997	6525 to 7125	Pass
							120	6874.994	6525 to 7125	Pass
							138	6874.993	6525 to 7125	Pass
						-30	120	6874.992	6525 to 7125	Pass
						-20	120	6874.992	6525 to 7125	Pass
						-10	120	6874.991	6525 to 7125	Pass
						0	120	6874.991	6525 to 7125	Pass
						10	120	6874.991	6525 to 7125	Pass
						30	120	6874.990	6525 to 7125	Pass
						40	120	6874.990	6525 to 7125	Pass
						50	120	6874.990	6525 to 7125	Pass
	802.11ax (HEW40)	SISO	6885	SU	/	20	102	6884.985	6525 to 7125	Pass
							120	6884.983	6525 to 7125	Pass
							138	6884.981	6525 to 7125	Pass
						-30	120	6884.981	6525 to 7125	Pass
						-20	120	6884.981	6525 to 7125	Pass
						-10	120	6884.981	6525 to 7125	Pass
						0	120	6884.981	6525 to 7125	Pass
						10	120	6884.981	6525 to 7125	Pass
						30	120	6884.981	6525 to 7125	Pass
						40	120	6884.981	6525 to 7125	Pass
						50	120	6884.981	6525 to 7125	Pass
	802.11ax (HEW80)	SISO	6865	SU	/	20	102	6864.984	6525 to 7125	Pass
							120	6864.981	6525 to 7125	Pass

							138	6864.980	6525 to 7125	Pass
						-30	120	6864.980	6525 to 7125	Pass
						-20	120	6864.980	6525 to 7125	Pass
						-10	120	6864.980	6525 to 7125	Pass
						0	120	6864.980	6525 to 7125	Pass
						10	120	6864.980	6525 to 7125	Pass
						30	120	6864.980	6525 to 7125	Pass
						40	120	6864.980	6525 to 7125	Pass
						50	120	6864.980	6525 to 7125	Pass
	802.11ax (HEW160)	SISO	6825	SU	/	20	102	6825.000	6525 to 7125	Pass
							120	6825.000	6525 to 7125	Pass
							138	6825.000	6525 to 7125	Pass
						-30	120	6825.000	6525 to 7125	Pass
						-20	120	6825.000	6525 to 7125	Pass
						-10	120	6825.000	6525 to 7125	Pass
						0	120	6825.000	6525 to 7125	Pass
						10	120	6825.000	6525 to 7125	Pass
						30	120	6825.000	6525 to 7125	Pass
						40	120	6825.000	6525 to 7125	Pass
						50	120	6825.000	6525 to 7125	Pass

6.1.6 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW40)	SISO	6525	SU	/	20	102	6524.984	6425 to 6875	Pass
							120	6524.984	6425 to 6875	Pass
							138	6524.983	6425 to 6875	Pass
						-30	120	6524.983	6425 to 6875	Pass
						-20	120	6524.983	6425 to 6875	Pass
						-10	120	6524.983	6425 to 6875	Pass
						0	120	6524.983	6425 to 6875	Pass
						10	120	6524.983	6425 to 6875	Pass
						30	120	6524.983	6425 to 6875	Pass
						40	120	6524.983	6425 to 6875	Pass
						50	120	6524.983	6425 to 6875	Pass
	802.11ax (HEW80)	SISO	6545	SU	/	20	102	6544.989	6425 to 6875	Pass
							120	6544.986	6425 to 6875	Pass
							138	6544.984	6425 to 6875	Pass
						-30	120	6544.984	6425 to 6875	Pass
						-20	120	6544.984	6425 to 6875	Pass
						-10	120	6544.984	6425 to 6875	Pass
						0	120	6544.984	6425 to 6875	Pass
						10	120	6544.984	6425 to 6875	Pass
						30	120	6544.983	6425 to 6875	Pass
						40	120	6544.983	6425 to 6875	Pass
						50	120	6544.983	6425 to 6875	Pass
	802.11ax (HEW160)	SISO	6505	SU	/	20	102	6504.990	6425 to 6875	Pass
							120	6504.986	6425 to 6875	Pass
							138	6504.984	6425 to 6875	Pass
						-30	120	6504.983	6425 to 6875	Pass
						-20	120	6504.983	6425 to 6875	Pass
						-10	120	6504.983	6425 to 6875	Pass
						0	120	6504.983	6425 to 6875	Pass
						10	120	6504.982	6425 to 6875	Pass
						30	120	6504.982	6425 to 6875	Pass
						40	120	6504.982	6425 to 6875	Pass

						50	120	6504.982	6425 to 6875	Pass
--	--	--	--	--	--	----	-----	----------	--------------	------

7. Form731

7.1 Test Result

7.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5955	6415	0.0052	7.17
5965	6405	0.0091	9.61
5985	6385	0.0146	11.63
6025	6345	0.0120	10.78

7.1.2 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
6435	6515	0.0043	6.34
6445	6485	0.0055	7.43
6465	6465	0.0030	4.71

7.1.3 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
6535	6855	0.0039	5.94
6565	6845	0.0036	5.59
6625	6785	0.0026	4.11
6665	6665	0.0033	5.12

7.1.4 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
6895	7115	0.0023	3.65
6925	7085	0.0042	6.22



6945	7025	0.0029	4.69
6985	6985	0.0031	4.93

7.1.5 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
6875	6875	0.0024	3.86
6885	6885	0.0037	5.69
6865	6865	0.0030	4.73
6825	6825	0.0034	5.33

7.1.6 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
6525	6525	0.0032	5.00
6545	6545	0.0027	4.26
6505	6505	0.0031	4.94

***** End of Report *****