

















































Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.















































Temperature:	26 °C	Relative Humidity:	54 %
Pressure:	101KPa	Test Voltage:	DC 19V
Test Mode:	(U-NII-3) 5745MHz-5825MHz		



Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)		99% OBW (MHz)		Limit -6 dB Bandwidth (MHz)	Verdict
			Ant A	Ant B	Ant A	Ant B		
NVNT	a	5745	16.267	15.649	16.301	16.291	0.5	Pass
NVNT	a	5785	14.473	14.181	16.255	16.253	0.5	Pass
NVNT	a	5825	15.069	15.655	16.286	16.305	0.5	Pass
NVNT	n20	5745	15.133	15.084	17.434	17.439	0.5	Pass
NVNT	n20	5785	14.956	14.993	17.378	17.397	0.5	Pass
NVNT	n20	5825	12.78	16.549	17.417	17.426	0.5	Pass
NVNT	n40	5755	30.02	33.845	35.877	35.893	0.5	Pass
NVNT	n40	5795	35.051	32.584	35.817	35.743	0.5	Pass
NVNT	ac20	5745	15.673	16.308	17.446	17.436	0.5	Pass
NVNT	ac20	5785	15.023	15.685	17.424	17.396	0.5	Pass
NVNT	ac20	5825	15.084	15.005	17.451	17.445	0.5	Pass
NVNT	ac40	5755	35.068	35.041	35.835	35.824	0.5	Pass
NVNT	ac40	5795	32.581	35.082	35.859	35.819	0.5	Pass
NVNT	ac80	5775	73.834	72.561	75.267	74.98	0.5	Pass
NVNT	ax20	5745	17.445	15.12	18.771	18.735	0.5	Pass
NVNT	ax20	5785	15.097	15.08	18.746	18.71	0.5	Pass
NVNT	ax20	5825	16.578	15.058	18.735	18.738	0.5	Pass
NVNT	ax40	5755	33.82	33.758	37.517	37.551	0.5	Pass
NVNT	ax40	5795	33.844	35.069	37.431	37.439	0.5	Pass
NVNT	ax80	5775	74.991	71.231	76.958	76.786	0.5	Pass



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.































Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.

