



## HORIZONTAL

### Radiated Emission



### Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:38


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1 * |     | 10380.000 | 34.31         | 16.80          | 51.11       | 68.20  | -17.09 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 4500.000 | 42.81         | 3.85           | 46.66       | 68.20  | -21.54 |                |              | peak    |
| 2   |     | 5150.000 | 54.40         | 5.62           | 60.02       | 68.20  | -8.18  |                |              | peak    |
| 3 * |     | 5150.000 | 45.27         | 5.62           | 50.89       | 54.00  | -3.11  |                |              | AVG     |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10380.000 | 35.26         | 16.80          | 52.06       | 68.20  | -16.14 | peak     |

### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 4500.000 | 41.44         | 3.85           | 45.29       | 68.20  | -22.91 |                |              | peak    |
| 2   | *   | 5150.000 | 47.54         | 5.62           | 53.16       | 68.20  | -15.04 |                |              | peak    |

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:46

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:54

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:62


VERTICAL

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10620.000 | 35.26         | 16.07          | 51.33       | 74.00  | -22.67 | peak     |


### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 55.82         | 4.44           | 60.26       | 68.20  | -7.94  |                |              | peak    |
| 2   | *   | 5350.000 | 45.95         | 4.44           | 50.39       | 54.00  | -3.61  |                |              | AVG     |
| 3   |     | 5460.000 | 42.69         | 4.51           | 47.20       | 68.20  | -21.00 |                |              | peak    |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10620.000 | 36.17         | 16.07          | 52.24       | 74.00  | -21.76 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 5350.000 | 48.37         | 4.44           | 52.81       | 68.20  | -15.39 |                |              | peak    |
| 2   |     | 5460.000 | 40.98         | 4.51           | 45.49       | 68.20  | -22.71 |                |              | peak    |


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:102


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11020.000 | 37.62         | 13.66          | 51.28       | 74.00  | -22.72 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 40.87         | 4.44           | 45.31       | 68.20  | -22.89 | peak           |              |         |
| 2   |     | 5460.000 | 55.81         | 4.51           | 60.32       | 68.20  | -7.88  | peak           |              |         |
| 3   | *   | 5460.000 | 45.86         | 4.51           | 50.37       | 54.00  | -3.63  | AVG            |              |         |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11020.000 | 38.54         | 13.66          | 52.20       | 74.00  | -21.80 | peak     |

### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 42.15         | 4.44           | 46.59       | 68.20  | -21.61 | peak           |              |         |
| 2   | *   | 5460.000 | 47.61         | 4.51           | 52.12       | 68.20  | -16.08 | peak           |              |         |

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:118

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:134

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:151


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11510.000 | -8.07         | 59.24          | 51.17       | 74.00  | -22.83 | peak     |

#### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 5650.000 | 39.83         | 15.12          | 54.95       | 68.20  | -13.25 |                |              | peak    |
| 2   |     | 5700.000 | 45.32         | 15.46          | 60.78       | 105.20 | -44.42 |                |              | peak    |
| 3   |     | 5720.000 | 66.69         | 15.33          | 82.02       | 110.80 | -28.78 |                |              | peak    |
| 4   |     | 5725.000 | 68.89         | 15.30          | 84.19       | 122.20 | -38.01 |                |              | peak    |

## HORIZONTAL

### Radiated Emission



### Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:159


VERTICAL

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11590.000 | -7.44         | 58.86          | 51.42       | 74.00  | -22.58 | peak     |


### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5850.000 | 52.44         | 15.18          | 67.62       | 122.20 | -54.58 |                |              | peak    |
| 2   |     | 5855.000 | 50.41         | 15.25          | 65.66       | 110.80 | -45.14 |                |              | peak    |
| 3   |     | 5875.000 | 41.14         | 15.51          | 56.65       | 105.20 | -48.55 |                |              | peak    |
| 4   | *   | 5925.000 | 38.79         | 16.28          | 55.07       | 68.20  | -13.13 |                |              | peak    |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 11590.000 | -6.32         | 58.86          | 52.54       | 74.00  | -21.46 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |         |
| 1   |     | 5850.000 | 50.10         | 15.18          | 65.28       | 122.20 | -56.92 | peak           |              |         |
| 2   |     | 5855.000 | 47.26         | 15.25          | 62.51       | 110.80 | -48.29 | peak           |              |         |
| 3   |     | 5875.000 | 41.09         | 15.51          | 56.60       | 105.20 | -48.60 | peak           |              |         |
| 4   | *   | 5925.000 | 39.62         | 16.28          | 55.90       | 68.20  | -12.30 | peak           |              |         |


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:42


VERTICAL

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 10420.000 | 35.08         | 16.54          | 51.62       | 68.20  | -16.58 | peak     |


### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |         |
| 1   |     | 4500.000 | 42.88         | 3.85           | 46.73       | 68.20  | -21.47 |                |              | peak    |
| 2   |     | 5150.000 | 55.11         | 5.62           | 60.73       | 68.20  | -7.47  |                |              | peak    |
| 3   | *   | 5150.000 | 43.73         | 5.62           | 49.35       | 54.00  | -4.65  |                |              | AVG     |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10420.000 | 36.02         | 16.54          | 52.56       | 68.20  | -15.64 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 4500.000 | 41.45         | 3.85           | 45.30       | 68.20  | -22.90 | peak           |              |         |
| 2   | *   | 5150.000 | 47.52         | 5.62           | 53.14       | 68.20  | -15.06 | peak           |              |         |


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:58


VERTICAL

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10580.000 | 35.52         | 15.83          | 51.35       | 68.20  | -16.85 | peak     |


### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 57.49         | 4.44           | 61.93       | 68.20  | -6.27  |                |              | peak    |
| 2   | *   | 5350.000 | 45.93         | 4.44           | 50.37       | 54.00  | -3.63  |                |              | AVG     |
| 3   |     | 5460.000 | 41.04         | 4.51           | 45.55       | 68.20  | -22.65 |                |              | peak    |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 10580.000 | 36.68         | 15.83          | 52.51       | 68.20  | -15.69 | peak     |

### Radiated Emission





| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree | Detector |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|----------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment  |
| 1   |     | 5350.000 | 50.68         | 4.44           | 55.12       | 68.20  | -13.08 |                |              | peak     |
| 2   | *   | 5350.000 | 38.81         | 4.44           | 43.25       | 54.00  | -10.75 |                |              | AVG      |
| 3   |     | 5460.000 | 41.05         | 4.51           | 45.56       | 68.20  | -22.64 |                |              | peak     |

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:106

### VERTICAL




## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11060.000 | 38.49         | 14.11          | 52.60       | 74.00  | -21.40 | peak     |

### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 40.44         | 4.44           | 44.88       | 68.20  | -23.32 | peak           |              |         |
| 2   |     | 5460.000 | 51.33         | 4.51           | 55.84       | 68.20  | -12.36 | peak           |              |         |
| 3   | *   | 5460.000 | 37.64         | 4.51           | 42.15       | 54.00  | -11.85 | AVG            |              |         |

Above 1G (1GHz~18GHz)


Test mode: 11AC80MIMO

Test Channel:122

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:155


VERTICAL

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1 * |     | 11550.000 | -7.81         | 59.05          | 51.24       | 74.00  | -22.76 | peak     |

### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |         |
| 1 * |     | 5650.000 | 41.36         | 15.12          | 56.48       | 68.20  | -11.72 | peak           |              |         |
| 2   |     | 5700.000 | 59.51         | 15.46          | 74.97       | 105.20 | -30.23 | peak           |              |         |
| 3   |     | 5720.000 | 66.09         | 15.33          | 81.42       | 110.80 | -29.38 | peak           |              |         |
| 4   |     | 5725.000 | 66.29         | 15.30          | 81.59       | 122.20 | -40.61 | peak           |              |         |
| 5   |     | 5850.000 | 59.49         | 15.18          | 74.67       | 122.20 | -47.53 | peak           |              |         |
| 6   |     | 5855.000 | 58.32         | 15.25          | 73.57       | 110.80 | -37.23 | peak           |              |         |
| 7   |     | 5875.000 | 52.13         | 15.51          | 67.64       | 150.20 | -37.56 | peak           |              |         |
| 8   |     | 5925.000 | 38.98         | 16.28          | 55.26       | 68.20  | -12.94 | peak           |              |         |

## HORIZONTAL

### Radiated Emission



### Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11AC160MIMO

Test Channel:50


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10500.000 | 34.89         | 16.46          | 51.35       | 68.20  | -16.85 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 4500.000 | 42.78         | 3.85           | 46.63       | 68.20  | -21.57 |                |              | peak    |
| 2   |     | 5150.000 | 57.55         | 5.62           | 63.17       | 68.20  | -5.03  |                |              | peak    |
| 3   | *   | 5150.000 | 46.20         | 5.62           | 51.82       | 54.00  | -2.18  |                |              | AVG     |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10500.000 | 36.04         | 16.46          | 52.50       | 68.20  | -15.70 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 4500.000 | 40.45         | 3.85           | 44.30       | 68.20  | -23.90 | peak           |              |         |
| 2   | *   | 5150.000 | 47.35         | 5.62           | 52.97       | 68.20  | -15.23 | peak           |              |         |


Above 1G (1GHz~18GHz)

Test mode: 11AC160MIMO

Test Channel:114


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over        |
|-----|-----|-----------|---------------|----------------|-------------|--------|-------------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB          |
| 1   | *   | 11140.000 | -8.15         | 58.77          | 50.62       | 74.00  | -23.38 peak |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |
| 1   |     | 5350.000 | 41.00         | 4.44           | 45.44       | 68.20  | -22.76 | peak           |              |
| 2   |     | 5460.000 | 54.82         | 4.51           | 59.33       | 68.20  | -8.87  | peak           |              |
| 3   | *   | 5460.000 | 44.13         | 4.51           | 48.64       | 54.00  | -5.36  | AVG            |              |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over        |
|-----|-----|-----------|---------------|----------------|-------------|--------|-------------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB          |
| 1   | *   | 11140.000 | -6.64         | 58.77          | 52.13       | 74.00  | -21.87 peak |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over        | Antenna Height | Table Degree |
|-----|-----|----------|---------------|----------------|-------------|--------|-------------|----------------|--------------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB          | cm             | degree       |
| 1   |     | 5350.000 | 41.15         | 4.44           | 45.59       | 68.20  | -22.61 peak |                |              |
| 2   | *   | 5460.000 | 48.45         | 4.51           | 52.96       | 68.20  | -15.24 peak |                |              |


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:36

VERTICAL

### Radiated Emission




### Radiated Emission




## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 10360.000 | 44.95         | 7.05           | 52.00       | 68.20  | -16.20 | peak     |

### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |         |
| 1   |     | 4500.000 | 40.83         | 3.85           | 44.68       | 68.20  | -23.52 | peak           |              |         |
| 2   | *   | 5150.000 | 45.82         | 5.62           | 51.44       | 68.20  | -16.76 | peak           |              |         |

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:48

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:52

### VERTICAL


#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10520.000 | 44.91         | 6.30           | 51.21       | 68.20  | -16.99 | peak     |

### HORIZONTAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10520.000 | 46.07         | 6.30           | 52.37       | 68.20  | -15.83 | peak     |


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:56

### VERTICAL


#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over        |
|-----|-----|-----------|---------------|----------------|-------------|--------|-------------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB          |
| 1   | *   | 10560.000 | 45.09         | 5.98           | 51.07       | 68.20  | -17.13 peak |

### HORIZONTAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over        |
|-----|-----|-----------|---------------|----------------|-------------|--------|-------------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB          |
| 1   | *   | 10560.000 | 45.88         | 5.98           | 51.86       | 68.20  | -16.34 peak |


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:64


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10640.000 | 44.87         | 6.47           | 51.34       | 74.00  | -22.66 | peak     |

#### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 58.63         | 4.44           | 63.07       | 68.20  | -5.13  |                |              | peak    |
| 2   | *   | 5350.000 | 47.53         | 4.44           | 51.97       | 54.00  | -2.03  |                |              | AVG     |
| 3   |     | 5460.000 | 40.90         | 4.51           | 45.41       | 68.20  | -22.79 |                |              | peak    |

## HORIZONTALA

### Radiated Emission



### Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:100


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11000.000 | 47.84         | 3.44           | 51.28       | 74.00  | -22.72 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 40.75         | 4.44           | 45.19       | 68.20  | -23.01 | peak           |              |         |
| 2   |     | 5460.000 | 57.36         | 4.51           | 61.87       | 68.20  | -6.33  | peak           |              |         |
| 3   | *   | 5460.000 | 46.11         | 4.51           | 50.62       | 54.00  | -3.38  | AVG            |              |         |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11000.000 | 48.73         | 3.44           | 52.17       | 74.00  | -21.83 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 40.08         | 4.44           | 44.52       | 68.20  | -23.68 | peak           |              |         |
| 2   | *   | 5460.000 | 47.82         | 4.51           | 52.33       | 68.20  | -15.87 | peak           |              |         |


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:116

### VERTICAL


#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 11160.000 | 2.47          | 48.77          | 51.24       | 74.00  | -22.76 | peak     |

### HORIZONTAL

#### Radiated Emission




| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 11160.000 | 3.61          | 48.77          | 52.38       | 74.00  | -21.62 | peak     |

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:140

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:149


VERTICAL

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 11490.000 | 2.14          | 49.26          | 51.40       | 74.00  | -22.60 | peak     |

### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 5650.000 | 39.51         | 15.12          | 54.63       | 68.20  | -13.57 | peak           |              |         |
| 2   |     | 5700.000 | 44.38         | 15.46          | 59.84       | 105.20 | -45.36 | peak           |              |         |
| 3   |     | 5720.000 | 66.53         | 15.33          | 81.86       | 110.80 | -28.94 | peak           |              |         |
| 4   |     | 5725.000 | 69.12         | 15.30          | 84.42       | 122.20 | -37.78 | peak           |              |         |

## HORIZONTALA

### Radiated Emission



### Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:157

### VERTICAL


#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11570.000 | 2.44          | 48.95          | 51.39       | 74.00  | -22.61 | peak     |

### HORIZONTAL

#### Radiated Emission





| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11570.000 | 3.80          | 48.95          | 52.75       | 74.00  | -21.25 | peak     |

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:165

### VERTICAL




## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 11650.000 | 3.95          | 48.62          | 52.57       | 74.00  | -21.43 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5850.000 | 63.06         | 15.18          | 78.24       | 122.20 | -43.96 |                |              | peak    |
| 2   |     | 5855.000 | 49.80         | 15.25          | 65.05       | 110.80 | -45.75 |                |              | peak    |
| 3   |     | 5875.000 | 38.71         | 15.51          | 54.22       | 105.20 | -50.98 |                |              | peak    |
| 4   | *   | 5925.000 | 37.63         | 16.28          | 53.91       | 68.20  | -14.29 |                |              | peak    |


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:38


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over        |
|-----|-----|-----------|---------------|----------------|-------------|--------|-------------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB          |
| 1   | *   | 10380.000 | 34.40         | 16.80          | 51.20       | 68.20  | -17.00 peak |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over  | Antenna Height | Table Degree |
|-----|-----|----------|---------------|----------------|-------------|--------|-------|----------------|--------------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB    | cm             | degree       |
| 1   |     | 5150.000 | 58.87         | 5.62           | 64.49       | 68.20  | -3.71 | peak           |              |
| 2   | *   | 5150.000 | 46.37         | 5.62           | 51.99       | 54.00  | -2.01 | AVG            |              |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10380.000 | 35.68         | 16.80          | 52.48       | 68.20  | -15.72 | peak     |

### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 4500.000 | 42.39         | 3.85           | 46.24       | 68.20  | -21.96 | peak           |              |         |
| 2   | *   | 5150.000 | 46.46         | 5.62           | 52.08       | 68.20  | -16.12 | peak           |              |         |

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:46

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:54

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:62


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10620.000 | 35.25         | 16.07          | 51.32       | 74.00  | -22.68 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 57.79         | 4.44           | 62.23       | 68.20  | -5.97  | peak           |              |         |
| 2   | *   | 5350.000 | 46.39         | 4.44           | 50.83       | 54.00  | -3.17  | AVG            |              |         |
| 3   |     | 5460.000 | 41.31         | 4.51           | 45.82       | 68.20  | -22.38 | peak           |              |         |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10620.000 | 36.11         | 16.07          | 52.18       | 74.00  | -21.82 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 5350.000 | 48.01         | 4.44           | 52.45       | 68.20  | -15.75 |                |              | peak    |
| 2   |     | 5460.000 | 40.93         | 4.51           | 45.44       | 68.20  | -22.76 |                |              | peak    |


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:102


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11020.000 | 37.22         | 13.66          | 50.88       | 74.00  | -23.12 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 40.35         | 4.44           | 44.79       | 68.20  | -23.41 | peak           |              |         |
| 2   |     | 5460.000 | 58.42         | 4.51           | 62.93       | 68.20  | -5.27  | peak           |              |         |
| 3   | *   | 5460.000 | 46.77         | 4.51           | 51.28       | 54.00  | -2.72  | AVG            |              |         |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11020.000 | 38.54         | 13.66          | 52.20       | 74.00  | -21.80 | peak     |

### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 41.15         | 4.44           | 45.59       | 68.20  | -22.61 | peak           |              |         |
| 2   | *   | 5460.000 | 47.94         | 4.51           | 52.45       | 68.20  | -15.75 | peak           |              |         |

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:118

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:134

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:151


VERTICAL

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11510.000 | -7.82         | 59.24          | 51.42       | 74.00  | -22.58 | peak     |


### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 5650.000 | 40.24         | 15.12          | 55.36       | 68.20  | -12.84 | peak           |              |         |
| 2   |     | 5700.000 | 53.01         | 15.46          | 68.47       | 105.20 | -36.73 | peak           |              |         |
| 3   |     | 5720.000 | 68.70         | 15.33          | 84.03       | 110.80 | -26.77 | peak           |              |         |
| 4   |     | 5725.000 | 69.52         | 15.30          | 84.82       | 122.20 | -37.38 | peak           |              |         |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 11510.000 | -6.73         | 59.24          | 52.51       | 74.00  | -21.49 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 5650.000 | 38.43         | 15.12          | 53.55       | 68.20  | -14.65 | peak           |              |         |
| 2   |     | 5700.000 | 53.06         | 15.46          | 68.52       | 105.20 | -36.68 | peak           |              |         |
| 3   |     | 5720.000 | 64.37         | 15.33          | 79.70       | 110.80 | -31.10 | peak           |              |         |
| 4   |     | 5725.000 | 65.35         | 15.30          | 80.65       | 122.20 | -41.55 | peak           |              |         |


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:159


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11590.000 | 2.15          | 48.86          | 51.01       | 74.00  | -22.99 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5850.000 | 54.35         | 15.18          | 69.53       | 122.20 | -52.67 |                |              | peak    |
| 2   |     | 5855.000 | 46.86         | 15.25          | 62.11       | 110.80 | -48.69 |                |              | peak    |
| 3   |     | 5875.000 | 39.42         | 15.51          | 54.93       | 105.20 | -50.27 |                |              | peak    |
| 4   | *   | 5925.000 | 40.14         | 16.28          | 56.42       | 68.20  | -11.78 |                |              | peak    |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11590.000 | -6.90         | 58.86          | 51.96       | 74.00  | -22.04 | peak     |

### Radiated Emission





| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5850.000 | 49.87         | 15.18          | 65.05       | 122.20 | -57.15 |                |              | peak    |
| 2   |     | 5855.000 | 45.46         | 15.25          | 60.71       | 110.80 | -50.09 |                |              | peak    |
| 3   |     | 5875.000 | 39.43         | 15.51          | 54.94       | 105.20 | -50.26 |                |              | peak    |
| 4   | *   | 5925.000 | 39.41         | 16.28          | 55.69       | 68.20  | -12.51 |                |              | peak    |

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO


Test Channel:42

VERTICAL




## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10420.000 | 35.70         | 16.54          | 52.24       | 68.20  | -15.96 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 4500.000 | 41.70         | 3.85           | 45.55       | 68.20  | -22.65 | peak           |              |         |
| 2   | *   | 5150.000 | 46.34         | 5.62           | 51.96       | 68.20  | -16.24 | peak           |              |         |


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:58


VERTICAL

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10580.000 | 35.22         | 15.83          | 51.05       | 68.20  | -17.15 | peak     |


### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 57.16         | 4.44           | 61.60       | 68.20  | -6.60  |                |              | peak    |
| 2   | *   | 5350.000 | 45.93         | 4.44           | 50.37       | 54.00  | -3.63  |                |              | AVG     |
| 3   |     | 5406.000 | 39.84         | 4.61           | 44.45       | 74.00  | -29.55 |                |              | peak    |

## HORIZONTALA

### Radiated Emission



### Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:106


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11060.000 | 37.09         | 14.11          | 51.20       | 74.00  | -22.80 | peak     |


#### Radiated Emission




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 5350.000 | 40.42         | 4.44           | 44.86       | 68.20  | -23.34 |                |              | peak    |
| 2   |     | 5460.000 | 58.16         | 4.51           | 62.67       | 68.20  | -5.53  |                |              | peak    |
| 3   | *   | 5460.000 | 47.18         | 4.51           | 51.69       | 54.00  | -2.31  |                |              | AVG     |

## HORIZONTALA

### Radiated Emission



### Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:122

### VERTICAL



### HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:155


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 11550.000 | -7.79         | 59.05          | 51.26       | 74.00  | -22.74 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 5650.000 | 39.87         | 15.12          | 54.99       | 68.20  | -13.21 | peak           |              |         |
| 2   |     | 5700.000 | 61.69         | 15.46          | 77.15       | 105.20 | -28.05 | peak           |              |         |
| 3   |     | 5700.000 | 61.69         | 15.46          | 77.15       | 105.20 | -28.05 | peak           |              |         |
| 4   |     | 5720.000 | 67.21         | 15.33          | 82.54       | 110.80 | -28.26 | peak           |              |         |
| 5   |     | 5850.000 | 64.33         | 15.18          | 79.51       | 122.20 | -42.69 | peak           |              |         |
| 6   |     | 5855.000 | 61.97         | 15.25          | 77.22       | 110.80 | -33.58 | peak           |              |         |
| 7   |     | 5875.000 | 47.95         | 15.51          | 63.46       | 105.20 | -41.74 | peak           |              |         |
| 8   |     | 5925.000 | 38.63         | 16.28          | 54.91       | 68.20  | -13.29 | peak           |              |         |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 11550.000 | -6.38         | 59.05          | 52.67       | 74.00  | -21.33 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 5650.000 | 40.85         | 15.12          | 55.97       | 68.20  | -12.23 | peak           |              |         |
| 2   |     | 5700.000 | 54.14         | 15.46          | 69.60       | 105.20 | -35.60 | peak           |              |         |
| 3   |     | 5720.000 | 60.86         | 15.33          | 76.19       | 110.80 | -34.61 | peak           |              |         |
| 4   |     | 5725.000 | 62.71         | 15.30          | 78.01       | 122.20 | -44.19 | peak           |              |         |
| 5   |     | 5850.000 | 56.05         | 15.18          | 71.23       | 122.20 | -50.97 | peak           |              |         |
| 6   |     | 5855.000 | 53.08         | 15.25          | 68.33       | 110.80 | -42.47 | peak           |              |         |
| 7   |     | 5875.000 | 40.13         | 15.51          | 55.64       | 105.20 | -49.56 | peak           |              |         |
| 8   |     | 5925.000 | 39.20         | 16.28          | 55.48       | 68.20  | -12.72 | peak           |              |         |


Above 1G (1GHz~18GHz)

Test mode: 11AX160MIMO

Test Channel:50


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 10500.000 | 34.21         | 16.46          | 50.67       | 68.20  | -17.53 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |         |
| 1   |     | 4500.000 | 42.28         | 3.85           | 46.13       | 68.20  | -22.07 |                |              | peak    |
| 2   |     | 5150.000 | 57.06         | 5.62           | 62.68       | 68.20  | -5.52  |                |              | peak    |
| 3   | *   | 5150.000 | 45.59         | 5.62           | 51.21       | 54.00  | -2.79  |                |              | AVG     |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     | Detector |
| 1   | *   | 10500.000 | 36.24         | 16.46          | 52.70       | 68.20  | -15.50 | peak     |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 4500.000 | 42.94         | 3.85           | 46.79       | 68.20  | -21.41 |                |              | peak    |
| 2   | *   | 5150.000 | 47.15         | 5.62           | 52.77       | 68.20  | -15.43 |                |              | peak    |


Above 1G (1GHz~18GHz)

Test mode: 11AX160MIMO

Test Channel:114


### VERTICAL

#### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   | Detector |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB     |          |
| 1   | *   | 11140.000 | -7.16         | 58.77          | 51.61       | 74.00  | -22.39 | peak     |


#### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |         |
| 1   |     | 5350.000 | 41.46         | 4.44           | 45.90       | 68.20  | -22.30 | peak           |              |         |
| 2   |     | 5460.000 | 57.97         | 4.51           | 62.48       | 68.20  | -5.72  | peak           |              |         |
| 3   | *   | 5460.000 | 47.08         | 4.51           | 51.59       | 54.00  | -2.41  | AVG            |              |         |


## HORIZONTALA

### Radiated Emission



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over        |
|-----|-----|-----------|---------------|----------------|-------------|--------|-------------|
|     |     | MHz       | dBuV          | dB/m           | dBuV/m      | dBuV/m | dB          |
| 1   | *   | 11140.000 | -6.55         | 58.77          | 52.22       | 74.00  | -21.78 peak |

### Radiated Emission



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   | Antenna Height | Table Degree |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |
| 1   |     | 5350.000 | 40.52         | 4.44           | 44.96       | 68.20  | -23.24 | peak           |              |
| 2   | *   | 5460.000 | 48.32         | 4.51           | 52.83       | 68.20  | -15.37 | peak           |              |

The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

### 3.3 Spectrum Bandwidth

#### 3.3.1 Limit

| FCC Part15, Subpart E (15.407) |                 |                 |                       |
|--------------------------------|-----------------|-----------------|-----------------------|
| Section                        | Test Item       | Limit           | Frequency Range (MHz) |
| 15.407(a)                      | 26 dB Bandwidth | -               | 5150-5250             |
|                                | 26 dB Bandwidth | -               | 5250-5350             |
| 15.407(e)                      | 26 dB Bandwidth | -               | 5470-5725             |
|                                | 26 dB Bandwidth | -               | 5725-5850             |
|                                | 6 dB Bandwidth  | Minimum 500 kHz | 5725-5850             |

#### 3.3.2 Test Procedure

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

#### 3.3.3 Test Setup

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

#### 3.3.4 Test Result

##### 3.3.5.1 26 dB Bandwidth

Test result: PASS

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

##### 3.3.5.2 Occupied channel bandwidth

Test result: PASS

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

##### 3.3.5.3 Min emission bandwidth

Test result: PASS

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

### 3.4 Conducted Output Power

#### 3.4.1 Limit

| FCC Part15, Subpart E (15.407) |                        |                                                                     |                       |
|--------------------------------|------------------------|---------------------------------------------------------------------|-----------------------|
| Section                        | Test Item              | Limit                                                               | Frequency Range (MHz) |
| 15.407(a)                      | Conducted Output Power | Master device: 1 Watt (30 dBm)<br>Client device: 250 mW (23.98 dBm) | 5150-5250             |
|                                |                        | 250 mW (23.98 dBm)                                                  | 5250-5350             |
|                                |                        | 250 mW (23.98 dBm)                                                  | 5470-5725             |
|                                |                        | 1 Watt (30dBm)                                                      | 5725-5850             |

Note:

a. For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

b. For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

#### 3.4.2 Test Procedure

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

#### 3.4.3 Test Setup

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

#### 3.4.4 The Result

Test result: PASS

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

The EIRP power and PSD EIRP (dBm) is calculated by adding the declared maximum antenna gain (3.32dBi) to the measured conducted power in accordance with KDB 662911 D01 v02r01. All transmit signals are completely uncorrelated with each other. Therefore, Directional gain = GANT = 3.32 dBi.

Note: The current directional gain is lower than the original directional gain, which does not affect the judgment.

### 3.5 Power Spectral Density

#### 3.5.1 Limit

| FCC Part15, Subpart E (15.407) |                        |                                                        |                       |
|--------------------------------|------------------------|--------------------------------------------------------|-----------------------|
| Section                        | Test Item              | Limit                                                  | Frequency Range (MHz) |
| 15.407(a)                      | Power Spectral Density | Master device: 17 dBm/MHz<br>Client device: 11 dBm/MHz | 5150-5250             |
|                                |                        | 11 dBm/MHz                                             | 5250-5350             |
|                                |                        | 11 dBm/MHz                                             | 5470-5725             |
|                                |                        | 30 dBm/500 kHz                                         | 5725-5850             |

Note:

1. For UNII-3, according to KDB publication 789033 D02 General UNII Test Procedures New Rules v02r01, section II.F.5., it is acceptable to set RBW at 300kHz and VBW at 1500kHz if the spectrum analyzer does not have 500 kHz RBW. Then, add  $10 \log (500 \text{ kHz}/300 \text{ kHz})$  to the measured result, i.e. 2.22 dB.
2. During the test of U-NII 3 PSD, the measurement result with RBW=300kHz has been added 2.22 dB by compensating offset, offset=cable loss+duty factor+ $10\log(500\text{kHz}/300\text{kHz})$ .

#### 3.5.2 Test Procedure

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

#### 3.5.3 Test Setup

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

#### 3.5.4 The Result

Test result: PASS

Note: For test data, please refer to the report 200611-04.TR01, 200611-04.TR02, 200611-04.TR03.

Note: The current directional gain is lower than the original directional gain, which does not affect the judgment.

## Statement

1. The report is invalid without the official seal or special seal of Shenzhen Haiyun Standard Technology Co., Ltd. (hereinafter referred to as the unit).
2. The report is invalid without the signature of the approver.
3. The report is invalid if altered arbitrarily.
4. The report shall not be partially copied without the written approval of the unit.
5. The reported test results are only valid for the tested samples.
6. If there is any objection to the test report, it shall be submitted to the test unit within 15 days from the date of receiving the report, and the overdue shall not be accepted.

## Shenzhen Haiyun Standard Technology Co., Ltd.

Address: Room 110, 111, 112, 113, 115, 116, Block B, Jinyuan Business Building, No. 302, Xixiang Avenue, Labor Community, Xixiang Street, Baoan District, Shenzhen, China

Tel: 0755-26024411

Email: service@hy-lab.cn

---

(END OF REPORT)