



















Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-58.7	-20	Pass
NVNT	1-DH5	2480	No-Hopping	-60.22	-20	Pass
NVNT	2-DH5	2402	No-Hopping	-59.35	-20	Pass
NVNT	2-DH5	2480	No-Hopping	-59.18	-20	Pass
NVNT	3-DH5	2402	No-Hopping	-59.56	-20	Pass
NVNT	3-DH5	2480	No-Hopping	-59.94	-20	Pass


















Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-58.18	-20	Pass
NVNT	1-DH5	2480	Hopping	-58.31	-20	Pass
NVNT	2-DH5	2402	Hopping	-57.7	-20	Pass
NVNT	2-DH5	2480	Hopping	-58	-20	Pass
NVNT	3-DH5	2402	Hopping	-58.72	-20	Pass
NVNT	3-DH5	2480	Hopping	-57.75	-20	Pass



















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-43.01	-20	Pass
NVNT	1-DH5	2441	-43.92	-20	Pass
NVNT	1-DH5	2480	-43.55	-20	Pass
NVNT	2-DH5	2402	-43.93	-20	Pass
NVNT	2-DH5	2441	-43.86	-20	Pass
NVNT	2-DH5	2480	-43.75	-20	Pass
NVNT	3-DH5	2402	-44.32	-20	Pass
NVNT	3-DH5	2441	-42.86	-20	Pass
NVNT	3-DH5	2480	-43.46	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	15	Pass
NVNT	2-DH5	79	15	Pass
NVNT	3-DH5	79	15	Pass







APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****