




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV



802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant2_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant2_NTNV




2.2.2 26dB BW


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant1_NTNV




802.11a_LCH_5180MHz_Ant2_NTNV




802.11a_MCH_5200MHz_Ant2_NTNV




802.11a_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV



802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant2_NTNV



802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant2_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	17.10	<=23.98	Pass
		5200	/	/	17.03	<=23.98	Pass
		5240	/	/	16.65	<=23.98	Pass
802.11ac (VHT20)	SISO	5180	/	/	17.00	<=23.98	Pass
		5200	/	/	16.96	<=23.98	Pass
		5240	/	/	16.58	<=23.98	Pass
802.11ac (VHT40)	SISO	5190	/	/	16.18	<=23.98	Pass
		5230	/	/	16.34	<=23.98	Pass
802.11ac (VHT80)	SISO	5210	/	/	16.66	<=23.98	Pass
802.11ax (HEW20)	SISO	5180	SU	/	17.12	<=23.98	Pass
		5200	SU	/	17.03	<=23.98	Pass
		5240	SU	/	16.74	<=23.98	Pass
802.11ax (HEW40)	SISO	5190	SU	/	13.16	<=23.98	Pass
		5230	SU	/	13.48	<=23.98	Pass
802.11ax (HEW80)	SISO	5210	SU	/	13.01	<=23.98	Pass
Note1: Antenna Gain: Ant1: 3.69dBi;							


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT2	Limit	
802.11a	SISO	5180	/	/	17.16	<=23.98	Pass
		5200	/	/	17.13	<=23.98	Pass
		5240	/	/	16.87	<=23.98	Pass
802.11ac (VHT20)	SISO	5180	/	/	17.18	<=23.98	Pass
		5200	/	/	17.02	<=23.98	Pass
		5240	/	/	16.89	<=23.98	Pass
802.11ac (VHT40)	SISO	5190	/	/	15.92	<=23.98	Pass
		5230	/	/	16.17	<=23.98	Pass
802.11ac (VHT80)	SISO	5210	/	/	16.44	<=23.98	Pass
802.11ax (HEW20)	SISO	5180	SU	/	17.19	<=23.98	Pass
		5200	SU	/	17.13	<=23.98	Pass


		5240	SU	/	16.94	≤ 23.98	Pass
802.11ax (HEW40)	SISO	5190	SU	/	13.00	≤ 23.98	Pass
		5230	SU	/	13.37	≤ 23.98	Pass
802.11ax (HEW80)	SISO	5210	SU	/	12.75	≤ 23.98	Pass

Note1: Antenna Gain: Ant2: 3.67dBi;


3.2 Test Graph

3.2.1 Power







802.11a_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant1_NTNV




802.11a_LCH_5180MHz_Ant2_NTNV




802.11a_MCH_5200MHz_Ant2_NTNV




802.11a_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV



802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant2_NTNV



802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant2_NTNV



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	6.04	<=11	Pass
		5200	/	/	6.01	<=11	Pass
		5240	/	/	5.67	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	5.71	<=11	Pass
		5200	/	/	5.58	<=11	Pass
		5240	/	/	5.17	<=11	Pass
802.11ac (VHT40)	SISO	5190	/	/	2.29	<=11	Pass
		5230	/	/	2.41	<=11	Pass
802.11ac (VHT80)	SISO	5210	/	/	-0.17	<=11	Pass
802.11ax (HEW20)	SISO	5180	SU	/	5.42	<=11	Pass
		5200	SU	/	5.39	<=11	Pass
		5240	SU	/	5.07	<=11	Pass
802.11ax (HEW40)	SISO	5190	SU	/	-0.77	<=11	Pass
		5230	SU	/	-0.48	<=11	Pass
802.11ax (HEW80)	SISO	5210	SU	/	-4.19	<=11	Pass
Note1: Antenna Gain: Ant1: 3.69dBi;							


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT2	Limit	
802.11a	SISO	5180	/	/	6.17	<=11	Pass
		5200	/	/	6.16	<=11	Pass
		5240	/	/	5.76	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	5.87	<=11	Pass
		5200	/	/	5.60	<=11	Pass
		5240	/	/	5.57	<=11	Pass
802.11ac (VHT40)	SISO	5190	/	/	2.10	<=11	Pass
		5230	/	/	2.20	<=11	Pass
802.11ac (VHT80)	SISO	5210	/	/	-0.47	<=11	Pass
802.11ax (HEW20)	SISO	5180	SU	/	5.53	<=11	Pass
		5200	SU	/	5.47	<=11	Pass
		5240	SU	/	5.14	<=11	Pass

802.11ax (HEW40)	SISO	5190	SU	/	-0.94	<=11	Pass
		5230	SU	/	-0.33	<=11	Pass
802.11ax (HEW80)	SISO	5210	SU	/	-4.26	<=11	Pass
Note1: Antenna Gain: Ant2: 3.67dBi;							


4.2 Test Graph

4.2.1 PSD


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant1_NTNV




802.11a_LCH_5180MHz_Ant2_NTNV




802.11a_MCH_5200MHz_Ant2_NTNV




802.11a_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV



802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant2_NTNV



802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant2_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	10.2	5180.000	5150 to 5250	Pass
						12.0	5179.980	5150 to 5250	Pass
						13.8	5179.960	5150 to 5250	Pass
					-20	12.0	5179.920	5150 to 5250	Pass
					-10	12.0	5179.980	5150 to 5250	Pass
					0	12.0	5180.020	5150 to 5250	Pass
					10	12.0	5179.980	5150 to 5250	Pass
					20	12.0	5179.980	5150 to 5250	Pass
					30	12.0	5179.980	5150 to 5250	Pass
					40	12.0	5179.980	5150 to 5250	Pass
					50	12.0	5179.940	5150 to 5250	Pass
					55	12.0	5179.940	5150 to 5250	Pass
		5200	/	/	20	10.2	5200.000	5150 to 5250	Pass
						12.0	5199.980	5150 to 5250	Pass
						13.8	5200.000	5150 to 5250	Pass
					-20	12.0	5199.980	5150 to 5250	Pass
					-10	12.0	5200.000	5150 to 5250	Pass
					0	12.0	5200.020	5150 to 5250	Pass
					10	12.0	5199.960	5150 to 5250	Pass
					20	12.0	5199.960	5150 to 5250	Pass
					30	12.0	5199.960	5150 to 5250	Pass
					40	12.0	5199.920	5150 to 5250	Pass
					50	12.0	5199.980	5150 to 5250	Pass
					55	12.0	5199.960	5150 to 5250	Pass
		5240	/	/	20	10.2	5240.000	5150 to 5250	Pass
						12.0	5239.960	5150 to 5250	Pass
						13.8	5240.020	5150 to 5250	Pass
					-20	12.0	5239.980	5150 to 5250	Pass
					-10	12.0	5239.960	5150 to 5250	Pass
					0	12.0	5239.980	5150 to 5250	Pass
					10	12.0	5240.020	5150 to 5250	Pass
					20	12.0	5240.000	5150 to 5250	Pass
					30	12.0	5240.000	5150 to 5250	Pass

					40	12.0	5239.980	5150 to 5250	Pass
					50	12.0	5239.960	5150 to 5250	Pass
					55	12.0	5239.960	5150 to 5250	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	10.2	5179.980	5150 to 5250	Pass
						12.0	5179.960	5150 to 5250	Pass
						13.8	5179.980	5150 to 5250	Pass
					-20	12.0	5179.980	5150 to 5250	Pass
					-10	12.0	5179.960	5150 to 5250	Pass
					0	12.0	5180.000	5150 to 5250	Pass
					10	12.0	5179.940	5150 to 5250	Pass
					20	12.0	5179.960	5150 to 5250	Pass
					30	12.0	5180.000	5150 to 5250	Pass
					40	12.0	5179.980	5150 to 5250	Pass
					50	12.0	5180.040	5150 to 5250	Pass
					55	12.0	5180.040	5150 to 5250	Pass
		5200	/	/	20	10.2	5199.960	5150 to 5250	Pass
						12.0	5199.980	5150 to 5250	Pass
						13.8	5199.980	5150 to 5250	Pass
					-20	12.0	5199.960	5150 to 5250	Pass
					-10	12.0	5199.920	5150 to 5250	Pass
					0	12.0	5199.980	5150 to 5250	Pass
					10	12.0	5199.960	5150 to 5250	Pass
					20	12.0	5200.000	5150 to 5250	Pass
					30	12.0	5199.980	5150 to 5250	Pass
					40	12.0	5199.980	5150 to 5250	Pass
					50	12.0	5199.980	5150 to 5250	Pass
					55	12.0	5199.980	5150 to 5250	Pass
		5240	/	/	20	10.2	5239.980	5150 to 5250	Pass
						12.0	5239.960	5150 to 5250	Pass
						13.8	5239.880	5150 to 5250	Pass
					-20	12.0	5240.000	5150 to 5250	Pass
					-10	12.0	5239.960	5150 to 5250	Pass
					0	12.0	5239.960	5150 to 5250	Pass
					10	12.0	5239.960	5150 to 5250	Pass
					20	12.0	5239.960	5150 to 5250	Pass
					30	12.0	5240.000	5150 to 5250	Pass
					40	12.0	5239.940	5150 to 5250	Pass
					50	12.0	5239.980	5150 to 5250	Pass
					55	12.0	5239.980	5150 to 5250	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	10.2	5190.040	5150 to 5250	Pass
						12.0	5190.000	5150 to 5250	Pass
						13.8	5190.040	5150 to 5250	Pass
					-20	12.0	5190.040	5150 to 5250	Pass

					-10	12.0	5190.000	5150 to 5250	Pass
					0	12.0	5190.040	5150 to 5250	Pass
					10	12.0	5190.040	5150 to 5250	Pass
					20	12.0	5190.040	5150 to 5250	Pass
					30	12.0	5190.080	5150 to 5250	Pass
					40	12.0	5190.040	5150 to 5250	Pass
					50	12.0	5190.040	5150 to 5250	Pass
					55	12.0	5190.040	5150 to 5250	Pass
		5230	/	/	20	10.2	5229.960	5150 to 5250	Pass
						12.0	5230.000	5150 to 5250	Pass
						13.8	5230.000	5150 to 5250	Pass
					-20	12.0	5229.960	5150 to 5250	Pass
					-10	12.0	5229.960	5150 to 5250	Pass
					0	12.0	5229.960	5150 to 5250	Pass
					10	12.0	5230.040	5150 to 5250	Pass
					20	12.0	5230.040	5150 to 5250	Pass
					30	12.0	5230.080	5150 to 5250	Pass
					40	12.0	5230.000	5150 to 5250	Pass
					50	12.0	5230.040	5150 to 5250	Pass
					55	12.0	5230.020	5150 to 5250	Pass
802.11ac (VHT80)	SISO	5210	/	/	20	10.2	5210.000	5150 to 5250	Pass
						12.0	5210.000	5150 to 5250	Pass
						13.8	5210.000	5150 to 5250	Pass
					-20	12.0	5210.000	5150 to 5250	Pass
					-10	12.0	5210.000	5150 to 5250	Pass
					0	12.0	5210.000	5150 to 5250	Pass
					10	12.0	5210.000	5150 to 5250	Pass
					20	12.0	5210.000	5150 to 5250	Pass
					30	12.0	5210.000	5150 to 5250	Pass
					40	12.0	5210.000	5150 to 5250	Pass
					50	12.0	5210.000	5150 to 5250	Pass
					55	12.0	5210.000	5150 to 5250	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	10.2	5179.980	5150 to 5250	Pass
						12.0	5179.940	5150 to 5250	Pass
						13.8	5179.980	5150 to 5250	Pass
					-20	12.0	5179.980	5150 to 5250	Pass
					-10	12.0	5179.980	5150 to 5250	Pass
					0	12.0	5180.000	5150 to 5250	Pass
					10	12.0	5179.980	5150 to 5250	Pass
					20	12.0	5179.940	5150 to 5250	Pass
					30	12.0	5180.000	5150 to 5250	Pass
					40	12.0	5179.920	5150 to 5250	Pass
					50	12.0	5180.000	5150 to 5250	Pass

802.11ax (HEW40)	SISO	5200	SU	/	55	12.0	5180.000	5150 to 5250	Pass
					20	10.2	5199.980	5150 to 5250	Pass
						12.0	5200.020	5150 to 5250	Pass
						13.8	5199.960	5150 to 5250	Pass
					-20	12.0	5200.000	5150 to 5250	Pass
					-10	12.0	5199.940	5150 to 5250	Pass
					0	12.0	5199.900	5150 to 5250	Pass
					10	12.0	5199.920	5150 to 5250	Pass
					20	12.0	5199.940	5150 to 5250	Pass
					30	12.0	5200.000	5150 to 5250	Pass
					40	12.0	5200.000	5150 to 5250	Pass
					50	12.0	5199.980	5150 to 5250	Pass
		5240	SU	/	55	12.0	5199.980	5150 to 5250	Pass
					20	10.2	5239.960	5150 to 5250	Pass
						12.0	5239.960	5150 to 5250	Pass
						13.8	5239.920	5150 to 5250	Pass
					-20	12.0	5239.940	5150 to 5250	Pass
					-10	12.0	5239.880	5150 to 5250	Pass
					0	12.0	5239.980	5150 to 5250	Pass
					10	12.0	5239.940	5150 to 5250	Pass
					20	12.0	5239.960	5150 to 5250	Pass
					30	12.0	5239.960	5150 to 5250	Pass
					40	12.0	5239.940	5150 to 5250	Pass
					50	12.0	5239.920	5150 to 5250	Pass
					55	12.0	5239.920	5150 to 5250	Pass
		5190	SU	/	20	10.2	5190.000	5150 to 5250	Pass
						12.0	5190.040	5150 to 5250	Pass
						13.8	5190.000	5150 to 5250	Pass
					-20	12.0	5190.000	5150 to 5250	Pass
					-10	12.0	5190.040	5150 to 5250	Pass
					0	12.0	5190.000	5150 to 5250	Pass
					10	12.0	5190.000	5150 to 5250	Pass
					20	12.0	5190.000	5150 to 5250	Pass
					30	12.0	5190.000	5150 to 5250	Pass
					40	12.0	5190.000	5150 to 5250	Pass
					50	12.0	5190.040	5150 to 5250	Pass
					55	12.0	5190.040	5150 to 5250	Pass
		5230	SU	/	20	10.2	5230.040	5150 to 5250	Pass
						12.0	5230.040	5150 to 5250	Pass
						13.8	5230.000	5150 to 5250	Pass
					-20	12.0	5230.000	5150 to 5250	Pass
					-10	12.0	5230.000	5150 to 5250	Pass
					0	12.0	5230.000	5150 to 5250	Pass

					10	12.0	5230.000	5150 to 5250	Pass
					20	12.0	5230.000	5150 to 5250	Pass
					30	12.0	5229.960	5150 to 5250	Pass
					40	12.0	5230.000	5150 to 5250	Pass
					50	12.0	5230.040	5150 to 5250	Pass
					55	12.0	5230.040	5150 to 5250	Pass
802.11ax (HEW80)	SISO	5210	SU	/	20	10.2	5210.075	5150 to 5250	Pass
						12.0	5210.075	5150 to 5250	Pass
						13.8	5210.075	5150 to 5250	Pass
					-20	12.0	5210.000	5150 to 5250	Pass
					-10	12.0	5210.000	5150 to 5250	Pass
					0	12.0	5210.075	5150 to 5250	Pass
					10	12.0	5210.075	5150 to 5250	Pass
					20	12.0	5210.000	5150 to 5250	Pass
					30	12.0	5210.075	5150 to 5250	Pass
					40	12.0	5210.075	5150 to 5250	Pass
					50	12.0	5210.000	5150 to 5250	Pass
					55	12.0	5210.000	5150 to 5250	Pass

5.1.2 Ant2

Ant2									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	10.2	5179.980	5150 to 5250	Pass
						12.0	5179.940	5150 to 5250	Pass
						13.8	5179.980	5150 to 5250	Pass
					-20	12.0	5179.960	5150 to 5250	Pass
					-10	12.0	5180.000	5150 to 5250	Pass
					0	12.0	5179.960	5150 to 5250	Pass
					10	12.0	5179.980	5150 to 5250	Pass
					20	12.0	5179.940	5150 to 5250	Pass
					30	12.0	5179.940	5150 to 5250	Pass
					40	12.0	5179.980	5150 to 5250	Pass
					50	12.0	5179.980	5150 to 5250	Pass
					55	12.0	5179.980	5150 to 5250	Pass
		5200	/	/	20	10.2	5200.020	5150 to 5250	Pass
						12.0	5199.940	5150 to 5250	Pass
						13.8	5200.000	5150 to 5250	Pass
					-20	12.0	5199.980	5150 to 5250	Pass
					-10	12.0	5199.980	5150 to 5250	Pass
					0	12.0	5199.980	5150 to 5250	Pass
					10	12.0	5199.960	5150 to 5250	Pass

					20	12.0	5199.980	5150 to 5250	Pass
					30	12.0	5200.020	5150 to 5250	Pass
					40	12.0	5199.980	5150 to 5250	Pass
					50	12.0	5199.980	5150 to 5250	Pass
					55	12.0	5199.980	5150 to 5250	Pass
		5240	/	/	20	10.2	5239.960	5150 to 5250	Pass
						12.0	5239.960	5150 to 5250	Pass
						13.8	5239.940	5150 to 5250	Pass
					-20	12.0	5239.980	5150 to 5250	Pass
					-10	12.0	5240.060	5150 to 5250	Pass
					0	12.0	5239.960	5150 to 5250	Pass
					10	12.0	5239.960	5150 to 5250	Pass
					20	12.0	5239.960	5150 to 5250	Pass
					30	12.0	5239.980	5150 to 5250	Pass
					40	12.0	5240.000	5150 to 5250	Pass
					50	12.0	5239.980	5150 to 5250	Pass
					55	12.0	5239.960	5150 to 5250	Pass
		5180	/	/	20	10.2	5179.940	5150 to 5250	Pass
						12.0	5179.920	5150 to 5250	Pass
						13.8	5179.980	5150 to 5250	Pass
					-20	12.0	5179.980	5150 to 5250	Pass
					-10	12.0	5179.960	5150 to 5250	Pass
					0	12.0	5179.980	5150 to 5250	Pass
					10	12.0	5179.900	5150 to 5250	Pass
					20	12.0	5179.960	5150 to 5250	Pass
					30	12.0	5179.960	5150 to 5250	Pass
					40	12.0	5179.960	5150 to 5250	Pass
					50	12.0	5180.020	5150 to 5250	Pass
					55	12.0	5180.020	5150 to 5250	Pass
		5200	/	/	20	10.2	5200.000	5150 to 5250	Pass
						12.0	5199.940	5150 to 5250	Pass
						13.8	5200.000	5150 to 5250	Pass
					-20	12.0	5199.920	5150 to 5250	Pass
					-10	12.0	5200.000	5150 to 5250	Pass
					0	12.0	5199.940	5150 to 5250	Pass
					10	12.0	5199.960	5150 to 5250	Pass
					20	12.0	5200.040	5150 to 5250	Pass
					30	12.0	5200.000	5150 to 5250	Pass
					40	12.0	5199.940	5150 to 5250	Pass
					50	12.0	5200.000	5150 to 5250	Pass
					55	12.0	5200.000	5150 to 5250	Pass
		5240	/	/	20	10.2	5239.960	5150 to 5250	Pass
						12.0	5239.980	5150 to 5250	Pass

						13.8	5239.980	5150 to 5250	Pass
					-20	12.0	5239.980	5150 to 5250	Pass
					-10	12.0	5239.960	5150 to 5250	Pass
					0	12.0	5239.960	5150 to 5250	Pass
					10	12.0	5240.020	5150 to 5250	Pass
					20	12.0	5239.960	5150 to 5250	Pass
					30	12.0	5239.960	5150 to 5250	Pass
					40	12.0	5239.980	5150 to 5250	Pass
					50	12.0	5239.980	5150 to 5250	Pass
					55	12.0	5239.960	5150 to 5250	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	10.2	5190.040	5150 to 5250	Pass
						12.0	5190.120	5150 to 5250	Pass
						13.8	5190.000	5150 to 5250	Pass
					-20	12.0	5190.040	5150 to 5250	Pass
					-10	12.0	5189.960	5150 to 5250	Pass
					0	12.0	5190.080	5150 to 5250	Pass
					10	12.0	5190.000	5150 to 5250	Pass
					20	12.0	5189.960	5150 to 5250	Pass
					30	12.0	5190.040	5150 to 5250	Pass
					40	12.0	5190.000	5150 to 5250	Pass
					50	12.0	5190.080	5150 to 5250	Pass
					55	12.0	5190.080	5150 to 5250	Pass
		5230	/	/	20	10.2	5230.000	5150 to 5250	Pass
						12.0	5229.960	5150 to 5250	Pass
						13.8	5229.960	5150 to 5250	Pass
					-20	12.0	5230.040	5150 to 5250	Pass
					-10	12.0	5230.080	5150 to 5250	Pass
					0	12.0	5230.080	5150 to 5250	Pass
					10	12.0	5230.000	5150 to 5250	Pass
					20	12.0	5230.000	5150 to 5250	Pass
					30	12.0	5230.000	5150 to 5250	Pass
					40	12.0	5229.960	5150 to 5250	Pass
					50	12.0	5230.040	5150 to 5250	Pass
					55	12.0	5230.020	5150 to 5250	Pass
802.11ac (VHT80)	SISO	5210	/	/	20	10.2	5209.925	5150 to 5250	Pass
						12.0	5210.075	5150 to 5250	Pass
						13.8	5210.075	5150 to 5250	Pass
					-20	12.0	5210.000	5150 to 5250	Pass
					-10	12.0	5210.000	5150 to 5250	Pass
					0	12.0	5210.000	5150 to 5250	Pass
					10	12.0	5210.075	5150 to 5250	Pass
					20	12.0	5210.000	5150 to 5250	Pass
					30	12.0	5210.000	5150 to 5250	Pass

					40	12.0	5210.000	5150 to 5250	Pass
					50	12.0	5210.000	5150 to 5250	Pass
					55	12.0	5210.000	5150 to 5250	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	10.2	5179.920	5150 to 5250	Pass
						12.0	5180.000	5150 to 5250	Pass
						13.8	5179.980	5150 to 5250	Pass
					-20	12.0	5179.920	5150 to 5250	Pass
					-10	12.0	5179.980	5150 to 5250	Pass
					0	12.0	5179.980	5150 to 5250	Pass
					10	12.0	5179.960	5150 to 5250	Pass
					20	12.0	5180.000	5150 to 5250	Pass
					30	12.0	5180.000	5150 to 5250	Pass
					40	12.0	5179.920	5150 to 5250	Pass
					50	12.0	5179.960	5150 to 5250	Pass
					55	12.0	5179.980	5150 to 5250	Pass
		5200	SU	/	20	10.2	5199.940	5150 to 5250	Pass
						12.0	5200.000	5150 to 5250	Pass
						13.8	5199.900	5150 to 5250	Pass
					-20	12.0	5199.940	5150 to 5250	Pass
					-10	12.0	5199.960	5150 to 5250	Pass
					0	12.0	5199.980	5150 to 5250	Pass
					10	12.0	5200.060	5150 to 5250	Pass
					20	12.0	5200.080	5150 to 5250	Pass
					30	12.0	5200.000	5150 to 5250	Pass
					40	12.0	5200.020	5150 to 5250	Pass
					50	12.0	5199.940	5150 to 5250	Pass
					55	12.0	5199.940	5150 to 5250	Pass
		5240	SU	/	20	10.2	5239.960	5150 to 5250	Pass
						12.0	5239.940	5150 to 5250	Pass
						13.8	5239.980	5150 to 5250	Pass
					-20	12.0	5239.980	5150 to 5250	Pass
					-10	12.0	5239.940	5150 to 5250	Pass
					0	12.0	5239.960	5150 to 5250	Pass
					10	12.0	5239.960	5150 to 5250	Pass
					20	12.0	5239.920	5150 to 5250	Pass
					30	12.0	5239.960	5150 to 5250	Pass
					40	12.0	5239.980	5150 to 5250	Pass
					50	12.0	5240.000	5150 to 5250	Pass
					55	12.0	5240.000	5150 to 5250	Pass
802.11ax (HEW40)	SISO	5190	SU	/	20	10.2	5190.000	5150 to 5250	Pass
						12.0	5190.040	5150 to 5250	Pass
						13.8	5190.000	5150 to 5250	Pass
					-20	12.0	5190.000	5150 to 5250	Pass

					-10	12.0	5190.000	5150 to 5250	Pass
					0	12.0	5190.000	5150 to 5250	Pass
					10	12.0	5190.040	5150 to 5250	Pass
					20	12.0	5190.040	5150 to 5250	Pass
					30	12.0	5190.000	5150 to 5250	Pass
					40	12.0	5190.000	5150 to 5250	Pass
					50	12.0	5190.000	5150 to 5250	Pass
					55	12.0	5190.000	5150 to 5250	Pass
		5230	SU	/	20	10.2	5229.960	5150 to 5250	Pass
						12.0	5230.000	5150 to 5250	Pass
						13.8	5230.000	5150 to 5250	Pass
					-20	12.0	5230.000	5150 to 5250	Pass
					-10	12.0	5230.000	5150 to 5250	Pass
					0	12.0	5230.040	5150 to 5250	Pass
					10	12.0	5230.040	5150 to 5250	Pass
					20	12.0	5230.080	5150 to 5250	Pass
					30	12.0	5230.000	5150 to 5250	Pass
					40	12.0	5230.040	5150 to 5250	Pass
					50	12.0	5230.040	5150 to 5250	Pass
					55	12.0	5230.040	5150 to 5250	Pass
		5210	SU	/	20	10.2	5210.075	5150 to 5250	Pass
						12.0	5210.075	5150 to 5250	Pass
						13.8	5210.000	5150 to 5250	Pass
					-20	12.0	5210.000	5150 to 5250	Pass
					-10	12.0	5210.075	5150 to 5250	Pass
					0	12.0	5210.075	5150 to 5250	Pass
					10	12.0	5210.075	5150 to 5250	Pass
					20	12.0	5210.000	5150 to 5250	Pass
					30	12.0	5210.000	5150 to 5250	Pass
					40	12.0	5210.075	5150 to 5250	Pass
					50	12.0	5210.000	5150 to 5250	Pass
					55	12.0	5210.000	5150 to 5250	Pass

- End of the Report -