




802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5500MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5580MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5700MHz\_Ant1\_NTNV




802.11ac(VHT40) LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40) HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT40) LCH\_5270MHz\_Ant1\_NTNV




802.11ac(VHT40) HCH\_5310MHz\_Ant1\_NTNV




802.11ac(VHT40) LCH\_5510MHz\_Ant1\_NTNV




802.11ac(VHT40) MCH\_5550MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5670MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV




802.11ac(VHT80)\_LCH\_5530MHz\_Ant1\_NTNV







The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT20) LCH\_5745MHz\_Ant1\_NTNV




802.11ac(VHT20) MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV



802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV



802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV



## Appendix D: Band edge measurements


### Test Result

| Test Mode  | Antenna | ChName | Channel | Result[dBm] | Limit[dBm] | Verdict |
|------------|---------|--------|---------|-------------|------------|---------|
| 11A        | Ant1    | Low    | 5180    | -46.70      | $\leq -27$ | PASS    |
|            |         | High   | 5320    | -46.63      | $\leq -27$ | PASS    |
|            |         | Low    | 5500    | -46.90      | $\leq -27$ | PASS    |
|            |         | High   | 5700    | -45.46      | $\leq -27$ | PASS    |
| 11N20SISO  | Ant1    | Low    | 5180    | -46.87      | $\leq -27$ | PASS    |
|            |         | High   | 5320    | -46.14      | $\leq -27$ | PASS    |
|            |         | Low    | 5500    | -46.27      | $\leq -27$ | PASS    |
|            |         | High   | 5700    | -36.20      | $\leq -27$ | PASS    |
| 11N40SISO  | Ant1    | Low    | 5190    | -38.73      | $\leq -27$ | PASS    |
|            |         | High   | 5310    | -34.10      | $\leq -27$ | PASS    |
|            |         | Low    | 5510    | -42.92      | $\leq -27$ | PASS    |
|            |         | High   | 5670    | -40.83      | $\leq -27$ | PASS    |
| 11AC20SISO | Ant1    | Low    | 5180    | -46.40      | $\leq -27$ | PASS    |
|            |         | High   | 5320    | -46.07      | $\leq -27$ | PASS    |
|            |         | Low    | 5500    | -47.12      | $\leq -27$ | PASS    |
|            |         | High   | 5700    | -38.01      | $\leq -27$ | PASS    |
| 11AC40SISO | Ant1    | Low    | 5190    | -37.72      | $\leq -27$ | PASS    |
|            |         | High   | 5310    | -43.23      | $\leq -27$ | PASS    |
|            |         | Low    | 5510    | -43.83      | $\leq -27$ | PASS    |
|            |         | High   | 5670    | -44.17      | $\leq -27$ | PASS    |
| 11AC80SISO | Ant1    | Low    | 5210    | -42.32      | $\leq -27$ | PASS    |
|            |         | High   | 5290    | -39.22      | $\leq -27$ | PASS    |
|            |         | Low    | 5530    | -42.39      | $\leq -27$ | PASS    |
|            |         | High   | 5610    | -45.56      | $\leq -27$ | PASS    |


| Test Mode      | Antenna | ChName | Channel | FreqRange [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|----------------|---------|--------|---------|-----------------|--------------|-------------|---------|
| 11A            | Ant1    | Low    | 5745    | 5650~5700       | -45.29       | ≤8.62       | PASS    |
|                |         |        |         | 5700~5720       | -45.67       | ≤15.34      | PASS    |
|                |         |        |         | 5720~5725       | -40.64       | ≤24.99      | PASS    |
|                |         |        |         | 5760~5650       | -46.66       | ≤-27        | PASS    |
|                |         | High   | 5825    | 5850~5855       | -45.93       | ≤21.03      | PASS    |
|                |         |        |         | 5855~5875       | -45.55       | ≤10.85      | PASS    |
|                |         |        |         | 5875~5925       | -44.62       | ≤-5.78      | PASS    |
|                |         |        |         | 5925~5935       | -45.78       | ≤-27        | PASS    |
| 11N20SIS<br>O  | Ant1    | Low    | 5745    | 5650~5700       | -45.02       | ≤4.02       | PASS    |
|                |         |        |         | 5700~5720       | -39.58       | ≤15.53      | PASS    |
|                |         |        |         | 5720~5725       | -30.30       | ≤26.57      | PASS    |
|                |         |        |         | 5760~5650       | -46.74       | ≤-27        | PASS    |
|                |         | High   | 5825    | 5850~5855       | -42.61       | ≤19.18      | PASS    |
|                |         |        |         | 5855~5875       | -45.31       | ≤10.32      | PASS    |
|                |         |        |         | 5875~5925       | -45.20       | ≤-8.17      | PASS    |
|                |         |        |         | 5925~5935       | -45.38       | ≤-27        | PASS    |
| 11N40SIS<br>O  | Ant1    | Low    | 5755    | 5650~5700       | -43.84       | ≤9.66       | PASS    |
|                |         |        |         | 5700~5720       | -31.96       | ≤15.47      | PASS    |
|                |         |        |         | 5720~5725       | -30.75       | ≤24.97      | PASS    |
|                |         |        |         | 5780~5650       | -46.25       | ≤-27        | PASS    |
|                |         | High   | 5795    | 5850~5855       | -45.43       | ≤18.29      | PASS    |
|                |         |        |         | 5855~5875       | -44.20       | ≤10.78      | PASS    |
|                |         |        |         | 5875~5925       | -44.32       | ≤-18.50     | PASS    |
|                |         |        |         | 5925~5935       | -45.76       | ≤-27        | PASS    |
| 11AC20SI<br>SO | Ant1    | Low    | 5745    | 5650~5700       | -45.54       | ≤8.79       | PASS    |
|                |         |        |         | 5700~5720       | -43.59       | ≤15.59      | PASS    |
|                |         |        |         | 5720~5725       | -36.31       | ≤26.57      | PASS    |
|                |         |        |         | 5760~5650       | -46.75       | ≤-27        | PASS    |
|                |         | High   | 5825    | 5850~5855       | -44.82       | ≤19.18      | PASS    |
|                |         |        |         | 5855~5875       | -45.54       | ≤10.55      | PASS    |
|                |         |        |         | 5875~5925       | -44.86       | ≤-18.16     | PASS    |
|                |         |        |         | 5925~5935       | -45.71       | ≤-27        | PASS    |
| 11AC40SI<br>SO | Ant1    | Low    | 5755    | 5650~5700       | -45.41       | ≤8.06       | PASS    |
|                |         |        |         | 5700~5720       | -38.72       | ≤15.54      | PASS    |
|                |         |        |         | 5720~5725       | -36.89       | ≤22.51      | PASS    |
|                |         |        |         | 5780~5650       | -46.45       | ≤-27        | PASS    |
|                |         | High   | 5795    | 5850~5855       | -44.99       | ≤25.06      | PASS    |
|                |         |        |         | 5855~5875       | -45.70       | ≤14.29      | PASS    |
|                |         |        |         | 5875~5925       | -44.97       | ≤-16.79     | PASS    |
|                |         |        |         | 5925~5935       | -45.82       | ≤-27        | PASS    |
| 11AC80SI<br>SO | Ant1    | Low    | 5775    | 5650~5700       | -43.76       | ≤6.69       | PASS    |
|                |         |        |         | 5700~5720       | -42.24       | ≤13.09      | PASS    |
|                |         |        |         | 5720~5725       | -42.27       | ≤25.54      | PASS    |
|                |         |        |         | 5800~5650       | -46.47       | ≤-27        | PASS    |
|                |         | High   | 5775    | 5850~5855       | -42.41       | ≤26.34      | PASS    |
|                |         |        |         | 5855~5875       | -43.34       | ≤12.61      | PASS    |
|                |         |        |         | 5875~5925       | -44.79       | ≤-14.09     | PASS    |
|                |         |        |         | 5925~5935       | -44.87       | ≤-27        | PASS    |

## Test Graphs


11A\_Ant1\_Low\_5180




11A\_Ant1\_High\_5320




11A\_Ant1\_Low\_5500




11A\_Ant1\_High\_5700




11N20SISO\_Ant1\_Low\_5180




## 11N20SISO\_Ant1\_High\_5320




## 11N20SISO\_Ant1\_Low\_5500




## 11N20SISO\_Ant1\_High\_5700




11N40SISO\_Ant1\_Low\_5190




11N40SISO\_Ant1\_High\_5310




## 11N40SISO\_Ant1\_Low\_5510




## 11N40SISO\_Ant1\_High\_5670




## 11AC20SISO\_Ant1\_Low\_5180




11AC20SISO\_Ant1\_High\_5320




11AC20SISO\_Ant1\_Low\_5500




## 11AC20SISO\_Ant1\_High\_5700




## 11AC40SISO\_Ant1\_Low\_5190




## 11AC40SISO\_Ant1\_High\_5310




11AC40SISO\_Ant1\_Low\_5510




11AC40SISO\_Ant1\_High\_5670




## 11AC80SISO\_Ant1\_Low\_5210




## 11AC80SISO\_Ant1\_High\_5290




## 11AC80SISO\_Ant1\_Low\_5530



### 11AC80SISO\_Ant1\_High\_5610




## 11A Ant1 Low 5745



## 11A Ant1 High 5825




## 11N20SISO Ant1 Low 5745








## 11AC40SISO\_Ant1\_High\_5795



## 11AC80SISO\_Ant1\_Low\_5775



## 11AC80SISO\_Ant1\_High\_5775



## Appendix E: Emissions in Restricted Bands

### Test Result

| Test Mode     | Antenna | ChName | Channel | Detector | Freq [MHz] | EIRP [dBm] | Limit [dBm] | Verdict |
|---------------|---------|--------|---------|----------|------------|------------|-------------|---------|
| 11 A          | Ant1    | Low    | 5180    | Peak     | 4500.000   | -47.29     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5146.800   | -31.22     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5150.000   | -29.79     | ≤-21.20     | PASS    |
|               |         | High   | 5320    | Peak     | 5350.000   | -31.95     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5350.240   | -30.82     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5460.000   | -43.93     | ≤-21.20     | PASS    |
|               |         | Low    | 5500    | Peak     | 5460.000   | -32.39     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5469.320   | -35.59     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5470.000   | -55.7      | ≤-21.20     | PASS    |
|               |         | High   | 5700    | Peak     | 5725.000   | -27.68     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5726.840   | -38.31     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5735.000   | -43.89     | ≤-21.20     | PASS    |
|               |         | Low    | 5745    | Peak     | 5650.000   | -42.46     | ≤-27.00     | PASS    |
|               |         |        |         | Peak     | 5700.000   | -31.82     | ≤10.00      | PASS    |
|               |         |        |         | Peak     | 5720.000   | -21.93     | ≤15.60      | PASS    |
|               |         |        |         | Peak     | 5725.000   | -37.37     | ≤27.00      | PASS    |
|               |         | High   | 5825    | Peak     | 5850.000   | -39.61     | ≤15.60      | PASS    |
|               |         |        |         | Peak     | 5855.000   | -42.3      | ≤27.00      | PASS    |
|               |         |        |         | Peak     | 5875.000   | -43.3      | ≤15.60      | PASS    |
|               |         |        |         | Peak     | 5925.000   | -59.59     | ≤10.00      | PASS    |
| 11N20SIS<br>O | Ant1    | Low    | 5180    | Peak     | 4500.000   | -31.62     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5149.600   | -31.87     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5150.000   | -57.37     | ≤-21.20     | PASS    |
|               |         | High   | 5320    | Peak     | 5350.000   | -37.06     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5350.240   | -45.14     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5460.000   | -58.42     | ≤-21.20     | PASS    |
|               |         | Low    | 5500    | Peak     | 5460.000   | -39.21     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5467.880   | -41.31     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5470.000   | -53.86     | ≤-21.20     | PASS    |
|               |         | High   | 5700    | Peak     | 5725.000   | -22.62     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5725.640   | -30.52     | ≤-21.20     | PASS    |
|               |         |        |         | Peak     | 5735.000   | -44.19     | ≤-21.20     | PASS    |
|               |         | Low    | 5745    | Peak     | 5650.000   | -38.62     | ≤-27.00     | PASS    |
|               |         |        |         | Peak     | 5700.000   | -29.17     | ≤10.00      | PASS    |
|               |         |        |         | Peak     | 5720.000   | -17.84     | ≤15.60      | PASS    |
|               |         |        |         | Peak     | 5725.000   | -32.42     | ≤27.00      | PASS    |
|               |         | High   | 5825    | Peak     | 5850.000   | -34.39     | ≤15.60      | PASS    |
|               |         |        |         | Peak     | 5855.000   | -42.67     | ≤27.00      | PASS    |
|               |         |        |         | Peak     | 5875.000   | -43.08     | ≤15.60      | PASS    |
|               |         |        |         | Peak     | 5925.000   | -59.58     | ≤10.00      | PASS    |


|                |      |      |      |      |          |        |         |      |
|----------------|------|------|------|------|----------|--------|---------|------|
| 11N40SIS<br>O  | Ant1 | Low  | 5190 | Peak | 4500.000 | -28.54 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5148.200 | -25.96 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5150.000 | -56.21 | ≤-21.20 | PASS |
|                |      | High | 5310 | Peak | 5350.000 | -22.57 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5351.840 | -45.56 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5460.000 | -57.87 | ≤-21.20 | PASS |
|                |      | Low  | 5510 | Peak | 5460.000 | -30.78 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5468.060 | -32.35 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5470.000 | -55.99 | ≤-21.20 | PASS |
|                |      | High | 5670 | Peak | 5725.000 | -26.73 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5733.600 | -31.81 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5735.000 | -42.65 | ≤-21.20 | PASS |
|                |      | Low  | 5755 | Peak | 5650.000 | -34.72 | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5700.000 | -18.65 | ≤10.00  | PASS |
|                |      |      |      | Peak | 5720.000 | -20.7  | ≤15.60  | PASS |
|                |      | High | 5795 | Peak | 5725.000 | -37.88 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5850.000 | -40.03 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5855.000 | -43.55 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5875.000 | -44.04 | ≤15.60  | PASS |
| 11AC20SI<br>SO | Ant1 | Low  | 5180 | Peak | 4500.000 | -35.07 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5149.600 | -34.6  | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5150.000 | -56.34 | ≤-21.20 | PASS |
|                |      | High | 5320 | Peak | 5350.000 | -29.1  | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5456.800 | -44.72 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5460.000 | -58.41 | ≤-21.20 | PASS |
|                |      | Low  | 5500 | Peak | 5460.000 | -36.37 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5469.800 | -54.91 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5470.000 | -54.91 | ≤-21.20 | PASS |
|                |      | High | 5700 | Peak | 5725.000 | -37.5  | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5725.400 | -43.45 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5735.000 | -37.98 | ≤-21.20 | PASS |
|                |      | Low  | 5745 | Peak | 5650.000 | -29.11 | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5700.000 | -14.85 | ≤10.00  | PASS |
|                |      |      |      | Peak | 5720.000 | -26.07 | ≤15.60  | PASS |
|                |      | High | 5825 | Peak | 5725.000 | -37.03 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5850.000 | -43.46 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5855.000 | -43.57 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5875.000 | -59.55 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5925.000 | -56.61 | ≤10.00  | PASS |


|                |      |      |      |      |          |        |               |      |
|----------------|------|------|------|------|----------|--------|---------------|------|
| 11AC40SI<br>SO | Ant1 | Low  | 5190 | Peak | 4500.000 | -26.84 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5149.600 | -56.15 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5150.000 | -56.17 | $\leq -21.20$ | PASS |
|                |      | High | 5310 | Peak | 5350.000 | -44.95 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5351.200 | -57.7  | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5460.000 | -57.16 | $\leq -21.20$ | PASS |
|                |      | Low  | 5510 | Peak | 5460.000 | -32.39 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5469.460 | -55.82 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5470.000 | -55.53 | $\leq -21.20$ | PASS |
|                |      | High | 5670 | Peak | 5725.000 | -33.6  | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5731.600 | -43.83 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5735.000 | -36.02 | $\leq -21.20$ | PASS |
|                |      | Low  | 5755 | Peak | 5650.000 | -20.86 | $\leq -27.00$ | PASS |
|                |      |      |      | Peak | 5700.000 | -24.6  | $\leq 10.00$  | PASS |
|                |      |      |      | Peak | 5720.000 | -41.26 | $\leq 15.60$  | PASS |
|                |      | High | 5795 | Peak | 5725.000 | -41.08 | $\leq 27.00$  | PASS |
|                |      |      |      | Peak | 5850.000 | -43.19 | $\leq 15.60$  | PASS |
|                |      |      |      | Peak | 5855.000 | -43.74 | $\leq 27.00$  | PASS |
|                |      |      |      | Peak | 5875.000 | -59.32 | $\leq 15.60$  | PASS |
| 11AC80SI<br>SO | Ant1 | Low  | 5210 | Peak | 4500.000 | -57.38 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5146.500 | -56.54 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5150.000 | -58.06 | $\leq -21.20$ | PASS |
|                |      | High | 5290 | Peak | 5350.000 | -57.73 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5384.000 | -57.55 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5460.000 | -57.75 | $\leq -21.20$ | PASS |
|                |      | Low  | 5530 | Peak | 5460.000 | -56.61 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5467.420 | -56.57 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5470.000 | -56.98 | $\leq -21.20$ | PASS |
|                |      | High | 5610 | Peak | 5725.000 | -42.58 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5732.800 | -29.73 | $\leq -21.20$ | PASS |
|                |      |      |      | Peak | 5735.000 | -27.52 | $\leq -21.20$ | PASS |
|                |      | Low  | 5775 | Peak | 5650.000 | -27.11 | $\leq -27.00$ | PASS |
|                |      |      |      | Peak | 5700.000 | -32.87 | $\leq 10.00$  | PASS |
|                |      |      |      | Peak | 5720.000 | -32.52 | $\leq 15.60$  | PASS |
|                |      | High | 5775 | Peak | 5725.000 | -36.06 | $\leq 27.00$  | PASS |
|                |      |      |      | Peak | 5850.000 | -43.29 | $\leq 15.60$  | PASS |
|                |      |      |      | Peak | 5855.000 | -59.62 | $\leq 27.00$  | PASS |
|                |      |      |      | Peak | 5875.000 | -56.57 | $\leq 15.60$  | PASS |
|                |      |      |      | Peak | 5925.000 | -56.34 | $\leq 10.00$  | PASS |

Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

## Test Graphs







11A Ant1 High 5700 Peak




11A Ant1 Low 5745 Peak




## 11A Ant1\_High\_5825\_Peak




## 11N20SISO Ant1\_Low\_5180\_Peak



## 11N20SISO Ant1\_High\_5320\_Peak



11N20SISO\_Ant1\_Low\_5500\_Peak



11N20SISO\_Ant1\_High\_5700\_Peak




11N20SISO\_Ant1\_Low\_5745\_Peak




11N20SISO\_Ant1\_High\_5825\_Peak




11N40SISO Ant1 Low 5190 Peak



11N40SISO\_Ant1\_High\_5310\_Peak



11N40SISO\_Ant1\_Low\_5510\_Peak




## 11N40SISO Ant1 High 5670 Peak




## 11N40SISO Ant1 Low 5755 Peak




## 11N40SISO Ant1 High 5795 Peak




### 11AC20SISO\_Ant1\_Low\_5180\_Peak



### 11AC20SISO\_Ant1\_High\_5320\_Peak



## 11AC20SISO\_Ant1\_Low\_5500\_Peak




## 11AC20SISO\_Ant1\_High\_5700\_Peak




## 11AC20SISO\_Ant1\_Low\_5745\_Peak




11AC20SISO\_Ant1\_High\_5825\_Peak




11AC40SISO\_Ant1\_Low\_5190\_Peak



## 11AC40SISO\_Ant1\_High\_5310\_Peak




## 11AC40SISO\_Ant1\_Low\_5510\_Peak



## 11AC40SISO\_Ant1\_High\_5670\_Peak




### 11AC40SISO\_Ant1\_Low\_5755\_Peak




### 11AC40SISO\_Ant1\_High\_5795\_Peak




## 11AC80SISO\_Ant1\_Low\_5210\_Peak




## 11AC80SISO\_Ant1\_High\_5290\_Peak




## 11AC80SISO\_Ant1\_Low\_5530\_Peak



### 11AC80SISO\_Ant1\_High\_5610\_Peak



### 11AC80SISO\_Ant1\_Low\_5775\_Peak



## 11AC80SISO Ant1\_High\_5775\_Peak



## Appendix F: Conducted Spurious Emission


### Test Result


| Test Mode | Antenna | Channel | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|-----------|---------|---------|-----------------|----------------|------------------|-------------|---------|
| 11A       | Ant1    | 5180    | 30~5140         | 5138.89        | -43.82           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39072.3        | -39.5            | ≤-27        | PASS    |
|           |         | 5200    | 30~5140         | 5139.23        | -42.66           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39825.1        | -37.69           | ≤-27        | PASS    |
|           |         | 5240    | 30~5140         | 5007.06        | -43.03           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39836.6        | -39.65           | ≤-27        | PASS    |
|           |         | 5260    | 30~5140         | 5105           | -41.58           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39225.8        | -38.46           | ≤-27        | PASS    |
|           |         | 5300    | 30~5140         | 5120.84        | -44.24           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39305.5        | -38.64           | ≤-27        | PASS    |
|           |         | 5320    | 30~5140         | 4142.31        | -45.61           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 5362.9         | -39.18           | ≤-27        | PASS    |
|           |         | 5500    | 30~5460         | 5458.82        | -40.11           | ≤-27        | PASS    |
|           |         |         | 5735~40000      | 39530          | -39.6            | ≤-27        | PASS    |
|           |         | 5580    | 30~5460         | 5433.85        | -45.69           | ≤-27        | PASS    |
|           |         |         | 5735~40000      | 39734.5        | -39.92           | ≤-27        | PASS    |
|           |         | 5700    | 30~5460         | 5406.88        | -46.32           | ≤-27        | PASS    |
|           |         |         | 5735~40000      | 39156.5        | -39.25           | ≤-27        | PASS    |
|           |         | 5745    | 30~5650         | 5630.05        | -40.52           | ≤-27        | PASS    |
|           |         |         | 5925~40000      | 39578.1        | -38.05           | ≤-27        | PASS    |
| 11N20SISO | Ant1    | 5180    | 30~5140         | 5133.78        | -44.19           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39235.1        | -39.66           | ≤-27        | PASS    |
|           |         | 5200    | 30~5140         | 5136.34        | -41.2            | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39124.2        | -39.07           | ≤-27        | PASS    |
|           |         | 5240    | 30~5140         | 5065.99        | -42.4            | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39772          | -38.47           | ≤-27        | PASS    |
|           |         | 5260    | 30~5140         | 4380.08        | -45.19           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39164.6        | -39.32           | ≤-27        | PASS    |
|           |         | 5300    | 30~5140         | 4358.28        | -45.73           | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39672.7        | -38.6            | ≤-27        | PASS    |
|           |         | 5320    | 30~5140         | 4953.75        | -44.9            | ≤-27        | PASS    |
|           |         |         | 5360~40000      | 39991.3        | -39.46           | ≤-27        | PASS    |
|           |         | 5500    | 30~5460         | 5460           | -42.2            | ≤-27        | PASS    |
|           |         |         | 5735~40000      | 39621.4        | -39.05           | ≤-27        | PASS    |
|           |         | 5580    | 30~5460         | 5394.57        | -40.25           | ≤-27        | PASS    |
|           |         |         | 5735~40000      | 39282.2        | -37.85           | ≤-27        | PASS    |
|           |         | 5700    | 30~5460         | 4170.69        | -46.17           | ≤-27        | PASS    |
|           |         |         | 5735~40000      | 39249.1        | -39.02           | ≤-27        | PASS    |
|           |         | 5745    | 30~5650         | 5648.22        | -40.07           | ≤-27        | PASS    |
|           |         |         | 5925~40000      | 39968.8        | -38.08           | ≤-27        | PASS    |
|           |         | 5785    | 30~5650         | 5631.17        | -39.93           | ≤-27        | PASS    |
|           |         |         | 5925~40000      | 39768.9        | -38.51           | ≤-27        | PASS    |
|           |         | 5825    | 30~5650         | 5515.97        | -40.26           | ≤-27        | PASS    |
|           |         |         | 5925~40000      | 39737.1        | -37.75           | ≤-27        | PASS    |

|            |      |      |            |         |        |      |      |
|------------|------|------|------------|---------|--------|------|------|
| 11N40SISO  | Ant1 | 5190 | 30~5140    | 5132.25 | -38.57 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39506.4 | -39.06 | ≤-27 | PASS |
|            |      | 5230 | 30~5140    | 5137.87 | -41.79 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39814.7 | -39.03 | ≤-27 | PASS |
|            |      | 5270 | 30~5140    | 5138.38 | -46.48 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 5366.4  | -38.7  | ≤-27 | PASS |
|            |      | 5310 | 30~5140    | 5067.87 | -46.35 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 5360    | -39.27 | ≤-27 | PASS |
|            |      | 5510 | 30~5460    | 5459.73 | -44.22 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39694.5 | -39.36 | ≤-27 | PASS |
|            |      | 5550 | 30~5460    | 5458.82 | -46.89 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39330.1 | -38.89 | ≤-27 | PASS |
|            |      | 5670 | 30~5460    | 5423.71 | -46.31 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39611.1 | -38.98 | ≤-27 | PASS |
|            |      | 5755 | 30~5650    | 5637.73 | -39.3  | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39665.5 | -36.63 | ≤-27 | PASS |
| 11AC20SISO | Ant1 | 5180 | 30~5140    | 5139.4  | -41.25 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39225.8 | -39.87 | ≤-27 | PASS |
|            |      | 5200 | 30~5140    | 5111.47 | -46.16 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39695.8 | -39.6  | ≤-27 | PASS |
|            |      | 5240 | 30~5140    | 5111.47 | -45.48 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39673.8 | -39.06 | ≤-27 | PASS |
|            |      | 5260 | 30~5140    | 4404.78 | -46.31 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39172.7 | -39.5  | ≤-27 | PASS |
|            |      | 5300 | 30~5140    | 4997.86 | -45.86 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39163.5 | -38.73 | ≤-27 | PASS |
|            |      | 5320 | 30~5140    | 4797.05 | -45.88 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39721.2 | -39.38 | ≤-27 | PASS |
|            |      | 5500 | 30~5460    | 5455.75 | -42.2  | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39139.4 | -39.2  | ≤-27 | PASS |
|            |      | 5580 | 30~5460    | 5058.65 | -42.03 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39165.7 | -39.32 | ≤-27 | PASS |
|            |      | 5700 | 30~5460    | 5363.08 | -40.73 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 5735    | -39.2  | ≤-27 | PASS |
|            |      | 5745 | 30~5650    | 5642.04 | -40.42 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39686   | -38.58 | ≤-27 | PASS |
|            |      | 5785 | 30~5650    | 5647.28 | -40.57 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39809.8 | -38.99 | ≤-27 | PASS |
|            |      | 5825 | 30~5650    | 5544.25 | -40.22 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39785.9 | -38.64 | ≤-27 | PASS |


|            |      |      |            |         |        |      |      |
|------------|------|------|------------|---------|--------|------|------|
| 11AC40SISO | Ant1 | 5190 | 30~5140    | 5137.02 | -36.73 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39588.4 | -39    | ≤-27 | PASS |
|            |      | 5230 | 30~5140    | 5138.04 | -41.09 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39554.9 | -39.23 | ≤-27 | PASS |
|            |      | 5270 | 30~5140    | 5010.81 | -41.35 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39231.6 | -39.35 | ≤-27 | PASS |
|            |      | 5310 | 30~5140    | 5122.37 | -45.72 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 5362.9  | -39.51 | ≤-27 | PASS |
|            |      | 5510 | 30~5460    | 5455.2  | -38.42 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39221.6 | -39.29 | ≤-27 | PASS |
|            |      | 5550 | 30~5460    | 5454.84 | -43.35 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39563.1 | -39.23 | ≤-27 | PASS |
|            |      | 5670 | 30~5460    | 5420.27 | -46.22 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39165.7 | -38.91 | ≤-27 | PASS |
|            |      | 5755 | 30~5650    | 5602.14 | -40.36 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39229.4 | -38.37 | ≤-27 | PASS |
| 11AC80SISO | Ant1 | 5210 | 30~5140    | 5132.25 | -38.93 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39115   | -39.43 | ≤-27 | PASS |
|            |      | 5290 | 30~5140    | 5139.57 | -43.68 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 5380.2  | -33    | ≤-27 | PASS |
|            |      | 5530 | 30~5460    | 5455.02 | -35.67 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39207.9 | -38.93 | ≤-27 | PASS |
|            |      | 5610 | 30~5460    | 5452.49 | -40.88 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39093.7 | -39.32 | ≤-27 | PASS |
|            |      | 5775 | 30~5650    | 5646.35 | -40.25 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39686   | -38.27 | ≤-27 | PASS |

## Test Graphs







11A Ant1\_5240\_30~5140




11A Ant1\_5240\_5360~40000




11A Ant1\_5260\_30~5140




11A Ant1\_5260\_5360~40000







11A Ant1\_5320\_30~5140




11A Ant1\_5320\_5360~40000




11A Ant1\_5500\_30~5460




11A Ant1\_5500\_5735~40000




11A\_Ant1\_5580\_30~5460



11A\_Ant1\_5580\_5735~40000




## 11A\_Ant1\_5700\_30~5460




Date: 2/10/2022 10:16:32

## 11A\_Ant1\_5700\_5735~40000





Date: 2/10/2022 10:16:32

## 11A Ant1\_5745\_30~5650




## 11A Ant1\_5745\_5925~40000






## 11A Ant1\_5825\_30~5650




Date: 2, AUG, 2022 10:29:38

## 11A Ant1\_5825\_5925~40000




Date: 2, AUG, 2022 10:29:43


11N20SISO Ant1\_5180\_30~5140




11N20SISO Ant1\_5180\_5360~40000




11N20SISO\_Ant1\_5200\_30~5140




11N20SISO\_Ant1\_5200\_5360~40000




11N20SISO\_Ant1\_5240\_30~5140




11N20SISO\_Ant1\_5240\_5360~40000




11N20SISO\_Ant1\_5260\_30~5140




11N20SISO\_Ant1\_5260\_5360~40000




11N20SISO\_Ant1\_5300\_30~5140




11N20SISO\_Ant1\_5300\_5360~40000




11N20SISO\_Ant1\_5320\_30~5140




11N20SISO\_Ant1\_5320\_5360~40000




11N20SISO\_Ant1\_5500\_30~5460




11N20SISO\_Ant1\_5500\_5735~40000




11N20SISO\_Ant1\_5580\_30~5460




11N20SISO\_Ant1\_5580\_5735~40000




11N20SISO\_Ant1\_5700\_30~5460




11N20SISO\_Ant1\_5700\_5735~40000




11N20SISO\_Ant1\_5745\_30~5650




11N20SISO\_Ant1\_5745\_5925~40000




11N20SISO\_Ant1\_5785\_30~5650




11N20SISO\_Ant1\_5785\_5925~40000




11N20SISO\_Ant1\_5825\_30~5650




11N20SISO\_Ant1\_5825\_5925~40000




11N40SISO\_Ant1\_5190\_30~5140




11N40SISO\_Ant1\_5190\_5360~40000




11N40SISO\_Ant1\_5230\_30~5140




11N40SISO\_Ant1\_5230\_5360~40000




11N40SISO\_Ant1\_5270\_30~5140




11N40SISO\_Ant1\_5270\_5360~40000




11N40SISO\_Ant1\_5310\_30~5140




11N40SISO\_Ant1\_5310\_5360~40000




11N40SISO\_Ant1\_5510\_30~5460




11N40SISO\_Ant1\_5510\_5735~40000




11N40SISO\_Ant1\_5550\_30~5460




11N40SISO\_Ant1\_5550\_5735~40000




11N40SISO\_Ant1\_5670\_30~5460




## 11N40SISO\_Ant1\_5670\_5735~40000




## 11N40SISO\_Ant1\_5755\_30~5650




## 11N40SISO\_Ant1\_5755\_5925~40000




11N40SISO\_Ant1\_5795\_30~5650




11N40SISO\_Ant1\_5795\_5925~40000




11AC20SISO\_Ant1\_5180\_30~5140




11AC20SISO\_Ant1\_5180\_5360~40000




11AC20SISO\_Ant1\_5200\_30~5140




11AC20SISO\_Ant1\_5200\_5360~40000




11AC20SISO\_Ant1\_5240\_30~5140




11AC20SISO\_Ant1\_5240\_5360~40000




11AC20SISO\_Ant1\_5260\_30~5140




11AC20SISO\_Ant1\_5260\_5360~40000




11AC20SISO\_Ant1\_5300\_30~5140




11AC20SISO\_Ant1\_5300\_5360~40000




11AC20SISO\_Ant1\_5320\_30~5140




11AC20SISO\_Ant1\_5320\_5360~40000




11AC20SISO\_Ant1\_5500\_30~5460




11AC20SISO\_Ant1\_5500\_5735~40000




11AC20SISO\_Ant1\_5580\_30~5460




11AC20SISO\_Ant1\_5580\_5735~40000




11AC20SISO\_Ant1\_5700\_30~5460




11AC20SISO\_Ant1\_5700\_5735~40000




11AC20SISO\_Ant1\_5745\_30~5650




11AC20SISO\_Ant1\_5745\_5925~40000




11AC20SISO\_Ant1\_5785\_30~5650




11AC20SISO\_Ant1\_5785\_5925~40000




11AC20SISO\_Ant1\_5825\_30~5650




11AC20SISO\_Ant1\_5825\_5925~40000




11AC40SISO\_Ant1\_5190\_30~5140




11AC40SISO\_Ant1\_5190\_5360~40000




11AC40SISO\_Ant1\_5230\_30~5140




11AC40SISO\_Ant1\_5230\_5360~40000




11AC40SISO\_Ant1\_5270\_30~5140




11AC40SISO\_Ant1\_5270\_5360~40000




11AC40SISO\_Ant1\_5310\_30~5140




11AC40SISO\_Ant1\_5310\_5360~40000




11AC40SISO\_Ant1\_5510\_30~5460




11AC40SISO\_Ant1\_5510\_5735~40000




11AC40SISO\_Ant1\_5550\_30~5460




## 11AC40SISO\_Ant1\_5550\_5735~40000




## 11AC40SISO\_Ant1\_5670\_30~5460




## 11AC40SISO\_Ant1\_5670\_5735~40000




11AC40SISO\_Ant1\_5755\_30~5650




11AC40SISO\_Ant1\_5755\_5925~40000




## 11AC40SISO\_Ant1\_5795\_30~5650




## 11AC40SISO\_Ant1\_5795\_5925~40000




## 11AC80SISO\_Ant1\_5210\_30~5140




11AC80SISO\_Ant1\_5210\_5360~40000




11AC80SISO\_Ant1\_5290\_30~5140




11AC80SISO\_Ant1\_5290\_5360~40000




11AC80SISO\_Ant1\_5530\_30~5460




11AC80SISO\_Ant1\_5530\_5735~40000




11AC80SISO\_Ant1\_5610\_30~5460




11AC80SISO\_Ant1\_5610\_5735~40000



## 11AC80SISO\_Ant1\_5775\_30~5650



## 11AC80SISO\_Ant1\_5775\_5925~40000



## Appendix G: Frequency Stability

### Test Result

| Mode           | TX Type | Frequency (MHz) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
|----------------|---------|-----------------|---------------|--------------------------|--------------|---------|
| 802.11a        | SISO    | 5180            | 102           | 5179.960                 | 5150 to 5250 | Pass    |
|                |         |                 | 120           | 5179.980                 | 5150 to 5250 | Pass    |
|                |         |                 | 138           | 5179.980                 | 5150 to 5250 | Pass    |
|                |         | 5200            | 102           | 5199.980                 | 5150 to 5250 | Pass    |
|                |         |                 | 120           | 5199.980                 | 5150 to 5250 | Pass    |
|                |         |                 | 138           | 5199.960                 | 5150 to 5250 | Pass    |
|                |         | 5240            | 102           | 5240.000                 | 5150 to 5250 | Pass    |
|                |         |                 | 120           | 5239.980                 | 5150 to 5250 | Pass    |
|                |         |                 | 138           | 5240.000                 | 5150 to 5250 | Pass    |
|                |         | 5260            | 102           | 5259.980                 | 5250 to 5350 | Pass    |
|                |         |                 | 120           | 5259.980                 | 5250 to 5350 | Pass    |
|                |         |                 | 138           | 5259.960                 | 5250 to 5350 | Pass    |
|                |         | 5300            | 102           | 5299.980                 | 5250 to 5350 | Pass    |
|                |         |                 | 120           | 5299.980                 | 5250 to 5350 | Pass    |
|                |         |                 | 138           | 5299.980                 | 5250 to 5350 | Pass    |
|                |         | 5320            | 102           | 5320.000                 | 5250 to 5350 | Pass    |
|                |         |                 | 120           | 5319.980                 | 5250 to 5350 | Pass    |
|                |         |                 | 138           | 5319.960                 | 5250 to 5350 | Pass    |
|                |         | 5500            | 102           | 5499.980                 | 5470 to 5725 | Pass    |
|                |         |                 | 120           | 5499.980                 | 5470 to 5725 | Pass    |
|                |         |                 | 138           | 5499.980                 | 5470 to 5725 | Pass    |
|                |         | 5580            | 102           | 5579.980                 | 5470 to 5725 | Pass    |
|                |         |                 | 120           | 5579.980                 | 5470 to 5725 | Pass    |
|                |         |                 | 138           | 5580.000                 | 5470 to 5725 | Pass    |
|                |         | 5700            | 102           | 5699.980                 | 5470 to 5725 | Pass    |
|                |         |                 | 120           | 5699.980                 | 5470 to 5725 | Pass    |
|                |         |                 | 138           | 5699.980                 | 5470 to 5725 | Pass    |
|                |         | 5745            | 102           | 5744.980                 | 5725 to 5850 | Pass    |
|                |         |                 | 120           | 5744.980                 | 5725 to 5850 | Pass    |
|                |         |                 | 138           | 5744.980                 | 5725 to 5850 | Pass    |
|                |         | 5785            | 102           | 5784.980                 | 5725 to 5850 | Pass    |
|                |         |                 | 120           | 5784.980                 | 5725 to 5850 | Pass    |
|                |         |                 | 138           | 5784.980                 | 5725 to 5850 | Pass    |
|                |         | 5825            | 102           | 5825.000                 | 5725 to 5850 | Pass    |
|                |         |                 | 120           | 5825.000                 | 5725 to 5850 | Pass    |
|                |         |                 | 138           | 5825.000                 | 5725 to 5850 | Pass    |
| 802.11n (HT20) | SISO    | 5180            | 102           | 5180.020                 | 5150 to 5250 | Pass    |
|                |         |                 | 120           | 5180.000                 | 5150 to 5250 | Pass    |
|                |         |                 | 138           | 5180.000                 | 5150 to 5250 | Pass    |
|                |         | 5200            | 102           | 5200.020                 | 5150 to 5250 | Pass    |
|                |         |                 | 120           | 5200.020                 | 5150 to 5250 | Pass    |
|                |         |                 | 138           | 5200.000                 | 5150 to 5250 | Pass    |
|                |         | 5240            | 102           | 5240.000                 | 5150 to 5250 | Pass    |
|                |         |                 | 120           | 5240.000                 | 5150 to 5250 | Pass    |
|                |         |                 | 138           | 5240.040                 | 5150 to 5250 | Pass    |
|                |         | 5260            | 102           | 5260.020                 | 5250 to 5350 | Pass    |
|                |         |                 | 120           | 5260.000                 | 5250 to 5350 | Pass    |
|                |         |                 | 138           | 5260.000                 | 5250 to 5350 | Pass    |
|                |         | 5300            | 102           | 5300.020                 | 5250 to 5350 | Pass    |
|                |         |                 | 120           | 5300.020                 | 5250 to 5350 | Pass    |
|                |         |                 | 138           | 5300.020                 | 5250 to 5350 | Pass    |

TRF No. FCC Part 15.407\_R1

Add: West Side of 1/F., Building C, Zone A, Fuyuan New Factory, Jiujiu Industrial Park, Minzhu, Shatou, Shajing, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-2985 2678 Fax: +(86) 0755-2985 2397 E-mail: info@gdksign.cn Web: www.gdksign.com

|                     |      |      |     |          |              |      |
|---------------------|------|------|-----|----------|--------------|------|
|                     |      | 5320 | 102 | 5319.980 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5320.000 | 5250 to 5350 | Pass |
|                     |      |      | 138 | 5319.980 | 5250 to 5350 | Pass |
|                     |      | 5500 | 102 | 5499.980 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5500.000 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5499.960 | 5470 to 5725 | Pass |
|                     |      | 5580 | 102 | 5579.980 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5579.980 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5580.000 | 5470 to 5725 | Pass |
|                     |      | 5700 | 102 | 5700.000 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5700.000 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5700.000 | 5470 to 5725 | Pass |
|                     |      | 5745 | 102 | 5745.020 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5745.000 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5745.000 | 5725 to 5850 | Pass |
|                     |      | 5785 | 102 | 5785.000 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5785.000 | 5725 to 5850 | Pass |
|                     |      | 5825 | 102 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5825.000 | 5725 to 5850 | Pass |
| 802.11n<br>(HT40)   | SISO | 5190 | 102 | 5190.120 | 5150 to 5250 | Pass |
|                     |      |      | 120 | 5190.120 | 5150 to 5250 | Pass |
|                     |      |      | 138 | 5190.120 | 5150 to 5250 | Pass |
|                     |      | 5230 | 102 | 5230.120 | 5150 to 5250 | Pass |
|                     |      |      | 120 | 5230.120 | 5150 to 5250 | Pass |
|                     |      |      | 138 | 5230.040 | 5150 to 5250 | Pass |
|                     |      | 5270 | 102 | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      | 138 | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5270.080 | 5250 to 5350 | Pass |
|                     |      | 5310 | 102 | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      | 138 | 5310.120 | 5250 to 5350 | Pass |
|                     |      | 5510 | 102 | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5510.080 | 5470 to 5725 | Pass |
|                     |      | 5550 | 102 | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5550.040 | 5470 to 5725 | Pass |
|                     |      | 5670 | 102 | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5670.120 | 5470 to 5725 | Pass |
|                     |      | 5755 | 102 | 5755.120 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5755.120 | 5725 to 5850 | Pass |
|                     |      | 5795 | 102 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5795.040 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT20) | SISO | 5180 | 102 | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      | 120 | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      | 138 | 5180.040 | 5150 to 5250 | Pass |
|                     |      | 5200 | 102 | 5200.060 | 5150 to 5250 | Pass |
|                     |      |      | 120 | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      | 138 | 5200.040 | 5150 to 5250 | Pass |
|                     |      | 5240 | 102 | 5240.060 | 5150 to 5250 | Pass |
|                     |      |      | 120 | 5240.060 | 5150 to 5250 | Pass |

|                     |      |      |     |          |              |      |
|---------------------|------|------|-----|----------|--------------|------|
|                     |      | 5260 | 138 | 5240.040 | 5150 to 5250 | Pass |
|                     |      |      | 102 | 5260.040 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5260.040 | 5250 to 5350 | Pass |
|                     |      |      | 138 | 5260.040 | 5250 to 5350 | Pass |
|                     |      | 5300 | 102 | 5300.020 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5300.040 | 5250 to 5350 | Pass |
|                     |      |      | 138 | 5300.040 | 5250 to 5350 | Pass |
|                     |      | 5320 | 102 | 5320.020 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5320.040 | 5250 to 5350 | Pass |
|                     |      |      | 138 | 5320.040 | 5250 to 5350 | Pass |
|                     |      | 5500 | 102 | 5500.040 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5500.060 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5500.020 | 5470 to 5725 | Pass |
|                     |      | 5580 | 102 | 5580.020 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5580.020 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5580.020 | 5470 to 5725 | Pass |
|                     |      | 5700 | 102 | 5700.000 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5700.020 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5700.020 | 5470 to 5725 | Pass |
|                     |      | 5745 | 102 | 5745.020 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5745.020 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5745.040 | 5725 to 5850 | Pass |
|                     |      | 5785 | 102 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5785.000 | 5725 to 5850 | Pass |
|                     |      | 5825 | 102 | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5825.020 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5825.020 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT40) | SISO | 5190 | 102 | 5190.120 | 5150 to 5250 | Pass |
|                     |      |      | 120 | 5190.120 | 5150 to 5250 | Pass |
|                     |      |      | 138 | 5190.120 | 5150 to 5250 | Pass |
|                     |      | 5230 | 102 | 5230.120 | 5150 to 5250 | Pass |
|                     |      |      | 120 | 5230.120 | 5150 to 5250 | Pass |
|                     |      |      | 138 | 5230.080 | 5150 to 5250 | Pass |
|                     |      | 5270 | 102 | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      | 138 | 5270.080 | 5250 to 5350 | Pass |
|                     |      | 5310 | 102 | 5310.120 | 5250 to 5350 | Pass |
|                     |      |      | 120 | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      | 138 | 5310.080 | 5250 to 5350 | Pass |
|                     |      | 5510 | 102 | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5510.040 | 5470 to 5725 | Pass |
|                     |      | 5550 | 102 | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5550.080 | 5470 to 5725 | Pass |
|                     |      | 5670 | 102 | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      | 120 | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      | 138 | 5670.080 | 5470 to 5725 | Pass |
|                     |      | 5755 | 102 | 5755.120 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5755.120 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5755.160 | 5725 to 5850 | Pass |
|                     |      | 5795 | 102 | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      | 138 | 5795.120 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT80) | SISO | 5210 | 102 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      | 120 | 5210.075 | 5150 to 5250 | Pass |


|  |  |      |     |          |              |      |
|--|--|------|-----|----------|--------------|------|
|  |  |      | 138 | 5210.150 | 5150 to 5250 | Pass |
|  |  | 5290 | 102 | 5290.150 | 5250 to 5350 | Pass |
|  |  |      | 120 | 5290.150 | 5250 to 5350 | Pass |
|  |  |      | 138 | 5290.150 | 5250 to 5350 | Pass |
|  |  | 5530 | 102 | 5530.075 | 5470 to 5725 | Pass |
|  |  |      | 120 | 5530.000 | 5470 to 5725 | Pass |
|  |  |      | 138 | 5530.075 | 5470 to 5725 | Pass |
|  |  | 5610 | 102 | 5610.075 | 5470 to 5725 | Pass |
|  |  |      | 120 | 5610.075 | 5470 to 5725 | Pass |
|  |  |      | 138 | 5610.075 | 5470 to 5725 | Pass |
|  |  | 5775 | 102 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      | 120 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      | 138 | 5775.075 | 5725 to 5850 | Pass |

## Appendix H: Duty Cycle Test Result


| Test Mode  | Antenna | Channel | Transmission Duration [ms] | Transmission Period [ms] | Duty Cycle [%] | Limit | Verdict |
|------------|---------|---------|----------------------------|--------------------------|----------------|-------|---------|
| 11A        | Ant1    | 5180    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5200    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5240    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5260    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5300    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5320    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5500    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5580    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5700    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5745    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5785    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5825    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
| 11N20SISO  | Ant1    | 5180    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5200    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5240    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5260    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5300    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5320    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5500    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5580    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5700    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5745    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5785    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5825    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
| 11N40SISO  | Ant1    | 5190    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5230    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5270    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5310    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5510    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5550    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5670    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5755    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5795    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
| 11AC20SISO | Ant1    | 5180    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5200    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5240    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5260    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5300    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5320    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5500    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5580    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5700    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5745    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5785    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |
|            |         | 5825    | 100.00                     | 100.00                   | 100.00         | ---   | PASS    |

|            |      |      |        |        |        |     |      |
|------------|------|------|--------|--------|--------|-----|------|
| 11AC40SISO | Ant1 | 5190 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5230 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5270 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5310 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5510 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5550 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5670 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5755 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5795 | 100.00 | 100.00 | 100.00 | --- | PASS |
| 11AC80SISO | Ant1 | 5210 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5290 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5530 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5610 | 100.00 | 100.00 | 100.00 | --- | PASS |
|            |      | 5775 | 100.00 | 100.00 | 100.00 | --- | PASS |


## Test Graphs




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_LCH\_5260MHz\_Ant1\_NTNV




802.11a\_MCH\_5300MHz\_Ant1\_NTNV




802.11a\_HCH\_5320MHz\_Ant1\_NTNV




802.11a\_LCH\_5500MHz\_Ant1\_NTNV




802.11a\_MCH\_5580MHz\_Ant1\_NTNV




802.11a\_HCH\_5700MHz\_Ant1\_NTNV




802.11a\_LCH\_5745MHz\_Ant1\_NTNV




802.11a\_MCH\_5785MHz\_Ant1\_NTNV




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5260MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5300MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5320MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5500MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5580MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5700MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5270MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5310MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5510MHz\_Ant1\_NTNV




802.11n(HT40)\_MCH\_5550MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5670MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT20) LCH\_5260MHz\_Ant1\_NTNV




802.11ac(VHT20) MCH\_5300MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5500MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5580MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5700MHz\_Ant1\_NTNV




802.11ac(VHT20) LCH\_5745MHz\_Ant1\_NTNV




802.11ac(VHT20) MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5270MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5310MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5510MHz\_Ant1\_NTNV




802.11ac(VHT40)\_MCH\_5550MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5670MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV



802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV



802.11ac(VHT80)\_LCH\_5530MHz\_Ant1\_NTNV



802.11ac(VHT80)\_HCH\_5610MHz\_Ant1\_NTNV

