













BLE		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																					
ANT		BLE CH39 2480MHz																																																																																																																																					
1	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 Level (dBm/Vm) Freq: 2440 2450 2460 2470 2480 2490 2500 MHz Level: 11.7 23.4 35.1 46.8 58.5 70.2 81.9 93.6 105.3 117 dBm/Vm FCC PART 15C (dBm/Vm) Site Condition: 032805-E5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: RSW 1000.000MHz YBW 1000.000MHz SWT Auto Polar: 0 Plane: 0 Full-directivity: 0 IME1: #42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.68</td><td>47.54</td><td>-26.46</td><td>74.00</td><td>45.66</td><td>32.33</td><td>7.28</td><td>37.13</td><td>336</td><td>309 Peak VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Level (dBm/Vm) Freq: 2400 2450 2500 2550 2600 2650 2700 2750 2800 2850 2900 2950 3000 MHz Level: 11.7 23.4 35.1 46.8 58.5 70.2 81.9 93.6 105.3 117 dBm/Vm FCC PART 15C (dBm/Vm) Site Condition: 032805-E5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: RSW 1000.000MHz YBW 3000.000MHz SWT Auto Polar: 0 Plane: 0 Full-directivity: 0 IME1: #42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>97.23</td><td>23.23</td><td>74.00</td><td>94.66</td><td>32.34</td><td>7.25</td><td>37.82</td><td>336</td><td>309 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2480.68	47.54	-26.46	74.00	45.66	32.33	7.28	37.13	336	309 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2480.00	97.23	23.23	74.00	94.66	32.34	7.25	37.82	336	309 Peak VERTICAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Level (dBm/Vm) Freq: 2400 2450 2500 2550 2600 2650 2700 2750 2800 2850 2900 2950 3000 MHz Level: 11.7 23.4 35.1 46.8 58.5 70.2 81.9 93.6 105.3 117 dBm/Vm FCC PART 15C (AVG) (dBm/Vm) Site Condition: 032805-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Project: RSW 1000.000MHz YBW 1.000MHz SWT Auto Polar: 0 Plane: 0 Full-directivity: 0 IME1: #42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>96.76</td><td>42.76</td><td>54.00</td><td>94.19</td><td>32.34</td><td>7.25</td><td>37.82</td><td>336</td><td>309 Average VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6 Level (dBm/Vm) Freq: 2440 2450 2460 2470 2480 2490 2500 MHz Level: 11.7 23.4 35.1 46.8 58.5 70.2 81.9 93.6 105.3 117 dBm/Vm FCC PART 15C (AVG) (dBm/Vm) Site Condition: 032805-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Project: RSW 1000.000MHz YBW 1.000MHz SWT Auto Polar: 0 Plane: 0 Full-directivity: 0 IME1: #42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>38.34</td><td>-15.66</td><td>54.00</td><td>35.77</td><td>32.34</td><td>7.25</td><td>37.82</td><td>336</td><td>309 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2480.00	96.76	42.76	54.00	94.19	32.34	7.25	37.82	336	309 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2483.50	38.34	-15.66	54.00	35.77	32.34	7.25	37.82	336	309 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2480.68	47.54	-26.46	74.00	45.66	32.33	7.28	37.13	336	309 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2480.00	97.23	23.23	74.00	94.66	32.34	7.25	37.82	336	309 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2480.00	96.76	42.76	54.00	94.19	32.34	7.25	37.82	336	309 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2483.50	38.34	-15.66	54.00	35.77	32.34	7.25	37.82	336	309 Average VERTICAL																																																																																																																													





2.4GHz 2400~2483.5MHz
BLE—2Mbps (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																									
ANT	BLE CH00 2402MHz																																																																									
1	Horizontal						Vertical																																																																			
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032005-K3 Condition : FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Power : 100mW 0.0000mW 100.0000mW 300.0000mW Mode : 2 Plane : 2 Full-directivity MEI : 042  117 Level (dBuV/m) Frequency (MHz) FCC PART 15C (dB) FCC PART 15C (AVG) <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>39.66</td><td>-34.34</td><td>74.00</td><td>60.71</td><td>34.00</td><td>10.20</td><td>65.25</td><td>300</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr></table>						Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	4800.00	39.66	-34.34	74.00	60.71	34.00	10.20	65.25	300	0	Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032005-K3 Condition : FCC PART 15C 3m 3117.5M 00218642 VERTICAL Power : 100mW 0.0000mW 100.0000mW 300.0000mW Mode : 2 Plane : 2 Full-directivity MEI : 042  117 Level (dBuV/m) Frequency (MHz) FCC PART 15C (dB) FCC PART 15C (AVG) <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>39.84</td><td>-34.16</td><td>74.00</td><td>60.89</td><td>34.00</td><td>10.20</td><td>65.25</td><td>100</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></table>						Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	4800.00	39.84	-34.16	74.00	60.89	34.00	10.20	65.25	100	0	Peak	VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																		
1	4800.00	39.66	-34.34	74.00	60.71	34.00	10.20	65.25	300	0	Peak	HORIZONTAL																																																														
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																		
1	4800.00	39.84	-34.16	74.00	60.89	34.00	10.20	65.25	100	0	Peak	VERTICAL																																																														



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	BLE CH19 2440MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak	 Site : 030905-KS Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Power : 1000.000000 WPM 3000.000000 SRT Auto Project : FR261401-01 Mode : S Plane : E Full-directivity IME1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>4875.00</td><td>39.52</td><td>-34.48</td><td>74.00</td><td>60.51</td><td>34.00</td><td>10.29</td><td>65.28</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>7320.00</td><td>41.66</td><td>-32.34</td><td>74.00</td><td>59.99</td><td>35.77</td><td>12.72</td><td>66.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			4875.00	39.52	-34.48	74.00	60.51	34.00	10.29	65.28	300	0 Peak	HORIZONTAL	7320.00	41.66	-32.34	74.00	59.99	35.77	12.72	66.73	300	0 Peak	HORIZONTAL	 Site : 030905-KS Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 1000.000000 WPM 3000.000000 SRT Auto Project : FR261401-01 Mode : S Plane : E Full-directivity IME1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>4875.00</td><td>39.54</td><td>-34.46</td><td>74.00</td><td>60.53</td><td>34.00</td><td>10.29</td><td>65.28</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>7320.00</td><td>43.33</td><td>-30.67</td><td>74.00</td><td>61.57</td><td>35.77</td><td>12.72</td><td>66.73</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			4875.00	39.54	-34.46	74.00	60.53	34.00	10.29	65.28	100	0 Peak	VERTICAL	7320.00	43.33	-30.67	74.00	61.57	35.77	12.72	66.73	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																		
4875.00	39.52	-34.48	74.00	60.51	34.00	10.29	65.28	300	0 Peak	HORIZONTAL																																																																																
7320.00	41.66	-32.34	74.00	59.99	35.77	12.72	66.73	300	0 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																		
4875.00	39.54	-34.46	74.00	60.53	34.00	10.29	65.28	100	0 Peak	VERTICAL																																																																																
7320.00	43.33	-30.67	74.00	61.57	35.77	12.72	66.73	100	0 Peak	VERTICAL																																																																																
Avg.	 Site : 030905-KS Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Power : 1000.000000 WPM 3000.000000 SRT Auto Project : FR261401-01 Mode : S Plane : E Full-directivity IME1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>4875.00</td><td>39.52</td><td>-34.48</td><td>74.00</td><td>60.51</td><td>34.00</td><td>10.29</td><td>65.28</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>7320.00</td><td>41.66</td><td>-32.34</td><td>74.00</td><td>59.99</td><td>35.77</td><td>12.72</td><td>66.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			4875.00	39.52	-34.48	74.00	60.51	34.00	10.29	65.28	300	0 Peak	HORIZONTAL	7320.00	41.66	-32.34	74.00	59.99	35.77	12.72	66.73	300	0 Peak	HORIZONTAL	 Site : 030905-KS Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 1000.000000 WPM 3000.000000 SRT Auto Project : FR261401-01 Mode : S Plane : E Full-directivity IME1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>4875.00</td><td>39.54</td><td>-34.46</td><td>74.00</td><td>60.53</td><td>34.00</td><td>10.29</td><td>65.28</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>7320.00</td><td>43.33</td><td>-30.67</td><td>74.00</td><td>61.57</td><td>35.77</td><td>12.72</td><td>66.73</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			4875.00	39.54	-34.46	74.00	60.53	34.00	10.29	65.28	100	0 Peak	VERTICAL	7320.00	43.33	-30.67	74.00	61.57	35.77	12.72	66.73	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																		
4875.00	39.52	-34.48	74.00	60.51	34.00	10.29	65.28	300	0 Peak	HORIZONTAL																																																																																
7320.00	41.66	-32.34	74.00	59.99	35.77	12.72	66.73	300	0 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																		
4875.00	39.54	-34.46	74.00	60.53	34.00	10.29	65.28	100	0 Peak	VERTICAL																																																																																
7320.00	43.33	-30.67	74.00	61.57	35.77	12.72	66.73	100	0 Peak	VERTICAL																																																																																





BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																								
ANT	BLE CH39 2480MHz																																																																																								
1	Horizontal	Vertical																																																																																							
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790958 fax: +86-512-5790958 http://www.sporton.com.cn Site : 030905-KS Condition : FCC PART 15C 3m 3117 SN 00218042 HORIZONTAL Project : RSM 1000.000MHz VSW 3000.000MHz SRT Auto Mode : 0 Plane : 0 Full-directivity IME1 <table><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>4965.00</td><td>40.10</td><td>-33.90</td><td>74.00</td><td>61.01</td><td>34.00</td><td>10.41</td><td>65.32</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7440.00</td><td>41.89</td><td>-32.11</td><td>74.00</td><td>60.45</td><td>35.79</td><td>12.79</td><td>67.14</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790958 fax: +86-512-5790958 http://www.sporton.com.cn Site : 030905-KS Condition : FCC PART 15C 3m 3117 SN 00218042 VERTICAL Project : RSM 1000.000MHz VSW 3000.000MHz SRT Auto Mode : 0 Plane : 0 Full-directivity IME1 <table><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>4965.00</td><td>40.98</td><td>-33.02</td><td>74.00</td><td>61.89</td><td>34.00</td><td>10.41</td><td>65.32</td><td>100</td><td>0 Peak VERTICAL</td></tr><tr><td>2</td><td>7440.00</td><td>41.08</td><td>-32.92</td><td>74.00</td><td>59.04</td><td>35.79</td><td>12.79</td><td>67.14</td><td>100</td><td>0 Peak VERTICAL</td></tr></table>	IME1	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg		1	4965.00	40.10	-33.90	74.00	61.01	34.00	10.41	65.32	300	0 Peak HORIZONTAL	2	7440.00	41.89	-32.11	74.00	60.45	35.79	12.79	67.14	300	0 Peak HORIZONTAL	IME1	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg		1	4965.00	40.98	-33.02	74.00	61.89	34.00	10.41	65.32	100	0 Peak VERTICAL	2	7440.00	41.08	-32.92	74.00	59.04	35.79	12.79	67.14	100	0 Peak VERTICAL
IME1	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																															
	MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg																																																																																
1	4965.00	40.10	-33.90	74.00	61.01	34.00	10.41	65.32	300	0 Peak HORIZONTAL																																																																															
2	7440.00	41.89	-32.11	74.00	60.45	35.79	12.79	67.14	300	0 Peak HORIZONTAL																																																																															
IME1	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																															
	MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg																																																																																
1	4965.00	40.98	-33.02	74.00	61.89	34.00	10.41	65.32	100	0 Peak VERTICAL																																																																															
2	7440.00	41.08	-32.92	74.00	59.04	35.79	12.79	67.14	100	0 Peak VERTICAL																																																																															



Emission below 1GHz

2.4GHz BLE (LF)


BLE	2.4GHz 2400~2483.5MHz																																																																																																																																																													
ANT	BLE LF																																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																																												
QP / Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 11  Site : 032H05-K3 Condition : FCC PART 15C 3m GBL0110 SN23188 HORIZONTAL Power : 100.0000mW VSW 300.0000dB DBT Auto Project : FR261401-01 Mode : V Plane : V Full-directivity : 1 IMEI : 842 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>deg</th><th>on</th><th>deg</th></tr><tr><td>1</td><td>88.20</td><td>23.55</td><td>-19.95</td><td>43.50</td><td>40.19</td><td>14.78</td><td>1.42</td><td>32.84</td><td>--- Peak HORIZONTAL</td></tr><tr><td>2</td><td>150.28</td><td>25.41</td><td>-18.99</td><td>43.50</td><td>39.86</td><td>16.43</td><td>1.85</td><td>32.82</td><td>--- Peak HORIZONTAL</td></tr><tr><td>3</td><td>201.60</td><td>28.35</td><td>-17.45</td><td>44.00</td><td>39.36</td><td>19.36</td><td>2.60</td><td>32.82</td><td>--- Peak HORIZONTAL</td></tr><tr><td>4</td><td>448.41</td><td>27.33</td><td>-18.78</td><td>44.00</td><td>33.87</td><td>32.86</td><td>3.21</td><td>32.01</td><td>--- Peak HORIZONTAL</td></tr><tr><td>5</td><td>637.22</td><td>27.45</td><td>-18.55</td><td>44.00</td><td>31.43</td><td>25.15</td><td>3.85</td><td>32.98</td><td>--- Peak HORIZONTAL</td></tr><tr><td>6</td><td>831.22</td><td>31.38</td><td>-14.62</td><td>44.00</td><td>33.62</td><td>26.47</td><td>4.40</td><td>32.51</td><td>--- Peak HORIZONTAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg	1	88.20	23.55	-19.95	43.50	40.19	14.78	1.42	32.84	--- Peak HORIZONTAL	2	150.28	25.41	-18.99	43.50	39.86	16.43	1.85	32.82	--- Peak HORIZONTAL	3	201.60	28.35	-17.45	44.00	39.36	19.36	2.60	32.82	--- Peak HORIZONTAL	4	448.41	27.33	-18.78	44.00	33.87	32.86	3.21	32.01	--- Peak HORIZONTAL	5	637.22	27.45	-18.55	44.00	31.43	25.15	3.85	32.98	--- Peak HORIZONTAL	6	831.22	31.38	-14.62	44.00	33.62	26.47	4.40	32.51	--- Peak HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 12  Site : 032H05-K3 Condition : FCC PART 15C 3m GBL0110 SN23188 VERTICAL Power : 100.0000mW VSW 300.0000dB DBT Auto Project : FR261401-01 Mode : V Plane : V Full-directivity : 1 IMEI : 842 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>deg</th><th>on</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>32.72</td><td>-7.28</td><td>40.00</td><td>40.93</td><td>24.07</td><td>0.71</td><td>32.99</td><td>--- Peak VERTICAL</td></tr><tr><td>2</td><td>50.37</td><td>33.71</td><td>-4.29</td><td>40.00</td><td>51.73</td><td>14.23</td><td>1.06</td><td>32.91</td><td>--- Peak VERTICAL</td></tr><tr><td>3</td><td>87.23</td><td>36.72</td><td>-13.28</td><td>40.00</td><td>43.56</td><td>14.58</td><td>1.42</td><td>32.84</td><td>--- Peak VERTICAL</td></tr><tr><td>4</td><td>154.16</td><td>37.40</td><td>-15.60</td><td>42.60</td><td>42.66</td><td>16.03</td><td>1.79</td><td>32.84</td><td>--- Peak VERTICAL</td></tr><tr><td>5</td><td>549.32</td><td>27.09</td><td>-18.91</td><td>44.00</td><td>31.51</td><td>25.04</td><td>3.64</td><td>33.10</td><td>--- Peak VERTICAL</td></tr><tr><td>6</td><td>778.84</td><td>28.80</td><td>-17.20</td><td>44.00</td><td>31.21</td><td>26.98</td><td>4.27</td><td>32.76</td><td>--- Peak VERTICAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg	1	30.97	32.72	-7.28	40.00	40.93	24.07	0.71	32.99	--- Peak VERTICAL	2	50.37	33.71	-4.29	40.00	51.73	14.23	1.06	32.91	--- Peak VERTICAL	3	87.23	36.72	-13.28	40.00	43.56	14.58	1.42	32.84	--- Peak VERTICAL	4	154.16	37.40	-15.60	42.60	42.66	16.03	1.79	32.84	--- Peak VERTICAL	5	549.32	27.09	-18.91	44.00	31.51	25.04	3.64	33.10	--- Peak VERTICAL	6	778.84	28.80	-17.20	44.00	31.21	26.98	4.27	32.76	--- Peak VERTICAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg																																																																																																																																																						
1	88.20	23.55	-19.95	43.50	40.19	14.78	1.42	32.84	--- Peak HORIZONTAL																																																																																																																																																					
2	150.28	25.41	-18.99	43.50	39.86	16.43	1.85	32.82	--- Peak HORIZONTAL																																																																																																																																																					
3	201.60	28.35	-17.45	44.00	39.36	19.36	2.60	32.82	--- Peak HORIZONTAL																																																																																																																																																					
4	448.41	27.33	-18.78	44.00	33.87	32.86	3.21	32.01	--- Peak HORIZONTAL																																																																																																																																																					
5	637.22	27.45	-18.55	44.00	31.43	25.15	3.85	32.98	--- Peak HORIZONTAL																																																																																																																																																					
6	831.22	31.38	-14.62	44.00	33.62	26.47	4.40	32.51	--- Peak HORIZONTAL																																																																																																																																																					
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg																																																																																																																																																						
1	30.97	32.72	-7.28	40.00	40.93	24.07	0.71	32.99	--- Peak VERTICAL																																																																																																																																																					
2	50.37	33.71	-4.29	40.00	51.73	14.23	1.06	32.91	--- Peak VERTICAL																																																																																																																																																					
3	87.23	36.72	-13.28	40.00	43.56	14.58	1.42	32.84	--- Peak VERTICAL																																																																																																																																																					
4	154.16	37.40	-15.60	42.60	42.66	16.03	1.79	32.84	--- Peak VERTICAL																																																																																																																																																					
5	549.32	27.09	-18.91	44.00	31.51	25.04	3.64	33.10	--- Peak VERTICAL																																																																																																																																																					
6	778.84	28.80	-17.20	44.00	31.21	26.98	4.27	32.76	--- Peak VERTICAL																																																																																																																																																					



Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	84.97	2.130	0.469	0.47KHz
Bluetooth LE 2Mbps	56.92	1.072	0.932	1KHz

Bluetooth LE 1Mbps



Bluetooth LE 2Mbps

