











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH13 2472MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C905-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 24 Plane : Full-directivity IMEI : #42 PowerSetting : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2488.24</td><td>68.58</td><td>-13.58</td><td>74.00</td><td>58.95</td><td>32.33</td><td>7.25</td><td>37.13</td><td>234</td><td>86 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2488.24	68.58	-13.58	74.00	58.95	32.33	7.25	37.13	234	86 Peak	VERTICAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C905-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 24 Plane : Full-directivity IMEI : #42 PowerSetting : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>185.78</td><td>31.78</td><td>74.00</td><td>183.24</td><td>32.34</td><td>7.22</td><td>37.82</td><td>234</td><td>86 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2472.00	185.78	31.78	74.00	183.24	32.34	7.22	37.82	234	86 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2488.24	68.58	-13.58	74.00	58.95	32.33	7.25	37.13	234	86 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2472.00	185.78	31.78	74.00	183.24	32.34	7.22	37.82	234	86 Peak	VERTICAL																																																							
Avg.	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C905-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 24 Plane : Full-directivity IMEI : #42 PowerSetting : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>49.18</td><td>-4.98</td><td>54.00</td><td>46.53</td><td>32.34</td><td>7.25</td><td>37.82</td><td>234</td><td>86 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2483.58	49.18	-4.98	54.00	46.53	32.34	7.25	37.82	234	86 Average	VERTICAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C905-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 24 Plane : Full-directivity IMEI : #42 PowerSetting : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>95.85</td><td>41.85</td><td>54.00</td><td>93.31</td><td>32.34</td><td>7.22</td><td>37.82</td><td>234</td><td>86 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2472.00	95.85	41.85	54.00	93.31	32.34	7.22	37.82	234	86 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2483.58	49.18	-4.98	54.00	46.53	32.34	7.25	37.82	234	86 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2472.00	95.85	41.85	54.00	93.31	32.34	7.22	37.82	234	86 Average	VERTICAL																																																							

2.4GHz 2400~2483.5MHz---ANT 1





WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
1	Horizontal	Fundamental
Peak	SPORTON LAB. No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2310 2320 2340 2360 2380 2400 2420 2440 Level (dBuV/m) Frequency (MHz) FCC PART 15C 6dB Site Condition Project Mode Plane Full-directivity IMEI PowerSetting 03C805-E5 FCC PART 15C 3a 3117 2M 00210642 HORIZONTAL RNR 1000,000000 W 3000,000000 SPT Auto PRD261401-01 25 1 Full-directivity #42 4 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 2367.07 48.85 -25.15 74.00 46.14 32.22 7.87 36.58 233 27 Peak HORIZONTAL 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1600 1900 2200 2500 2700 3000 Level (dBuV/m) Frequency (MHz) FCC PART 15C 6dB Site Condition Project Mode Plane Full-directivity IMEI PowerSetting 03C805-E5 FCC PART 15C 3a 3117 2M 00210642 HORIZONTAL RNR 1000,000000 W 3000,000000 SPT Auto PRD261401-01 25 1 Full-directivity #42 4 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 2404.00 104.96 30.96 74.00 102.95 32.39 7.13 36.61 233 27 Peak HORIZONTAL	
	Avg.	SPORTON LAB. No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2310 2320 2340 2360 2380 2400 2420 2440 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) 6dB Site Condition Project Mode Plane Full-directivity IMEI PowerSetting 03C805-E5 FCC PART 15C (AVG) 3a 3117 2M 00210642 HORIZONTAL RNR 1000,000000 W 3000,000000 SPT Auto PRD261401-01 25 1 Full-directivity #42 4 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 2377.08 39.19 -14.81 54.00 36.36 32.31 7.87 36.55 233 27 Average HORIZONTAL 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1600 1900 2200 2500 2700 3000 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) 6dB Site Condition Project Mode Plane Full-directivity IMEI PowerSetting 03C805-E5 FCC PART 15C (AVG) 3a 3117 2M 00210642 HORIZONTAL RNR 1000,000000 W 3000,000000 SPT Auto PRD261401-01 25 1 Full-directivity #42 4 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 2404.00 96.81 42.81 54.00 93.10 32.39 7.13 36.61 233 27 Average HORIZONTAL







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
1	Vertical	Fundamental
Peak	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 5 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2310 2320 2340 2360 2380 2400 2420 2440 Frequency (MHz) FCC PART 15C (dBm) dBm Site Condition 003805-E5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000.000Hz YPR 3000.000Hz SWT Auto Project (FR)261401-01 Mode 20 Plane Full-directivity IMEI #42 PowerSetting 4 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor dB dBm dB cm deg 1 2384.36 48.69 -25.31 74.00 45.83 32.31 7.18 36.55 224 92 Peak VERTICAL	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 7 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1900 1950 2000 2050 2100 2150 2200 2250 2300 2350 2400 2450 2500 2550 2600 2650 2700 2750 2800 2850 2900 2950 3000 Frequency (MHz) FCC PART 15C (dBm) dBm Site Condition 003805-E5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000.000Hz YPR 3000.000Hz SWT Auto Project (FR)261401-01 Mode 20 Plane Full-directivity IMEI #42 PowerSetting 4 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor dB dBm dB cm deg 1 2404.00 104.45 38.45 74.00 101.54 32.39 7.13 36.61 224 92 Peak VERTICAL
Avg.	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 6 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2310 2320 2340 2360 2380 2400 2420 2440 Frequency (MHz) FCC PART 15C (AVG) (dBm) dBm Site Condition 003805-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL RSM 1000.000Hz YPR 1.8000Hz SWT Auto Project (FR)261401-01 Mode 20 Plane Full-directivity IMEI #42 PowerSetting 4 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor dB dBm dB cm deg 1 2389.62 39.00 -15.00 54.00 36.17 32.31 7.07 36.55 224 92 Average VERTICAL	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 8 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1900 1950 2000 2050 2100 2150 2200 2250 2300 2350 2400 2450 2500 2550 2600 2650 2700 2750 2800 2850 2900 2950 3000 Frequency (MHz) FCC PART 15C (AVG) (dBm) dBm Site Condition 003805-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL RSM 1000.000Hz YPR 1.8000Hz SWT Auto Project (FR)261401-01 Mode 20 Plane Full-directivity IMEI #42 PowerSetting 4 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor dB dBm dB cm deg 1 2404.00 95.50 41.50 54.00 92.59 32.39 7.13 36.61 224 92 Average VERTICAL



















WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																										
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz																																										
1	Horizontal					Fundamental																																					
Peak	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RPM 1000.000000 WPM 3000.000000 SPT Auto (FR)261401-01 20 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2499.22</td><td>48.14</td><td>-25.86</td><td>74.00</td><td>45.66</td><td>32.33</td><td>7.28</td><td>37.13</td><td>242</td><td>30 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2499.22	48.14	-25.86	74.00	45.66	32.33	7.28	37.13	242	30 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2499.22	48.14	-25.86	74.00	45.66	32.33	7.28	37.13	242	30 Peak																																	
 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RPM 1000.000000 WPM 3000.000000 SPT Auto (FR)261401-01 20 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2470.00</td><td>182.47</td><td>28.47</td><td>74.00</td><td>99.81</td><td>32.36</td><td>7.22</td><td>36.92</td><td>242</td><td>30 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2470.00	182.47	28.47	74.00	99.81	32.36	7.22	36.92	242	30 Peak	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2470.00	182.47	28.47	74.00	99.81	32.36	7.22	36.92	242	30 Peak																																	
Avg.	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RPM 1000.000000 WPM 1.000000 SPT Auto (FR)261401-01 20 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2493.18</td><td>38.38</td><td>-15.62</td><td>54.00</td><td>35.98</td><td>32.33</td><td>7.28</td><td>37.13</td><td>242</td><td>30 Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2493.18	38.38	-15.62	54.00	35.98	32.33	7.28	37.13	242	30 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2493.18	38.38	-15.62	54.00	35.98	32.33	7.28	37.13	242	30 Average																																	
 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RPM 1000.000000 WPM 1.000000 SPT Auto (FR)261401-01 20 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2470.00</td><td>94.96</td><td>40.96</td><td>54.00</td><td>92.96</td><td>32.36</td><td>7.22</td><td>36.92</td><td>242</td><td>30 Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2470.00	94.96	40.96	54.00	92.96	32.36	7.22	36.92	242	30 Average	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2470.00	94.96	40.96	54.00	92.96	32.36	7.22	36.92	242	30 Average																																	







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																		
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz																																																																																																																																		
1	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Poweritting 003805-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000.000Hz YPR 3000.000Hz SWT Auto (FR)261401-01 20 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2496.48</td><td>48.38</td><td>-25.78</td><td>74.00</td><td>45.82</td><td>32.33</td><td>7.28</td><td>37.13</td><td>230</td><td>97 Peak</td><td>VERTICAL</td></tr></table>  No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Poweritting 003805-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000.000Hz YPR 3000.000Hz SWT Auto (FR)261401-01 20 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2470.00</td><td>104.47</td><td>38.47</td><td>74.00</td><td>181.81</td><td>32.36</td><td>7.22</td><td>36.92</td><td>230</td><td>97 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2496.48	48.38	-25.78	74.00	45.82	32.33	7.28	37.13	230	97 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2470.00	104.47	38.47	74.00	181.81	32.36	7.22	36.92	230	97 Peak	VERTICAL	Avg.	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Poweritting 003805-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000.000Hz YPR 1.8000Hz SWT Auto (FR)261401-01 20 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2468.76</td><td>38.43</td><td>-15.57</td><td>54.00</td><td>35.98</td><td>32.33</td><td>7.25</td><td>37.13</td><td>230</td><td>97 Average</td><td>VERTICAL</td></tr></table>  No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Poweritting 003805-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000.000Hz YPR 1.8000Hz SWT Auto (FR)261401-01 20 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2470.00</td><td>95.86</td><td>41.86</td><td>54.00</td><td>93.28</td><td>32.36</td><td>7.22</td><td>36.92</td><td>230</td><td>97 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2468.76	38.43	-15.57	54.00	35.98	32.33	7.25	37.13	230	97 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2470.00	95.86	41.86	54.00	93.28	32.36	7.22	36.92	230	97 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2496.48	48.38	-25.78	74.00	45.82	32.33	7.28	37.13	230	97 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2470.00	104.47	38.47	74.00	181.81	32.36	7.22	36.92	230	97 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2468.76	38.43	-15.57	54.00	35.98	32.33	7.25	37.13	230	97 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2470.00	95.86	41.86	54.00	93.28	32.36	7.22	36.92	230	97 Average	VERTICAL																																																																																																																								




WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz																																																																																																																																						
1	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 1 Level (dBm/Vm)  Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RF 100.000000 WPM 3000.000000 SPT Auto (FR)261401-01 21 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2463.58</td><td>48.11</td><td>-25.89</td><td>74.00</td><td>45.54</td><td>32.34</td><td>7.25</td><td>37.82</td><td>311</td><td>329 Peak</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 3 Level (dBm/Vm)  Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RF 100.000000 WPM 3000.000000 SPT Auto (FR)261401-01 21 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2476.00</td><td>187.87</td><td>33.87</td><td>74.00</td><td>184.58</td><td>32.34</td><td>7.25</td><td>37.82</td><td>311</td><td>329 Peak</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 2 Level (dBm/Vm)  Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RF 100.000000 WPM 1.800000 SPT Auto (FR)261401-01 21 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.92</td><td>38.55</td><td>-15.45</td><td>54.00</td><td>35.98</td><td>32.34</td><td>7.25</td><td>37.82</td><td>311</td><td>329 Average</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 4 Level (dBm/Vm)  Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RF 100.000000 WPM 1.800000 SPT Auto (FR)261401-01 21 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2476.00</td><td>98.16</td><td>44.16</td><td>54.00</td><td>95.59</td><td>32.34</td><td>7.25</td><td>37.82</td><td>311</td><td>329 Average</td></tr></table> </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2463.58	48.11	-25.89	74.00	45.54	32.34	7.25	37.82	311	329 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2476.00	187.87	33.87	74.00	184.58	32.34	7.25	37.82	311	329 Peak	Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 2 Level (dBm/Vm)  Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RF 100.000000 WPM 1.800000 SPT Auto (FR)261401-01 21 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.92</td><td>38.55</td><td>-15.45</td><td>54.00</td><td>35.98</td><td>32.34</td><td>7.25</td><td>37.82</td><td>311</td><td>329 Average</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 4 Level (dBm/Vm)  Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RF 100.000000 WPM 1.800000 SPT Auto (FR)261401-01 21 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2476.00</td><td>98.16</td><td>44.16</td><td>54.00</td><td>95.59</td><td>32.34</td><td>7.25</td><td>37.82</td><td>311</td><td>329 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2483.92	38.55	-15.45	54.00	35.98	32.34	7.25	37.82	311	329 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2476.00	98.16	44.16	54.00	95.59	32.34	7.25	37.82	311	329 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2463.58	48.11	-25.89	74.00	45.54	32.34	7.25	37.82	311	329 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2476.00	187.87	33.87	74.00	184.58	32.34	7.25	37.82	311	329 Peak																																																																																																																													
Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 2 Level (dBm/Vm)  Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RF 100.000000 WPM 1.800000 SPT Auto (FR)261401-01 21 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.92</td><td>38.55</td><td>-15.45</td><td>54.00</td><td>35.98</td><td>32.34</td><td>7.25</td><td>37.82</td><td>311</td><td>329 Average</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 4 Level (dBm/Vm)  Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RF 100.000000 WPM 1.800000 SPT Auto (FR)261401-01 21 Full-directivity #42 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2476.00</td><td>98.16</td><td>44.16</td><td>54.00</td><td>95.59</td><td>32.34</td><td>7.25</td><td>37.82</td><td>311</td><td>329 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2483.92	38.55	-15.45	54.00	35.98	32.34	7.25	37.82	311	329 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2476.00	98.16	44.16	54.00	95.59	32.34	7.25	37.82	311	329 Average																																																																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2483.92	38.55	-15.45	54.00	35.98	32.34	7.25	37.82	311	329 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2476.00	98.16	44.16	54.00	95.59	32.34	7.25	37.82	311	329 Average																																																																																																																													




WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz																																																																					
1	Vertical	Fundamental																																																																				
Peak	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: 03CB05-15 FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: 21 Plane: Full-directivity IMEI: #42 Powering: 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2467.12</td><td>48.28</td><td>-25.72</td><td>74.00</td><td>45.00</td><td>32.33</td><td>7.28</td><td>37.13</td><td>126</td><td>295 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2467.12	48.28	-25.72	74.00	45.00	32.33	7.28	37.13	126	295 Peak	VERTICAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: 03CB05-15 FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: 21 Plane: Full-directivity IMEI: #42 Powering: 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2476.00</td><td>184.75</td><td>30.75</td><td>74.00</td><td>182.18</td><td>32.34</td><td>7.25</td><td>37.02</td><td>126</td><td>295 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2476.00	184.75	30.75	74.00	182.18	32.34	7.25	37.02	126	295 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																														
1	2467.12	48.28	-25.72	74.00	45.00	32.33	7.28	37.13	126	295 Peak	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																														
1	2476.00	184.75	30.75	74.00	182.18	32.34	7.25	37.02	126	295 Peak	VERTICAL																																																											
Avg.	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: 03CB05-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: 21 Plane: Full-directivity IMEI: #42 Powering: 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2464.94</td><td>38.42</td><td>-15.58</td><td>54.00</td><td>35.05</td><td>32.34</td><td>7.25</td><td>37.02</td><td>126</td><td>295 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2464.94	38.42	-15.58	54.00	35.05	32.34	7.25	37.02	126	295 Average	VERTICAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: 03CB05-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: 21 Plane: Full-directivity IMEI: #42 Powering: 4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2476.00</td><td>96.69</td><td>42.69</td><td>54.00</td><td>93.52</td><td>32.34</td><td>7.25</td><td>37.02</td><td>126</td><td>295 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2476.00	96.69	42.69	54.00	93.52	32.34	7.25	37.02	126	295 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																														
1	2464.94	38.42	-15.58	54.00	35.05	32.34	7.25	37.02	126	295 Average	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																														
1	2476.00	96.69	42.69	54.00	93.52	32.34	7.25	37.02	126	295 Average	VERTICAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz									
1	Horizontal					Fundamental				
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 9 117 Level (dBV/m) </									



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT		802.11ax HE20 Partial 26/8 CH13 2472MHz	
1	Vertical	Fundamental	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 W 3000.000000 SPT Auto (FR)261401-01 24 Full-directivity #42 -2 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor dB dBm		






WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

Sporton International Inc. (Kunshan)







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz																																																																																																																																						
1	Vertical	Fundamental																																																																																																																																					
Peak	No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000.000Hz YPR 3000.000Hz SWT Auto Project Mode: (FR)261401-01 Plane: 20 Pull-directivity: #42 IMEI PowerSetting: 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2368.18</td><td>48.52</td><td>-25.48</td><td>74.00</td><td>45.81</td><td>32.22</td><td>7.87</td><td>36.58</td><td>224</td><td>90 Peak VERTICAL</td></tr></table> No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000.000Hz YPR 3000.000Hz SWT Auto Project Mode: (FR)261401-01 Plane: 20 Pull-directivity: #42 IMEI PowerSetting: 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2404.00</td><td>185.82</td><td>31.82</td><td>74.00</td><td>182.91</td><td>32.39</td><td>7.13</td><td>36.61</td><td>224</td><td>90 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2368.18	48.52	-25.48	74.00	45.81	32.22	7.87	36.58	224	90 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2404.00	185.82	31.82	74.00	182.91	32.39	7.13	36.61	224	90 Peak VERTICAL	Avg.	No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL RSM 1000.000Hz YPR 3.000Hz SWT Auto Project Mode: (FR)261401-01 Plane: 20 Pull-directivity: #42 IMEI PowerSetting: 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2372.01</td><td>39.84</td><td>-14.16</td><td>54.00</td><td>37.81</td><td>32.31</td><td>7.87</td><td>36.55</td><td>224</td><td>90 Average VERTICAL</td></tr></table> No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL RSM 1000.000Hz YPR 3.000Hz SWT Auto Project Mode: (FR)261401-01 Plane: 20 Pull-directivity: #42 IMEI PowerSetting: 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2404.00</td><td>96.26</td><td>42.26</td><td>54.00</td><td>93.35</td><td>32.39</td><td>7.13</td><td>36.61</td><td>224</td><td>90 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2372.01	39.84	-14.16	54.00	37.81	32.31	7.87	36.55	224	90 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2404.00	96.26	42.26	54.00	93.35	32.39	7.13	36.61	224	90 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2368.18	48.52	-25.48	74.00	45.81	32.22	7.87	36.58	224	90 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2404.00	185.82	31.82	74.00	182.91	32.39	7.13	36.61	224	90 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2372.01	39.84	-14.16	54.00	37.81	32.31	7.87	36.55	224	90 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2404.00	96.26	42.26	54.00	93.35	32.39	7.13	36.61	224	90 Average VERTICAL																																																																																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL R9W 100.000000 W9W 3000.000000 SPT Auto (FR)261401-01 29 Full-directivity #42 7 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor dB dBuV/m dBuV dB/m dB cm deg Freq Level MHz dBuV/m 1 2495.82 48.88 -25.92 74.80 45.68 32.33 7.28 37.13 271 29 Peak Remark Pol/Phas HORIZONTAL	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL R9W 100.000000 W9W 3000.000000 SPT Auto (FR)261401-01 29 Full-directivity #42 7 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor dB dBuV/m dBuV dB/m dB cm deg Freq Level MHz dBuV/m 1 * 2470.88 183.98 29.98 74.80 181.24 32.36 7.22 36.92 271 29 Peak Remark Pol/Phas HORIZONTAL
	Avg.	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL R9W 100.000000 W9W 3.300000 SPT Auto (FR)261401-01 29 Full-directivity #42 7 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor dB dBuV/m dBuV dB/m dB cm deg Freq Level MHz dBuV/m 1 2468.64 38.87 -15.13 54.00 36.42 32.33 7.25 37.13 271 29 Average Remark Pol/Phas HORIZONTAL







WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																																																																																	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz																																																																																																																																	
1	Vertical	Fundamental																																																																																																																																
Peak	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : OCBW-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000, 000Hz YBW 3000, 000Hz SWT Auto Project : FR261401-01 Mode : 20 Plane : Full-directivity FWEI : #42 PowerSetting : 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.46</td><td>47.75</td><td>-26.25</td><td>74.00</td><td>45.18</td><td>32.34</td><td>7.25</td><td>37.82</td><td>232</td><td>96 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : OCBW-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000, 000Hz YBW 3000, 000Hz SWT Auto Project : FR261401-01 Mode : 20 Plane : Full-directivity FWEI : #42 PowerSetting : 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>2468.00</td><td>184.79</td><td>39.79</td><td>74.00</td><td>182.13</td><td>32.36</td><td>7.22</td><td>36.92</td><td>232</td><td>96 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.46	47.75	-26.25	74.00	45.18	32.34	7.25	37.82	232	96 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2468.00	184.79	39.79	74.00	182.13	32.36	7.22	36.92	232	96 Peak	VERTICAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : OCBW-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000, 000Hz YBW 3.300KHz SWT Auto Project : FR261401-01 Mode : 20 Plane : Full-directivity FWEI : #42 PowerSetting : 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.82</td><td>39.85</td><td>-14.95</td><td>54.00</td><td>36.68</td><td>32.33</td><td>7.25</td><td>37.13</td><td>232</td><td>96 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : OCBW-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000, 000Hz YBW 3.300KHz SWT Auto Project : FR261401-01 Mode : 20 Plane : Full-directivity FWEI : #42 PowerSetting : 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>2478.00</td><td>96.36</td><td>42.36</td><td>54.00</td><td>93.78</td><td>32.36</td><td>7.22</td><td>36.92</td><td>232</td><td>96 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2480.82	39.85	-14.95	54.00	36.68	32.33	7.25	37.13	232	96 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2478.00	96.36	42.36	54.00	93.78	32.36	7.22	36.92	232	96 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																										
1	2484.46	47.75	-26.25	74.00	45.18	32.34	7.25	37.82	232	96 Peak	VERTICAL																																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																										
1 *	2468.00	184.79	39.79	74.00	182.13	32.36	7.22	36.92	232	96 Peak	VERTICAL																																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																										
1	2480.82	39.85	-14.95	54.00	36.68	32.33	7.25	37.13	232	96 Average	VERTICAL																																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																										
1 *	2478.00	96.36	42.36	54.00	93.78	32.36	7.22	36.92	232	96 Average	VERTICAL																																																																																																																							











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : OCBW5-E5 FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL RSM 1000,000Hz YBW 3000,000Hz SWT Auto Project : FR261401-01 Mode : 20 Plane : Full-directivity IMEI : #42 PowerSetting : 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.30</td><td>49.42</td><td>-24.58</td><td>74.00</td><td>46.85</td><td>32.34</td><td>7.25</td><td>37.82</td><td>315</td><td>2 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2485.30	49.42	-24.58	74.00	46.85	32.34	7.25	37.82	315	2 Peak	HORIZONTAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : OCBW5-E5 FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL RSM 1000,000Hz YBW 3000,000Hz SWT Auto Project : FR261401-01 Mode : 20 Plane : Full-directivity IMEI : #42 PowerSetting : 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>2474.00</td><td>186.97</td><td>32.97</td><td>74.00</td><td>184.40</td><td>32.34</td><td>7.25</td><td>37.82</td><td>315</td><td>2 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2474.00	186.97	32.97	74.00	184.40	32.34	7.25	37.82	315	2 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2485.30	49.42	-24.58	74.00	46.85	32.34	7.25	37.82	315	2 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2474.00	186.97	32.97	74.00	184.40	32.34	7.25	37.82	315	2 Peak	HORIZONTAL																																																							
Avg.	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : OCBW5-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL RSM 1000,000Hz YBW 3,300KHz SWT Auto Project : FR261401-01 Mode : 20 Plane : Full-directivity IMEI : #42 PowerSetting : 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.08</td><td>48.74</td><td>-13.26</td><td>54.00</td><td>38.17</td><td>32.34</td><td>7.25</td><td>37.82</td><td>315</td><td>2 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2485.08	48.74	-13.26	54.00	38.17	32.34	7.25	37.82	315	2 Average	HORIZONTAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : OCBW5-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL RSM 1000,000Hz YBW 3,300KHz SWT Auto Project : FR261401-01 Mode : 20 Plane : Full-directivity IMEI : #42 PowerSetting : 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>2474.00</td><td>98.82</td><td>44.82</td><td>54.00</td><td>96.25</td><td>32.34</td><td>7.25</td><td>37.82</td><td>315</td><td>2 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2474.00	98.82	44.82	54.00	96.25	32.34	7.25	37.82	315	2 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2485.08	48.74	-13.26	54.00	38.17	32.34	7.25	37.82	315	2 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2474.00	98.82	44.82	54.00	96.25	32.34	7.25	37.82	315	2 Average	HORIZONTAL																																																							







WIFI		2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																																																																																	
ANT		802.11ax HE20 Partial 52/40 CH12 2467MHz																																																																																																																																	
1	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C9D5-E5 PCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000,000KHz VSW 3000,000KHz SWT Auto Project : (RU)201401-01 Mode : 32 Plane : 2 Pull-directivity : #42 IMEI : #0000000000000000 PowerSetting : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2468.79</td><td>49.12</td><td>-24.88</td><td>74.00</td><td>46.55</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>293 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C9D5-E5 PCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000,000KHz VSW 3000,000KHz SWT Auto Project : (RU)201401-01 Mode : 32 Plane : 2 Pull-directivity : #42 IMEI : #0000000000000000 PowerSetting : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2476.00</td><td>185.47</td><td>31.47</td><td>74.00</td><td>182.90</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>293 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg		1	2468.79	49.12	-24.88	74.00	46.55	32.34	7.25	37.82	100	293 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg		1	2476.00	185.47	31.47	74.00	182.90	32.34	7.25	37.82	100	293 Peak	VERTICAL	Avg.	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C9D5-E5 PCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL RSM 1000,000KHz VSW 3.350KHz SWT Auto Project : (RU)201401-01 Mode : 32 Plane : 2 Pull-directivity : #42 IMEI : #0000000000000000 PowerSetting : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2468.94</td><td>48.36</td><td>-13.64</td><td>54.00</td><td>37.79</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>293 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C9D5-E5 PCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL RSM 1000,000KHz VSW 3.350KHz SWT Auto Project : (RU)201401-01 Mode : 32 Plane : 2 Pull-directivity : #42 IMEI : #0000000000000000 PowerSetting : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2476.00</td><td>97.59</td><td>43.59</td><td>54.00</td><td>95.82</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>293 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg		1	2468.94	48.36	-13.64	54.00	37.79	32.34	7.25	37.82	100	293 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg		1	2476.00	97.59	43.59	54.00	95.82	32.34	7.25	37.82	100	293 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg																																																																																																																											
1	2468.79	49.12	-24.88	74.00	46.55	32.34	7.25	37.82	100	293 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg																																																																																																																											
1	2476.00	185.47	31.47	74.00	182.90	32.34	7.25	37.82	100	293 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg																																																																																																																											
1	2468.94	48.36	-13.64	54.00	37.79	32.34	7.25	37.82	100	293 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg																																																																																																																											
1	2476.00	97.59	43.59	54.00	95.82	32.34	7.25	37.82	100	293 Average	VERTICAL																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m		
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz		
1	Horizontal	Fundamental	
Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RPM 100.000000 W 3000.000000 SPT Auto (FR)261401-01 20 2 Pull-directivity #42 -4 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB cm deg 1 2483.56 62.38 -11.62 74.00 59.81 32.34 7.25 37.82 100 3 Peak HORIZONTAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RPM 100.000000 W 3000.000000 SPT Auto (FR)261401-01 20 2 Pull-directivity #42 -4 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB cm deg 1 * 2480.00 93.56 19.56 74.00 59.99 32.34 7.25 37.82 100 3 Peak HORIZONTAL <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RPM 100.000000 W 3.000000 SPT Auto (FR)261401-01 20 2 Pull-directivity #42 -4 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB cm deg 1 2483.62 49.96 -4.84 54.00 47.39 32.34 7.25 37.82 100 3 Average HORIZONTAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RPM 100.000000 W 3.000000 SPT Auto (FR)261401-01 20 2 Pull-directivity #42 -4 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB cm deg 1 * 2478.00 86.10 32.10 54.00 83.53 32.34 7.25 37.82 100 3 Average HORIZONTAL </td></tr>	Avg.	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RPM 100.000000 W 3.000000 SPT Auto (FR)261401-01 20 2 Pull-directivity #42 -4 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB cm deg 1 2483.62 49.96 -4.84 54.00 47.39 32.34 7.25 37.82 100 3 Average HORIZONTAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RPM 100.000000 W 3.000000 SPT Auto (FR)261401-01 20 2 Pull-directivity #42 -4 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB cm deg 1 * 2478.00 86.10 32.10 54.00 83.53 32.34 7.25 37.82 100 3 Average HORIZONTAL
	Avg.		 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RPM 100.000000 W 3.000000 SPT Auto (FR)261401-01 20 2 Pull-directivity #42 -4 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB cm deg 1 2483.62 49.96 -4.84 54.00 47.39 32.34 7.25 37.82 100 3 Average HORIZONTAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RPM 100.000000 W 3.000000 SPT Auto (FR)261401-01 20 2 Pull-directivity #42 -4 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB cm deg 1 * 2478.00 86.10 32.10 54.00 83.53 32.34 7.25 37.82 100 3 Average HORIZONTAL



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C9D5-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000,000KHz VSW 3000,000KHz SWT Auto PR0201401-01 25 2 Pull-directivity #42 -4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.56</td><td>61.99</td><td>-12.81</td><td>74.80</td><td>59.42</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>293 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.56	61.99	-12.81	74.80	59.42	32.34	7.25	37.82	100	293 Peak	VERTICAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C9D5-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000,000KHz VSW 3000,000KHz SWT Auto PR0201401-01 25 2 Pull-directivity #42 -4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>95.44</td><td>21.44</td><td>74.80</td><td>92.87</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>293 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2478.00	95.44	21.44	74.80	92.87	32.34	7.25	37.82	100	293 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.56	61.99	-12.81	74.80	59.42	32.34	7.25	37.82	100	293 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2478.00	95.44	21.44	74.80	92.87	32.34	7.25	37.82	100	293 Peak	VERTICAL																																																							
Avg.	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C9D5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000,000KHz VSW 3.350KHz SWT Auto PR0201401-01 25 2 Pull-directivity #42 -4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>58.68</td><td>-3.48</td><td>54.00</td><td>48.83</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>293 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	58.68	-3.48	54.00	48.83	32.34	7.25	37.82	100	293 Average	VERTICAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C9D5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000,000KHz VSW 3.350KHz SWT Auto PR0201401-01 25 2 Pull-directivity #42 -4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>86.14</td><td>32.14</td><td>54.00</td><td>83.57</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>293 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2478.00	86.14	32.14	54.00	83.57	32.34	7.25	37.82	100	293 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	58.68	-3.48	54.00	48.83	32.34	7.25	37.82	100	293 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2478.00	86.14	32.14	54.00	83.57	32.34	7.25	37.82	100	293 Average	VERTICAL																																																							

2.4GHz 2400~2483.5MHz---ANT 1

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI

2.4GHz 2400~2483.5MHz Band Edge @ 3m

ANT

802.11ax HE20 Partial 106/53 CH01 2412MHz

1

Horizontal

SPORTON LAB.

No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China
tel: +86-512-57900158
fax: +86-512-57900958
http://www.sporton.com.cn

DATA: 1

117

Level (dBm/Vm)

105.3

93.6

81.9

70.2

58.5

46.8

35.1

23.4

11.7

2310

2320

2340

2360

2380

2400

2420

2440

Frequency (MHz)

FCC PART 15C

dBm

1

2381.63

58.57

-23.43

74.00

47.71

32.31

7.10

36.55

150

181

Peak

HORIZONTAL

Site

Condition

Project

Model

Plane

IMEI

PowerSetting

Freq

Level

Over

Limit

ReadAntenna

Cable

Preamp

A/Pos

T/Pos

Remark

Pol/Phas

MHz

dBm/Vm

dB

dBm/Vm

dB

dB

cm

deg

SPORTON LAB.

No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China
tel: +86-512-57900158
fax: +86-512-57900958
http://www.sporton.com.cn

DATA: 3

117

Level (dBm/Vm)

105.3

93.6

81.9

70.2

58.5

46.8

35.1

23.4

11.7

2310

2320

2340

2360

2380

2400

2420

2440

Frequency (MHz)

FCC PART 15C

dBm

1

2404.00

106.12

32.12

74.00

103.21

32.39

7.13

36.61

150

181

Peak

HORIZONTAL

Site

Condition

Project

Model

Plane

IMEI

PowerSetting

Freq

Level

Over

Limit

ReadAntenna

Cable

Preamp

A/Pos

T/Pos

Remark

Pol/Phas

MHz

dBm/Vm

dB

dBm/Vm

dB

dB

cm

deg

1

Avg.

SPORTON LAB.

No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China
tel: +86-512-57900158
fax: +86-512-57900958
http://www.sporton.com.cn

DATA: 2

117

Level (dBm/Vm)

105.3

93.6

81.9

70.2

58.5

46.8

35.1

23.4

11.7

2310

2320

2340

2360

2380

2400

2420

2440

Frequency (MHz)

FCC PART 15C (Avg)

dBm

1

2386.83

61.70

-12.30

54.00

38.71

32.40

7.10

36.51

150

181

Average

HORIZONTAL

Site

Condition

Project

Model

Plane

IMEI

PowerSetting

Freq

Level

Over

Limit

ReadAntenna

Cable

Preamp

A/Pos

T/Pos

Remark

Pol/Phas

MHz

dBm/Vm

dB

dBm/Vm

dB

dB

cm

deg

SPORTON LAB.

No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China
tel: +86-512-57900158
fax: +86-512-57900958
http://www.sporton.com.cn

DATA: 4

117

Level (dBm/Vm)

105.3

93.6

81.9

70.2

58.5

46.8

35.1

23.4

11.7

2310

2320

2340

2360

2380

2400

2420

2440

Frequency (MHz)

FCC PART 15C (Avg)

dBm

1

2405.00

97.39

43.39

54.00

94.48

32.39

7.13

36.61

150

181

Average

HORIZONTAL

Site

Condition

Project

Model

Plane

IMEI

PowerSetting

Freq

Level

Over

Limit

ReadAntenna

Cable

Preamp

A/Pos

T/Pos

Remark

Pol/Phas

MHz

dBm/Vm

dB

dBm/Vm





dB

dB





cm

deg







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz																																																																			
1	Vertical	Fundamental																																																																		
Peak	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 117 Level (dBV/m) FCC PART 15C (dBm) Site Condition : 03CB05-05 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 500.000000 SPT Auto Project : (FR)261401-01 Mode : 27 Plane : Pull-directivity IMEI : #42 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2376.95</td><td>49.44</td><td>-24.56</td><td>74.00</td><td>46.61</td><td>32.31</td><td>7.07</td><td>36.55</td><td>224</td><td>87 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg			1	2376.95	49.44	-24.56	74.00	46.61	32.31	7.07	36.55	224	87 Peak VERTICAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 117 Level (dBV/m) FCC PART 15C (dBm) Site Condition : 03CB05-05 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 500.000000 SPT Auto Project : (FR)261401-01 Mode : 27 Plane : Pull-directivity IMEI : #42 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2410.00</td><td>104.81</td><td>30.01</td><td>74.00</td><td>101.10</td><td>32.39</td><td>7.13</td><td>36.61</td><td>224</td><td>87 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg			1	2410.00	104.81	30.01	74.00	101.10	32.39	7.13	36.61	224	87 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																												
1	2376.95	49.44	-24.56	74.00	46.61	32.31	7.07	36.55	224	87 Peak VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																												
1	2410.00	104.81	30.01	74.00	101.10	32.39	7.13	36.61	224	87 Peak VERTICAL																																																										
Avg.	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 6 117 Level (dBV/m) FCC PART 15C (AVG) (dBm) Site Condition : 03CB05-05 FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 5.600000 SPT Auto Project : (FR)261401-01 Mode : 27 Plane : Pull-directivity IMEI : #42 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2388.78</td><td>41.53</td><td>-12.47</td><td>54.00</td><td>38.54</td><td>32.40</td><td>7.10</td><td>36.51</td><td>224</td><td>87 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg			1	2388.78	41.53	-12.47	54.00	38.54	32.40	7.10	36.51	224	87 Average VERTICAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 117 Level (dBV/m) FCC PART 15C (AVG) (dBm) Site Condition : 03CB05-05 FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 5.600000 SPT Auto Project : (FR)261401-01 Mode : 27 Plane : Pull-directivity IMEI : #42 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2410.00</td><td>96.95</td><td>42.95</td><td>54.00</td><td>94.04</td><td>32.39</td><td>7.13</td><td>36.61</td><td>224</td><td>87 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg			1	2410.00	96.95	42.95	54.00	94.04	32.39	7.13	36.61	224	87 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																												
1	2388.78	41.53	-12.47	54.00	38.54	32.40	7.10	36.51	224	87 Average VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																												
1	2410.00	96.95	42.95	54.00	94.04	32.39	7.13	36.61	224	87 Average VERTICAL																																																										







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz																																																																			
1	Horizontal	Fundamental																																																																		
Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C805-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL R9W 100.000MHz YPR 3000.000dBm SPT Auto (FR)261401-01 20 20 Full-directivity 842 10.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Limit Line Level Factor Loss Factor <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2493.24</td><td>58.48</td><td>-23.68</td><td>74.80</td><td>47.95</td><td>32.33</td><td>7.25</td><td>37.13</td><td>170</td><td>183 Peak</td></tr></tbody></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2493.24	58.48	-23.68	74.80	47.95	32.33	7.25	37.13	170	183 Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C805-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL R9W 100.000MHz YPR 3000.000dBm SPT Auto (FR)261401-01 20 20 Full-directivity 842 10.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Limit Line Level Factor Loss Factor <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2479.00</td><td>104.78</td><td>30.78</td><td>74.80</td><td>182.12</td><td>32.36</td><td>7.22</td><td>36.92</td><td>170</td><td>183 Peak</td></tr></tbody></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2479.00	104.78	30.78	74.80	182.12	32.36	7.22	36.92	170	183 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2493.24	58.48	-23.68	74.80	47.95	32.33	7.25	37.13	170	183 Peak																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2479.00	104.78	30.78	74.80	182.12	32.36	7.22	36.92	170	183 Peak																																																										
Avg.	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C805-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL R9W 100.000MHz YPR 5.600dBm SPT Auto (FR)261401-01 20 20 Full-directivity 842 10.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Limit Line Level Factor Loss Factor <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2484.88</td><td>43.34</td><td>-18.66</td><td>54.80</td><td>48.77</td><td>32.34</td><td>7.25</td><td>37.02</td><td>170</td><td>183 Average</td></tr></tbody></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2484.88	43.34	-18.66	54.80	48.77	32.34	7.25	37.02	170	183 Average	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C805-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL R9W 100.000MHz YPR 5.600dBm SPT Auto (FR)261401-01 20 20 Full-directivity 842 10.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Limit Line Level Factor Loss Factor <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2468.00</td><td>96.88</td><td>42.88</td><td>54.80</td><td>94.14</td><td>32.36</td><td>7.22</td><td>36.92</td><td>170</td><td>183 Average</td></tr></tbody></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2468.00	96.88	42.88	54.80	94.14	32.36	7.22	36.92	170	183 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2484.88	43.34	-18.66	54.80	48.77	32.34	7.25	37.02	170	183 Average																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2468.00	96.88	42.88	54.80	94.14	32.36	7.22	36.92	170	183 Average																																																										







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 Site Condition: 03C805-05 FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 500.000000 SPT Auto Project: (FR)261401-01 Mode: 20 Plane: 2 Full-directivity IMEI: 842 PowerSetting: 10.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2494.18</td><td>48.55</td><td>-25.45</td><td>74.00</td><td>46.87</td><td>32.33</td><td>7.28</td><td>37.13</td><td>180</td><td>78 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2494.18	48.55	-25.45	74.00	46.87	32.33	7.28	37.13	180	78 Peak	VERTICAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Site Condition: 03C805-05 FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 500.000000 SPT Auto Project: (FR)261401-01 Mode: 20 Plane: 2 Full-directivity IMEI: 842 PowerSetting: 10.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2466.00</td><td>104.72</td><td>38.72</td><td>74.00</td><td>102.06</td><td>32.36</td><td>7.22</td><td>36.92</td><td>180</td><td>78 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2466.00	104.72	38.72	74.00	102.06	32.36	7.22	36.92	180	78 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2494.18	48.55	-25.45	74.00	46.87	32.33	7.28	37.13	180	78 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2466.00	104.72	38.72	74.00	102.06	32.36	7.22	36.92	180	78 Peak	VERTICAL																																																							
Avg.	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 6 Site Condition: 03C805-05 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 5.600000 SPT Auto Project: (FR)261401-01 Mode: 20 Plane: 2 Full-directivity IMEI: 842 PowerSetting: 10.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2491.18</td><td>39.25</td><td>-14.75</td><td>54.00</td><td>36.88</td><td>32.33</td><td>7.25</td><td>37.13</td><td>180</td><td>78 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2491.18	39.25	-14.75	54.00	36.88	32.33	7.25	37.13	180	78 Average	VERTICAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Site Condition: 03C805-05 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 5.600000 SPT Auto Project: (FR)261401-01 Mode: 20 Plane: 2 Full-directivity IMEI: 842 PowerSetting: 10.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2466.00</td><td>96.11</td><td>42.11</td><td>54.00</td><td>93.45</td><td>32.36</td><td>7.22</td><td>36.92</td><td>180</td><td>78 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2466.00	96.11	42.11	54.00	93.45	32.36	7.22	36.92	180	78 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2491.18	39.25	-14.75	54.00	36.88	32.33	7.25	37.13	180	78 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2466.00	96.11	42.11	54.00	93.45	32.36	7.22	36.92	180	78 Average	VERTICAL																																																							







WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																			
ANT		802.11ax HE20 Partial 106/54 CH12 2467MHz																																																																																																																																			
1	Horizontal		Fundamental																																																																																																																																		
Peak	 Site: OCHB5-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Power: 100.000000 W 5.600000 MHz SPT Auto Project: (FR)261401-01 Mode: 20 Plane: 2 Full-directivity IMEI: 842 PowerSetting: 10.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.88</td><td>59.33</td><td>-14.67</td><td>74.00</td><td>56.76</td><td>32.34</td><td>7.25</td><td>37.82</td><td>318</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site: OCHB5-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Power: 100.000000 W 5.600000 MHz SPT Auto Project: (FR)261401-01 Mode: 20 Plane: 2 Full-directivity IMEI: 842 PowerSetting: 10.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>186.98</td><td>32.98</td><td>74.00</td><td>184.44</td><td>32.34</td><td>7.22</td><td>37.82</td><td>318</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.88	59.33	-14.67	74.00	56.76	32.34	7.25	37.82	318	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2472.00	186.98	32.98	74.00	184.44	32.34	7.22	37.82	318	0 Peak	HORIZONTAL	Avg.	 Site: OCHB5-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Power: 100.000000 W 5.600000 MHz SPT Auto Project: (FR)261401-01 Mode: 20 Plane: 2 Full-directivity IMEI: 842 PowerSetting: 10.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.62</td><td>49.79</td><td>-4.21</td><td>54.00</td><td>47.22</td><td>32.34</td><td>7.25</td><td>37.82</td><td>318</td><td>0 Average</td><td>HORIZONTAL</td></tr></table>  Site: OCHB5-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Power: 100.000000 W 5.600000 MHz SPT Auto Project: (FR)261401-01 Mode: 20 Plane: 2 Full-directivity IMEI: 842 PowerSetting: 10.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>98.84</td><td>44.84</td><td>54.00</td><td>95.58</td><td>32.34</td><td>7.22</td><td>37.82</td><td>318</td><td>0 Average</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.62	49.79	-4.21	54.00	47.22	32.34	7.25	37.82	318	0 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2472.00	98.84	44.84	54.00	95.58	32.34	7.22	37.82	318	0 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																													
1	2483.88	59.33	-14.67	74.00	56.76	32.34	7.25	37.82	318	0 Peak	HORIZONTAL																																																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																													
1	2472.00	186.98	32.98	74.00	184.44	32.34	7.22	37.82	318	0 Peak	HORIZONTAL																																																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																													
1	2483.62	49.79	-4.21	54.00	47.22	32.34	7.25	37.82	318	0 Average	HORIZONTAL																																																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																													
1	2472.00	98.84	44.84	54.00	95.58	32.34	7.22	37.82	318	0 Average	HORIZONTAL																																																																																																																										







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH12 2467MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 Site Condition : 03CB05-E5 Condition : FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 5.000000 dBm Mode : 20 Plane : 20 Full-directivity : 10.5 IMEI : 842 PowerSetting : 10.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2463.62</td><td>65.78</td><td>-8.22</td><td>74.00</td><td>63.24</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>294 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	2463.62	65.78	-8.22	74.00	63.24	32.34	7.25	37.82	100	294 Peak	VERTICAL	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Site Condition : 03CB05-E5 Condition : FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 5.000000 dBm Mode : 20 Plane : 20 Full-directivity : 10.5 IMEI : 842 PowerSetting : 10.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2476.00</td><td>185.98</td><td>31.00</td><td>74.00</td><td>183.41</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>294 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	2476.00	185.98	31.00	74.00	183.41	32.34	7.25	37.82	100	294 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																											
1	2463.62	65.78	-8.22	74.00	63.24	32.34	7.25	37.82	100	294 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																											
1	2476.00	185.98	31.00	74.00	183.41	32.34	7.25	37.82	100	294 Peak	VERTICAL																																																							
Avg.	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6 Site Condition : 03CB05-E5 Condition : FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 5.000000 dBm Mode : 20 Plane : 20 Full-directivity : 10.5 IMEI : 842 PowerSetting : 10.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2463.74</td><td>58.54</td><td>-3.46</td><td>54.00</td><td>47.97</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>294 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	2463.74	58.54	-3.46	54.00	47.97	32.34	7.25	37.82	100	294 Average	VERTICAL	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Site Condition : 03CB05-E5 Condition : FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 5.000000 dBm Mode : 20 Plane : 20 Full-directivity : 10.5 IMEI : 842 PowerSetting : 10.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2476.00</td><td>97.55</td><td>43.55</td><td>54.00</td><td>94.98</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>294 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	2476.00	97.55	43.55	54.00	94.98	32.34	7.25	37.82	100	294 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																											
1	2463.74	58.54	-3.46	54.00	47.97	32.34	7.25	37.82	100	294 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																											
1	2476.00	97.55	43.55	54.00	94.98	32.34	7.25	37.82	100	294 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 106/54 CH13 2472MHz																																																																			
1	Horizontal	Fundamental																																																																		
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 13 Level (dBuV/m) Site Condition: OUCHES-E5 Project: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Power: 100.00dBm YBW 3000.000Hz SFT Auto Mode: (FR)261401-01 Plane: 20 Full-directivity IMEI: #42 PowerSetting: -2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.58</td><td>59.88</td><td>-14.28</td><td>74.00</td><td>57.23</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>2 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.58	59.88	-14.28	74.00	57.23	32.34	7.25	37.82	100	2 Peak HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 15 Level (dBuV/m) Site Condition: OUCHES-E5 Project: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Power: 100.00dBm YBW 3000.000Hz SFT Auto Mode: (FR)261401-01 Plane: 20 Full-directivity IMEI: #42 PowerSetting: -2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>98.44</td><td>16.44</td><td>74.00</td><td>87.87</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>2 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2480.00	98.44	16.44	74.00	87.87	32.34	7.25	37.82	100	2 Peak HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2483.58	59.88	-14.28	74.00	57.23	32.34	7.25	37.82	100	2 Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2480.00	98.44	16.44	74.00	87.87	32.34	7.25	37.82	100	2 Peak HORIZONTAL																																																										
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 14 Level (dBuV/m) Site Condition: OUCHES-E5 Project: FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL Power: 100.00dBm YBW 5.600KHz SFT Auto Mode: (FR)261401-01 Plane: 20 Full-directivity IMEI: #42 PowerSetting: -2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.56</td><td>47.86</td><td>-6.14</td><td>54.00</td><td>45.29</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>2 Average HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.56	47.86	-6.14	54.00	45.29	32.34	7.25	37.82	100	2 Average HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 16 Level (dBuV/m) Site Condition: OUCHES-E5 Project: FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL Power: 100.00dBm YBW 5.600KHz SFT Auto Mode: (FR)261401-01 Plane: 20 Full-directivity IMEI: #42 PowerSetting: -2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>82.57</td><td>28.57</td><td>54.00</td><td>80.00</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>2 Average HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2480.00	82.57	28.57	54.00	80.00	32.34	7.25	37.82	100	2 Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2483.56	47.86	-6.14	54.00	45.29	32.34	7.25	37.82	100	2 Average HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2480.00	82.57	28.57	54.00	80.00	32.34	7.25	37.82	100	2 Average HORIZONTAL																																																										





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																		
ANT	802.11ax HE20 Partial 106/54 CH13 2472MHz																																																																																																																																		
1	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000, 000Hz YBW 3000, 000Hz SWT Auto (FR)261401-01 20 Full-directivity #42 -2 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB cm deg <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>58.89</td><td>-15.11</td><td>74.00</td><td>56.32</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>295 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000, 000Hz YBW 3000, 000Hz SWT Auto (FR)261401-01 20 Full-directivity #42 -2 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB cm deg <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>92.65</td><td>18.65</td><td>74.00</td><td>98.00</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>295 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg		1	2483.58	58.89	-15.11	74.00	56.32	32.34	7.25	37.82	100	295 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg		1	2478.00	92.65	18.65	74.00	98.00	32.34	7.25	37.82	100	295 Peak	VERTICAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000, 000Hz YBW 5.600KHz SWT Auto (FR)261401-01 20 Full-directivity #42 -2 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB cm deg <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>58.53</td><td>-3.47</td><td>54.00</td><td>47.96</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>295 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000, 000Hz YBW 5.600KHz SWT Auto (FR)261401-01 20 Full-directivity #42 -2 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB cm deg <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2488.00</td><td>83.98</td><td>29.98</td><td>54.00</td><td>81.41</td><td>32.34</td><td>7.25</td><td>37.82</td><td>100</td><td>295 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg		1	2483.58	58.53	-3.47	54.00	47.96	32.34	7.25	37.82	100	295 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg		1	2488.00	83.98	29.98	54.00	81.41	32.34	7.25	37.82	100	295 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg																																																																																																																											
1	2483.58	58.89	-15.11	74.00	56.32	32.34	7.25	37.82	100	295 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg																																																																																																																											
1	2478.00	92.65	18.65	74.00	98.00	32.34	7.25	37.82	100	295 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg																																																																																																																											
1	2483.58	58.53	-3.47	54.00	47.96	32.34	7.25	37.82	100	295 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg																																																																																																																											
1	2488.00	83.98	29.98	54.00	81.41	32.34	7.25	37.82	100	295 Average	VERTICAL																																																																																																																								






WIFI 802.11b (Harmonic @ 3m)



Peak
Avg.





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11b CH06 2437MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL FSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : (FR)261401-01 Mode : 17 Plane : 2 Full-directivity Ant : #42 Power setting : 11.5 <table><tr><th>MEI</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4875.00</td><td>40.09</td><td>-32.91</td><td>74.00</td><td>61.08</td><td>34.00</td><td>10.29</td><td>65.28</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7305.00</td><td>41.01</td><td>-32.99</td><td>74.00</td><td>59.21</td><td>35.76</td><td>12.72</td><td>66.68</td><td>300</td><td>0 Peak</td></tr></table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg	1	4875.00	40.09	-32.91	74.00	61.08	34.00	10.29	65.28	300	0 Peak	2	7305.00	41.01	-32.99	74.00	59.21	35.76	12.72	66.68	300	0 Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL FSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : (FR)261401-01 Mode : 17 Plane : 2 Full-directivity Ant : #42 Power setting : 11.5 <table><tr><th>MEI</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4875.00</td><td>40.25</td><td>-32.75</td><td>74.00</td><td>61.34</td><td>34.00</td><td>10.29</td><td>65.28</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7305.00</td><td>41.78</td><td>-32.22</td><td>74.00</td><td>59.98</td><td>35.76</td><td>12.72</td><td>66.68</td><td>100</td><td>0 Peak</td></tr></table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg	1	4875.00	40.25	-32.75	74.00	61.34	34.00	10.29	65.28	100	0 Peak	2	7305.00	41.78	-32.22	74.00	59.98	35.76	12.72	66.68	100	0 Peak
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																																													
1	4875.00	40.09	-32.91	74.00	61.08	34.00	10.29	65.28	300	0 Peak																																																																												
2	7305.00	41.01	-32.99	74.00	59.21	35.76	12.72	66.68	300	0 Peak																																																																												
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																																													
1	4875.00	40.25	-32.75	74.00	61.34	34.00	10.29	65.28	100	0 Peak																																																																												
2	7305.00	41.78	-32.22	74.00	59.98	35.76	12.72	66.68	100	0 Peak																																																																												
Avg.																																																																																						

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11b CH11 2462MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 9  Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL FSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : (FR)261401-01 Mode : 17 Plane : 2 Full-directivity Ant : #42 Power setting : 11.5 <table><tr><th>MEI</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4970.00</td><td>42.18</td><td>-31.82</td><td>74.00</td><td>63.14</td><td>34.00</td><td>10.34</td><td>65.39</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7380.00</td><td>41.55</td><td>-32.45</td><td>74.00</td><td>59.95</td><td>35.78</td><td>12.73</td><td>66.91</td><td>300</td><td>0 Peak</td></tr></table> <td>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 10  Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL FSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : (FR)261401-01 Mode : 17 Plane : 2 Full-directivity Ant : #42 Power setting : 11.5 <table><tr><th>MEI</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4970.00</td><td>42.40</td><td>-31.60</td><td>74.00</td><td>63.56</td><td>34.00</td><td>10.34</td><td>65.39</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7380.00</td><td>41.20</td><td>-32.80</td><td>74.00</td><td>59.60</td><td>35.78</td><td>12.73</td><td>66.91</td><td>100</td><td>0 Peak</td></tr></table> </td>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg	1	4970.00	42.18	-31.82	74.00	63.14	34.00	10.34	65.39	300	0 Peak	2	7380.00	41.55	-32.45	74.00	59.95	35.78	12.73	66.91	300	0 Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 10  Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL FSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : (FR)261401-01 Mode : 17 Plane : 2 Full-directivity Ant : #42 Power setting : 11.5 <table><tr><th>MEI</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4970.00</td><td>42.40</td><td>-31.60</td><td>74.00</td><td>63.56</td><td>34.00</td><td>10.34</td><td>65.39</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7380.00</td><td>41.20</td><td>-32.80</td><td>74.00</td><td>59.60</td><td>35.78</td><td>12.73</td><td>66.91</td><td>100</td><td>0 Peak</td></tr></table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg	1	4970.00	42.40	-31.60	74.00	63.56	34.00	10.34	65.39	100	0 Peak	2	7380.00	41.20	-32.80	74.00	59.60	35.78	12.73	66.91	100	0 Peak
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																																													
1	4970.00	42.18	-31.82	74.00	63.14	34.00	10.34	65.39	300	0 Peak																																																																												
2	7380.00	41.55	-32.45	74.00	59.95	35.78	12.73	66.91	300	0 Peak																																																																												
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																																													
1	4970.00	42.40	-31.60	74.00	63.56	34.00	10.34	65.39	100	0 Peak																																																																												
2	7380.00	41.20	-32.80	74.00	59.60	35.78	12.73	66.91	100	0 Peak																																																																												





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																				
ANT	802.11b CH12 2467MHz																																																																																				
1	Horizontal	Vertical																																																																																			
Peak Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn SPORTON LAB. Date: 9 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 2000 6000 8000 10000 12000 14000 16000 18000 Frequency (MHz) FCC PART 15C (all) FCC PART 15C (avg) Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RSM 1000, 000000, VSR 3000, 000000, SRT Auto Project : (FR)261401-01 Mode : 12 Plane : 2 Full-directivity MEI : #42 PowerRating : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4925.00</td><td>41.92</td><td>-32.08</td><td>74.00</td><td>62.85</td><td>34.00</td><td>10.37</td><td>60.30</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7401.00</td><td>41.15</td><td>-32.05</td><td>74.00</td><td>60.46</td><td>35.78</td><td>12.73</td><td>67.02</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn SPORTON LAB. Date: 10 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 2000 6000 8000 10000 12000 14000 16000 18000 Frequency (MHz) FCC PART 15C (all) FCC PART 15C (avg) Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000, 000000, VSR 3000, 000000, SRT Auto Project : (FR)261401-01 Mode : 12 Plane : 2 Full-directivity MEI : #42 PowerRating : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.78</td><td>-32.22</td><td>74.00</td><td>62.71</td><td>34.00</td><td>10.37</td><td>60.30</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7395.00</td><td>41.36</td><td>-32.64</td><td>74.00</td><td>59.81</td><td>35.78</td><td>12.73</td><td>66.96</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg	1	4925.00	41.92	-32.08	74.00	62.85	34.00	10.37	60.30	300	0 Peak	HORIZONTAL	2	7401.00	41.15	-32.05	74.00	60.46	35.78	12.73	67.02	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg	1	4924.00	41.78	-32.22	74.00	62.71	34.00	10.37	60.30	100	0 Peak	VERTICAL	2	7395.00	41.36	-32.64	74.00	59.81	35.78	12.73	66.96	100	0 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																																													
1	4925.00	41.92	-32.08	74.00	62.85	34.00	10.37	60.30	300	0 Peak	HORIZONTAL																																																																										
2	7401.00	41.15	-32.05	74.00	60.46	35.78	12.73	67.02	300	0 Peak	HORIZONTAL																																																																										
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																																													
1	4924.00	41.78	-32.22	74.00	62.71	34.00	10.37	60.30	100	0 Peak	VERTICAL																																																																										
2	7395.00	41.36	-32.64	74.00	59.81	35.78	12.73	66.96	100	0 Peak	VERTICAL																																																																										

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																				
ANT	802.11b CH13 2472MHz																																																																																				
1	Horizontal	Vertical																																																																																			
Peak Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RSM 1000, 000000, VSR 3000, 000000, SRT Auto Project : FR261401-01 Mode : 14 Plane : 2 Full-directivity MEI : #42 PowerRating : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4950.00</td><td>42.24</td><td>-31.76</td><td>74.00</td><td>63.16</td><td>34.00</td><td>10.39</td><td>60.31</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.21</td><td>-31.79</td><td>74.00</td><td>60.69</td><td>35.78</td><td>12.76</td><td>67.02</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000, 000000, VSR 3000, 000000, SRT Auto Project : FR261401-01 Mode : 14 Plane : 2 Full-directivity MEI : #42 PowerRating : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>42.26</td><td>-31.65</td><td>74.00</td><td>63.27</td><td>34.00</td><td>10.39</td><td>60.31</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7410.00</td><td>41.93</td><td>-32.07</td><td>74.00</td><td>60.44</td><td>35.78</td><td>12.73</td><td>67.02</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg	1	4950.00	42.24	-31.76	74.00	63.16	34.00	10.39	60.31	300	0 Peak	HORIZONTAL	2	7416.00	42.21	-31.79	74.00	60.69	35.78	12.76	67.02	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg	1	4944.00	42.26	-31.65	74.00	63.27	34.00	10.39	60.31	100	0 Peak	VERTICAL	2	7410.00	41.93	-32.07	74.00	60.44	35.78	12.73	67.02	100	0 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																																													
1	4950.00	42.24	-31.76	74.00	63.16	34.00	10.39	60.31	300	0 Peak	HORIZONTAL																																																																										
2	7416.00	42.21	-31.79	74.00	60.69	35.78	12.76	67.02	300	0 Peak	HORIZONTAL																																																																										
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																																													
1	4944.00	42.26	-31.65	74.00	63.27	34.00	10.39	60.31	100	0 Peak	VERTICAL																																																																										
2	7410.00	41.93	-32.07	74.00	60.44	35.78	12.73	67.02	100	0 Peak	VERTICAL																																																																										



2.4GHz 2400~2483.5MHz---ANT 1

WIFI 802.11g (Harmonic @ 3m)




WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																													
ANT	802.11g CH01 2412MHz																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 9 Level (dBuV/m) Frequency (MHz) FCC PART 15C (dB) FCC PART 15C (dB) FCC PART 15C (dB) Site Condition : 032005-K3 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Power : 100mW (30dBm) 100mW 3000 000002 SBT Auto Project : (FR)261401-01 Mode : 15 Plane : Z Full-directivity IMEI : #43 Power setting : 11.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4830.00</td><td>40.45</td><td>-33.55</td><td>74.00</td><td>61.46</td><td>34.00</td><td>10.25</td><td>65.26</td><td>300 0 Peak HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	4830.00	40.45	-33.55	74.00	61.46	34.00	10.25	65.26	300 0 Peak HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 10 Level (dBuV/m) Frequency (MHz) FCC PART 15C (dB) FCC PART 15C (dB) FCC PART 15C (dB) Site Condition : 032005-K3 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 100mW (30dBm) 100mW 3000 000002 SBT Auto Project : (FR)261401-01 Mode : 15 Plane : Z Full-directivity IMEI : #43 Power setting : 11.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4830.00</td><td>40.92</td><td>-33.08</td><td>74.00</td><td>61.93</td><td>34.00</td><td>10.25</td><td>65.26</td><td>100 0 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	4830.00	40.92	-33.08	74.00	61.93	34.00	10.25	65.26	100 0 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	4830.00	40.45	-33.55	74.00	61.46	34.00	10.25	65.26	300 0 Peak HORIZONTAL																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	4830.00	40.92	-33.08	74.00	61.93	34.00	10.25	65.26	100 0 Peak VERTICAL																																																					







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																				
ANT	802.11g CH06 2437MHz																																																																																				
1	Horizontal	Vertical																																																																																			
Peak Avg.	Site Condition : 030405-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RSM 1000 COORDU VSW 3000 COORDU SRT Auto Project : FR261401-01 Mode : 16 Plane : 2 Full-directivity MEI : #42 PowerRating : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4875.00</td><td>40.15</td><td>-32.85</td><td>74.00</td><td>61.14</td><td>34.00</td><td>10.29</td><td>65.28</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7305.00</td><td>42.29</td><td>-31.71</td><td>74.00</td><td>60.49</td><td>35.76</td><td>12.72</td><td>66.68</td><td>300</td><td>0 Peak</td></tr></table> Site Condition : 030405-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000 COORDU VSW 3000 COORDU SRT Auto Project : FR261401-01 Mode : 16 Plane : 2 Full-directivity MEI : #42 PowerRating : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4875.00</td><td>39.83</td><td>-34.17</td><td>74.00</td><td>60.82</td><td>34.00</td><td>10.29</td><td>65.28</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7305.00</td><td>41.29</td><td>-32.71</td><td>74.00</td><td>59.49</td><td>35.76</td><td>12.72</td><td>66.68</td><td>100</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	4875.00	40.15	-32.85	74.00	61.14	34.00	10.29	65.28	300	0 Peak	2	7305.00	42.29	-31.71	74.00	60.49	35.76	12.72	66.68	300	0 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	4875.00	39.83	-34.17	74.00	60.82	34.00	10.29	65.28	100	0 Peak	2	7305.00	41.29	-32.71	74.00	59.49	35.76	12.72	66.68	100	0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																												
1	4875.00	40.15	-32.85	74.00	61.14	34.00	10.29	65.28	300	0 Peak																																																																											
2	7305.00	42.29	-31.71	74.00	60.49	35.76	12.72	66.68	300	0 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																												
1	4875.00	39.83	-34.17	74.00	60.82	34.00	10.29	65.28	100	0 Peak																																																																											
2	7305.00	41.29	-32.71	74.00	59.49	35.76	12.72	66.68	100	0 Peak																																																																											

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11g CH11 2462MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Date: 17  Site Condition : 030405-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RSM 1000 COORDU VSW 3000 COORDU SRT Auto Project : FR261401-01 Mode : 17 Plane : 2 Full-directivity MEI : #42 PowerRating : 11.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4970.00</td><td>40.31</td><td>-32.69</td><td>74.00</td><td>61.27</td><td>34.00</td><td>10.34</td><td>65.39</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7380.00</td><td>41.70</td><td>-32.30</td><td>74.00</td><td>60.10</td><td>35.78</td><td>12.73</td><td>66.91</td><td>300</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	4970.00	40.31	-32.69	74.00	61.27	34.00	10.34	65.39	300	0 Peak	2	7380.00	41.70	-32.30	74.00	60.10	35.78	12.73	66.91	300	0 Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Date: 18  Site Condition : 030405-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000 COORDU VSW 3000 COORDU SRT Auto Project : FR261401-01 Mode : 17 Plane : 2 Full-directivity MEI : #42 PowerRating : 11.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4970.00</td><td>41.17</td><td>-32.83</td><td>74.00</td><td>62.13</td><td>34.00</td><td>10.34</td><td>65.39</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7380.00</td><td>41.84</td><td>-32.16</td><td>74.00</td><td>60.24</td><td>35.78</td><td>12.73</td><td>66.91</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	4970.00	41.17	-32.83	74.00	62.13	34.00	10.34	65.39	100	0 Peak	2	7380.00	41.84	-32.16	74.00	60.24	35.78	12.73	66.91	100	0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																													
1	4970.00	40.31	-32.69	74.00	61.27	34.00	10.34	65.39	300	0 Peak																																																																												
2	7380.00	41.70	-32.30	74.00	60.10	35.78	12.73	66.91	300	0 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																													
1	4970.00	41.17	-32.83	74.00	62.13	34.00	10.34	65.39	100	0 Peak																																																																												
2	7380.00	41.84	-32.16	74.00	60.24	35.78	12.73	66.91	100	0 Peak																																																																												



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																													
ANT	802.11g CH12 2467MHz																																																																																													
1	Horizontal	Vertical																																																																																												
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-5790058 Fax: +86-512-5790058 http://www.sparton.com.cn Level (dBuV/m)  Site Condition Project Mode Plane MEI Power setting : 030405-K5 : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL : FSR 1000 000000 YSR 3000 000000 SRT Auto : 18 : 180261401-01 : 2 : Full-directivity : 84.2 : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4925.00</td><td>29.82</td><td>-34.18</td><td>74.00</td><td>60.75</td><td>34.00</td><td>10.37</td><td>65.30</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7401.00</td><td>42.25</td><td>-31.75</td><td>74.00</td><td>60.76</td><td>35.78</td><td>12.73</td><td>67.02</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> <td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-5790058 Fax: +86-512-5790058 http://www.sparton.com.cn Level (dBuV/m)  Site Condition Project Mode Plane MEI Power setting : 030405-K5 : FCC PART 15C 3m 3117 SN 00218642 VERTICAL : FSR 1000 000000 YSR 3000 000000 SRT Auto : 18 : 180261401-01 : 2 : Full-directivity : 84.2 : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4925.00</td><td>29.63</td><td>-34.37</td><td>74.00</td><td>60.56</td><td>34.00</td><td>10.37</td><td>65.30</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7401.00</td><td>41.30</td><td>-32.70</td><td>74.00</td><td>59.81</td><td>35.78</td><td>12.73</td><td>67.02</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table> </td>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cn	deg	1	4925.00	29.82	-34.18	74.00	60.75	34.00	10.37	65.30	300	0 Peak	HORIZONTAL	2	7401.00	42.25	-31.75	74.00	60.76	35.78	12.73	67.02	300	0 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-5790058 Fax: +86-512-5790058 http://www.sparton.com.cn Level (dBuV/m)  Site Condition Project Mode Plane MEI Power setting : 030405-K5 : FCC PART 15C 3m 3117 SN 00218642 VERTICAL : FSR 1000 000000 YSR 3000 000000 SRT Auto : 18 : 180261401-01 : 2 : Full-directivity : 84.2 : 11.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4925.00</td><td>29.63</td><td>-34.37</td><td>74.00</td><td>60.56</td><td>34.00</td><td>10.37</td><td>65.30</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7401.00</td><td>41.30</td><td>-32.70</td><td>74.00</td><td>59.81</td><td>35.78</td><td>12.73</td><td>67.02</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cn	deg	1	4925.00	29.63	-34.37	74.00	60.56	34.00	10.37	65.30	100	0 Peak	VERTICAL	2	7401.00	41.30	-32.70	74.00	59.81	35.78	12.73	67.02	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cn	deg																																																																																				
1	4925.00	29.82	-34.18	74.00	60.75	34.00	10.37	65.30	300	0 Peak	HORIZONTAL																																																																																			
2	7401.00	42.25	-31.75	74.00	60.76	35.78	12.73	67.02	300	0 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cn	deg																																																																																				
1	4925.00	29.63	-34.37	74.00	60.56	34.00	10.37	65.30	100	0 Peak	VERTICAL																																																																																			
2	7401.00	41.30	-32.70	74.00	59.81	35.78	12.73	67.02	100	0 Peak	VERTICAL																																																																																			



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH13 2472MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 13  Site Condition : 032005-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL FSM 1000, 000000, VSW 3000, 000000, SRT Auto Project : (FR)261401-01 Mode : 19 Plane : Z Full-directivity MEI : 842 Power setting : 9 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr><tr><td>1</td><td>4950.00</td><td>29.93</td><td>-34.67</td><td>74.00</td><td>60.85</td><td>34.00</td><td>10.39</td><td>65.31</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7416.00</td><td>41.35</td><td>-32.65</td><td>74.00</td><td>59.83</td><td>35.78</td><td>12.76</td><td>67.02</td><td>300</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg	1	4950.00	29.93	-34.67	74.00	60.85	34.00	10.39	65.31	300	0 Peak	2	7416.00	41.35	-32.65	74.00	59.83	35.78	12.76	67.02	300	0 Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 14  Site Condition : 032005-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL FSM 1000, 000000, VSW 3000, 000000, SRT Auto Project : (FR)261401-01 Mode : 19 Plane : Z Full-directivity MEI : 842 Power setting : 9 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr><tr><td>1</td><td>4950.00</td><td>40.37</td><td>-33.63</td><td>74.00</td><td>61.29</td><td>34.00</td><td>10.39</td><td>65.31</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7416.00</td><td>41.60</td><td>-32.40</td><td>74.00</td><td>60.58</td><td>35.78</td><td>12.76</td><td>67.02</td><td>100</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg	1	4950.00	40.37	-33.63	74.00	61.29	34.00	10.39	65.31	100	0 Peak	2	7416.00	41.60	-32.40	74.00	60.58	35.78	12.76	67.02	100	0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg																																																																																
1	4950.00	29.93	-34.67	74.00	60.85	34.00	10.39	65.31	300	0 Peak																																																																																
2	7416.00	41.35	-32.65	74.00	59.83	35.78	12.76	67.02	300	0 Peak																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg																																																																																
1	4950.00	40.37	-33.63	74.00	61.29	34.00	10.39	65.31	100	0 Peak																																																																																
2	7416.00	41.60	-32.40	74.00	60.58	35.78	12.76	67.02	100	0 Peak																																																																																
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 13  Site Condition : 032005-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL FSM 1000, 000000, VSW 3000, 000000, SRT Auto Project : (FR)261401-01 Mode : 19 Plane : Z Full-directivity MEI : 842 Power setting : 9 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr><tr><td>1</td><td>4950.00</td><td>29.93</td><td>-34.67</td><td>74.00</td><td>60.85</td><td>34.00</td><td>10.39</td><td>65.31</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7416.00</td><td>41.35</td><td>-32.65</td><td>74.00</td><td>59.83</td><td>35.78</td><td>12.76</td><td>67.02</td><td>300</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg	1	4950.00	29.93	-34.67	74.00	60.85	34.00	10.39	65.31	300	0 Peak	2	7416.00	41.35	-32.65	74.00	59.83	35.78	12.76	67.02	300	0 Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 14  Site Condition : 032005-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL FSM 1000, 000000, VSW 3000, 000000, SRT Auto Project : (FR)261401-01 Mode : 19 Plane : Z Full-directivity MEI : 842 Power setting : 9 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr><tr><td>1</td><td>4950.00</td><td>40.37</td><td>-33.63</td><td>74.00</td><td>61.29</td><td>34.00</td><td>10.39</td><td>65.31</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7416.00</td><td>41.60</td><td>-32.40</td><td>74.00</td><td>60.58</td><td>35.78</td><td>12.76</td><td>67.02</td><td>100</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg	1	4950.00	40.37	-33.63	74.00	61.29	34.00	10.39	65.31	100	0 Peak	2	7416.00	41.60	-32.40	74.00	60.58	35.78	12.76	67.02	100	0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg																																																																																
1	4950.00	29.93	-34.67	74.00	60.85	34.00	10.39	65.31	300	0 Peak																																																																																
2	7416.00	41.35	-32.65	74.00	59.83	35.78	12.76	67.02	300	0 Peak																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg																																																																																
1	4950.00	40.37	-33.63	74.00	61.29	34.00	10.39	65.31	100	0 Peak																																																																																
2	7416.00	41.60	-32.40	74.00	60.58	35.78	12.76	67.02	100	0 Peak																																																																																



2.4GHz 2400~2483.5MHz---ANT 1

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI		2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT		802.11 ax HE20 Full CH01 2412MHz	
1		Horizontal	Vertical
Peak			
Avg.			





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH06 2437MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn SPORTON LAB. Date: 1 Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : FR261401-01 Mode : 21 Plane : Z Full-directivity MEI : #42 PowerRating : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>4875.00</td><td>40.14</td><td>-32.86</td><td>74.00</td><td>61.13</td><td>34.00</td><td>10.29</td><td>65.28</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7305.00</td><td>40.19</td><td>-32.81</td><td>74.00</td><td>59.13</td><td>35.76</td><td>12.72</td><td>66.68</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	4875.00	40.14	-32.86	74.00	61.13	34.00	10.29	65.28	300	0 Peak	HORIZONTAL	2	7305.00	40.19	-32.81	74.00	59.13	35.76	12.72	66.68	300	0 Peak	HORIZONTAL	No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn SPORTON LAB. Date: 2 Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : FR261401-01 Mode : 21 Plane : Z Full-directivity MEI : #42 PowerRating : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>4875.00</td><td>39.75</td><td>-34.25</td><td>74.00</td><td>60.74</td><td>34.00</td><td>10.29</td><td>65.28</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7305.00</td><td>41.51</td><td>-32.47</td><td>74.00</td><td>59.72</td><td>35.76</td><td>12.72</td><td>66.68</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	4875.00	39.75	-34.25	74.00	60.74	34.00	10.29	65.28	100	0 Peak	VERTICAL	2	7305.00	41.51	-32.47	74.00	59.72	35.76	12.72	66.68	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																		
1	4875.00	40.14	-32.86	74.00	61.13	34.00	10.29	65.28	300	0 Peak	HORIZONTAL																																																																															
2	7305.00	40.19	-32.81	74.00	59.13	35.76	12.72	66.68	300	0 Peak	HORIZONTAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																		
1	4875.00	39.75	-34.25	74.00	60.74	34.00	10.29	65.28	100	0 Peak	VERTICAL																																																																															
2	7305.00	41.51	-32.47	74.00	59.72	35.76	12.72	66.68	100	0 Peak	VERTICAL																																																																															

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11 ax HE20 Full CH11 2462MHz																																																																																																	
1	Horizontal					Vertical																																																																																												
Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 9  Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : FR261401-01 Mode : 22 Plane : Z Full-directivity MEI : #42 PowerRating : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>4970.00</td><td>39.54</td><td>-34.46</td><td>74.00</td><td>60.50</td><td>34.00</td><td>10.34</td><td>65.39</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7380.00</td><td>42.09</td><td>-31.91</td><td>74.00</td><td>60.49</td><td>35.78</td><td>12.73</td><td>66.91</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	4970.00	39.54	-34.46	74.00	60.50	34.00	10.34	65.39	300	0 Peak	HORIZONTAL	2	7380.00	42.09	-31.91	74.00	60.49	35.78	12.73	66.91	300	0 Peak	HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 10  Site Condition : 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM 1000, 0000Hz VSW 3000, 0000Hz SRT Auto Project : FR261401-01 Mode : 22 Plane : Z Full-directivity MEI : #42 PowerRating : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>4970.00</td><td>39.72</td><td>-34.28</td><td>74.00</td><td>60.68</td><td>34.00</td><td>10.34</td><td>65.39</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7380.00</td><td>41.11</td><td>-32.89</td><td>74.00</td><td>59.51</td><td>35.78</td><td>12.73</td><td>66.91</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	4970.00	39.72	-34.28	74.00	60.68	34.00	10.34	65.39	100	0 Peak	VERTICAL	2	7380.00	41.11	-32.89	74.00	59.51	35.78	12.73	66.91	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																										
1	4970.00	39.54	-34.46	74.00	60.50	34.00	10.34	65.39	300	0 Peak	HORIZONTAL																																																																																							
2	7380.00	42.09	-31.91	74.00	60.49	35.78	12.73	66.91	300	0 Peak	HORIZONTAL																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																										
1	4970.00	39.72	-34.28	74.00	60.68	34.00	10.34	65.39	100	0 Peak	VERTICAL																																																																																							
2	7380.00	41.11	-32.89	74.00	59.51	35.78	12.73	66.91	100	0 Peak	VERTICAL																																																																																							







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																													
ANT	802.11 ax HE20 Full CH12 2467MHz																																																																																													
1	Horizontal	Vertical																																																																																												
Peak Avg.	No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB Data: 9 Level (dBuV/m) Site Condition : 032005-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL FSM 1000 000000 VSW 3000 000000 SRT Auto Project : FR261401-01 Mode : 22 Plane : Z Full-directivity ME1 : #42 Power setting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4925.00</td><td>40.25</td><td>-32.75</td><td>74.00</td><td>61.18</td><td>34.00</td><td>10.37</td><td>65.30</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7401.00</td><td>41.56</td><td>-32.44</td><td>74.00</td><td>60.07</td><td>35.78</td><td>12.73</td><td>67.02</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cn	deg	1	4925.00	40.25	-32.75	74.00	61.18	34.00	10.37	65.30	300	0 Peak	HORIZONTAL	2	7401.00	41.56	-32.44	74.00	60.07	35.78	12.73	67.02	300	0 Peak	HORIZONTAL	No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB Data: 10 Level (dBuV/m) Site Condition : 032005-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL FSM 1000 000000 VSW 3000 000000 SRT Auto Project : FR261401-01 Mode : 22 Plane : Z Full-directivity ME1 : #42 Power setting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>39.40</td><td>-34.40</td><td>74.00</td><td>60.53</td><td>34.00</td><td>10.37</td><td>65.30</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7395.00</td><td>42.37</td><td>-31.63</td><td>74.00</td><td>60.82</td><td>35.78</td><td>12.73</td><td>66.96</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cn	deg	1	4924.00	39.40	-34.40	74.00	60.53	34.00	10.37	65.30	100	0 Peak	VERTICAL	2	7395.00	42.37	-31.63	74.00	60.82	35.78	12.73	66.96	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cn	deg																																																																																				
1	4925.00	40.25	-32.75	74.00	61.18	34.00	10.37	65.30	300	0 Peak	HORIZONTAL																																																																																			
2	7401.00	41.56	-32.44	74.00	60.07	35.78	12.73	67.02	300	0 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cn	deg																																																																																				
1	4924.00	39.40	-34.40	74.00	60.53	34.00	10.37	65.30	100	0 Peak	VERTICAL																																																																																			
2	7395.00	42.37	-31.63	74.00	60.82	35.78	12.73	66.96	100	0 Peak	VERTICAL																																																																																			






WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																					
ANT	802.11 ax HE20 Full CH13 2472MHz																																																																																																					
1	Horizontal					Vertical																																																																																																
Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn SPORTON LAB. Date: 9  Site Condition: 030405-K5 FCC PART 15C 3e 3117 SN 00218642 HORIZONTAL FSR 1000 000000 YSR 3000 000000 SRT Auto Project: (FR)261401-01 Mode: 24 Plane: Z Full-directivity MEI: 842 Power setting: 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4950.00</td><td>40.79</td><td>-32.21</td><td>74.00</td><td>61.71</td><td>34.00</td><td>10.39</td><td>65.31</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>41.59</td><td>-32.41</td><td>74.00</td><td>60.07</td><td>35.78</td><td>12.76</td><td>67.02</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg	1	4950.00	40.79	-32.21	74.00	61.71	34.00	10.39	65.31	300	0 Peak	HORIZONTAL	2	7416.00	41.59	-32.41	74.00	60.07	35.78	12.76	67.02	300	0 Peak	HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn SPORTON LAB. Date: 10  Site Condition: 030405-K5 FCC PART 15C 3e 3117 SN 00218642 VERTICAL FSR 1000 000000 YSR 3000 000000 SRT Auto Project: (FR)261401-01 Mode: 24 Plane: Z Full-directivity MEI: 842 Power setting: 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4964.00</td><td>40.55</td><td>-32.45</td><td>74.00</td><td>61.67</td><td>34.00</td><td>10.39</td><td>65.31</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>41.50</td><td>-32.50</td><td>74.00</td><td>60.01</td><td>35.78</td><td>12.73</td><td>67.02</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg	1	4964.00	40.55	-32.45	74.00	61.67	34.00	10.39	65.31	100	0 Peak	VERTICAL	2	7416.00	41.50	-32.50	74.00	60.01	35.78	12.73	67.02	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg																																																																																												
1	4950.00	40.79	-32.21	74.00	61.71	34.00	10.39	65.31	300	0 Peak	HORIZONTAL																																																																																											
2	7416.00	41.59	-32.41	74.00	60.07	35.78	12.76	67.02	300	0 Peak	HORIZONTAL																																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	on	deg																																																																																												
1	4964.00	40.55	-32.45	74.00	61.67	34.00	10.39	65.31	100	0 Peak	VERTICAL																																																																																											
2	7416.00	41.50	-32.50	74.00	60.01	35.78	12.73	67.02	100	0 Peak	VERTICAL																																																																																											

2.4GHz 2400~2483.5MHz---ANT 2


WIFI 802.11b (Band Edge @ 3m)

WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT		802.11b CH01 2412MHz	
2	Horizontal	Fundamental	
Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CR05-E5 FCC PART 15C 3a 3117.0M 00210642 HORIZONTAL RPM 1000.000000 YBW 3000.000000 SWT Auto 27 Y Full-directivity #42 17.5 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor dB dB dB dB dB dB cm deg A/Pos T/Pos 199 135 Peak HORIZONTAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CR05-E5 FCC PART 15C 3a 3117.0M 00210642 HORIZONTAL RPM 1000.000000 YBW 3000.000000 SWT Auto 27 Y Full-directivity #42 17.5 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor dB dB dB dB dB dB cm deg A/Pos T/Pos 199 135 Peak HORIZONTAL		
	Avg.	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CR05-E5 FCC PART 15C (AVG) 3a 3117.0M 00210642 HORIZONTAL RPM 1000.000000 YBW 0.010000 SWT Auto 27 Y Full-directivity #42 17.5 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor dB dB dB dB dB dB cm deg A/Pos T/Pos 199 135 Average HORIZONTAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CR05-E5 FCC PART 15C (AVG) 3a 3117.0M 00210642 HORIZONTAL RPM 1000.000000 YBW 0.010000 SWT Auto 27 Y Full-directivity #42 17.5 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor dB dB dB dB dB dB cm deg A/Pos T/Pos 199 135 Average HORIZONTAL	







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
2	Vertical	Fundamental
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 2385.81 49.19 -24.81 74.00 46.65 32.31 7.18 36.87 311 136 Peak VERTICAL	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 * 2412.00 182.48 28.48 74.00 99.73 32.39 7.13 36.85 311 136 Peak VERTICAL
	Avg.	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 2384.88 39.18 -14.98 54.00 36.56 32.31 7.18 36.87 311 136 Average VERTICAL











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
2	Horizontal	Fundamental
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBV/m)	







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11b CH11 2462MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5  Site Condition : OCHB5-E5 Condition : FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 2P Plane : Full-directivity IMEI : 842 PowerSetting : 16.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2495.92</td><td>48.06</td><td>-25.14</td><td>74.00</td><td>46.06</td><td>32.33</td><td>7.28</td><td>36.81</td><td>300</td><td>134 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2495.92	48.06	-25.14	74.00	46.06	32.33	7.28	36.81	300	134 Peak	VERTICAL	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7  Site Condition : OCHB5-E5 Condition : FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 2P Plane : Full-directivity IMEI : 842 PowerSetting : 16.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>182.26</td><td>28.26</td><td>74.00</td><td>99.51</td><td>32.36</td><td>7.22</td><td>36.83</td><td>300</td><td>134 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2462.00	182.26	28.26	74.00	99.51	32.36	7.22	36.83	300	134 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																											
1	2495.92	48.06	-25.14	74.00	46.06	32.33	7.28	36.81	300	134 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																											
1	2462.00	182.26	28.26	74.00	99.51	32.36	7.22	36.83	300	134 Peak	VERTICAL																																																							
Avg.	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6  Site Condition : OCHB5-E5 Condition : FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 2P Plane : Full-directivity IMEI : 842 PowerSetting : 16.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2485.96</td><td>38.26</td><td>-15.74</td><td>54.00</td><td>35.49</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>134 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2485.96	38.26	-15.74	54.00	35.49	32.34	7.25	36.82	300	134 Average	VERTICAL	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site Condition : OCHB5-E5 Condition : FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 2P Plane : Full-directivity IMEI : 842 PowerSetting : 16.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>99.73</td><td>45.73</td><td>54.00</td><td>96.98</td><td>32.36</td><td>7.22</td><td>36.83</td><td>300</td><td>134 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2462.00	99.73	45.73	54.00	96.98	32.36	7.22	36.83	300	134 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																											
1	2485.96	38.26	-15.74	54.00	35.49	32.34	7.25	36.82	300	134 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																											
1	2462.00	99.73	45.73	54.00	96.98	32.36	7.22	36.83	300	134 Average	VERTICAL																																																							



















WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m		
ANT	802.11b CH12 2467MHz		
2	Horizontal	Fundamental	
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RW 100.000000 W 3000.000000 SPT Auto (FR)261401-01 40 Full-directivity #4215 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBm dBm/Vm dBm/Vm dBm/Vm dB dB cm deg 1 2483.88 51.82 -22.18 74.00 49.85 32.34 7.25 36.82 236 126 Peak HORIZONTAL  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 3 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2400 2450 2500 2550 2600 2650 2700 2750 2800 Frequency (MHz) FCC PART 15C dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RW 100.000000 W 3000.000000 SPT Auto (FR)261401-01 40 Full-directivity #4215 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBm dBm/Vm dBm/Vm dBm/Vm dB dB cm deg 1 2466.88 185.39 31.39 74.00 182.64 32.36 7.22 36.83 236 126 Peak HORIZONTAL <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RW 100.000000 W 3000.000000 SPT Auto (FR)261401-01 40 Full-directivity #4215 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBm dBm/Vm dBm/Vm dBm/Vm dB dB cm deg 1 2483.74 43.97 -18.83 54.00 41.29 32.34 7.25 36.82 236 126 Average HORIZONTAL  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2400 2450 2500 2550 2600 2650 2700 2750 2800 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RW 100.000000 W 3000.000000 SPT Auto (FR)261401-01 40 Full-directivity #4215 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBm dBm/Vm dBm/Vm dBm/Vm dB dB cm deg 1 2466.88 182.98 48.98 54.00 180.15 32.36 7.22 36.83 236 126 Average HORIZONTAL </td></tr>	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RW 100.000000 W 3000.000000 SPT Auto (FR)261401-01 40 Full-directivity #4215 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBm dBm/Vm dBm/Vm dBm/Vm dB dB cm deg 1 2483.74 43.97 -18.83 54.00 41.29 32.34 7.25 36.82 236 126 Average HORIZONTAL  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2400 2450 2500 2550 2600 2650 2700 2750 2800 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RW 100.000000 W 3000.000000 SPT Auto (FR)261401-01 40 Full-directivity #4215 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBm dBm/Vm dBm/Vm dBm/Vm dB dB cm deg 1 2466.88 182.98 48.98 54.00 180.15 32.36 7.22 36.83 236 126 Average HORIZONTAL
	Avg.		 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RW 100.000000 W 3000.000000 SPT Auto (FR)261401-01 40 Full-directivity #4215 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBm dBm/Vm dBm/Vm dBm/Vm dB dB cm deg 1 2483.74 43.97 -18.83 54.00 41.29 32.34 7.25 36.82 236 126 Average HORIZONTAL  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2400 2450 2500 2550 2600 2650 2700 2750 2800 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RW 100.000000 W 3000.000000 SPT Auto (FR)261401-01 40 Full-directivity #4215 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBm dBm/Vm dBm/Vm dBm/Vm dB dB cm deg 1 2466.88 182.98 48.98 54.00 180.15 32.36 7.22 36.83 236 126 Average HORIZONTAL







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11b CH12 2467MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 5 Site Condition : OCBW-E5 Condition : FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 40 Plane : Full-directivity IMEI : #42 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.82</td><td>58.17</td><td>-23.83</td><td>74.00</td><td>47.48</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>131 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2466.82	58.17	-23.83	74.00	47.48	32.34	7.25	36.82	300	131 Peak	VERTICAL	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 7 Site Condition : OCBW-E5 Condition : FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 40 Plane : Full-directivity IMEI : #42 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.88</td><td>181.63</td><td>27.63</td><td>74.00</td><td>98.88</td><td>32.36</td><td>7.22</td><td>36.83</td><td>300</td><td>131 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2466.88	181.63	27.63	74.00	98.88	32.36	7.22	36.83	300	131 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2466.82	58.17	-23.83	74.00	47.48	32.34	7.25	36.82	300	131 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2466.88	181.63	27.63	74.00	98.88	32.36	7.22	36.83	300	131 Peak	VERTICAL																																																							
Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 6 Site Condition : OCBW-E5 Condition : FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 40 Plane : Full-directivity IMEI : #42 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2463.74</td><td>41.23</td><td>-12.77</td><td>54.00</td><td>38.46</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>131 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2463.74	41.23	-12.77	54.00	38.46	32.34	7.25	36.82	300	131 Average	VERTICAL	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 8 Site Condition : OCBW-E5 Condition : FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 40 Plane : Full-directivity IMEI : #42 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2468.88</td><td>99.21</td><td>45.21</td><td>54.00</td><td>96.46</td><td>32.36</td><td>7.22</td><td>36.83</td><td>300</td><td>131 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2468.88	99.21	45.21	54.00	96.46	32.36	7.22	36.83	300	131 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2463.74	41.23	-12.77	54.00	38.46	32.34	7.25	36.82	300	131 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2468.88	99.21	45.21	54.00	96.46	32.36	7.22	36.83	300	131 Average	VERTICAL																																																							











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																		
ANT	802.11b CH13 2472MHz																																																																																																																																		
2	Horizontal	Fundamental																																																																																																																																	
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBuV/m)  Site Condition Project Mode Plane Polarization PowerSetting 03C095-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL R99 100.000000 W 3000.000000 SPT Auto (FR)261401-01 41 Full-directivity #42 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.58</td><td>54.95</td><td>-19.85</td><td>74.00</td><td>52.18</td><td>32.34</td><td>7.25</td><td>36.82</td><td>213</td><td>125 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 3 Level (dBuV/m)  Site Condition Project Mode Plane Polarization PowerSetting 03C095-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL R99 100.000000 W 3000.000000 SPT Auto (FR)261401-01 41 Full-directivity #42 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>104.88</td><td>30.88</td><td>74.00</td><td>182.06</td><td>32.34</td><td>7.22</td><td>36.82</td><td>213</td><td>125 Peak</td><td>HORIZONTAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBuV/m)  Site Condition Project Mode Plane Polarization PowerSetting 03C095-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL R99 100.000000 W 3000.000000 SPT Auto (FR)261401-01 41 Full-directivity #42 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.82</td><td>49.90</td><td>-4.10</td><td>54.00</td><td>47.13</td><td>32.34</td><td>7.25</td><td>36.82</td><td>213</td><td>125 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBuV/m)  Site Condition Project Mode Plane Polarization PowerSetting 03C095-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL R99 100.000000 W 3000.000000 SPT Auto (FR)261401-01 41 Full-directivity #42 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>182.29</td><td>48.29</td><td>54.00</td><td>99.55</td><td>32.34</td><td>7.22</td><td>36.82</td><td>213</td><td>125 Average</td><td>HORIZONTAL</td></tr></table> </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.58	54.95	-19.85	74.00	52.18	32.34	7.25	36.82	213	125 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2472.00	104.88	30.88	74.00	182.06	32.34	7.22	36.82	213	125 Peak	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBuV/m)  Site Condition Project Mode Plane Polarization PowerSetting 03C095-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL R99 100.000000 W 3000.000000 SPT Auto (FR)261401-01 41 Full-directivity #42 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.82</td><td>49.90</td><td>-4.10</td><td>54.00</td><td>47.13</td><td>32.34</td><td>7.25</td><td>36.82</td><td>213</td><td>125 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBuV/m)  Site Condition Project Mode Plane Polarization PowerSetting 03C095-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL R99 100.000000 W 3000.000000 SPT Auto (FR)261401-01 41 Full-directivity #42 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>182.29</td><td>48.29</td><td>54.00</td><td>99.55</td><td>32.34</td><td>7.22</td><td>36.82</td><td>213</td><td>125 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.82	49.90	-4.10	54.00	47.13	32.34	7.25	36.82	213	125 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2472.00	182.29	48.29	54.00	99.55	32.34	7.22	36.82	213	125 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																											
1	2484.58	54.95	-19.85	74.00	52.18	32.34	7.25	36.82	213	125 Peak	HORIZONTAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																											
1	2472.00	104.88	30.88	74.00	182.06	32.34	7.22	36.82	213	125 Peak	HORIZONTAL																																																																																																																								
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBuV/m)  Site Condition Project Mode Plane Polarization PowerSetting 03C095-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL R99 100.000000 W 3000.000000 SPT Auto (FR)261401-01 41 Full-directivity #42 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.82</td><td>49.90</td><td>-4.10</td><td>54.00</td><td>47.13</td><td>32.34</td><td>7.25</td><td>36.82</td><td>213</td><td>125 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBuV/m)  Site Condition Project Mode Plane Polarization PowerSetting 03C095-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL R99 100.000000 W 3000.000000 SPT Auto (FR)261401-01 41 Full-directivity #42 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>182.29</td><td>48.29</td><td>54.00</td><td>99.55</td><td>32.34</td><td>7.22</td><td>36.82</td><td>213</td><td>125 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.82	49.90	-4.10	54.00	47.13	32.34	7.25	36.82	213	125 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2472.00	182.29	48.29	54.00	99.55	32.34	7.22	36.82	213	125 Average	HORIZONTAL																																																																		
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																											
1	2484.82	49.90	-4.10	54.00	47.13	32.34	7.25	36.82	213	125 Average	HORIZONTAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																											
1	2472.00	182.29	48.29	54.00	99.55	32.34	7.22	36.82	213	125 Average	HORIZONTAL																																																																																																																								







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11b CH13 2472MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 Site Condition : 03CB05-15 Condition : FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 41 Plane : Full-directivity IMEI : 842 PowerSetting : 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>52.26</td><td>-21.74</td><td>74.00</td><td>49.49</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>131 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	52.26	-21.74	74.00	49.49	32.34	7.25	36.82	300	131 Peak	VERTICAL	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Site Condition : 03CB05-15 Condition : FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 41 Plane : Full-directivity IMEI : 842 PowerSetting : 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>181.87</td><td>27.87</td><td>74.00</td><td>98.33</td><td>32.34</td><td>7.22</td><td>36.82</td><td>300</td><td>131 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2472.00	181.87	27.87	74.00	98.33	32.34	7.22	36.82	300	131 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	52.26	-21.74	74.00	49.49	32.34	7.25	36.82	300	131 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2472.00	181.87	27.87	74.00	98.33	32.34	7.22	36.82	300	131 Peak	VERTICAL																																																							
Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6 Site Condition : 03CB05-15 Condition : FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 41 Plane : Full-directivity IMEI : 842 PowerSetting : 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.82</td><td>44.93</td><td>-9.87</td><td>54.00</td><td>42.16</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>131 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.82	44.93	-9.87	54.00	42.16	32.34	7.25	36.82	300	131 Average	VERTICAL	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Site Condition : 03CB05-15 Condition : FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 41 Plane : Full-directivity IMEI : 842 PowerSetting : 15.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>98.57</td><td>44.57</td><td>54.00</td><td>95.83</td><td>32.34</td><td>7.22</td><td>36.82</td><td>300</td><td>131 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2472.00	98.57	44.57	54.00	95.83	32.34	7.22	36.82	300	131 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.82	44.93	-9.87	54.00	42.16	32.34	7.25	36.82	300	131 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2472.00	98.57	44.57	54.00	95.83	32.34	7.22	36.82	300	131 Average	VERTICAL																																																							

2.4GHz 2400~2483.5MHz---ANT 2





WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11g CH01 2412MHz									
2	Horizontal					Fundamental				
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBuV/m)  Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV/m dB dB cm deg 1 2387.22 58.66 -23.34 74.00 48.82 32.40 7.18 36.86 198 139 Peak HORIZONTAL					 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 3 Level (dBuV/m)  Freq Level Over Limit Line Level Factor Loss Factor dBuV/m dB dBuV/m dBuV/m dB dB cm deg 1 * 2414.00 181.71 27.71 74.00 99.04 32.39 7.13 36.85 198 139 Peak HORIZONTAL				
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBuV/m)  Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV/m dB dB cm deg 1 2388.78 48.56 -13.44 54.00 37.92 32.40 7.18 36.86 198 139 Average HORIZONTAL					 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBuV/m)  Freq Level Over Limit Line Level Factor Loss Factor dBuV/m dB dBuV/m dBuV/m dB dB cm deg 1 * 2412.00 94.18 40.18 54.00 91.43 32.39 7.13 36.85 198 139 Average HORIZONTAL				







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH01 2412MHz																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 Level (dBm/Vm) Freq (MHz) FCC PART 15C (dBm) Site: 00000-01 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: 42 Plane: Full-directivity IMEI: #42 PowerSetting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2388.78</td><td>48.58</td><td>-25.42</td><td>74.00</td><td>45.94</td><td>32.40</td><td>7.18</td><td>36.86</td><td>311</td><td>135 Peak VERTICAL</td></tr></table>  No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Level (dBm/Vm) Freq (MHz) FCC PART 15C (dBm) Site: 00000-01 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: 42 Plane: Full-directivity IMEI: #42 PowerSetting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2414.00</td><td>99.97</td><td>25.97</td><td>74.00</td><td>97.90</td><td>32.39</td><td>7.13</td><td>36.85</td><td>311</td><td>135 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2388.78	48.58	-25.42	74.00	45.94	32.40	7.18	36.86	311	135 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2414.00	99.97	25.97	74.00	97.90	32.39	7.13	36.85	311	135 Peak VERTICAL	Avg.	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6 Level (dBm/Vm) Freq (MHz) FCC PART 15C (AVG) (dBm) Site: 00000-01 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: 42 Plane: Full-directivity IMEI: #42 PowerSetting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2389.38</td><td>39.38</td><td>-14.78</td><td>54.00</td><td>36.66</td><td>32.40</td><td>7.18</td><td>36.86</td><td>311</td><td>135 Average VERTICAL</td></tr></table>  No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Level (dBm/Vm) Freq (MHz) FCC PART 15C (AVG) (dBm) Site: 00000-01 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: 42 Plane: Full-directivity IMEI: #42 PowerSetting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2412.00</td><td>92.43</td><td>38.43</td><td>54.00</td><td>89.76</td><td>32.39</td><td>7.13</td><td>36.85</td><td>311</td><td>135 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2389.38	39.38	-14.78	54.00	36.66	32.40	7.18	36.86	311	135 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2412.00	92.43	38.43	54.00	89.76	32.39	7.13	36.85	311	135 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2388.78	48.58	-25.42	74.00	45.94	32.40	7.18	36.86	311	135 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2414.00	99.97	25.97	74.00	97.90	32.39	7.13	36.85	311	135 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2389.38	39.38	-14.78	54.00	36.66	32.40	7.18	36.86	311	135 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2412.00	92.43	38.43	54.00	89.76	32.39	7.13	36.85	311	135 Average VERTICAL																																																																																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
2	Horizontal	Fundamental
Peak	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 9 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-K5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RSW 1000, 0000Hz YSW 3000, 0000Hz SWT Auto FR0201401-01 44 44 Full-directivity #42 14 Over Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2483.58 51.48 -22.52 74.00 48.71 32.34 7.25 36.82 239 128 Peak HORIZONTAL  No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 11 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1500 1700 1900 2100 2300 2500 2700 3000 Frequency (MHz) FCC PART 15C dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-K5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RSW 1000, 0000Hz YSW 3000, 0000Hz SWT Auto FR0201401-01 44 44 Full-directivity #42 14 Over Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2464.00 184.24 30.24 74.00 181.49 32.36 7.22 36.83 239 128 Peak HORIZONTAL	
Avg.	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 10 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-K5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RSW 1000, 0000Hz YSW 0.7500Hz SWT Auto FR0201401-01 44 44 Full-directivity #42 14 Over Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2483.58 42.81 -11.99 54.00 39.24 32.34 7.25 36.82 239 128 Average HORIZONTAL  No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 12 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1500 1700 1900 2100 2300 2500 2700 3000 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB05-K5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RSW 1000, 0000Hz YSW 0.7500Hz SWT Auto FR0201401-01 44 44 Full-directivity #42 14 Over Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2464.00 96.44 42.44 54.00 93.69 32.36 7.22 36.83 239 128 Average HORIZONTAL	







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
2	Vertical	Fundamental
Peak	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 13 Level (dBuV/m) Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV/m dB dB cm deg 1 2485.24 49.87 -24.13 74.00 47.10 32.34 7.25 36.82 304 130 Peak VERTICAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 15 Level (dBuV/m) Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV/m dB dB cm deg 1 * 2464.00 181.24 27.24 74.00 98.49 32.36 7.22 36.83 304 130 Peak VERTICAL
Avg.	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 14 Level (dBuV/m) Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV/m dB dB cm deg 1 2483.58 39.98 -14.82 54.00 37.21 32.34 7.25 36.82 304 130 Average VERTICAL	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 16 Level (dBuV/m) Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV/m dB dB cm deg 1 * 2462.00 93.84 39.84 54.00 91.09 32.36 7.22 36.83 304 130 Average VERTICAL







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11g CH12 2467MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Site Condition : OCHB5-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RSM 1000, 000Hz YSW 3000, 000Hz SWT Auto Project : (FR)261401-01 Mode : 45 Plane : Full-directivity IMEI : #42 PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2467.34</td><td>54.75</td><td>-19.25</td><td>74.00</td><td>51.98</td><td>32.34</td><td>7.25</td><td>36.82</td><td>238</td><td>137 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2467.34	54.75	-19.25	74.00	51.98	32.34	7.25	36.82	238	137 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Site Condition : OCHB5-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RSM 1000, 000Hz YSW 3000, 000Hz SWT Auto Project : (FR)261401-01 Mode : 45 Plane : Full-directivity IMEI : #42 PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>183.74</td><td>29.74</td><td>74.00</td><td>180.99</td><td>32.36</td><td>7.22</td><td>36.83</td><td>238</td><td>137 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2462.00	183.74	29.74	74.00	180.99	32.36	7.22	36.83	238	137 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2467.34	54.75	-19.25	74.00	51.98	32.34	7.25	36.82	238	137 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2462.00	183.74	29.74	74.00	180.99	32.36	7.22	36.83	238	137 Peak	HORIZONTAL																																																							
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Site Condition : OCHB5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RSM 1000, 000Hz YSW 0.750KHz SWT Auto Project : (FR)261401-01 Mode : 45 Plane : Full-directivity IMEI : #42 PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2463.58</td><td>43.89</td><td>-18.11</td><td>54.00</td><td>41.12</td><td>32.34</td><td>7.25</td><td>36.82</td><td>238</td><td>137 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2463.58	43.89	-18.11	54.00	41.12	32.34	7.25	36.82	238	137 Average	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Site Condition : OCHB5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RSM 1000, 000Hz YSW 0.750KHz SWT Auto Project : (FR)261401-01 Mode : 45 Plane : Full-directivity IMEI : #42 PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.00</td><td>96.62</td><td>42.62</td><td>54.00</td><td>93.87</td><td>32.36</td><td>7.22</td><td>36.83</td><td>238</td><td>137 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2466.00	96.62	42.62	54.00	93.87	32.36	7.22	36.83	238	137 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2463.58	43.89	-18.11	54.00	41.12	32.34	7.25	36.82	238	137 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2466.00	96.62	42.62	54.00	93.87	32.36	7.22	36.83	238	137 Average	HORIZONTAL																																																							











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH12 2467MHz																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 00305-K3 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000, 0000Hz YSW 0000, 0000Hz SRT Auto Project : (FR)261401-01 Mode : 45 Plane : Full-directivity [WEI] PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2465.98</td><td>52.70</td><td>-21.38</td><td>74.00</td><td>49.93</td><td>32.34</td><td>7.25</td><td>36.82</td><td>301</td><td>131 Peak VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 00305-K3 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000, 0000Hz YSW 0000, 0000Hz SRT Auto Project : (FR)261401-01 Mode : 45 Plane : Full-directivity [WEI] PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>100.57</td><td>26.57</td><td>74.00</td><td>97.82</td><td>32.36</td><td>7.22</td><td>36.83</td><td>301</td><td>131 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2465.98	52.70	-21.38	74.00	49.93	32.34	7.25	36.82	301	131 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2470.00	100.57	26.57	74.00	97.82	32.36	7.22	36.83	301	131 Peak VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 00305-K3 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000, 0000Hz YSW 0.7500Hz SRT Auto Project : (FR)261401-01 Mode : 45 Plane : Full-directivity [WEI] PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2465.96</td><td>41.92</td><td>-12.08</td><td>54.00</td><td>39.15</td><td>32.34</td><td>7.25</td><td>36.82</td><td>301</td><td>131 Average VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 00305-K3 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000, 0000Hz YSW 0.7500Hz SRT Auto Project : (FR)261401-01 Mode : 45 Plane : Full-directivity [WEI] PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2468.00</td><td>93.14</td><td>39.14</td><td>54.00</td><td>90.39</td><td>32.36</td><td>7.22</td><td>36.83</td><td>301</td><td>131 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2465.96	41.92	-12.08	54.00	39.15	32.34	7.25	36.82	301	131 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2468.00	93.14	39.14	54.00	90.39	32.36	7.22	36.83	301	131 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2465.98	52.70	-21.38	74.00	49.93	32.34	7.25	36.82	301	131 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2470.00	100.57	26.57	74.00	97.82	32.36	7.22	36.83	301	131 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2465.96	41.92	-12.08	54.00	39.15	32.34	7.25	36.82	301	131 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2468.00	93.14	39.14	54.00	90.39	32.36	7.22	36.83	301	131 Average VERTICAL																																																																																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11g CH13 2472MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 5 Site Condition: 03CB05-E5 FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Power: 100.000000 W 0.000000 SWT Auto Project: (FR)261401-01 Mode: 40 Plane: Full-directivity IMEI: #42 PowerSetting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.18</td><td>58.90</td><td>-15.18</td><td>74.00</td><td>56.13</td><td>32.34</td><td>7.25</td><td>36.82</td><td>212</td><td>136 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.18	58.90	-15.18	74.00	56.13	32.34	7.25	36.82	212	136 Peak	HORIZONTAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 7 Site Condition: 03CB05-E5 FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Power: 100.000000 W 0.000000 SWT Auto Project: (FR)261401-01 Mode: 40 Plane: Full-directivity IMEI: #42 PowerSetting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>182.48</td><td>28.48</td><td>74.00</td><td>99.71</td><td>32.34</td><td>7.25</td><td>36.82</td><td>212</td><td>136 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2474.00	182.48	28.48	74.00	99.71	32.34	7.25	36.82	212	136 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.18	58.90	-15.18	74.00	56.13	32.34	7.25	36.82	212	136 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2474.00	182.48	28.48	74.00	99.71	32.34	7.25	36.82	212	136 Peak	HORIZONTAL																																																							
Avg.	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 6 Site Condition: 03CB05-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Power: 100.000000 W 0.750000 SWT Auto Project: (FR)261401-01 Mode: 40 Plane: Full-directivity IMEI: #42 PowerSetting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.16</td><td>58.89</td><td>-3.11</td><td>54.00</td><td>48.12</td><td>32.34</td><td>7.25</td><td>36.82</td><td>212</td><td>136 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.16	58.89	-3.11	54.00	48.12	32.34	7.25	36.82	212	136 Average	HORIZONTAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 8 Site Condition: 03CB05-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Power: 100.000000 W 0.750000 SWT Auto Project: (FR)261401-01 Mode: 40 Plane: Full-directivity IMEI: #42 PowerSetting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>94.98</td><td>40.98</td><td>54.00</td><td>92.24</td><td>32.34</td><td>7.22</td><td>36.82</td><td>212</td><td>136 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2472.00	94.98	40.98	54.00	92.24	32.34	7.22	36.82	212	136 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.16	58.89	-3.11	54.00	48.12	32.34	7.25	36.82	212	136 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2472.00	94.98	40.98	54.00	92.24	32.34	7.22	36.82	212	136 Average	HORIZONTAL																																																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																		
ANT	802.11g CH13 2472MHz																																																																																																																																		
2	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 9 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C dBm Site Condition : 03CB05-K5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 0.000000 W 0.000000 W 0.000000 W Project : (FR)261401-01 Mode : 40 Plane : Pull-directivity IMEI : #42 PowerSetting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.22</td><td>55.85</td><td>-18.15</td><td>74.00</td><td>53.88</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>130 Peak</td><td>VERTICAL</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300 2400 2500 2600 2700 2800 2900 3000 Frequency (MHz) FCC PART 15C dBm Site Condition : 03CB05-K5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 0.000000 W 0.000000 W 0.000000 W Project : (FR)261401-01 Mode : 40 Plane : Pull-directivity IMEI : #42 PowerSetting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2468.00</td><td>98.46</td><td>24.46</td><td>74.00</td><td>95.71</td><td>32.36</td><td>7.22</td><td>36.83</td><td>300</td><td>130 Peak</td><td>VERTICAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 10 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition : 03CB05-K5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 0.000000 W 0.000000 W 0.000000 W Project : (FR)261401-01 Mode : 40 Plane : Pull-directivity IMEI : #42 PowerSetting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.16</td><td>47.12</td><td>-6.88</td><td>54.00</td><td>44.35</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>130 Average</td><td>VERTICAL</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300 2400 2500 2600 2700 2800 2900 3000 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition : 03CB05-K5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 0.000000 W 0.000000 W 0.000000 W Project : (FR)261401-01 Mode : 40 Plane : Pull-directivity IMEI : #42 PowerSetting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>91.21</td><td>37.21</td><td>54.00</td><td>88.47</td><td>32.34</td><td>7.22</td><td>36.82</td><td>300</td><td>130 Average</td><td>VERTICAL</td></tr></table> </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2484.22	55.85	-18.15	74.00	53.88	32.34	7.25	36.82	300	130 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2468.00	98.46	24.46	74.00	95.71	32.36	7.22	36.83	300	130 Peak	VERTICAL	Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 10 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition : 03CB05-K5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 0.000000 W 0.000000 W 0.000000 W Project : (FR)261401-01 Mode : 40 Plane : Pull-directivity IMEI : #42 PowerSetting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.16</td><td>47.12</td><td>-6.88</td><td>54.00</td><td>44.35</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>130 Average</td><td>VERTICAL</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300 2400 2500 2600 2700 2800 2900 3000 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition : 03CB05-K5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 0.000000 W 0.000000 W 0.000000 W Project : (FR)261401-01 Mode : 40 Plane : Pull-directivity IMEI : #42 PowerSetting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>91.21</td><td>37.21</td><td>54.00</td><td>88.47</td><td>32.34</td><td>7.22</td><td>36.82</td><td>300</td><td>130 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2484.16	47.12	-6.88	54.00	44.35	32.34	7.25	36.82	300	130 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2472.00	91.21	37.21	54.00	88.47	32.34	7.22	36.82	300	130 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2484.22	55.85	-18.15	74.00	53.88	32.34	7.25	36.82	300	130 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2468.00	98.46	24.46	74.00	95.71	32.36	7.22	36.83	300	130 Peak	VERTICAL																																																																																																																								
Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 10 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition : 03CB05-K5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 0.000000 W 0.000000 W 0.000000 W Project : (FR)261401-01 Mode : 40 Plane : Pull-directivity IMEI : #42 PowerSetting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.16</td><td>47.12</td><td>-6.88</td><td>54.00</td><td>44.35</td><td>32.34</td><td>7.25</td><td>36.82</td><td>300</td><td>130 Average</td><td>VERTICAL</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300 2400 2500 2600 2700 2800 2900 3000 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition : 03CB05-K5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power : 100.000000 W 0.000000 W 0.000000 W 0.000000 W Project : (FR)261401-01 Mode : 40 Plane : Pull-directivity IMEI : #42 PowerSetting : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>91.21</td><td>37.21</td><td>54.00</td><td>88.47</td><td>32.34</td><td>7.22</td><td>36.82</td><td>300</td><td>130 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2484.16	47.12	-6.88	54.00	44.35	32.34	7.25	36.82	300	130 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2472.00	91.21	37.21	54.00	88.47	32.34	7.22	36.82	300	130 Average	VERTICAL																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2484.16	47.12	-6.88	54.00	44.35	32.34	7.25	36.82	300	130 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2472.00	91.21	37.21	54.00	88.47	32.34	7.22	36.82	300	130 Average	VERTICAL																																																																																																																								



2.4GHz 2400~2483.5MHz---ANT 2





WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11ax HE20 Full CH01 2412MHz																																																													
2	Horizontal	Fundamental																																																												
Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CWP-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RPM 1000.000MHz YBW 3000.000Hz SWT Auto (FR)261401-01 47 7 Full-directivity #42 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB dB cm deg <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>52.39</td><td>-21.61</td><td>74.00</td><td>49.75</td><td>32.40</td><td>7.18</td><td>36.86</td><td>198 139 Peak</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	52.39	-21.61	74.00	49.75	32.40	7.18	36.86	198 139 Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CWP-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RPM 1000.000MHz YBW 3000.000Hz SWT Auto (FR)261401-01 47 7 Full-directivity #42 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB dB cm deg <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2414.00</td><td>182.81</td><td>28.81</td><td>74.00</td><td>180.14</td><td>32.39</td><td>7.13</td><td>36.85</td><td>198 139 Peak</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2414.00	182.81	28.81	74.00	180.14	32.39	7.13	36.85	198 139 Peak
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2388.52	52.39	-21.61	74.00	49.75	32.40	7.18	36.86	198 139 Peak																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2414.00	182.81	28.81	74.00	180.14	32.39	7.13	36.85	198 139 Peak																																																					
Avg.	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CWP-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RPM 1000.000MHz YBW 0.01000Hz SWT Auto (FR)261401-01 47 7 Full-directivity #42 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB dB cm deg <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>49.13</td><td>-13.87</td><td>54.00</td><td>37.49</td><td>32.40</td><td>7.18</td><td>36.86</td><td>198 139 Average</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	49.13	-13.87	54.00	37.49	32.40	7.18	36.86	198 139 Average	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CWP-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RPM 1000.000MHz YBW 0.01000Hz SWT Auto (FR)261401-01 47 7 Full-directivity #42 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB dB cm deg <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.82</td><td>40.82</td><td>54.00</td><td>91.35</td><td>32.39</td><td>7.13</td><td>36.85</td><td>198 139 Average</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.82	40.82	54.00	91.35	32.39	7.13	36.85	198 139 Average
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2389.04	49.13	-13.87	54.00	37.49	32.40	7.18	36.86	198 139 Average																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2412.00	94.82	40.82	54.00	91.35	32.39	7.13	36.85	198 139 Average																																																					







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																					
ANT	802.11ax HE20 Full CH01 2412MHz																																																																																																																																					
2	Vertical	Fundamental																																																																																																																																				
Peak	No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 9 Level (dBuV/m) Site : OUCHENG-12 Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 47 Plane : Full-directivity IMEI : #42 PowerRating : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2382.67</td><td>48.88</td><td>-25.28</td><td>74.88</td><td>46.26</td><td>32.31</td><td>7.18</td><td>36.87</td><td>298</td><td>138 Peak VERTICAL</td></tr></table> No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 11 Level (dBuV/m) Site : OUCHENG-12 Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 47 Plane : Full-directivity IMEI : #42 PowerRating : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 *</td><td>2414.00</td><td>181.43</td><td>27.43</td><td>74.88</td><td>98.76</td><td>32.39</td><td>7.13</td><td>36.85</td><td>298</td><td>138 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2382.67	48.88	-25.28	74.88	46.26	32.31	7.18	36.87	298	138 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	2414.00	181.43	27.43	74.88	98.76	32.39	7.13	36.85	298	138 Peak VERTICAL	No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 10 Level (dBuV/m) Site : OUCHENG-12 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 47 Plane : Full-directivity IMEI : #42 PowerRating : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2389.17</td><td>38.31</td><td>-15.69</td><td>54.88</td><td>35.67</td><td>32.40</td><td>7.18</td><td>36.86</td><td>298</td><td>138 Average VERTICAL</td></tr></table> No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 12 Level (dBuV/m) Site : OUCHENG-12 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 47 Plane : Full-directivity IMEI : #42 PowerRating : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 *</td><td>2412.00</td><td>91.65</td><td>37.65</td><td>54.88</td><td>88.98</td><td>32.39</td><td>7.13</td><td>36.85</td><td>298</td><td>138 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2389.17	38.31	-15.69	54.88	35.67	32.40	7.18	36.86	298	138 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	2412.00	91.65	37.65	54.88	88.98	32.39	7.13	36.85	298	138 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																														
1	2382.67	48.88	-25.28	74.88	46.26	32.31	7.18	36.87	298	138 Peak VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																														
1 *	2414.00	181.43	27.43	74.88	98.76	32.39	7.13	36.85	298	138 Peak VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																														
1	2389.17	38.31	-15.69	54.88	35.67	32.40	7.18	36.86	298	138 Average VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																														
1 *	2412.00	91.65	37.65	54.88	88.98	32.39	7.13	36.85	298	138 Average VERTICAL																																																																																																																												






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH11 2462MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (dB) Site Condition Project Mode Plane Full-directivity IMEI PowerSetting 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>52.92</td><td>-21.88</td><td>74.80</td><td>58.35</td><td>32.34</td><td>7.25</td><td>37.82</td><td>240</td><td>130 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	52.92	-21.88	74.80	58.35	32.34	7.25	37.82	240	130 Peak	HORIZONTAL	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 3 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 1000 1300 1500 1700 1900 2100 2300 2500 2700 3000 Frequency (MHz) FCC PART 15C (dB) Site Condition Project Mode Plane Full-directivity IMEI PowerSetting 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.00</td><td>184.28</td><td>38.28</td><td>74.80</td><td>181.62</td><td>32.36</td><td>7.22</td><td>36.92</td><td>240</td><td>130 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2466.00	184.28	38.28	74.80	181.62	32.36	7.22	36.92	240	130 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	52.92	-21.88	74.80	58.35	32.34	7.25	37.82	240	130 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2466.00	184.28	38.28	74.80	181.62	32.36	7.22	36.92	240	130 Peak	HORIZONTAL																																																							
Avg.	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) (dB) Site Condition Project Mode Plane Full-directivity IMEI PowerSetting 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>48.75</td><td>-13.25</td><td>54.80</td><td>38.18</td><td>32.34</td><td>7.25</td><td>37.82</td><td>240</td><td>130 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	48.75	-13.25	54.80	38.18	32.34	7.25	37.82	240	130 Average	HORIZONTAL	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 1000 1300 1500 1700 1900 2100 2300 2500 2700 3000 Frequency (MHz) FCC PART 15C (AVG) (dB) Site Condition Project Mode Plane Full-directivity IMEI PowerSetting 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>95.67</td><td>41.67</td><td>54.80</td><td>93.81</td><td>32.36</td><td>7.22</td><td>36.92</td><td>240</td><td>130 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2462.00	95.67	41.67	54.80	93.81	32.36	7.22	36.92	240	130 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	48.75	-13.25	54.80	38.18	32.34	7.25	37.82	240	130 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2462.00	95.67	41.67	54.80	93.81	32.36	7.22	36.92	240	130 Average	HORIZONTAL																																																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Full CH11 2462MHz																																																																					
2	Vertical	Fundamental																																																																				
Peak	 No. 1008, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 5 Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000.000Hz YSW 3000.000Hz SWT Auto (FR)261401-01 49 Full-directivity #4214 14 Over Limit Line Level Factor dB dBm/Vm dBm/Vm ReadAntenna Cable Preamp Loss Factor dB dB cm A/Pos T/Pos deg Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>48.86</td><td>-25.14</td><td>74.00</td><td>46.29</td><td>32.34</td><td>7.25</td><td>37.82</td><td>349</td><td>119 Peak</td><td>VERTICAL</td></tr></table>  No. 1008, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 7 Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000.000Hz YSW 3000.000Hz SWT Auto (FR)261401-01 49 Full-directivity #4214 14 Over Limit Line Level Factor dB dBm/Vm dBm/Vm ReadAntenna Cable Preamp Loss Factor dB dB cm A/Pos T/Pos deg Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>181.16</td><td>27.16</td><td>74.00</td><td>98.58</td><td>32.36</td><td>7.22</td><td>36.92</td><td>349</td><td>119 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	2483.58	48.86	-25.14	74.00	46.29	32.34	7.25	37.82	349	119 Peak	VERTICAL	Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	2462.00	181.16	27.16	74.00	98.58	32.36	7.22	36.92	349	119 Peak	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																													
1	2483.58	48.86	-25.14	74.00	46.29	32.34	7.25	37.82	349	119 Peak	VERTICAL																																																											
Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																													
1	2462.00	181.16	27.16	74.00	98.58	32.36	7.22	36.92	349	119 Peak	VERTICAL																																																											
Avg .	 No. 1008, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 6 Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000.000Hz YSW 0.01000Hz SWT Auto (FR)261401-01 49 Full-directivity #4214 14 Over Limit Line Level Factor dB dBm/Vm dBm/Vm ReadAntenna Cable Preamp Loss Factor dB dB cm A/Pos T/Pos deg Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>37.88</td><td>-16.12</td><td>54.00</td><td>35.31</td><td>32.34</td><td>7.25</td><td>37.82</td><td>349</td><td>119 Average</td><td>VERTICAL</td></tr></table>  No. 1008, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 8 Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000.000Hz YSW 0.01000Hz SWT Auto (FR)261401-01 49 Full-directivity #4214 14 Over Limit Line Level Factor dB dBm/Vm dBm/Vm ReadAntenna Cable Preamp Loss Factor dB dB cm A/Pos T/Pos deg Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>91.86</td><td>37.86</td><td>54.00</td><td>89.28</td><td>32.36</td><td>7.22</td><td>36.92</td><td>349</td><td>119 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	2483.58	37.88	-16.12	54.00	35.31	32.34	7.25	37.82	349	119 Average	VERTICAL	Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	2462.00	91.86	37.86	54.00	89.28	32.36	7.22	36.92	349	119 Average	VERTICAL	
Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																													
1	2483.58	37.88	-16.12	54.00	35.31	32.34	7.25	37.82	349	119 Average	VERTICAL																																																											
Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																													
1	2462.00	91.86	37.86	54.00	89.28	32.36	7.22	36.92	349	119 Average	VERTICAL																																																											







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH12 2467MHz	
2	Horizontal	Fundamental
Peak	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 117 Level (dBuV/m) Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2467.79 54.87 -19.13 74.00 52.42 32.33 7.25 37.13 238 131 Peak HORIZONTAL	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 3 117 Level (dBuV/m) Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 * 2466.00 104.68 39.68 74.00 102.02 32.36 7.22 36.92 238 131 Peak HORIZONTAL
	Avg.	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 117 Level (dBuV/m) Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2463.58 42.42 -11.58 54.00 39.85 32.34 7.25 37.02 238 131 Average HORIZONTAL





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																		
ANT	802.11ax HE20 Full CH12 2467MHz																																																																																																																																		
2	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C905-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 WPM 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 00 Plane : Full-directivity IMEI : #42 PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2487.94</td><td>51.88</td><td>-22.92</td><td>74.80</td><td>48.63</td><td>32.33</td><td>7.25</td><td>37.13</td><td>299</td><td>118 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C905-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 WPM 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 00 Plane : Full-directivity IMEI : #42 PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>181.18</td><td>27.18</td><td>74.80</td><td>98.52</td><td>32.36</td><td>7.22</td><td>36.92</td><td>299</td><td>118 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2487.94	51.88	-22.92	74.80	48.63	32.33	7.25	37.13	299	118 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2466.00	181.18	27.18	74.80	98.52	32.36	7.22	36.92	299	118 Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C905-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 WPM 0.010000 SPT Auto Project : (FR)261401-01 Mode : 00 Plane : Full-directivity IMEI : #42 PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.58</td><td>48.18</td><td>-13.82</td><td>54.80</td><td>37.61</td><td>32.34</td><td>7.25</td><td>37.02</td><td>299</td><td>118 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition : 03C905-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RFR 1000.000000 WPM 0.010000 SPT Auto Project : (FR)261401-01 Mode : 00 Plane : Full-directivity IMEI : #42 PowerSetting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2468.00</td><td>91.48</td><td>37.48</td><td>54.80</td><td>88.82</td><td>32.36</td><td>7.22</td><td>36.92</td><td>299</td><td>118 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2483.58	48.18	-13.82	54.80	37.61	32.34	7.25	37.02	299	118 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2468.00	91.48	37.48	54.80	88.82	32.36	7.22	36.92	299	118 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																																																																																												
1	2487.94	51.88	-22.92	74.80	48.63	32.33	7.25	37.13	299	118 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																																																																																												
1	2466.00	181.18	27.18	74.80	98.52	32.36	7.22	36.92	299	118 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																																																																																												
1	2483.58	48.18	-13.82	54.80	37.61	32.34	7.25	37.02	299	118 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																																																																																												
1	2468.00	91.48	37.48	54.80	88.82	32.36	7.22	36.92	299	118 Average	VERTICAL																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Full CH13 2472MHz																																																																			
2	Horizontal	Fundamental																																																																		
Peak	 Site: 000000-05 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: R001 1000.000000 V00 3000.000000 SWT Auto Model: 01 Plane: Y Full-directivity IMEI: 842 PowerSetting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.58</td><td>62.98</td><td>-11.82</td><td>74.80</td><td>68.41</td><td>32.34</td><td>7.25</td><td>37.82</td><td>212</td><td>131 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1	2483.58	62.98	-11.82	74.80	68.41	32.34	7.25	37.82	212	131 Peak	 Site: 000000-05 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: R001 1000.000000 V00 3000.000000 SWT Auto Model: 01 Plane: Y Full-directivity IMEI: 842 PowerSetting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2474.00</td><td>184.75</td><td>38.75</td><td>74.80</td><td>182.18</td><td>32.34</td><td>7.25</td><td>37.82</td><td>212</td><td>131 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1	2474.00	184.75	38.75	74.80	182.18	32.34	7.25	37.82	212	131 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																												
1	2483.58	62.98	-11.82	74.80	68.41	32.34	7.25	37.82	212	131 Peak																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																												
1	2474.00	184.75	38.75	74.80	182.18	32.34	7.25	37.82	212	131 Peak																																																										
Avg.	 Site: 000000-05 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL Project: R001 1000.000000 V00 3000.000000 SWT Auto Model: 01 Plane: Y Full-directivity IMEI: 842 PowerSetting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.58</td><td>58.04</td><td>-3.16</td><td>54.88</td><td>48.27</td><td>32.34</td><td>7.25</td><td>37.82</td><td>212</td><td>131 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1	2483.58	58.04	-3.16	54.88	48.27	32.34	7.25	37.82	212	131 Average	 Site: 000000-05 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL Project: R001 1000.000000 V00 3000.000000 SWT Auto Model: 01 Plane: Y Full-directivity IMEI: 842 PowerSetting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2472.00</td><td>95.97</td><td>41.97</td><td>54.88</td><td>93.43</td><td>32.34</td><td>7.22</td><td>37.82</td><td>212</td><td>131 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1	2472.00	95.97	41.97	54.88	93.43	32.34	7.22	37.82	212	131 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																												
1	2483.58	58.04	-3.16	54.88	48.27	32.34	7.25	37.82	212	131 Average																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																												
1	2472.00	95.97	41.97	54.88	93.43	32.34	7.22	37.82	212	131 Average																																																										







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH13 2472MHz	
2	Vertical	Fundamental
Peak	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 13 Level (dBuV/m) 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 02400 2450. 2460. 2470. 2480. 2490. 2500 Frequency (MHz) FCC PART 15C (dB) 60dB Site Condition Project Mode Plane IMEI PowerSetting 03CB05-15 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RF 100.000000 WPM 3000.000000 SPT Auto (FR)261401-01 S1 T Full-directivity #42 14 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 2484.18 57.86 -16.14 74.00 55.29 32.34 7.25 37.82 382 119 Peak VERTICAL Site Condition Project Mode Plane IMEI PowerSetting 03CB05-15 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RF 100.000000 WPM 3000.000000 SPT Auto (FR)261401-01 S1 T Full-directivity #42 14 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 2474.00 100.76 26.76 74.00 98.19 32.34 7.25 37.82 382 119 Peak VERTICAL	
	Avg .	 No. 1008, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 14 Level (dBuV/m) 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 02400 2450. 2460. 2470. 2480. 2490. 2500 Frequency (MHz) FCC PART 15C (AVG) (dB) 60dB Site Condition Project Mode Plane IMEI PowerSetting 03CB05-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RF 100.000000 WPM 0.010000 SPT Auto (FR)261401-01 S1 T Full-directivity #42 14 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 2483.58 47.00 -7.00 54.00 44.43 32.34 7.25 37.82 382 119 Average VERTICAL Site Condition Project Mode Plane IMEI PowerSetting 03CB05-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RF 100.000000 WPM 0.010000 SPT Auto (FR)261401-01 S1 T Full-directivity #42 14 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 2472.00 91.85 37.85 54.00 89.31 32.34 7.22 37.82 382 119 Average VERTICAL

2.4GHz 2400~2483.5MHz---ANT 2









WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT		802.11ax HE20 Partial 26/0 CH01 2412MHz	
2	Horizontal	Fundamental	
Peak	SPORTON LAB. No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Level (dBuV/m) <		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz																																																																			
2	Vertical	Fundamental																																																																		
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site: 030905-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM: 1000.000MHz VSW: 3000.000MHz SRT: Auto Project: FR261401-01 Mode: S2 Plane: Full-directivity IME1: #42 PowerSetting: 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2361.48</td><td>48.49</td><td>-25.51</td><td>74.00</td><td>45.78</td><td>32.22</td><td>7.07</td><td>36.58</td><td>283</td><td>151 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1	2361.48	48.49	-25.51	74.00	45.78	32.22	7.07	36.58	283	151 Peak VERTICAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site: 030905-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL RSM: 1000.000MHz VSW: 3000.000MHz SRT: Auto Project: FR261401-01 Mode: S2 Plane: Full-directivity IME1: #42 PowerSetting: 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2404.00</td><td>101.66</td><td>27.66</td><td>74.00</td><td>98.75</td><td>32.39</td><td>7.13</td><td>36.61</td><td>283</td><td>151 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1	2404.00	101.66	27.66	74.00	98.75	32.39	7.13	36.61	283	151 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																												
1	2361.48	48.49	-25.51	74.00	45.78	32.22	7.07	36.58	283	151 Peak VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																												
1	2404.00	101.66	27.66	74.00	98.75	32.39	7.13	36.61	283	151 Peak VERTICAL																																																										
Avg.	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site: 030905-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL RSM: 1000.000MHz VSW: 1.800MHz SRT: Auto Project: FR261401-01 Mode: S2 Plane: Full-directivity IME1: #42 PowerSetting: 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2386.70</td><td>39.19</td><td>-14.81</td><td>54.00</td><td>36.20</td><td>32.40</td><td>7.10</td><td>36.51</td><td>283</td><td>151 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1	2386.70	39.19	-14.81	54.00	36.20	32.40	7.10	36.51	283	151 Average VERTICAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site: 030905-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL RSM: 1000.000MHz VSW: 1.800MHz SRT: Auto Project: FR261401-01 Mode: S2 Plane: Full-directivity IME1: #42 PowerSetting: 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2404.00</td><td>91.19</td><td>37.19</td><td>54.00</td><td>88.78</td><td>32.39</td><td>7.13</td><td>36.61</td><td>283</td><td>151 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1	2404.00	91.19	37.19	54.00	88.78	32.39	7.13	36.61	283	151 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																												
1	2386.70	39.19	-14.81	54.00	36.20	32.40	7.10	36.51	283	151 Average VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																												
1	2404.00	91.19	37.19	54.00	88.78	32.39	7.13	36.61	283	151 Average VERTICAL																																																										







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m		
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz		
2	Horizontal	Fundamental	
Peak	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB95-E5 FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL RF 100.00000mW YPR 3000.000000 SPT Auto (FR)261401-01 05 Full-directivity #42 5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 2496.28 48.45 -25.55 74.00 45.97 32.33 7.28 37.13 226 137 Peak HORIZONTAL  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 3 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1600 1900 2200 2500 2700 3000 Frequency (MHz) FCC PART 15C dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB95-E5 FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL RF 100.00000mW YPR 3000.000000 SPT Auto (FR)261401-01 05 Full-directivity #42 5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 * 2478.00 184.15 30.15 74.00 181.49 32.36 7.22 36.92 226 137 Peak HORIZONTAL <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB95-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL RF 100.00000mW YPR 1.800000 SPT Auto (FR)261401-01 05 Full-directivity #42 5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 2489.32 38.55 -15.45 54.00 36.18 32.33 7.25 37.13 226 137 Average HORIZONTAL  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1600 1900 2200 2500 2700 3000 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB95-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL RF 100.00000mW YPR 1.800000 SPT Auto (FR)261401-01 05 Full-directivity #42 5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 * 2478.00 95.57 41.57 54.00 92.91 32.36 7.22 36.92 226 137 Average HORIZONTAL </td></tr>	Avg.	 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB95-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL RF 100.00000mW YPR 1.800000 SPT Auto (FR)261401-01 05 Full-directivity #42 5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 2489.32 38.55 -15.45 54.00 36.18 32.33 7.25 37.13 226 137 Average HORIZONTAL  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1600 1900 2200 2500 2700 3000 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB95-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL RF 100.00000mW YPR 1.800000 SPT Auto (FR)261401-01 05 Full-directivity #42 5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 * 2478.00 95.57 41.57 54.00 92.91 32.36 7.22 36.92 226 137 Average HORIZONTAL
	Avg.		 No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB95-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL RF 100.00000mW YPR 1.800000 SPT Auto (FR)261401-01 05 Full-directivity #42 5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 2489.32 38.55 -15.45 54.00 36.18 32.33 7.25 37.13 226 137 Average HORIZONTAL  No. 1098, Pengji North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1600 1900 2200 2500 2700 3000 Frequency (MHz) FCC PART 15C (AVG) dBm Site Condition Project Mode Plane IMEI PowerSetting 03CB95-E5 FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL RF 100.00000mW YPR 1.800000 SPT Auto (FR)261401-01 05 Full-directivity #42 5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 * 2478.00 95.57 41.57 54.00 92.91 32.36 7.22 36.92 226 137 Average HORIZONTAL







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 Site Condition: 03CB05-05 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSP 1000, 0000Hz YFW 3000, 0000Hz SPT Auto Project Mode: (FR)261401-01 Plane: 05 Full-directivity IMEI: 842 PowerSetting: 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2467.52</td><td>48.68</td><td>-25.48</td><td>74.00</td><td>46.15</td><td>32.33</td><td>7.25</td><td>37.13</td><td>295</td><td>133 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg		1	2467.52	48.68	-25.48	74.00	46.15	32.33	7.25	37.13	295	133 Peak	VERTICAL	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Site Condition: 03CB05-05 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSP 1000, 0000Hz YFW 3000, 0000Hz SPT Auto Project Mode: (FR)261401-01 Plane: 05 Full-directivity IMEI: 842 PowerSetting: 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2470.00</td><td>181.28</td><td>27.28</td><td>74.00</td><td>98.62</td><td>32.36</td><td>7.22</td><td>36.92</td><td>295</td><td>133 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg		1	2470.00	181.28	27.28	74.00	98.62	32.36	7.22	36.92	295	133 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																										
1	2467.52	48.68	-25.48	74.00	46.15	32.33	7.25	37.13	295	133 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																										
1	2470.00	181.28	27.28	74.00	98.62	32.36	7.22	36.92	295	133 Peak	VERTICAL																																																							
Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6 Site Condition: 03CB05-05 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSP 1000, 0000Hz YFW 1.8000Hz SPT Auto Project Mode: (FR)261401-01 Plane: 05 Full-directivity IMEI: 842 PowerSetting: 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2469.48</td><td>38.59</td><td>-15.41</td><td>54.00</td><td>36.11</td><td>32.33</td><td>7.28</td><td>37.13</td><td>295</td><td>133 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg		1	2469.48	38.59	-15.41	54.00	36.11	32.33	7.28	37.13	295	133 Average	VERTICAL	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Site Condition: 03CB05-05 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSP 1000, 0000Hz YFW 1.8000Hz SPT Auto Project Mode: (FR)261401-01 Plane: 05 Full-directivity IMEI: 842 PowerSetting: 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2470.00</td><td>92.85</td><td>38.85</td><td>54.00</td><td>90.19</td><td>32.36</td><td>7.22</td><td>36.92</td><td>295</td><td>133 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg		1	2470.00	92.85	38.85	54.00	90.19	32.36	7.22	36.92	295	133 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																										
1	2469.48	38.59	-15.41	54.00	36.11	32.33	7.28	37.13	295	133 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																										
1	2470.00	92.85	38.85	54.00	90.19	32.36	7.22	36.92	295	133 Average	VERTICAL																																																							











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 1 Site Condition: OCHB5-E5 Project: FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL Mode: ERP 100.000000 W 3000.000000 SPT Auto Plane: (FR)261401-01 IMEI: 0 PowerSetting: Pull-directivity 842 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2468.08</td><td>48.38</td><td>-25.78</td><td>74.00</td><td>45.85</td><td>32.33</td><td>7.25</td><td>37.13</td><td>229</td><td>137 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2468.08	48.38	-25.78	74.00	45.85	32.33	7.25	37.13	229	137 Peak	HORIZONTAL	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 3 Site Condition: OCHB5-E5 Project: FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL Mode: ERP 100.000000 W 3000.000000 SPT Auto Plane: (FR)261401-01 IMEI: 0 PowerSetting: Pull-directivity 842 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2476.00</td><td>183.12</td><td>29.12</td><td>74.00</td><td>180.55</td><td>32.34</td><td>7.25</td><td>37.02</td><td>229</td><td>137 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2476.00	183.12	29.12	74.00	180.55	32.34	7.25	37.02	229	137 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2468.08	48.38	-25.78	74.00	45.85	32.33	7.25	37.13	229	137 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2476.00	183.12	29.12	74.00	180.55	32.34	7.25	37.02	229	137 Peak	HORIZONTAL																																																							
Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 2 Site Condition: OCHB5-E5 Project: FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL Mode: ERP 100.000000 W 3000.000000 SPT Auto Plane: (FR)261401-01 IMEI: 0 PowerSetting: Pull-directivity 842 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.06</td><td>38.64</td><td>-15.36</td><td>54.00</td><td>36.67</td><td>32.34</td><td>7.25</td><td>37.02</td><td>229</td><td>137 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2485.06	38.64	-15.36	54.00	36.67	32.34	7.25	37.02	229	137 Average	HORIZONTAL	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 4 Site Condition: OCHB5-E5 Project: FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL Mode: ERP 100.000000 W 3000.000000 SPT Auto Plane: (FR)261401-01 IMEI: 0 PowerSetting: Pull-directivity 842 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2476.00</td><td>95.43</td><td>41.43</td><td>54.00</td><td>92.86</td><td>32.34</td><td>7.25</td><td>37.02</td><td>229</td><td>137 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2476.00	95.43	41.43	54.00	92.86	32.34	7.25	37.02	229	137 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2485.06	38.64	-15.36	54.00	36.67	32.34	7.25	37.02	229	137 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2476.00	95.43	41.43	54.00	92.86	32.34	7.25	37.02	229	137 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C9D5-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000.000000 WPM 3000.000000 SPT Auto (FR)261401-01 00 Full-directivity 842 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2496.64</td><td>48.08</td><td>-25.92</td><td>74.00</td><td>45.68</td><td>32.33</td><td>7.28</td><td>37.13</td><td>293</td><td>131 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2496.64	48.08	-25.92	74.00	45.68	32.33	7.28	37.13	293	131 Peak	VERTICAL	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C9D5-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RSM 1000.000000 WPM 3000.000000 SPT Auto (FR)261401-01 00 Full-directivity 842 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2476.00</td><td>181.81</td><td>27.81</td><td>74.00</td><td>98.44</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>131 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2476.00	181.81	27.81	74.00	98.44	32.34	7.25	37.82	293	131 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2496.64	48.08	-25.92	74.00	45.68	32.33	7.28	37.13	293	131 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2476.00	181.81	27.81	74.00	98.44	32.34	7.25	37.82	293	131 Peak	VERTICAL																																																							
Avg.	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C9D5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000.000000 WPM 1.800000 SPT Auto (FR)261401-01 00 Full-directivity 842 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>38.52</td><td>-15.48</td><td>54.00</td><td>35.95</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>131 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2483.58	38.52	-15.48	54.00	35.95	32.34	7.25	37.82	293	131 Average	VERTICAL	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03C9D5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RSM 1000.000000 WPM 1.800000 SPT Auto (FR)261401-01 00 Full-directivity 842 5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2476.00</td><td>92.79</td><td>38.79</td><td>54.00</td><td>98.22</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>131 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2476.00	92.79	38.79	54.00	98.22	32.34	7.25	37.82	293	131 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2483.58	38.52	-15.48	54.00	35.95	32.34	7.25	37.82	293	131 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2476.00	92.79	38.79	54.00	98.22	32.34	7.25	37.82	293	131 Average	VERTICAL																																																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 27 Level (dBm/Vm) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.62</td><td>59.93</td><td>-14.87</td><td>74.00</td><td>57.36</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>124 Peak VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 29 Level (dBm/Vm) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2482.00</td><td>92.76</td><td>16.76</td><td>74.00</td><td>90.19</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>124 Peak VERTICAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 28 Level (dBm/Vm) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.68</td><td>45.43</td><td>-8.57</td><td>54.00</td><td>42.86</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>124 Average VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 30 Level (dBm/Vm) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2488.00</td><td>85.11</td><td>31.11</td><td>54.00</td><td>82.54</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>124 Average VERTICAL</td></tr></table> </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1	2483.62	59.93	-14.87	74.00	57.36	32.34	7.25	37.82	293	124 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1	2482.00	92.76	16.76	74.00	90.19	32.34	7.25	37.82	293	124 Peak VERTICAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 28 Level (dBm/Vm) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.68</td><td>45.43</td><td>-8.57</td><td>54.00</td><td>42.86</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>124 Average VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 30 Level (dBm/Vm) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2488.00</td><td>85.11</td><td>31.11</td><td>54.00</td><td>82.54</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>124 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1	2483.68	45.43	-8.57	54.00	42.86	32.34	7.25	37.82	293	124 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1	2488.00	85.11	31.11	54.00	82.54	32.34	7.25	37.82	293	124 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg																																																																																																																															
1	2483.62	59.93	-14.87	74.00	57.36	32.34	7.25	37.82	293	124 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg																																																																																																																															
1	2482.00	92.76	16.76	74.00	90.19	32.34	7.25	37.82	293	124 Peak VERTICAL																																																																																																																													
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 28 Level (dBm/Vm) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.68</td><td>45.43</td><td>-8.57</td><td>54.00</td><td>42.86</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>124 Average VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 30 Level (dBm/Vm) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2488.00</td><td>85.11</td><td>31.11</td><td>54.00</td><td>82.54</td><td>32.34</td><td>7.25</td><td>37.82</td><td>293</td><td>124 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1	2483.68	45.43	-8.57	54.00	42.86	32.34	7.25	37.82	293	124 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1	2488.00	85.11	31.11	54.00	82.54	32.34	7.25	37.82	293	124 Average VERTICAL																																																																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg																																																																																																																															
1	2483.68	45.43	-8.57	54.00	42.86	32.34	7.25	37.82	293	124 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg																																																																																																																															
1	2488.00	85.11	31.11	54.00	82.54	32.34	7.25	37.82	293	124 Average VERTICAL																																																																																																																													







2.4GHz 2400~2483.5MHz---ANT 2





WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																							
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz																																																							
2	Horizontal	Fundamental																																																						
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 020005-E5 FCC PART 15C 3m 3117 0M 00210642 HORIZONTAL R09 1000, 000000, 0000 3000, 000000, 0000 3PT, Auto 021 Y Full-directivity 842 8 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th><th>Pol/Phas</th></tr><tr><td>1</td><td>2388.78</td><td>49.88</td><td>-24.92</td><td>74.80</td><td>46.09</td><td>32.40</td><td>7.18</td><td>36.51</td><td>188</td><td>144</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Remark	Pol/Phas	1	2388.78	49.88	-24.92	74.80	46.09	32.40	7.18	36.51	188	144	Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 020005-E5 FCC PART 15C 3m 3117 0M 00210642 HORIZONTAL R09 1000, 000000, 0000 3000, 000000, 0000 3PT, Auto 021 Y Full-directivity 842 8 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th><th>Pol/Phas</th></tr><tr><td>1</td><td>2404.00</td><td>182.78</td><td>28.70</td><td>74.80</td><td>99.79</td><td>32.39</td><td>7.13</td><td>36.61</td><td>188</td><td>144</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Remark	Pol/Phas	1	2404.00	182.78	28.70	74.80	99.79	32.39	7.13	36.61	188	144	Peak	HORIZONTAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Remark	Pol/Phas																																										
1	2388.78	49.88	-24.92	74.80	46.09	32.40	7.18	36.51	188	144	Peak	HORIZONTAL																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Remark	Pol/Phas																																											
1	2404.00	182.78	28.70	74.80	99.79	32.39	7.13	36.61	188	144	Peak	HORIZONTAL																																												
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 020005-E5 FCC PART 15C (AVG) 3m 3117 0M 00210642 HORIZONTAL R09 1000, 000000, 0000 3000, 000000, 0000 3PT, Auto 021 Y Full-directivity 842 8 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th><th>Pol/Phas</th></tr><tr><td>1</td><td>2379.83</td><td>49.85</td><td>-13.95</td><td>54.80</td><td>37.19</td><td>32.31</td><td>7.18</td><td>36.55</td><td>188</td><td>144</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Remark	Pol/Phas	1	2379.83	49.85	-13.95	54.80	37.19	32.31	7.18	36.55	188	144	Average	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 020005-E5 FCC PART 15C (AVG) 3m 3117 0M 00210642 HORIZONTAL R09 1000, 000000, 0000 3000, 000000, 0000 3PT, Auto 021 Y Full-directivity 842 8 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th><th>Pol/Phas</th></tr><tr><td>1</td><td>2404.00</td><td>94.86</td><td>40.86</td><td>54.80</td><td>91.15</td><td>32.39</td><td>7.13</td><td>36.61</td><td>188</td><td>144</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Remark	Pol/Phas	1	2404.00	94.86	40.86	54.80	91.15	32.39	7.13	36.61	188	144	Average	HORIZONTAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Remark	Pol/Phas																																											
1	2379.83	49.85	-13.95	54.80	37.19	32.31	7.18	36.55	188	144	Average	HORIZONTAL																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Remark	Pol/Phas																																											
1	2404.00	94.86	40.86	54.80	91.15	32.39	7.13	36.61	188	144	Average	HORIZONTAL																																												







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																		
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz																																																																																																																																		
2	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 000000-01 Condition : FCC PART 15C 3m 3117 CM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : C1 Plane : Full-directivity IMEI : 842 PowerSetting : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2377.86</td><td>48.47</td><td>-25.53</td><td>74.00</td><td>45.61</td><td>32.31</td><td>7.18</td><td>36.55</td><td>180</td><td>155 Peak</td><td>VERTICAL</td></tr></table>  No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 000000-01 Condition : FCC PART 15C 3m 3117 CM 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : C1 Plane : Full-directivity IMEI : 842 PowerSetting : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2404.00</td><td>100.28</td><td>26.28</td><td>74.00</td><td>97.37</td><td>32.39</td><td>7.13</td><td>36.61</td><td>180</td><td>155 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2377.86	48.47	-25.53	74.00	45.61	32.31	7.18	36.55	180	155 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2404.00	100.28	26.28	74.00	97.37	32.39	7.13	36.61	180	155 Peak	VERTICAL	Avg.	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 000000-01 Condition : FCC PART 15C (AVG) 3m 3117 CM 00218642 VERTICAL Power : 100.000000 W 3.000000 SPT Auto Project : (FR)261401-01 Mode : C1 Plane : Full-directivity IMEI : 842 PowerSetting : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2386.83</td><td>39.70</td><td>-14.30</td><td>54.00</td><td>36.71</td><td>32.40</td><td>7.18</td><td>36.51</td><td>180</td><td>155 Average</td><td>VERTICAL</td></tr></table>  No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 000000-01 Condition : FCC PART 15C (AVG) 3m 3117 CM 00218642 VERTICAL Power : 100.000000 W 3.000000 SPT Auto Project : (FR)261401-01 Mode : C1 Plane : Full-directivity IMEI : 842 PowerSetting : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2404.00</td><td>91.66</td><td>37.66</td><td>54.00</td><td>88.75</td><td>32.39</td><td>7.13</td><td>36.61</td><td>180</td><td>155 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2386.83	39.70	-14.30	54.00	36.71	32.40	7.18	36.51	180	155 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg			1	2404.00	91.66	37.66	54.00	88.75	32.39	7.13	36.61	180	155 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																																																																																												
1	2377.86	48.47	-25.53	74.00	45.61	32.31	7.18	36.55	180	155 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																																																																																												
1	2404.00	100.28	26.28	74.00	97.37	32.39	7.13	36.61	180	155 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																																																																																												
1	2386.83	39.70	-14.30	54.00	36.71	32.40	7.18	36.51	180	155 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	deg																																																																																																																												
1	2404.00	91.66	37.66	54.00	88.75	32.39	7.13	36.61	180	155 Average	VERTICAL																																																																																																																								




WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz	
2	Horizontal	Fundamental
Peak	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C dBu 1 Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RSW 1000, 0000Hz YBW 3000, 0000Hz SWT Auto FR0201401-01 50 Y 842 8 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2498.44 48.52 -25.48 74.00 46.04 32.33 7.28 37.13 227 137 Peak HORIZONTAL  No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 3 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1300 1500 1700 1900 2100 2300 2500 2700 2900 3000 Frequency (MHz) FCC PART 15C dBu 1 Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RSW 1000, 0000Hz YBW 3000, 0000Hz SWT Auto FR0201401-01 50 Y 842 8 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2470.00 183.67 29.67 74.00 181.01 32.36 7.22 36.92 227 137 Peak HORIZONTAL	
Avg.	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) dBu 1 Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RSW 1000, 0000Hz YBW 3.3000Hz SWT Auto FR0201401-01 50 Y 842 8 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2492.06 39.71 -14.29 54.00 37.23 32.33 7.28 37.13 227 137 Average HORIZONTAL  No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 4 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1300 1500 1700 1900 2100 2300 2500 2700 2900 3000 Frequency (MHz) FCC PART 15C (AVG) dBu 1 Site Condition Project Mode Plane IMEI PowerSetting 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RSW 1000, 0000Hz YBW 3.3000Hz SWT Auto FR0201401-01 50 Y 842 8 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2470.00 95.95 41.95 54.00 93.29 32.36 7.22 36.92 227 137 Average HORIZONTAL	




WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																																																																																		
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz																																																																																																																																		
2	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 000000-01 Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 00 Plane : Full-directivity IMEI : 842 PowerSetting : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2489.30</td><td>47.98</td><td>-26.82</td><td>74.80</td><td>45.41</td><td>32.34</td><td>7.25</td><td>37.82</td><td>331</td><td>133 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 000000-01 Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 3000.000000 SPT Auto Project : (FR)261401-01 Mode : 00 Plane : Full-directivity IMEI : 842 PowerSetting : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2470.00</td><td>181.88</td><td>27.08</td><td>74.80</td><td>98.42</td><td>32.36</td><td>7.22</td><td>36.92</td><td>331</td><td>133 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2489.30	47.98	-26.82	74.80	45.41	32.34	7.25	37.82	331	133 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2470.00	181.88	27.08	74.80	98.42	32.36	7.22	36.92	331	133 Peak	VERTICAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 000000-01 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 3.000000 SPT Auto Project : (FR)261401-01 Mode : 00 Plane : Full-directivity IMEI : 842 PowerSetting : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2495.98</td><td>39.13</td><td>-14.87</td><td>54.00</td><td>36.65</td><td>32.33</td><td>7.28</td><td>37.13</td><td>331</td><td>133 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 000000-01 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Power : 100.000000 W 3.000000 SPT Auto Project : (FR)261401-01 Mode : 00 Plane : Full-directivity IMEI : 842 PowerSetting : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2468.00</td><td>93.32</td><td>39.32</td><td>54.00</td><td>90.66</td><td>32.36</td><td>7.22</td><td>36.92</td><td>331</td><td>133 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2495.98	39.13	-14.87	54.00	36.65	32.33	7.28	37.13	331	133 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2468.00	93.32	39.32	54.00	90.66	32.36	7.22	36.92	331	133 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2489.30	47.98	-26.82	74.80	45.41	32.34	7.25	37.82	331	133 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2470.00	181.88	27.08	74.80	98.42	32.36	7.22	36.92	331	133 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2495.98	39.13	-14.87	54.00	36.65	32.33	7.28	37.13	331	133 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																											
1	2468.00	93.32	39.32	54.00	90.66	32.36	7.22	36.92	331	133 Average	VERTICAL																																																																																																																								







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz	
2	Horizontal	Fundamental
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportson.com.cn Date: 1 117 Level (dBuV/m) </	







WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz	
2	Vertical	Fundamental
Peak	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 5 Level (dBm/Hz) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (dBm) Site Condition 000000-01 FCC PART 15C 3m 3117 SM 00218642 VERTICAL 000000-01 RSM 1000.000000 YBW 3000.000000 SPT Auto 00 00 Full-directivity IMEI PowerSetting 7</	



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz																																																																					
2	Horizontal	Fundamental																																																																				
Peak	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 Fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB5-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL SPT 100.000000 WPM 3000.000000 SPT Auto (FR)261401-01 C2 Full-directivity #42 -2 Over Limit Line Level Factor dB dB dBuV/m dBuV dB/m ReadAntenna Cable Preamp Loss Factor dB dB A/Pos T/Pos cm deg Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.58</td><td>61.82</td><td>-12.18</td><td>74.00</td><td>59.25</td><td>32.34</td><td>7.25</td><td>37.82</td><td>282</td><td>126 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.58	61.82	-12.18	74.00	59.25	32.34	7.25	37.82	282	126 Peak	HORIZONTAL	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 Fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB5-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL SPT 100.000000 WPM 3000.000000 SPT Auto (FR)261401-01 C2 Full-directivity #42 -2 Over Limit Line Level Factor dB dB dBuV/m dBuV dB/m ReadAntenna Cable Preamp Loss Factor dB dB A/Pos T/Pos cm deg Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>95.89</td><td>21.89</td><td>74.00</td><td>92.52</td><td>32.34</td><td>7.25</td><td>37.82</td><td>282</td><td>126 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2480.00	95.89	21.89	74.00	92.52	32.34	7.25	37.82	282	126 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2483.58	61.82	-12.18	74.00	59.25	32.34	7.25	37.82	282	126 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2480.00	95.89	21.89	74.00	92.52	32.34	7.25	37.82	282	126 Peak	HORIZONTAL																																																											
Avg.	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 Fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL SPT 100.000000 WPM 3.300000 SPT Auto (FR)261401-01 C2 Full-directivity #42 -2 Over Limit Line Level Factor dB dB dBuV/m dBuV dB/m ReadAntenna Cable Preamp Loss Factor dB dB A/Pos T/Pos cm deg Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.58</td><td>58.71</td><td>-3.29</td><td>54.00</td><td>48.14</td><td>32.34</td><td>7.25</td><td>37.82</td><td>282</td><td>126 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.58	58.71	-3.29	54.00	48.14	32.34	7.25	37.82	282	126 Average	HORIZONTAL	 No. 1008, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China Tel:+86-512-57900158 Fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 03CB5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL SPT 100.000000 WPM 3.300000 SPT Auto (FR)261401-01 C2 Full-directivity #42 -2 Over Limit Line Level Factor dB dB dBuV/m dBuV dB/m ReadAntenna Cable Preamp Loss Factor dB dB A/Pos T/Pos cm deg Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>85.54</td><td>31.54</td><td>54.00</td><td>82.97</td><td>32.34</td><td>7.25</td><td>37.82</td><td>282</td><td>126 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2480.00	85.54	31.54	54.00	82.97	32.34	7.25	37.82	282	126 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2483.58	58.71	-3.29	54.00	48.14	32.34	7.25	37.82	282	126 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2480.00	85.54	31.54	54.00	82.97	32.34	7.25	37.82	282	126 Average	HORIZONTAL																																																											







WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																																																																																		
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz																																																																																																																																		
2	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: C2 Plane: Full-directivity IMEI: #42 PowerSetting: -2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.56</td><td>59.12</td><td>-14.88</td><td>74.00</td><td>56.55</td><td>32.34</td><td>7.25</td><td>37.82</td><td>300</td><td>127 Peak</td><td>VERTICAL</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: 03CB05-E5 FCC PART 15C 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3000.000000 SPT Auto Project: (FR)261401-01 Mode: C2 Plane: Full-directivity IMEI: #42 PowerSetting: -2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>91.92</td><td>17.92</td><td>74.00</td><td>89.35</td><td>32.34</td><td>7.25</td><td>37.82</td><td>300</td><td>127 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	2483.56	59.12	-14.88	74.00	56.55	32.34	7.25	37.82	300	127 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	2480.00	91.92	17.92	74.00	89.35	32.34	7.25	37.82	300	127 Peak	VERTICAL	Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3.300000 SPT Auto Project: (FR)261401-01 Mode: C2 Plane: Full-directivity IMEI: #42 PowerSetting: -2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.56</td><td>46.70</td><td>-7.30</td><td>54.00</td><td>44.13</td><td>32.34</td><td>7.25</td><td>37.82</td><td>300</td><td>127 Average</td><td>VERTICAL</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: 03CB05-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Power: 100.000000 W 3.300000 SPT Auto Project: (FR)261401-01 Mode: C2 Plane: Full-directivity IMEI: #42 PowerSetting: -2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>82.50</td><td>28.50</td><td>54.00</td><td>79.93</td><td>32.34</td><td>7.25</td><td>37.82</td><td>300</td><td>127 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	2483.56	46.70	-7.30	54.00	44.13	32.34	7.25	37.82	300	127 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	2480.00	82.50	28.50	54.00	79.93	32.34	7.25	37.82	300	127 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																																																																																												
1	2483.56	59.12	-14.88	74.00	56.55	32.34	7.25	37.82	300	127 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																																																																																												
1	2480.00	91.92	17.92	74.00	89.35	32.34	7.25	37.82	300	127 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																																																																																												
1	2483.56	46.70	-7.30	54.00	44.13	32.34	7.25	37.82	300	127 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																																																																																												
1	2480.00	82.50	28.50	54.00	79.93	32.34	7.25	37.82	300	127 Average	VERTICAL																																																																																																																								







2.4GHz 2400~2483.5MHz---ANT 2









WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz																																																																			
2	Horizontal	Fundamental																																																																		
Peak	 No. 1008, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Site Condition : OX300-E5 FCC PART 15C 3a 3117.0M 00218642 HORIZONTAL Project : RF1261401-01 Mode : S4 Plane : Y Pull-directivity : #42 IMEI : PowerSetting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 2385.92</td><td>49.16</td><td>-24.84</td><td>74.00</td><td>46.17</td><td>32.40</td><td>7.18</td><td>36.51</td><td>185</td><td>145 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 2385.92	49.16	-24.84	74.00	46.17	32.40	7.18	36.51	185	145 Peak	HORIZONTAL	 No. 1008, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 3 Site Condition : OX300-E5 FCC PART 15C 3a 3117.0M 00218642 HORIZONTAL Project : RF1261401-01 Mode : S4 Plane : Y Pull-directivity : #42 IMEI : PowerSetting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 2488.00</td><td>182.58</td><td>28.50</td><td>74.00</td><td>99.59</td><td>32.39</td><td>7.13</td><td>36.61</td><td>185</td><td>145 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 * 2488.00	182.58	28.50	74.00	99.59	32.39	7.13	36.61	185	145 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 2385.92	49.16	-24.84	74.00	46.17	32.40	7.18	36.51	185	145 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 * 2488.00	182.58	28.50	74.00	99.59	32.39	7.13	36.61	185	145 Peak	HORIZONTAL																																																										
Avg.	 No. 1008, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Site Condition : OX300-E5 FCC PART 15C (AVG) 3a 3117.0M 00218642 HORIZONTAL Project : RF1261401-01 Mode : S4 Plane : Y Pull-directivity : #42 IMEI : PowerSetting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 2385.27</td><td>49.36</td><td>-13.84</td><td>54.00</td><td>38.18</td><td>32.31</td><td>7.18</td><td>36.55</td><td>185</td><td>145 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 2385.27	49.36	-13.84	54.00	38.18	32.31	7.18	36.55	185	145 Average	HORIZONTAL	 No. 1008, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4 Site Condition : OX300-E5 FCC PART 15C (AVG) 3a 3117.0M 00218642 HORIZONTAL Project : RF1261401-01 Mode : S4 Plane : Y Pull-directivity : #42 IMEI : PowerSetting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 2488.00</td><td>94.16</td><td>40.16</td><td>54.00</td><td>91.25</td><td>32.39</td><td>7.13</td><td>36.61</td><td>185</td><td>145 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 * 2488.00	94.16	40.16	54.00	91.25	32.39	7.13	36.61	185	145 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 2385.27	49.36	-13.84	54.00	38.18	32.31	7.18	36.55	185	145 Average	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 * 2488.00	94.16	40.16	54.00	91.25	32.39	7.13	36.61	185	145 Average	HORIZONTAL																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : OCHB5-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RSM 1000, 000Hz YBW 3000, 000Hz SWT Auto Project : (FR)261401-01 Mode : 07 Plane : Full-directivity IMEI : #42 PowerSetting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2489.98</td><td>49.15</td><td>-24.85</td><td>74.00</td><td>46.78</td><td>32.33</td><td>7.25</td><td>37.13</td><td>219</td><td>181 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2489.98	49.15	-24.85	74.00	46.78	32.33	7.25	37.13	219	181 Peak	HORIZONTAL	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : OCHB5-E5 FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL RSM 1000, 000Hz YBW 3000, 000Hz SWT Auto Project : (FR)261401-01 Mode : 07 Plane : Full-directivity IMEI : #42 PowerSetting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>181.93</td><td>27.93</td><td>74.00</td><td>99.39</td><td>32.34</td><td>7.22</td><td>37.82</td><td>219</td><td>181 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2472.00	181.93	27.93	74.00	99.39	32.34	7.22	37.82	219	181 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2489.98	49.15	-24.85	74.00	46.78	32.33	7.25	37.13	219	181 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2472.00	181.93	27.93	74.00	99.39	32.34	7.22	37.82	219	181 Peak	HORIZONTAL																																																							
Avg.	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : OCHB5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RSM 1000, 000Hz YBW 5.600Hz SWT Auto Project : (FR)261401-01 Mode : 07 Plane : Full-directivity IMEI : #42 PowerSetting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>46.58</td><td>-7.58</td><td>54.00</td><td>43.93</td><td>32.34</td><td>7.25</td><td>37.82</td><td>219</td><td>181 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2483.58	46.58	-7.58	54.00	43.93	32.34	7.25	37.82	219	181 Average	HORIZONTAL	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : OCHB5-E5 FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL RSM 1000, 000Hz YBW 5.600Hz SWT Auto Project : (FR)261401-01 Mode : 07 Plane : Full-directivity IMEI : #42 PowerSetting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2476.00</td><td>93.98</td><td>39.98</td><td>54.00</td><td>91.32</td><td>32.36</td><td>7.22</td><td>36.92</td><td>219</td><td>181 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	2476.00	93.98	39.98	54.00	91.32	32.36	7.22	36.92	219	181 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2483.58	46.58	-7.58	54.00	43.93	32.34	7.25	37.82	219	181 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																										
1	2476.00	93.98	39.98	54.00	91.32	32.36	7.22	36.92	219	181 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m		
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz		
2	Vertical	Fundamental	
Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 000000-15 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RPM 100.000000 WPM 3000.000000 SPT Auto (FR)261401-01 07 Full-directivity #42 11 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor Freq Level MHz dBm/Vm dB dBm/Vm dBm/Vm dBm/Vm dB cm deg 1 2483.00 50.19 -23.81 74.00 47.62 32.34 7.25 37.82 331 133 Peak VERTICAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 000000-15 FCC PART 15C 3m 3117 SM 00218642 VERTICAL RPM 100.000000 WPM 3000.000000 SPT Auto (FR)261401-01 07 Full-directivity #42 11 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor Freq Level MHz dBm/Vm dB dBm/Vm dBm/Vm dBm/Vm dB cm deg 1 * 2466.00 181.88 27.00 74.00 98.42 32.36 7.22 36.92 331 133 Peak VERTICAL <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 000000-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RPM 100.000000 WPM 5.600000 SPT Auto (FR)261401-01 07 Full-directivity #42 11 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor Freq Level MHz dBm/Vm dB dBm/Vm dBm/Vm dBm/Vm dB cm deg 1 2484.10 39.95 -14.85 54.00 37.38 32.34 7.25 37.82 331 133 Average VERTICAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 000000-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RPM 100.000000 WPM 5.600000 SPT Auto (FR)261401-01 07 Full-directivity #42 11 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor Freq Level MHz dBm/Vm dB dBm/Vm dBm/Vm dBm/Vm dB cm deg 1 * 2466.00 93.46 39.46 54.00 90.80 32.36 7.22 36.92 331 133 Average VERTICAL </td></tr>	Avg.	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 000000-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RPM 100.000000 WPM 5.600000 SPT Auto (FR)261401-01 07 Full-directivity #42 11 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor Freq Level MHz dBm/Vm dB dBm/Vm dBm/Vm dBm/Vm dB cm deg 1 2484.10 39.95 -14.85 54.00 37.38 32.34 7.25 37.82 331 133 Average VERTICAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 000000-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RPM 100.000000 WPM 5.600000 SPT Auto (FR)261401-01 07 Full-directivity #42 11 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor Freq Level MHz dBm/Vm dB dBm/Vm dBm/Vm dBm/Vm dB cm deg 1 * 2466.00 93.46 39.46 54.00 90.80 32.36 7.22 36.92 331 133 Average VERTICAL
	Avg.		 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 000000-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RPM 100.000000 WPM 5.600000 SPT Auto (FR)261401-01 07 Full-directivity #42 11 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor Freq Level MHz dBm/Vm dB dBm/Vm dBm/Vm dBm/Vm dB cm deg 1 2484.10 39.95 -14.85 54.00 37.38 32.34 7.25 37.82 331 133 Average VERTICAL  No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI PowerSetting 000000-15 FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL RPM 100.000000 WPM 5.600000 SPT Auto (FR)261401-01 07 Full-directivity #42 11 Over Limit ReadAntenna Cable Preamp Line Level Factor Loss Factor Freq Level MHz dBm/Vm dB dBm/Vm dBm/Vm dBm/Vm dB cm deg 1 * 2466.00 93.46 39.46 54.00 90.80 32.36 7.22 36.92 331 133 Average VERTICAL