












WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Partial 106/53 CH52 5260MHz																																																																						
1	Vertical	Fundamental																																																																					
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:3000.0000Hz SRT:Auto Mode : (FR261401) Plane : 3 Full-directivity : 3 Power setting : 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5115.52</td><td>52.41</td><td>-21.59</td><td>74.00</td><td>40.33</td><td>34.10</td><td>9.76</td><td>31.78</td><td>45 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5115.52	52.41	-21.59	74.00	40.33	34.10	9.76	31.78	45 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:3000.0000Hz SRT:Auto Mode : (FR261401) Plane : 3 Full-directivity : 3 Power setting : 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5254.00</td><td>100.75</td><td>32.45</td><td>68.30</td><td>88.46</td><td>34.30</td><td>9.86</td><td>31.87</td><td>45 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5254.00</td><td>92.65</td><td>-----</td><td>81.36</td><td>34.30</td><td>9.86</td><td>31.87</td><td>310</td><td>45 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5254.00	100.75	32.45	68.30	88.46	34.30	9.86	31.87	45 Peak	VERTICAL	2	5254.00	92.65	-----	81.36	34.30	9.86	31.87	310	45 Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																	
1	5115.52	52.41	-21.59	74.00	40.33	34.10	9.76	31.78	45 Peak	VERTICAL																																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																	
1	5254.00	100.75	32.45	68.30	88.46	34.30	9.86	31.87	45 Peak	VERTICAL																																																													
2	5254.00	92.65	-----	81.36	34.30	9.86	31.87	310	45 Average	VERTICAL																																																													
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:4.2000Hz SRT:Auto Mode : (FR261401) Plane : 3 Full-directivity : 3 Power setting : 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5116.80</td><td>44.95</td><td>-9.05</td><td>54.00</td><td>32.87</td><td>34.10</td><td>9.76</td><td>31.78</td><td>45 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5116.80	44.95	-9.05	54.00	32.87	34.10	9.76	31.78	45 Average	VERTICAL	Left blank																																								
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																	
1	5116.80	44.95	-9.05	54.00	32.87	34.10	9.76	31.78	45 Average	VERTICAL																																																													






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE20 Partial 106/54 CH64 5320MHz																																																																									
1	Horizontal	Fundamental																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SFT: Auto Bode : (FR261401) Plane : 3 Full-directivity Polar : 841 Power : 7.5 <table><thead><tr><th>MEI</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.20</td><td>52.86</td><td>-21.14</td><td>74.00</td><td>40.07</td><td>34.80</td><td>9.94</td><td>31.95</td><td>100</td><td>99 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	1	5398.20	52.86	-21.14	74.00	40.07	34.80	9.94	31.95	100	99 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SFT: Auto Bode : (FR261401) Plane : 3 Full-directivity Polar : 841 Power : 7.5 <table><thead><tr><th>MEI</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>103.54</td><td>35.26</td><td>68.30</td><td>91.03</td><td>34.55</td><td>9.89</td><td>31.91</td><td>100</td><td>99 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5320.00</td><td>97.44</td><td>-----</td><td>-----</td><td>84.91</td><td>34.55</td><td>9.89</td><td>31.91</td><td>100</td><td>99 Average</td><td>HORIZONTAL</td></tr></tbody></table>	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	1	5320.00	103.54	35.26	68.30	91.03	34.55	9.89	31.91	100	99 Peak	HORIZONTAL	2	5320.00	97.44	-----	-----	84.91	34.55	9.89	31.91	100	99 Average	HORIZONTAL
	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg																																																																		
1	5398.20	52.86	-21.14	74.00	40.07	34.80	9.94	31.95	100	99 Peak	HORIZONTAL																																																															
MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg																																																																		
1	5320.00	103.54	35.26	68.30	91.03	34.55	9.89	31.91	100	99 Peak	HORIZONTAL																																																															
2	5320.00	97.44	-----	-----	84.91	34.55	9.89	31.91	100	99 Average	HORIZONTAL																																																															
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VSW: 4.2000Hz SFT: Auto Bode : (FR261401) Plane : 3 Full-directivity Polar : 841 Power : 7.5 <table><thead><tr><th>MEI</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.80</td><td>44.84</td><td>-9.16</td><td>54.00</td><td>32.21</td><td>34.65</td><td>9.91</td><td>31.93</td><td>100</td><td>99 Average</td><td>HORIZONTAL</td></tr></tbody></table>	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	1	5351.80	44.84	-9.16	54.00	32.21	34.65	9.91	31.93	100	99 Average	HORIZONTAL	Left blank																																										
MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg																																																																		
1	5351.80	44.84	-9.16	54.00	32.21	34.65	9.91	31.93	100	99 Average	HORIZONTAL																																																															





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE20 Partial 106/54 CH64 5320MHz																																																																									
1	Vertical	Fundamental																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 @ 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Bode : (FR261401) Plane : 3 Polar : Full-directivity Power : 4W Power : 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th>deg</th></tr><tr><td>1</td><td>5356.40</td><td>52.94</td><td>-21.06</td><td>74.00</td><td>40.31</td><td>34.65</td><td>9.91</td><td>31.93</td><td>303</td><td>45 Peak VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 @ 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Bode : (FR261401) Plane : 3 Polar : Full-directivity Power : 4W Power : 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th>deg</th></tr><tr><td>1</td><td>5326.00</td><td>99.24</td><td>30.94</td><td>68.30</td><td>86.71</td><td>34.55</td><td>9.89</td><td>31.91</td><td>303</td><td>45 Peak VERTICAL</td></tr><tr><td>2</td><td>5326.00</td><td>93.19</td><td>-----</td><td>80.66</td><td>34.55</td><td>9.89</td><td>31.91</td><td>303</td><td>45 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg	1	5356.40	52.94	-21.06	74.00	40.31	34.65	9.91	31.93	303	45 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg	1	5326.00	99.24	30.94	68.30	86.71	34.55	9.89	31.91	303	45 Peak VERTICAL	2	5326.00	93.19	-----	80.66	34.55	9.89	31.91	303	45 Average VERTICAL	Left blank
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg																																																																	
1	5356.40	52.94	-21.06	74.00	40.31	34.65	9.91	31.93	303	45 Peak VERTICAL																																																																
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg																																																																	
1	5326.00	99.24	30.94	68.30	86.71	34.55	9.89	31.91	303	45 Peak VERTICAL																																																																
2	5326.00	93.19	-----	80.66	34.55	9.89	31.91	303	45 Average VERTICAL																																																																	
 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 4, 2000Hz SRT: Auto Bode : (FR261401) Plane : 3 Polar : Full-directivity Power : 4W Power : 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th>deg</th></tr><tr><td>1</td><td>5393.30</td><td>44.28</td><td>-9.72</td><td>54.00</td><td>31.55</td><td>34.75</td><td>9.93</td><td>31.95</td><td>303</td><td>45 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg	1	5393.30	44.28	-9.72	54.00	31.55	34.75	9.93	31.95	303	45 Average VERTICAL																																											
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg																																																																	
1	5393.30	44.28	-9.72	54.00	31.55	34.75	9.93	31.95	303	45 Average VERTICAL																																																																






UNII-2A5250~5350MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI		UNII-2A5250~5350MHz Band Edge @ 3m																																																																													
ANT		802.11ax HE40 Full CH54 5270 - L																																																																													
1	Horizontal	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57920158 fax: +86-512-57920958 http://www.sporton.com.cn Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VSW:0.0000z SRT:Auto Model : 2P Plane : Full-directivity IMEI : 841 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5101.44</td><td>52.64</td><td>-21.36</td><td>74.00</td><td>40.58</td><td>34.10</td><td>9.74</td><td>31.78</td><td>112</td><td>97 Peak</td></tr></tbody></table> HORIZONTAL  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57920158 fax: +86-512-57920958 http://www.sporton.com.cn Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VSW:0.0000z SRT:Auto Model : 2P Plane : Full-directivity IMEI : 841 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5272.00</td><td>163.34</td><td>35.04</td><td>48.30</td><td>90.98</td><td>34.37</td><td>9.87</td><td>31.88</td><td>112</td><td>97 Peak</td></tr><tr><td>2</td><td>5272.00</td><td>164.49</td><td>35.04</td><td>48.30</td><td>90.98</td><td>34.37</td><td>9.87</td><td>31.88</td><td>112</td><td>97 Average</td></tr></tbody></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5101.44	52.64	-21.36	74.00	40.58	34.10	9.74	31.78	112	97 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5272.00	163.34	35.04	48.30	90.98	34.37	9.87	31.88	112	97 Peak	2	5272.00	164.49	35.04	48.30	90.98	34.37	9.87	31.88	112	97 Average	Fundamental
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/Hz	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																					
1	5101.44	52.64	-21.36	74.00	40.58	34.10	9.74	31.78	112	97 Peak																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/Hz	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																					
1	5272.00	163.34	35.04	48.30	90.98	34.37	9.87	31.88	112	97 Peak																																																																					
2	5272.00	164.49	35.04	48.30	90.98	34.37	9.87	31.88	112	97 Average																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57920158 fax: +86-512-57920958 http://www.sporton.com.cn Site : 032006-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VSW:0.0100z SRT:Auto Model : 2P Plane : Full-directivity IMEI : 841 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5120.16</td><td>42.62</td><td>-11.38</td><td>54.00</td><td>30.55</td><td>34.10</td><td>9.76</td><td>31.79</td><td>112</td><td>97 Average</td></tr></tbody></table> HORIZONTAL Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5120.16	42.62	-11.38	54.00	30.55	34.10	9.76	31.79	112	97 Average																																													
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/Hz	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																					
1	5120.16	42.62	-11.38	54.00	30.55	34.10	9.76	31.79	112	97 Average																																																																					



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																															
ANT	802.11ax HE40 Full CH54 5270 - R																															
1	Horizontal	Fundamental																														
Peak	 Site : 030804-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Model : FPO 261401-01 Plane : 2 Polarization : Full-directivity Polarization : 441 Power setting : 10 <table><tr><th>Item</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.40</td><td>53.70</td><td>-20.30</td><td>74.00</td><td>41.03</td><td>34.70</td><td>9.92</td><td>31.95</td><td>112</td><td>97 Peak</td><td>HORIZONTAL</td></tr></table>	Item	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	5376.40	53.70	-20.30	74.00	41.03	34.70	9.92	31.95	112	97 Peak	HORIZONTAL	Left blank
Item	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																								
1	5376.40	53.70	-20.30	74.00	41.03	34.70	9.92	31.95	112	97 Peak	HORIZONTAL																					
Avg.	 Site : 030804-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3.01000Hz SFT Auto Model : FPO 261401-01 Plane : 2 Polarization : Full-directivity Polarization : 441 Power setting : 10 <table><tr><th>Item</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>42.46</td><td>-11.54</td><td>54.00</td><td>29.83</td><td>34.65</td><td>9.91</td><td>31.92</td><td>112</td><td>97 Average</td><td>HORIZONTAL</td></tr></table>	Item	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	5350.00	42.46	-11.54	54.00	29.83	34.65	9.91	31.92	112	97 Average	HORIZONTAL	Left blank
Item	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																								
1	5350.00	42.46	-11.54	54.00	29.83	34.65	9.91	31.92	112	97 Average	HORIZONTAL																					







WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Full CH54 5270 - L																																																																														
1	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Mode : 29 Plane : 3 Full-directivity IMEI : 843 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5125.44</td><td>52.94</td><td>-21.06</td><td>74.00</td><td>40.86</td><td>34.10</td><td>9.77</td><td>31.79</td><td>295</td><td>47 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5125.44	52.94	-21.06	74.00	40.86	34.10	9.77	31.79	295	47 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Mode : 29 Plane : 3 Full-directivity IMEI : 843 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5272.00</td><td>98.58</td><td>30.29</td><td>68.30</td><td>86.72</td><td>34.37</td><td>9.87</td><td>31.88</td><td>295</td><td>47 Peak</td><td>VERTICAL</td></tr><tr><td>2 5272.00</td><td>89.97</td><td>-----</td><td>-----</td><td>77.61</td><td>34.37</td><td>9.87</td><td>31.88</td><td>295</td><td>47 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 5272.00	98.58	30.29	68.30	86.72	34.37	9.87	31.88	295	47 Peak	VERTICAL	2 5272.00	89.97	-----	-----	77.61	34.37	9.87	31.88	295	47 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5125.44	52.94	-21.06	74.00	40.86	34.10	9.77	31.79	295	47 Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 5272.00	98.58	30.29	68.30	86.72	34.37	9.87	31.88	295	47 Peak	VERTICAL																																																																					
2 5272.00	89.97	-----	-----	77.61	34.37	9.87	31.88	295	47 Average	VERTICAL																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 0.01000Hz SFT Auto Mode : 29 Plane : 3 Full-directivity IMEI : 843 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5123.20</td><td>42.54</td><td>-11.46</td><td>54.00</td><td>30.46</td><td>34.10</td><td>9.77</td><td>31.79</td><td>295</td><td>47 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5123.20	42.54	-11.46	54.00	30.46	34.10	9.77	31.79	295	47 Average	VERTICAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5123.20	42.54	-11.46	54.00	30.46	34.10	9.77	31.79	295	47 Average	VERTICAL																																																																					





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																		
ANT	802.11ax HE40 Full CH54 5270 - R																																		
1	Vertical	Fundamental																																	
Peak	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030906-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Model : FPO 261401-01 Plane : 2 Polarization : Full-directivity Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm</th><th>dB</th><th>on</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5350.40</td><td>51.88</td><td>-22.12</td><td>74.00</td><td>39.25</td><td>34.65</td><td>9.91</td><td>31.93</td><td>295</td><td>47 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm	dB	on	deg			1	5350.40	51.88	-22.12	74.00	39.25	34.65	9.91	31.93	295	47 Peak VERTICAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm	dB	on	deg																											
1	5350.40	51.88	-22.12	74.00	39.25	34.65	9.91	31.93	295	47 Peak VERTICAL																									
Avg.	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030906-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3.01000Hz SFT Auto Model : FPO 261401-01 Plane : 2 Polarization : Full-directivity Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm</th><th>dB</th><th>on</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5352.10</td><td>42.14</td><td>-11.86</td><td>54.00</td><td>29.41</td><td>34.75</td><td>9.93</td><td>31.95</td><td>295</td><td>47 Average VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm	dB	on	deg			1	5352.10	42.14	-11.86	54.00	29.41	34.75	9.93	31.95	295	47 Average VERTICAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm	dB	on	deg																											
1	5352.10	42.14	-11.86	54.00	29.41	34.75	9.93	31.95	295	47 Average VERTICAL																									






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																	
ANT	802.11ax HE40 Full CH62 5310 - L																																																	
1	Horizontal						Fundamental																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz SFT Auto PRF 261401-01 Mode : 40 Plane : 2 Full-directivity Power setting : 10 <table><thead><tr><th>1</th><th>5117.60</th><th>53.53</th><th>-20.47</th><th>74.00</th><th>41.45</th><th>34.10</th><th>9.76</th><th>31.78</th><th>110</th><th>100</th><th>Peak</th><th>HORIZONTAL</th></tr></thead></table> <td colspan="6">  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz SFT Auto PRF 261401-01 Mode : 40 Plane : 2 Full-directivity Power setting : 10 <table><thead><tr><th>1</th><th>5308.00</th><th>102.83</th><th>34.53</th><th>68.30</th><th>90.34</th><th>34.50</th><th>9.89</th><th>31.90</th><th>110</th><th>100</th><th>Peak</th><th>HORIZONTAL</th></tr><tr><th>2</th><th>5308.00</th><th>94.48</th><th>-----</th><th>81.99</th><th>34.50</th><th>9.89</th><th>31.90</th><th>110</th><th>100</th><th>Average</th><th>HORIZONTAL</th></tr></thead></table> </td>						1	5117.60	53.53	-20.47	74.00	41.45	34.10	9.76	31.78	110	100	Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz SFT Auto PRF 261401-01 Mode : 40 Plane : 2 Full-directivity Power setting : 10 <table><thead><tr><th>1</th><th>5308.00</th><th>102.83</th><th>34.53</th><th>68.30</th><th>90.34</th><th>34.50</th><th>9.89</th><th>31.90</th><th>110</th><th>100</th><th>Peak</th><th>HORIZONTAL</th></tr><tr><th>2</th><th>5308.00</th><th>94.48</th><th>-----</th><th>81.99</th><th>34.50</th><th>9.89</th><th>31.90</th><th>110</th><th>100</th><th>Average</th><th>HORIZONTAL</th></tr></thead></table>						1	5308.00	102.83	34.53	68.30	90.34	34.50	9.89	31.90	110	100	Peak	HORIZONTAL	2	5308.00	94.48	-----	81.99	34.50	9.89	31.90	110	100	Average	HORIZONTAL
1	5117.60	53.53	-20.47	74.00	41.45	34.10	9.76	31.78	110	100	Peak	HORIZONTAL																																						
1	5308.00	102.83	34.53	68.30	90.34	34.50	9.89	31.90	110	100	Peak	HORIZONTAL																																						
2	5308.00	94.48	-----	81.99	34.50	9.89	31.90	110	100	Average	HORIZONTAL																																							
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000KHz VBW 0.0100KHz SFT Auto PRF 261401-01 Mode : 40 Plane : 2 Full-directivity Power setting : 10 <table><thead><tr><th>1</th><th>5121.76</th><th>42.61</th><th>-11.39</th><th>54.00</th><th>30.54</th><th>34.10</th><th>9.76</th><th>31.79</th><th>110</th><th>100</th><th>Average</th><th>HORIZONTAL</th></tr></thead></table> <td colspan="6">Left blank</td>						1	5121.76	42.61	-11.39	54.00	30.54	34.10	9.76	31.79	110	100	Average	HORIZONTAL	Left blank																														
1	5121.76	42.61	-11.39	54.00	30.54	34.10	9.76	31.79	110	100	Average	HORIZONTAL																																						





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																			
ANT	802.11ax HE40 Full CH62 5310 - R																																			
1	Horizontal	Fundamental																																		
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900168 Fax: +86-512-57900058 http://www.sporton.com.cn Data: 4  Site : 030804-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Mode : FPO 261401-01 Plane : 40 Polar : 2 Full-directivity : Full-directivity IMEI : 843 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5300.70</td><td>52.79</td><td>-21.21</td><td>74.00</td><td>40.06</td><td>34.75</td><td>9.93</td><td>31.95</td><td>110</td><td>100 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1	5300.70	52.79	-21.21	74.00	40.06	34.75	9.93	31.95	110	100 Peak	HORIZONTAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																												
1	5300.70	52.79	-21.21	74.00	40.06	34.75	9.93	31.95	110	100 Peak	HORIZONTAL																									
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900168 Fax: +86-512-57900058 http://www.sporton.com.cn Data: 5  Site : 030804-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3.01000Hz SFT Auto Mode : FPO 261401-01 Plane : 40 Polar : 2 Full-directivity : Full-directivity IMEI : 843 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5300.40</td><td>43.28</td><td>-10.72</td><td>54.00</td><td>30.65</td><td>34.65</td><td>9.91</td><td>31.93</td><td>110</td><td>100 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1	5300.40	43.28	-10.72	54.00	30.65	34.65	9.91	31.93	110	100 Average	HORIZONTAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																												
1	5300.40	43.28	-10.72	54.00	30.65	34.65	9.91	31.93	110	100 Average	HORIZONTAL																									






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																								
ANT	802.11ax HE40 Full CH62 5310 - L																																								
1	Vertical	Fundamental																																							
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000000 VSW:3000.000000 SRT:Auto PRF:261401-01 Mode : 40 Plane : 2 Full-directivity Polarization : H Power setting : 10 <table><thead><tr><th>1</th><th>5310.24</th><th>52.88</th><th>-21.12</th><th>74.00</th><th>40.80</th><th>34.10</th><th>9.76</th><th>31.78</th><th>294</th><th>45</th><th>Peak</th><th>VERTICAL</th></tr></thead></table>	1	5310.24	52.88	-21.12	74.00	40.80	34.10	9.76	31.78	294	45	Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000000 VSW:3000.000000 SRT:Auto PRF:261401-01 Mode : 40 Plane : 2 Full-directivity Polarization : H Power setting : 10 <table><thead><tr><th>1</th><th>5308.00</th><th>98.35</th><th>30.05</th><th>68.30</th><th>85.86</th><th>34.50</th><th>9.89</th><th>31.90</th><th>294</th><th>45</th><th>Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5308.00</th><th>90.02</th><th>-----</th><th>-----</th><th>77.53</th><th>34.50</th><th>9.89</th><th>31.90</th><th>294</th><th>45</th><th>Average</th><th>VERTICAL</th></tr></thead></table>	1	5308.00	98.35	30.05	68.30	85.86	34.50	9.89	31.90	294	45	Peak	VERTICAL	2	5308.00	90.02	-----	-----	77.53	34.50	9.89	31.90	294	45	Average	VERTICAL
1	5310.24	52.88	-21.12	74.00	40.80	34.10	9.76	31.78	294	45	Peak	VERTICAL																													
1	5308.00	98.35	30.05	68.30	85.86	34.50	9.89	31.90	294	45	Peak	VERTICAL																													
2	5308.00	90.02	-----	-----	77.53	34.50	9.89	31.90	294	45	Average	VERTICAL																													
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000000 VSW:3.010000 SRT:Auto PRF:261401-01 Mode : 40 Plane : 2 Full-directivity Polarization : H Power setting : 10 <table><thead><tr><th>1</th><th>5120.32</th><th>42.46</th><th>-11.54</th><th>54.00</th><th>30.39</th><th>34.10</th><th>9.76</th><th>31.79</th><th>294</th><th>45</th><th>Average</th><th>VERTICAL</th></tr></thead></table>	1	5120.32	42.46	-11.54	54.00	30.39	34.10	9.76	31.79	294	45	Average	VERTICAL	Left blank																										
1	5120.32	42.46	-11.54	54.00	30.39	34.10	9.76	31.79	294	45	Average	VERTICAL																													





WIFI		UNII-2A5250~5350MHz Band Edge @ 3m																																
ANT		802.11ax HE40 Full CH62 5310 - R																																
1		Vertical	Fundamental																															
Peak	 Site : 030804-KS Condition : SG BAND 1---3 3e 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Model : FPO 261401-01 Plane : 40 Polar : 3 Full-directivity : 40 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5361.90</td><td>52.11</td><td>-21.89</td><td>74.00</td><td>39.42</td><td>34.70</td><td>9.92</td><td>31.93</td><td>294</td><td>45 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5361.90	52.11	-21.89	74.00	39.42	34.70	9.92	31.93	294	45 Peak	VERTICAL	Left blank
	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	5361.90	52.11	-21.89	74.00	39.42	34.70	9.92	31.93	294	45 Peak	VERTICAL																							
 Site : 030804-KS Condition : SG BAND 1---3 (AVG) 3e 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 0.01000Hz SFT Auto Model : FPO 261401-01 Plane : 40 Polar : 3 Full-directivity : 40 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5350.20</td><td>42.29</td><td>-11.71</td><td>54.00</td><td>29.66</td><td>34.65</td><td>9.91</td><td>31.93</td><td>294</td><td>45 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5350.20	42.29	-11.71	54.00	29.66	34.65	9.91	31.93	294	45 Average	VERTICAL	Left blank	
Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	5350.20	42.29	-11.71	54.00	29.66	34.65	9.91	31.93	294	45 Average	VERTICAL																							






UNII-2A5250~5350MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																																																				
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - L																																																																																																				
1	Horizontal	Fundamental																																																																																																			
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030804-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : 46 Plane : X Full-directivity : Full-directivity IMEI : 841 Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5144.64</td><td>53.26</td><td>-20.74</td><td>74.00</td><td>41.19</td><td>34.10</td><td>9.78</td><td>31.81</td><td>100</td><td>93 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5144.64	53.26	-20.74	74.00	41.19	34.10	9.78	31.81	100	93 Peak											HORIZONTAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030804-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : 46 Plane : X Full-directivity : Full-directivity IMEI : 841 Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5266.00</td><td>99.22</td><td>30.92</td><td>68.30</td><td>86.85</td><td>34.37</td><td>9.87</td><td>31.87</td><td>100</td><td>93 Peak</td></tr><tr><td>2</td><td>5266.00</td><td>92.08</td><td></td><td></td><td>79.71</td><td>24.37</td><td>9.87</td><td>31.87</td><td>100</td><td>93 Average</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5266.00	99.22	30.92	68.30	86.85	34.37	9.87	31.87	100	93 Peak	2	5266.00	92.08			79.71	24.37	9.87	31.87	100	93 Average											HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5144.64	53.26	-20.74	74.00	41.19	34.10	9.78	31.81	100	93 Peak																																																																																											
										HORIZONTAL																																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5266.00	99.22	30.92	68.30	86.85	34.37	9.87	31.87	100	93 Peak																																																																																											
2	5266.00	92.08			79.71	24.37	9.87	31.87	100	93 Average																																																																																											
										HORIZONTAL																																																																																											
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030804-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VBR 3.2000Hz SRT Auto Mode : 46 Plane : X Full-directivity : Full-directivity IMEI : 841 Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5137.12</td><td>45.29</td><td>-8.71</td><td>54.00</td><td>33.21</td><td>34.10</td><td>9.77</td><td>31.79</td><td>100</td><td>93 Average</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5137.12	45.29	-8.71	54.00	33.21	34.10	9.77	31.79	100	93 Average											HORIZONTAL	Left blank																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5137.12	45.29	-8.71	54.00	33.21	34.10	9.77	31.79	100	93 Average																																																																																											
										HORIZONTAL																																																																																											



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																									
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - R																																									
1	Horizontal	Fundamental																																								
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn Date: 10 Site Condition: 030804-KS 5G BAND 1-3 3e 3117 SN 00218652- HORIZONTAL RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Project: (FPI)261401-01 Model: 45 Plane: 2 Full-directivity: Full-directivity IMEI: 841 Power setting: 6.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5381.00</td><td>53.09</td><td>-20.91</td><td>74.00</td><td>40.36</td><td>34.75</td><td>9.93</td><td>31.95</td><td>100</td><td>93</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>		Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dB	dB	dB	dB	dB	cm	deg			1	5381.00	53.09	-20.91	74.00	40.36	34.75	9.93	31.95	100	93	Peak	HORIZONTAL	Left blank
Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																														
MHz	dBm/100	dB	dBm/100	dB	dB	dB	dB	dB	cm	deg																																
1	5381.00	53.09	-20.91	74.00	40.36	34.75	9.93	31.95	100	93	Peak	HORIZONTAL																														
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Site Condition: 030804-KS 5G BAND 1-3 (AVG) 3e 3117 SN 00218652- HORIZONTAL RBW 1000, 0000Hz VBW 3.2000Hz SFT Auto Project: (FPI)261401-01 Model: 45 Plane: 2 Full-directivity: Full-directivity IMEI: 841 Power setting: 6.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5396.90</td><td>44.73</td><td>-9.27</td><td>54.00</td><td>31.94</td><td>34.80</td><td>9.94</td><td>31.95</td><td>100</td><td>93</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>		Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dB	dB	dB	dB	dB	cm	deg			1	5396.90	44.73	-9.27	54.00	31.94	34.80	9.94	31.95	100	93	Average	HORIZONTAL	Left blank
Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																														
MHz	dBm/100	dB	dBm/100	dB	dB	dB	dB	dB	cm	deg																																
1	5396.90	44.73	-9.27	54.00	31.94	34.80	9.94	31.95	100	93	Average	HORIZONTAL																														






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - L																																																																																	
1	Vertical	Fundamental																																																																																
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto ZPR 261401-01 Mode : 40 Plane : 3 Full-directivity IME1 : 841 Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5114.72</td><td>53.23</td><td>-20.77</td><td>74.00</td><td>41.15</td><td>34.10</td><td>9.76</td><td>31.78</td><td>300</td><td>43 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto ZPR 261401-01 Mode : 40 Plane : 3 Full-directivity IME1 : 841 Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5266.00</td><td>84.36</td><td>76.06</td><td>68.30</td><td>81.99</td><td>34.37</td><td>9.87</td><td>31.87</td><td>300</td><td>43 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5266.00</td><td>87.57</td><td>-----</td><td>75.20</td><td>34.37</td><td>9.87</td><td>31.87</td><td>300</td><td>43 Average</td><td>VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5114.72	53.23	-20.77	74.00	41.15	34.10	9.76	31.78	300	43 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5266.00	84.36	76.06	68.30	81.99	34.37	9.87	31.87	300	43 Peak	VERTICAL	2	5266.00	87.57	-----	75.20	34.37	9.87	31.87	300	43 Average	VERTICAL		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5114.72	53.23	-20.77	74.00	41.15	34.10	9.76	31.78	300	43 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5266.00	84.36	76.06	68.30	81.99	34.37	9.87	31.87	300	43 Peak	VERTICAL																																																																							
2	5266.00	87.57	-----	75.20	34.37	9.87	31.87	300	43 Average	VERTICAL																																																																								
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3.20000Hz SFT Auto ZPR 261401-01 Mode : 40 Plane : 3 Full-directivity IME1 : 841 Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5108.48</td><td>45.13</td><td>-8.87</td><td>54.00</td><td>33.05</td><td>34.10</td><td>9.76</td><td>31.78</td><td>300</td><td>43 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5108.48	45.13	-8.87	54.00	33.05	34.10	9.76	31.78	300	43 Average	VERTICAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5108.48	45.13	-8.87	54.00	33.05	34.10	9.76	31.78	300	43 Average	VERTICAL																																																																							





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - R																																
1	Vertical	Fundamental																															
Peak	No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB Date: 15 Site Condition: 030806-KS 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Project: FR261401-01 Mode: 40 Plane: 2 Full-directivity: 441 Power setting: 6.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5377.80</td><td>51.96</td><td>-22.04</td><td>74.00</td><td>39.29</td><td>34.70</td><td>9.92</td><td>31.95</td><td>300</td><td>43 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg			1 5377.80	51.96	-22.04	74.00	39.29	34.70	9.92	31.95	300	43 Peak	VERTICAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg																										
1 5377.80	51.96	-22.04	74.00	39.29	34.70	9.92	31.95	300	43 Peak	VERTICAL																							
Avg.	No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB Date: 16 Site Condition: 030806-KS 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL RBW 1000, 0000Hz VBW 3.2000Hz SFT Auto Project: FR261401-01 Mode: 40 Plane: 2 Full-directivity: 441 Power setting: 6.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5377.20</td><td>44.73</td><td>-9.27</td><td>54.00</td><td>32.66</td><td>34.70</td><td>9.92</td><td>31.95</td><td>300</td><td>43 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg			1 5377.20	44.73	-9.27	54.00	32.66	34.70	9.92	31.95	300	43 Average	VERTICAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg																										
1 5377.20	44.73	-9.27	54.00	32.66	34.70	9.92	31.95	300	43 Average	VERTICAL																							






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - L																																																																												
1	Horizontal	Fundamental																																																																											
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Level (dBuV/m) Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 000KHz VSW: 3000, 000KHz SRT: Auto Bode : (FR) 261401-01 Plane : 47 Polar : 5 Full-directivity Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.76</td><td>52.51</td><td>-21.49</td><td>74.00</td><td>40.43</td><td>34.10</td><td>9.77</td><td>31.79</td><td>100</td><td>100</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	5125.76	52.51	-21.49	74.00	40.43	34.10	9.77	31.79	100	100	Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 9 Level (dBuV/m) Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 000KHz VSW: 3000, 000KHz SRT: Auto Bode : (FR) 261401-01 Plane : 47 Polar : 5 Full-directivity Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.32</td><td>32.02</td><td>68.30</td><td>87.78</td><td>34.55</td><td>9.89</td><td>31.90</td><td>100</td><td>100</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5320.00</td><td>92.57</td><td>-----</td><td>-----</td><td>80.03</td><td>34.55</td><td>9.89</td><td>31.90</td><td>100</td><td>100</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	5320.00	100.32	32.02	68.30	87.78	34.55	9.89	31.90	100	100	Peak	HORIZONTAL	2	5320.00	92.57	-----	-----	80.03	34.55	9.89	31.90	100	100	Average	HORIZONTAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																					
1	5125.76	52.51	-21.49	74.00	40.43	34.10	9.77	31.79	100	100	Peak	HORIZONTAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																					
1	5320.00	100.32	32.02	68.30	87.78	34.55	9.89	31.90	100	100	Peak	HORIZONTAL																																																																	
2	5320.00	92.57	-----	-----	80.03	34.55	9.89	31.90	100	100	Average	HORIZONTAL																																																																	
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Level (dBuV/m) Site : 030406-KS Condition : SG BAND 1~3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 000KHz VSW: 3.2000KHz SRT: Auto Bode : (FR) 261401-01 Plane : 47 Polar : 5 Full-directivity Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.92</td><td>45.45</td><td>-8.55</td><td>54.00</td><td>33.37</td><td>34.10</td><td>9.77</td><td>31.79</td><td>100</td><td>100</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	5137.92	45.45	-8.55	54.00	33.37	34.10	9.77	31.79	100	100	Average	HORIZONTAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																					
1	5137.92	45.45	-8.55	54.00	33.37	34.10	9.77	31.79	100	100	Average	HORIZONTAL																																																																	





WIFI		UNII-2A5250~5350MHz Band Edge @ 3m																																
ANT		802.11ax HE40 Partial 242/62 CH62 5310 - R																																
1	Horizontal	Fundamental																																
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900168 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Model Plane IMEI Power setting 030004-KS SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto FR261401-01 47 2 Full-directivity 841 6.5 <table><tr><th>Item</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5383.70</td><td>51.49</td><td>-22.51</td><td>74.00</td><td>38.76</td><td>34.75</td><td>9.93</td><td>31.95</td><td>100</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Item	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5383.70	51.49	-22.51	74.00	38.76	34.75	9.93	31.95	100	Peak	HORIZONTAL	Left blank
	Item	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																										
1	5383.70	51.49	-22.51	74.00	38.76	34.75	9.93	31.95	100	Peak	HORIZONTAL																							
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900168 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Model Plane IMEI Power setting 030004-KS SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL RBW 1000, 0000Hz VBW 3.0000Hz SFT Auto FR261401-01 47 2 Full-directivity 841 6.5 <table><tr><th>Item</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5360.80</td><td>45.07</td><td>-8.93</td><td>54.00</td><td>32.38</td><td>34.70</td><td>9.92</td><td>31.93</td><td>100</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Item	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5360.80	45.07	-8.93	54.00	32.38	34.70	9.92	31.93	100	Average	HORIZONTAL	Left blank
	Item	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																										
1	5360.80	45.07	-8.93	54.00	32.38	34.70	9.92	31.93	100	Average	HORIZONTAL																							













WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																							
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - L																																							
1	Vertical	Fundamental																																						
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VSW: 3000, 000kHz SMT: Auto Bode : 47 Plane : 2 Polar : Full-directivity Power : 6.5 Power setting : 6.5 <table><tr><th>1</th><th>5310.84</th><th>52.70</th><th>-21.30</th><th>74.00</th><th>40.62</th><th>34.10</th><th>9.77</th><th>31.79</th><th>305</th><th>42</th><th>Peak</th><th>VERTICAL</th></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VSW: 3000, 000kHz SMT: Auto Bode : 47 Plane : 2 Polar : Full-directivity Power : 6.5 Power setting : 6.5 <table><tr><th>1</th><th>5320.00</th><th>76.43</th><th>28.33</th><th>68.30</th><th>84.09</th><th>34.55</th><th>9.89</th><th>31.90</th><th>305</th><th>42</th><th>Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5320.00</th><th>87.90</th><th>-----</th><th>75.36</th><th>34.55</th><th>9.89</th><th>31.90</th><th>305</th><th>42</th><th>Average</th><th>VERTICAL</th></tr></table>	1	5310.84	52.70	-21.30	74.00	40.62	34.10	9.77	31.79	305	42	Peak	VERTICAL	1	5320.00	76.43	28.33	68.30	84.09	34.55	9.89	31.90	305	42	Peak	VERTICAL	2	5320.00	87.90	-----	75.36	34.55	9.89	31.90	305	42	Average	VERTICAL	
1	5310.84	52.70	-21.30	74.00	40.62	34.10	9.77	31.79	305	42	Peak	VERTICAL																												
1	5320.00	76.43	28.33	68.30	84.09	34.55	9.89	31.90	305	42	Peak	VERTICAL																												
2	5320.00	87.90	-----	75.36	34.55	9.89	31.90	305	42	Average	VERTICAL																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1~3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VSW: 3.2000kHz SMT: Auto Bode : 47 Plane : 2 Polar : Full-directivity Power : 6.5 Power setting : 6.5 <table><tr><th>1</th><th>5310.24</th><th>45.37</th><th>-8.63</th><th>54.00</th><th>33.29</th><th>34.10</th><th>9.76</th><th>31.78</th><th>305</th><th>42</th><th>Average</th><th>VERTICAL</th></tr></table> Left blank	1	5310.24	45.37	-8.63	54.00	33.29	34.10	9.76	31.78	305	42	Average	VERTICAL																										
1	5310.24	45.37	-8.63	54.00	33.29	34.10	9.76	31.78	305	42	Average	VERTICAL																												





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																	
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - R																																	
1	Vertical	Fundamental																																
Peak	 Site : 030004-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBR 3000, 0000Hz DRT Auto Mode : FR261401-01 Plane : 47 Polar : 2 Full-directivity : 441 Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>on</th><th>deg</th><th></th></tr><tr><td>1</td><td>5304.80</td><td>53.33</td><td>-20.47</td><td>74.00</td><td>40.40</td><td>34.75</td><td>9.93</td><td>31.95</td><td>305</td><td>42 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg		1	5304.80	53.33	-20.47	74.00	40.40	34.75	9.93	31.95	305	42 Peak	VERTICAL	Left blank
	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																										
1	5304.80	53.33	-20.47	74.00	40.40	34.75	9.93	31.95	305	42 Peak	VERTICAL																							
Avg.	 Site : 030004-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBR 3.2000Hz DRT Auto Mode : FR261401-01 Plane : 47 Polar : 2 Full-directivity : 441 Power setting : 6.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>on</th><th>deg</th><th></th></tr><tr><td>1</td><td>5301.90</td><td>44.81</td><td>-9.19</td><td>54.00</td><td>32.12</td><td>34.70</td><td>9.92</td><td>31.93</td><td>305</td><td>42 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg		1	5301.90	44.81	-9.19	54.00	32.12	34.70	9.92	31.93	305	42 Average	VERTICAL	Left blank
	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																										
1	5301.90	44.81	-9.19	54.00	32.12	34.70	9.92	31.93	305	42 Average	VERTICAL																							






UNII-2A5250~5350MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																																																																																																												
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																																																																																																												
1	Horizontal	Fundamental																																																																																																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 1  Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : S1 Plane : S1 Full-directivity : S1 Power setting : R41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5145.76</td><td>52.70</td><td>-21.30</td><td>74.00</td><td>40.63</td><td>34.10</td><td>9.78</td><td>31.81</td><td>111</td><td>99 Peak</td></tr></table> HORIZONTAL  No. 1099, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 3  Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : S1 Plane : S1 Full-directivity : S1 Power setting : R41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5284.00</td><td>100.47</td><td>32.17</td><td>68.30</td><td>88.04</td><td>34.43</td><td>9.88</td><td>31.88</td><td>111</td><td>99 Peak</td></tr><tr><td>2</td><td>5284.00</td><td>91.14</td><td>32.17</td><td>68.30</td><td>78.71</td><td>34.43</td><td>9.88</td><td>31.88</td><td>111</td><td>99 Average</td></tr></table> HORIZONTAL <tr><td>Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 1.10000Hz SRT Auto Mode : S1 Plane : S1 Full-directivity : S1 Power setting : R41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5126.24</td><td>43.69</td><td>-10.31</td><td>54.00</td><td>31.61</td><td>34.10</td><td>9.77</td><td>31.79</td><td>111</td><td>99 Average</td></tr></table> HORIZONTAL  No. 1099, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 4  Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : S1 Plane : S1 Full-directivity : S1 Power setting : R41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5284.00</td><td>100.47</td><td>32.17</td><td>68.30</td><td>88.04</td><td>34.43</td><td>9.88</td><td>31.88</td><td>111</td><td>99 Peak</td></tr><tr><td>2</td><td>5284.00</td><td>91.14</td><td>32.17</td><td>68.30</td><td>78.71</td><td>34.43</td><td>9.88</td><td>31.88</td><td>111</td><td>99 Average</td></tr></table> HORIZONTAL </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	5145.76	52.70	-21.30	74.00	40.63	34.10	9.78	31.81	111	99 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	5284.00	100.47	32.17	68.30	88.04	34.43	9.88	31.88	111	99 Peak	2	5284.00	91.14	32.17	68.30	78.71	34.43	9.88	31.88	111	99 Average	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 1.10000Hz SRT Auto Mode : S1 Plane : S1 Full-directivity : S1 Power setting : R41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5126.24</td><td>43.69</td><td>-10.31</td><td>54.00</td><td>31.61</td><td>34.10</td><td>9.77</td><td>31.79</td><td>111</td><td>99 Average</td></tr></table> HORIZONTAL  No. 1099, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 4  Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : S1 Plane : S1 Full-directivity : S1 Power setting : R41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5284.00</td><td>100.47</td><td>32.17</td><td>68.30</td><td>88.04</td><td>34.43</td><td>9.88</td><td>31.88</td><td>111</td><td>99 Peak</td></tr><tr><td>2</td><td>5284.00</td><td>91.14</td><td>32.17</td><td>68.30</td><td>78.71</td><td>34.43</td><td>9.88</td><td>31.88</td><td>111</td><td>99 Average</td></tr></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	5126.24	43.69	-10.31	54.00	31.61	34.10	9.77	31.79	111	99 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	5284.00	100.47	32.17	68.30	88.04	34.43	9.88	31.88	111	99 Peak	2	5284.00	91.14	32.17	68.30	78.71	34.43	9.88	31.88	111	99 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																																																																																				
1	5145.76	52.70	-21.30	74.00	40.63	34.10	9.78	31.81	111	99 Peak																																																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																																																																																				
1	5284.00	100.47	32.17	68.30	88.04	34.43	9.88	31.88	111	99 Peak																																																																																																																																																			
2	5284.00	91.14	32.17	68.30	78.71	34.43	9.88	31.88	111	99 Average																																																																																																																																																			
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 1.10000Hz SRT Auto Mode : S1 Plane : S1 Full-directivity : S1 Power setting : R41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5126.24</td><td>43.69</td><td>-10.31</td><td>54.00</td><td>31.61</td><td>34.10</td><td>9.77</td><td>31.79</td><td>111</td><td>99 Average</td></tr></table> HORIZONTAL  No. 1099, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 4  Site : 032006-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : S1 Plane : S1 Full-directivity : S1 Power setting : R41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5284.00</td><td>100.47</td><td>32.17</td><td>68.30</td><td>88.04</td><td>34.43</td><td>9.88</td><td>31.88</td><td>111</td><td>99 Peak</td></tr><tr><td>2</td><td>5284.00</td><td>91.14</td><td>32.17</td><td>68.30</td><td>78.71</td><td>34.43</td><td>9.88</td><td>31.88</td><td>111</td><td>99 Average</td></tr></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	5126.24	43.69	-10.31	54.00	31.61	34.10	9.77	31.79	111	99 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	5284.00	100.47	32.17	68.30	88.04	34.43	9.88	31.88	111	99 Peak	2	5284.00	91.14	32.17	68.30	78.71	34.43	9.88	31.88	111	99 Average																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																																																																																				
1	5126.24	43.69	-10.31	54.00	31.61	34.10	9.77	31.79	111	99 Average																																																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																																																																																				
1	5284.00	100.47	32.17	68.30	88.04	34.43	9.88	31.88	111	99 Peak																																																																																																																																																			
2	5284.00	91.14	32.17	68.30	78.71	34.43	9.88	31.88	111	99 Average																																																																																																																																																			





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																		
ANT	802.11ax HE80 Full CH58 5290MHz - R																																		
1	Horizontal	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 032004-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Model : FPO 261401-01 Plane : 2 Polarization : Full-directivity Polarization : H41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5291.50</td><td>54.25</td><td>-19.75</td><td>74.00</td><td>41.62</td><td>34.65</td><td>9.91</td><td>31.93</td><td>111</td><td>99</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg			1	5291.50	54.25	-19.75	74.00	41.62	34.65	9.91	31.93	111	99	Peak	HORIZONTAL	Left blank
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg																												
1	5291.50	54.25	-19.75	74.00	41.62	34.65	9.91	31.93	111	99	Peak	HORIZONTAL																							
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 5  Site : 032004-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 1.10000Hz SFT Auto Model : FPO 261401-01 Plane : 2 Polarization : Full-directivity Polarization : H41 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5290.10</td><td>47.66</td><td>-6.34</td><td>54.00</td><td>35.03</td><td>34.65</td><td>9.91</td><td>31.93</td><td>111</td><td>99</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg			1	5290.10	47.66	-6.34	54.00	35.03	34.65	9.91	31.93	111	99	Average	HORIZONTAL	Left blank
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg																												
1	5290.10	47.66	-6.34	54.00	35.03	34.65	9.91	31.93	111	99	Average	HORIZONTAL																							



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																									
1	Vertical	Fundamental																																																																								
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Model : FPO 261401-01 Plane : 51 Polarization : Full-directivity Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>deg</th><th></th></tr><tr><td>1</td><td>5106.88</td><td>52.61</td><td>-21.39</td><td>74.00</td><td>40.53</td><td>34.10</td><td>9.76</td><td>31.78</td><td>275</td><td>46 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg		1	5106.88	52.61	-21.39	74.00	40.53	34.10	9.76	31.78	275	46 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Model : FPO 261401-01 Plane : 51 Polarization : Full-directivity Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>95.16</td><td>76.86</td><td>68.30</td><td>82.73</td><td>34.43</td><td>9.88</td><td>31.88</td><td>275</td><td>46 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5290.00</td><td>86.81</td><td>-----</td><td>-----</td><td>74.38</td><td>34.43</td><td>9.88</td><td>31.88</td><td>275</td><td>46 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg		1	5290.00	95.16	76.86	68.30	82.73	34.43	9.88	31.88	275	46 Peak	VERTICAL	2	5290.00	86.81	-----	-----	74.38	34.43	9.88	31.88	275	46 Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg																																																																			
1	5106.88	52.61	-21.39	74.00	40.53	34.10	9.76	31.78	275	46 Peak	VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg																																																																			
1	5290.00	95.16	76.86	68.30	82.73	34.43	9.88	31.88	275	46 Peak	VERTICAL																																																															
2	5290.00	86.81	-----	-----	74.38	34.43	9.88	31.88	275	46 Average	VERTICAL																																																															
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 1.10000 SRT: Auto Model : FPO 261401-01 Plane : 51 Polarization : Full-directivity Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>deg</th><th></th></tr><tr><td>1</td><td>5113.28</td><td>43.96</td><td>-10.04</td><td>54.00</td><td>31.88</td><td>34.10</td><td>9.76</td><td>31.78</td><td>275</td><td>46 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg		1	5113.28	43.96	-10.04	54.00	31.88	34.10	9.76	31.78	275	46 Average	VERTICAL	Left blank																																										
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg																																																																			
1	5113.28	43.96	-10.04	54.00	31.88	34.10	9.76	31.78	275	46 Average	VERTICAL																																																															





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																
ANT	802.11ax HE80 Full CH58 5290MHz - R																																
1	Vertical	Fundamental																															
Peak	 Site : 030804-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Model : FR261401-01 Plane : E Full-directivity : 441 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5350.70</td><td>53.08</td><td>-20.92</td><td>74.00</td><td>40.45</td><td>34.65</td><td>9.91</td><td>31.93</td><td>275</td><td>46</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5350.70	53.08	-20.92	74.00	40.45	34.65	9.91	31.93	275	46	Peak	VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																											
1	5350.70	53.08	-20.92	74.00	40.45	34.65	9.91	31.93	275	46	Peak	VERTICAL																					
Avg.	 Site : 030804-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 1, 10000Hz SFT Auto Model : FR261401-01 Plane : E Full-directivity : 441 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5350.50</td><td>44.76</td><td>-9.24</td><td>54.00</td><td>32.13</td><td>34.65</td><td>9.91</td><td>31.93</td><td>275</td><td>46</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5350.50	44.76	-9.24	54.00	32.13	34.65	9.91	31.93	275	46	Average	VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																											
1	5350.50	44.76	-9.24	54.00	32.13	34.65	9.91	31.93	275	46	Average	VERTICAL																					






UNII-2A5250~5350MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	UNII-2A5250~5350MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - L	
1	Horizontal	Fundamental
Peak	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 1 117 Level (dBuV/m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5100 5130 5160 5190 5220 5250 5280 5310 5340 5370 5400 5430 5460 5490 5520 5550 5580 5610 5640 5670 5700 5730 5760 5790 5820 5850 5880 5910 5940 5970 6000 6030 6060 6090 6120 6150 6180 6210 6240 6270 6300 6330 6360 6390 6420 6450 6480 6510 6540 6570 6600 6630 6660 6690 6720 6750 6780 6810 6840 6870 6900 6930 6960 6990 7020 7050 7080 7110 7140 7170 7200 7230 7260 7290 7320 7350 7380 7410 7440 7470 7500 7530 7560 7590 7620 7650 7680 7710 7740 7770 7800 7830 7860 7890 7920 7950 7980 8010 8040 8070 8100 8130 8160 8190 8220 8250 8280 8310 8340 8370 8400 8430 8460 8490 8520 8550 8580 8610 8640 8670 8700 8730 8760 8790 8820 8850 8880 8910 8940 8970 9000 9030 9060 9090 9120 9150 9180 9210 9240 9270 9300 9330 9360 9390 9420 9450 9480 9510 9540 9570 9600 9630 9660 9690 9720 9750 9780 9810 9840 9870 9900 9930 9960 9990 10020 10050 10080 10110 10140 10170 10200 10230 10260 10290 10320 10350 10380 10410 10440 10470 10500 10530 10560 10590 10620 10650 10680 10710 10740 10770 10800 10830 10860 10890 10920 10950 10980 11010 11040 11070 11100 11130 11160 11190 11220 11250 11280 11310 11340 11370 11400 11430 11460 11490 11520 11550 11580 11610 11640 11670 11700 11730 11760 11790 11820 11850 11880 11910 11940 11970 12000 12030 12060 12090 12120 12150 12180 12210 12240 12270 12300 12330 12360 12390 12420 12450 12480 12510 12540 12570 12600 12630 12660 12690 12720 12750 12780 12810 12840 12870 12900 12930 12960 12990 13020 13050 13080 13110 13140 13170 13200 13230 13260 13290 13320 13350 13380 13410 13440 13470 13500 13530 13560 13590 13620 13650 13680 13710 13740 13770 13800 13830 13860 13890 13920 13950 13980 14010 14040 14070 14100 14130 14160 14190 14220 14250 14280 14310 14340 14370 14400 14430 14460 14490 14520 14550 14580 14610 14640 14670 14700 14730 14760 14790 14820 14850 14880 14910 14940 14970 15000 15030 15060 15090 15120 15150 15180 15210 15240 15270 15300 15330 15360 15390 15420 15450 15480 15510 15540 15570 15600 15630 15660 15690 15720 15750 15780 15810 15840 15870 15900 15930 15960 15990 16020 16050 16080 16110 16140 16170 16200 16230 16260 16290 16320 16350 16380 16410 16440 16470 16500 16530 16560 16590 16620 16650 16680 16710 16740 16770 16800 16830 16860 16890 16920 16950 16980 17010 17040 17070 17100 17130 17160 17190 17220 17250 17280 17310 17340 17370 17400 17430 17460 17490 17520 17550 17580 17610 17640 17670 17700 17730 17760 17790 17820 17850 17880 17910 17940 17970 18000 18030 18060 18090 18120 18150 18180 18210 18240 18270 18300 18330 18360 18390 18420 18450 18480 18510 18540 18570 18600 18630 18660 18690 18720 18750 18780 18810 18840 18870 18900 18930 18960 18990 19020 19050 19080 19110 19140 19170 19200 19230 19260 19290 19320 19350 19380 19410 19440 19470 19500 19530 19560 19590 19620 19650 19680 19710 19740 19770 19800 19830 19860 19890 19920 19950 19980 20010 20040 20070 20100 20130 20160 20190 20220 20250 20280 20310 20340 20370 20400 20430 20460 20490 20520 20550 20580 20610 20640 20670 20700 20730 20760 20790 20820 20850 20880 20910 20940 20970 21000 21030 21060 21090 21120 21150 21180 21210 21240 21270 21300 21330 21360 21390 21420 21450 21480 21510 21540 21570 21600 21630 21660 21690 21720 21750 21780 21810 21840 21870 21900 21930 21960 21990 22020 22050 22080 22110 22140 22170 22200 22230 22260 22290 22320 22350 22380 22410 22440 22470 22500 22530 22560 22590 22620 22650 22680 22710 22740 22770 22800 22830 22860 22890 22920 22950 22980 23010 23040 23070 23100 23130 23160 23190 23220 23250 23280 23310 23340 23370 23400 23430 23460 23490 23520 23550 23580 23610 23640 23670 23700 23730 23760 23790 23820 23850 23880 23910 23940 23970 24000 24030 24060 24090 24120 24150 24180 24210 24240 24270 24300 24330 24360 24390 24420 24450 24480 24510 24540 24570 24600 24630 24660 24690 24720 24750 24780 24810 24840 24870 24900 24930 24960 24990 25020 25050 25080 25110 25140 25170 25200 25230 25260 25290 25320 25350 25380 25410 25440 25470 25500 25530 25560 25590 25620 25650 25680 25710 25740 25770 25800 25830 25860 25890 25920 25950 25980 26010 26040 26070 26100 26130 26160 26190 26220 26250 26280 26310 26340 26370 26400 26430 26460 26490 26520 26550 26580 26610 26640 26670 26700 26730 26760 26790 26820 26850 26880 26910 26940 26970 27000 27030 27060 27090 27120 27150 27180 27210 27240 27270 27300 27330 27360 27390 27420 27450 27480 27510 27540 27570 27600 27630 27660 27690 27720 27750 27780 27810 27840 27870 27900 27930 27960 27990 28020 28050 28080 28110 28140 28170 28200 28230 28260 28290 28320 28350 28380 28410 28440 28470 28500 28530 28560 28590 28620 28650 28680 28710 28740 28770 28800 28830 28860 28890 28920 28950 28980 29010 29040 29070 29100 29130 29160 29190 29220 29250 29280 29310 29340 29370 29400 29430 29460 29490 29520 29550 29580 29610 29640 29670 29700 29730 29760 29790 29820 29850 29880 29910 29940 29970 30000 30030 30060 30090 30120 30150 30180 30210 30240 30270 30300 30330 30360 30390 30420 30450 30480 30510 30540 30570 30600 30630 30660 30690 30720 30750 30780 30810 30840 30870 30900 30930 30960 30990 31020 31050 31080 31110 31140 31170 31200 31230 31260 31290 31320 31350 31380 31410 31440 31470 31500 31530 31560 31590 31620 31650 31680 31710 31740 31770 31800 31830 31860 31890 31920 31950 31980 32010 32040 32070 32100 32130 32160 32190 32220 32250 32280 32310 32340 32370 32400 32430 32460 32490 32520 32550 32580 32610 32640 32670 32700 32730 32760 32790 32820 32850 32880 32910 32940 32970 33000 33030 33060 33090 33120 33150 33180 33210 33240 33270 33300 33330 33360 33390 33420 33450 33480 33510 33540 33570 33600 33630 33660 33690 33720 33750 33780 33810 33840 33870 33900 33930 33960 33990 34020 34050 34080 34110 34140 34170 34200 34230 34260 34290 34320 34350 34380 34410 34440 34470 34500 34530 34560 34590 34620 34650 34680 34710 34740 34770 34800 34830 34860 34890 34920 34950 34980 35010 35040 35070 35100 35130 35160 35190 35220 35250 35280 35310 35340 35370 35400 35430 35460 35490 35520 35550 35580 35610 35640 35670 35700 35730 35760 35790 35820 35850 35880 35910 35940 35970 36000 36030 36060 36090 36120 36150 36180 36210 36240 36270 36300 36330 36360 36390 36420 36450 36480 36510 36540 36570 36600 36630 36660 36690 36720 36750 36780 36810 36840 36870 36900 36930 36960 36990 37020 37050 37080 37110 37140 37170 37200 37230 37260 37290 37320 37350 37380 37410 37440 37470 37500 37530 37560 37590 37620 37650 37680 37710 37740 37770 37800 37830 37860 37890 37920 37950 37980 38010 38040 38070 38100 38130 38160 38190 38220 38250 38280 38310 38340 38370 38400 38430 38460 38490 38520 38550 38580 38610 38640 38670 38700 38730 38760 38790 38820 38850 38880 38910 38940 38970 39000 39030 39060 39090 39120 39150 39180 39210 39240 39270 39300 39330 39360 39390 39420 39450 39480 39510 39540 39570 39600 39630 39660 39690 39720 39750 39780 39810 39840 39870 39900 39930 39960 40000 40030 40060 40090 40120 40150 40180 40210 40240 40270 40300 40330 40360 40390 40420 40450 40480 40510 40540 40570 40600 40630 40660 40690 40720 40750 40780 40810 40840 40870 40900 40930 40960 40990 41020 <	







WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																															
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - R																															
1	Horizontal	Fundamental																														
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030004-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000000 VBR 3000.000000 SFT Auto Mode : FPO 261401-01 Plane : 2 Full-directivity : 0 IMEI : 841 Power setting : 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5317.30</td><td>53.01</td><td>-20.99</td><td>74.00</td><td>40.32</td><td>34.70</td><td>9.92</td><td>31.93</td><td>100</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	cm	deg	1	5317.30	53.01	-20.99	74.00	40.32	34.70	9.92	31.93	100	Peak	HORIZONTAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	cm	deg																								
1	5317.30	53.01	-20.99	74.00	40.32	34.70	9.92	31.93	100	Peak	HORIZONTAL																					
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030004-KS Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000000 VBR 3.000000 SFT Auto Mode : FPO 261401-01 Plane : 2 Full-directivity : 0 IMEI : 841 Power setting : 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5383.00</td><td>43.83</td><td>-10.17</td><td>54.00</td><td>31.10</td><td>34.75</td><td>9.93</td><td>31.95</td><td>100</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	cm	deg	1	5383.00	43.83	-10.17	54.00	31.10	34.75	9.93	31.95	100	Average	HORIZONTAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	cm	deg																								
1	5383.00	43.83	-10.17	54.00	31.10	34.75	9.93	31.95	100	Average	HORIZONTAL																					







WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - L																																																																																	
1	Vertical	Fundamental																																																																																
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VSW: 3000, 000kHz SMT: Auto Model : FPO 261401-01 Plane : 57 Polarization : Full-directivity Power setting : 441 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>5134.40</td><td>53.05</td><td>-20.95</td><td>74.00</td><td>40.97</td><td>34.10</td><td>9.77</td><td>31.79</td><td>292</td><td>42 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VSW: 3000, 000kHz SMT: Auto Model : FPO 261401-01 Plane : 57 Polarization : Full-directivity Power setting : 441 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>5326.00</td><td>84.51</td><td>26.21</td><td>68.30</td><td>81.98</td><td>34.55</td><td>9.89</td><td>31.91</td><td>292</td><td>42 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5326.00</td><td>86.80</td><td>-----</td><td>74.27</td><td>34.55</td><td>9.89</td><td>31.91</td><td>292</td><td>42 Average</td><td>VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	deg		1	5134.40	53.05	-20.95	74.00	40.97	34.10	9.77	31.79	292	42 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	deg		1	5326.00	84.51	26.21	68.30	81.98	34.55	9.89	31.91	292	42 Peak	VERTICAL	2	5326.00	86.80	-----	74.27	34.55	9.89	31.91	292	42 Average	VERTICAL		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	deg																																																																									
1	5134.40	53.05	-20.95	74.00	40.97	34.10	9.77	31.79	292	42 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	deg																																																																									
1	5326.00	84.51	26.21	68.30	81.98	34.55	9.89	31.91	292	42 Peak	VERTICAL																																																																							
2	5326.00	86.80	-----	74.27	34.55	9.89	31.91	292	42 Average	VERTICAL																																																																								
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VSW: 3, 2000kHz SMT: Auto Model : FPO 261401-01 Plane : 57 Polarization : Full-directivity Power setting : 441 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>5114.72</td><td>44.44</td><td>-9.56</td><td>54.00</td><td>32.36</td><td>34.10</td><td>9.76</td><td>31.78</td><td>292</td><td>42 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	deg		1	5114.72	44.44	-9.56	54.00	32.36	34.10	9.76	31.78	292	42 Average	VERTICAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	deg																																																																									
1	5114.72	44.44	-9.56	54.00	32.36	34.10	9.76	31.78	292	42 Average	VERTICAL																																																																							





UNII-2A- 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																
ANT	802.11a CH52 5260MHz																																																																
1	Horizontal	Vertical																																																															
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7  Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBW:3000.0000Hz VSW:3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 4 Plane : X Full-directivity : #41 IMEI : PowerSetting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>45.53</td><td>-22.77</td><td>68.30</td><td>55.20</td><td>37.71</td><td>14.24</td><td>61.62</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL RBW:3000.0000Hz VSW:3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 4 Plane : X Full-directivity : #41 IMEI : PowerSetting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>45.00</td><td>-23.30</td><td>68.30</td><td>54.67</td><td>37.71</td><td>14.24</td><td>61.62</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	10520.00	45.53	-22.77	68.30	55.20	37.71	14.24	61.62	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	10520.00	45.00	-23.30	68.30	54.67	37.71	14.24	61.62	100	0 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																								
1	10520.00	45.53	-22.77	68.30	55.20	37.71	14.24	61.62	300	0 Peak	HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																								
1	10520.00	45.00	-23.30	68.30	54.67	37.71	14.24	61.62	100	0 Peak	VERTICAL																																																						
WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																
ANT	802.11a CH60 5300MHz																																																																
1	Horizontal	Vertical																																																															
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11  Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBW:3000.0000Hz VSW:3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 5 Plane : X Full-directivity : #41 IMEI : PowerSetting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10500.01</td><td>44.95</td><td>-29.05</td><td>74.00</td><td>54.54</td><td>37.76</td><td>14.29</td><td>61.64</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 12  Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL RBW:3000.0000Hz VSW:3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 5 Plane : X Full-directivity : #41 IMEI : PowerSetting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10500.01</td><td>44.27</td><td>-29.73</td><td>74.00</td><td>53.86</td><td>37.76</td><td>14.29</td><td>61.64</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	10500.01	44.95	-29.05	74.00	54.54	37.76	14.29	61.64	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	10500.01	44.27	-29.73	74.00	53.86	37.76	14.29	61.64	100	0 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																								
1	10500.01	44.95	-29.05	74.00	54.54	37.76	14.29	61.64	300	0 Peak	HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																								
1	10500.01	44.27	-29.73	74.00	53.86	37.76	14.29	61.64	100	0 Peak	VERTICAL																																																						



WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11a CH64 5320MHz																																																																																																																																					
1	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 6 Plane : X Full-directivity IMEI : #41 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>45.31</td><td>-28.69</td><td>74.00</td><td>54.86</td><td>37.78</td><td>14.32</td><td>61.65</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 6 Plane : X Full-directivity IMEI : #41 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>45.31</td><td>-28.69</td><td>74.00</td><td>54.86</td><td>37.78</td><td>14.32</td><td>61.65</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	45.31	-28.69	74.00	54.86	37.78	14.32	61.65	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	45.31	-28.69	74.00	54.86	37.78	14.32	61.65	300	0 Peak	HORIZONTAL	 Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 6 Plane : X Full-directivity IMEI : #41 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>44.51</td><td>-29.49</td><td>74.00</td><td>54.06</td><td>37.78</td><td>14.32</td><td>61.65</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>  Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 6 Plane : X Full-directivity IMEI : #41 PowerSetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>44.51</td><td>-29.49</td><td>74.00</td><td>54.06</td><td>37.78</td><td>14.32</td><td>61.65</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	44.51	-29.49	74.00	54.06	37.78	14.32	61.65	100	0 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	44.51	-29.49	74.00	54.06	37.78	14.32	61.65	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																														
1 10641.00	45.31	-28.69	74.00	54.86	37.78	14.32	61.65	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																														
1 10641.00	45.31	-28.69	74.00	54.86	37.78	14.32	61.65	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																														
1 10641.00	44.51	-29.49	74.00	54.06	37.78	14.32	61.65	100	0 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																														
1 10641.00	44.51	-29.49	74.00	54.06	37.78	14.32	61.65	100	0 Peak	VERTICAL																																																																																																																												



WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH64 5320MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	 No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Date: 7  Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 000KHz VBW 3000, 000KHz SFT Auto PRF 201401-01 Mode : 15 Plane : 5 Full-directivity IMEI : 843 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>45.25</td><td>-28.75</td><td>74.00</td><td>54.80</td><td>37.78</td><td>14.32</td><td>61.65</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg			1 10641.00	45.25	-28.75	74.00	54.80	37.78	14.32	61.65	300	0 Peak	HORIZONTAL	 No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Date: 8  Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000KHz VBW 3000, 000KHz SFT Auto PRF 201401-01 Mode : 15 Plane : 5 Full-directivity IMEI : 843 Power setting : 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>43.83</td><td>-30.17</td><td>74.00</td><td>53.38</td><td>37.78</td><td>14.32</td><td>61.65</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg			1 10641.00	43.83	-30.17	74.00	53.38	37.78	14.32	61.65	100	0 Peak	VERTICAL
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																									
MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg																																																												
1 10641.00	45.25	-28.75	74.00	54.80	37.78	14.32	61.65	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																										
MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg																																																												
1 10641.00	43.83	-30.17	74.00	53.38	37.78	14.32	61.65	100	0 Peak	VERTICAL																																																										





UNII-2A- 5250~5350MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH54 5270																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	SPURTON LAB No. 109B, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.spurton.com.cn 11 Level (dBm/Hz) Site : 030H0-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.0000W 100.0000W 0.0000W 0.0000W 0.0000W Project : (FR)261401-01 Mode : 2F Plane : 2 Full-directivity MEI : #41 Powersetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1 10542.00</td><td>44.19</td><td>-24.11</td><td>68.30</td><td>53.84</td><td>37.72</td><td>14.25</td><td>61.62</td><td>300</td><td>0 Peak</td></tr></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cn	deg		1 10542.00	44.19	-24.11	68.30	53.84	37.72	14.25	61.62	300	0 Peak	SPURTON LAB No. 109B, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.spurton.com.cn 12 Level (dBm/Hz) Site : 030H0-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL EIRP : 1000.0000W 100.0000W 0.0000W 0.0000W 0.0000W Project : (FR)261401-01 Mode : 2F Plane : 2 Full-directivity MEI : #41 Powersetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1 10542.00</td><td>44.36</td><td>-23.94</td><td>68.30</td><td>54.01</td><td>37.72</td><td>14.25</td><td>61.62</td><td>100</td><td>0 Peak</td></tr></table> VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cn	deg		1 10542.00	44.36	-23.94	68.30	54.01	37.72	14.25	61.62	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																				
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cn	deg																																																						
1 10542.00	44.19	-24.11	68.30	53.84	37.72	14.25	61.62	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																					
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cn	deg																																																						
1 10542.00	44.36	-23.94	68.30	54.01	37.72	14.25	61.62	100	0 Peak																																																					
WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH62 5310																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	SPURTON LAB No. 109B, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.spurton.com.cn 11 Level (dBm/Hz) Site : 030H0-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.0000W 100.0000W 0.0000W 0.0000W 0.0000W Project : (FR)261401-01 Mode : 2F Plane : 2 Full-directivity MEI : #41 Powersetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1 10619.00</td><td>44.69</td><td>-29.31</td><td>74.00</td><td>54.25</td><td>37.77</td><td>14.31</td><td>61.64</td><td>300</td><td>0 Peak</td></tr></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cn	deg		1 10619.00	44.69	-29.31	74.00	54.25	37.77	14.31	61.64	300	0 Peak	SPURTON LAB No. 109B, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.spurton.com.cn 12 Level (dBm/Hz) Site : 030H0-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL EIRP : 1000.0000W 100.0000W 0.0000W 0.0000W 0.0000W Project : (FR)261401-01 Mode : 2F Plane : 2 Full-directivity MEI : #41 Powersetting : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1 10619.00</td><td>45.47</td><td>-28.53</td><td>74.00</td><td>55.03</td><td>37.77</td><td>14.31</td><td>61.64</td><td>100</td><td>0 Peak</td></tr></table> VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cn	deg		1 10619.00	45.47	-28.53	74.00	55.03	37.77	14.31	61.64	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																				
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cn	deg																																																						
1 10619.00	44.69	-29.31	74.00	54.25	37.77	14.31	61.64	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																					
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cn	deg																																																						
1 10619.00	45.47	-28.53	74.00	55.03	37.77	14.31	61.64	100	0 Peak																																																					



UNII-2A5250~5350MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)






WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																					
ANT	802.11ax HE80 Full CH58 5290MHz																																																																					
1	Horizontal	Vertical																																																																				
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Site : 030004-KS Condition : SG BAND 1 ~ 3 3m 3117 SN 00218662- HORIZONTAL Project : RRM 1000 000000 YHR 3000 000000 SBT Auto Model : 01 Plane : X Full-directivity : Full-directivity MEI : #41 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>10075.00</td><td>44.90</td><td>-23.40</td><td>68.30</td><td>54.52</td><td>37.74</td><td>14.27</td><td>61.63</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	10075.00	44.90	-23.40	68.30	54.52	37.74	14.27	61.63	300	0 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Site : 030004-KS Condition : SG BAND 1 ~ 3 3m 3117 SN 00218662- VERTICAL Project : RRM 1000 000000 YHR 3000 000000 SBT Auto Model : 01 Plane : X Full-directivity : Full-directivity MEI : #41 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>10075.00</td><td>44.46</td><td>-23.84</td><td>68.30</td><td>54.08</td><td>37.74</td><td>14.27</td><td>61.63</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	10075.00	44.46	-23.84	68.30	54.08	37.74	14.27	61.63	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	10075.00	44.90	-23.40	68.30	54.52	37.74	14.27	61.63	300	0 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	10075.00	44.46	-23.84	68.30	54.08	37.74	14.27	61.63	100	0 Peak	VERTICAL																																																											



UNII-2A5250~5350MHz

UNII-2C - 5470~5725MHz




WIFI 802.11a (Band Edge @ 3m)

WIFI		UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																										
ANT		802.11a CH100 5500MHz																																																																																																																										
1	Horizontal	Fundamental																																																																																																																										
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sporton.com.cn SPORTON LAB. Data: 1 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 56 BAND 1---3 -601 1 2 Site : 03CH06-KS Condition : 56 BAND 1---3 3m 3117 SN 00218652- HORIZONTAL 88W/3000.0000Hz VBW/3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #441 Power setting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5424.40</td><td>52.87</td><td>-21.13</td><td>74.00</td><td>40.08</td><td>34.80</td><td>9.97</td><td>31.98</td><td>106</td><td>184 Peak</td><td>HORI ZONT</td></tr><tr><td>5454.24</td><td>53.47</td><td>-14.83</td><td>68.30</td><td>40.62</td><td>34.80</td><td>10.04</td><td>31.99</td><td>106</td><td>184 Peak</td><td>HORI ZONT</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sporton.com.cn SPORTON LAB. Data: 3 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 Frequency (MHz) 56 BAND 1---3 -601 Site : 03CH06-KS Condition : 56 BAND 1---3 3m 3117 SN 00218652- HORIZONTAL 88W/3000.0000Hz VBW/3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #441 Power setting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5500.00</td><td>108.41</td><td>40.11</td><td>68.30</td><td>95.93</td><td>34.80</td><td>10.09</td><td>32.01</td><td>106</td><td>184 Peak</td><td>HORI ZONT</td></tr><tr><td>5500.00</td><td>101.72</td><td></td><td></td><td>88.84</td><td>34.80</td><td>10.09</td><td>32.01</td><td>106</td><td>184 Average</td><td>HORI ZONT</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sporton.com.cn SPORTON LAB. Data: 2 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 56 BAND 1---3 (AVG) -601 Site : 03CH06-KS Condition : 56 BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL 88W/3000.0000Hz VBW/0.7500Hz SWT:Auto Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #441 Power setting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5456.08</td><td>43.88</td><td>-10.12</td><td>54.00</td><td>31.05</td><td>34.80</td><td>10.02</td><td>31.99</td><td>106</td><td>184 Average</td><td>HORI ZONT</td></tr></table> Left blank </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5424.40	52.87	-21.13	74.00	40.08	34.80	9.97	31.98	106	184 Peak	HORI ZONT	5454.24	53.47	-14.83	68.30	40.62	34.80	10.04	31.99	106	184 Peak	HORI ZONT	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5500.00	108.41	40.11	68.30	95.93	34.80	10.09	32.01	106	184 Peak	HORI ZONT	5500.00	101.72			88.84	34.80	10.09	32.01	106	184 Average	HORI ZONT	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sporton.com.cn SPORTON LAB. Data: 2 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 56 BAND 1---3 (AVG) -601 Site : 03CH06-KS Condition : 56 BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL 88W/3000.0000Hz VBW/0.7500Hz SWT:Auto Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #441 Power setting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5456.08</td><td>43.88</td><td>-10.12</td><td>54.00</td><td>31.05</td><td>34.80</td><td>10.02</td><td>31.99</td><td>106</td><td>184 Average</td><td>HORI ZONT</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5456.08	43.88	-10.12	54.00	31.05	34.80	10.02	31.99	106	184 Average	HORI ZONT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																				
5424.40	52.87	-21.13	74.00	40.08	34.80	9.97	31.98	106	184 Peak	HORI ZONT																																																																																																																		
5454.24	53.47	-14.83	68.30	40.62	34.80	10.04	31.99	106	184 Peak	HORI ZONT																																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																				
5500.00	108.41	40.11	68.30	95.93	34.80	10.09	32.01	106	184 Peak	HORI ZONT																																																																																																																		
5500.00	101.72			88.84	34.80	10.09	32.01	106	184 Average	HORI ZONT																																																																																																																		
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sporton.com.cn SPORTON LAB. Data: 2 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 56 BAND 1---3 (AVG) -601 Site : 03CH06-KS Condition : 56 BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL 88W/3000.0000Hz VBW/0.7500Hz SWT:Auto Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #441 Power setting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5456.08</td><td>43.88</td><td>-10.12</td><td>54.00</td><td>31.05</td><td>34.80</td><td>10.02</td><td>31.99</td><td>106</td><td>184 Average</td><td>HORI ZONT</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5456.08	43.88	-10.12	54.00	31.05	34.80	10.02	31.99	106	184 Average	HORI ZONT																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																				
5456.08	43.88	-10.12	54.00	31.05	34.80	10.02	31.99	106	184 Average	HORI ZONT																																																																																																																		




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH100 5500MHz	
1	Vertical	Fundamental
Peak	SPURTON LAB No. 109B, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.spurton.com.cn Data: 4 Level (dBuV/m)	






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11a CH116 5580MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-K5 Condition : 56 BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : #41 IMEI : #41 Power setting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5420.88</td><td>53.99</td><td>-20.01</td><td>74.00</td><td>41.18</td><td>34.80</td><td>9.97</td><td>31.96</td><td>100</td><td>180 Peak</td><td>HORIZONTAL</td></tr><tr><td>5460.08</td><td>53.25</td><td>-15.04</td><td>68.30</td><td>40.41</td><td>34.80</td><td>10.04</td><td>31.99</td><td>100</td><td>180 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5420.88	53.99	-20.01	74.00	41.18	34.80	9.97	31.96	100	180 Peak	HORIZONTAL	5460.08	53.25	-15.04	68.30	40.41	34.80	10.04	31.99	100	180 Peak	HORIZONTAL	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-K5 Condition : 56 BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : #41 IMEI : #41 Power setting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5584.00</td><td>104.57</td><td>36.27</td><td>68.30</td><td>91.79</td><td>34.63</td><td>10.22</td><td>32.07</td><td>100</td><td>180 Peak</td><td>HORIZONTAL</td></tr><tr><td>5584.00</td><td>97.65</td><td>-----</td><td>-----</td><td>84.87</td><td>34.63</td><td>10.22</td><td>32.07</td><td>100</td><td>180 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5584.00	104.57	36.27	68.30	91.79	34.63	10.22	32.07	100	180 Peak	HORIZONTAL	5584.00	97.65	-----	-----	84.87	34.63	10.22	32.07	100	180 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
5420.88	53.99	-20.01	74.00	41.18	34.80	9.97	31.96	100	180 Peak	HORIZONTAL																																																																																
5460.08	53.25	-15.04	68.30	40.41	34.80	10.04	31.99	100	180 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
5584.00	104.57	36.27	68.30	91.79	34.63	10.22	32.07	100	180 Peak	HORIZONTAL																																																																																
5584.00	97.65	-----	-----	84.87	34.63	10.22	32.07	100	180 Average	HORIZONTAL																																																																																
Avg.	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-K5 Condition : 56 BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : #41 IMEI : #41 Power setting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5424.72</td><td>43.39</td><td>-10.61</td><td>54.00</td><td>30.60</td><td>34.80</td><td>9.97</td><td>31.98</td><td>100</td><td>180 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5424.72	43.39	-10.61	54.00	30.60	34.80	9.97	31.98	100	180 Average	HORIZONTAL	Left blank																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
5424.72	43.39	-10.61	54.00	30.60	34.80	9.97	31.98	100	180 Average	HORIZONTAL																																																																																






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11a CH116 5580MHz - R																																			
1	Horizontal	Fundamental																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 317 SN 00218652-HORIZONTAL Project : FR261401-01 Mode : S Plane : X Full-directivity IMEI : #441 Power setting : 0.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5764.84</td><td>53.77</td><td>-14.53</td><td>68.30</td><td>40.82</td><td>34.57</td><td>10.37</td><td>31.99</td><td>100</td><td>180 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB			1	5764.84	53.77	-14.53	68.30	40.82	34.57	10.37	31.99	100	180 Peak	HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phase																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB																												
1	5764.84	53.77	-14.53	68.30	40.82	34.57	10.37	31.99	100	180 Peak	HORIZONTAL																									





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11a CH116 5580MHz - L																																																																																									
1	Vertical	Fundamental																																																																																								
Peak	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel +86-512-57900158 fax +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #41 Powersetting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5455.76</td><td>53.32</td><td>-20.68</td><td>74.00</td><td>40.49</td><td>34.80</td><td>10.02</td><td>31.99</td><td>369</td><td>11 Peak</td><td>VERTICAL</td></tr><tr><td>2 5464.40</td><td>51.64</td><td>-16.66</td><td>68.30</td><td>38.79</td><td>34.80</td><td>10.04</td><td>31.99</td><td>369</td><td>11 Peak</td><td>VERTICAL</td></tr></table>  No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel +86-512-57900158 fax +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #41 Powersetting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5578.00</td><td>103.25</td><td>34.96</td><td>68.30</td><td>90.46</td><td>34.67</td><td>10.20</td><td>32.07</td><td>369</td><td>11 Peak</td><td>VERTICAL</td></tr><tr><td>2 5578.00</td><td>95.77</td><td>-----</td><td>-----</td><td>82.17</td><td>34.67</td><td>10.20</td><td>32.07</td><td>369</td><td>11 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 5455.76	53.32	-20.68	74.00	40.49	34.80	10.02	31.99	369	11 Peak	VERTICAL	2 5464.40	51.64	-16.66	68.30	38.79	34.80	10.04	31.99	369	11 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 * 5578.00	103.25	34.96	68.30	90.46	34.67	10.20	32.07	369	11 Peak	VERTICAL	2 5578.00	95.77	-----	-----	82.17	34.67	10.20	32.07	369	11 Average	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																		
1 5455.76	53.32	-20.68	74.00	40.49	34.80	10.02	31.99	369	11 Peak	VERTICAL																																																																																
2 5464.40	51.64	-16.66	68.30	38.79	34.80	10.04	31.99	369	11 Peak	VERTICAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																		
1 * 5578.00	103.25	34.96	68.30	90.46	34.67	10.20	32.07	369	11 Peak	VERTICAL																																																																																
2 5578.00	95.77	-----	-----	82.17	34.67	10.20	32.07	369	11 Average	VERTICAL																																																																																
Avg.	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel +86-512-57900158 fax +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-KS Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #41 Powersetting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5451.28</td><td>43.36</td><td>-10.64</td><td>54.00</td><td>30.53</td><td>34.80</td><td>10.02</td><td>31.99</td><td>369</td><td>11 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 5451.28	43.36	-10.64	54.00	30.53	34.80	10.02	31.99	369	11 Average	VERTICAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																		
1 5451.28	43.36	-10.64	54.00	30.53	34.80	10.02	31.99	369	11 Average	VERTICAL																																																																																






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11a CH116 5580MHz - R																																																																														
1	Vertical	Fundamental																																																																													
Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 8 Plane : X IMEI : Full-directivity PowerSetting : 8.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5753.88</td><td>54.11</td><td>-14.19</td><td>68.30</td><td>41.18</td><td>34.57</td><td>10.37</td><td>32.01</td><td>369</td><td>11 Peak VERTICAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg			1	5753.88	54.11	-14.19	68.30	41.18	34.57	10.37	32.01	369	11 Peak VERTICAL	Left blank																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																							
1	5753.88	54.11	-14.19	68.30	41.18	34.57	10.37	32.01	369	11 Peak VERTICAL																																																																					
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11a CH140 5700MHz																																																																														
1	Horizontal	Fundamental																																																																													
Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 9 Plane : X IMEI : Full-directivity PowerSetting : 8.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5764.28</td><td>54.22</td><td>-14.08</td><td>68.30</td><td>41.27</td><td>34.57</td><td>10.37</td><td>31.99</td><td>100</td><td>183 Peak HORIZONTAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg			1	5764.28	54.22	-14.08	68.30	41.27	34.57	10.37	31.99	100	183 Peak HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 9 Plane : X IMEI : Full-directivity PowerSetting : 8.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5698.00</td><td>108.09</td><td>39.79</td><td>68.30</td><td>68.33</td><td>34.56</td><td>10.32</td><td>32.06</td><td>100</td><td>183 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5698.00</td><td>101.60</td><td>---</td><td>88.84</td><td>34.50</td><td>10.32</td><td>32.06</td><td>100</td><td>183 Average HORIZONTAL</td><td></td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg			1	5698.00	108.09	39.79	68.30	68.33	34.56	10.32	32.06	100	183 Peak HORIZONTAL	2	5698.00	101.60	---	88.84	34.50	10.32	32.06	100	183 Average HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																							
1	5764.28	54.22	-14.08	68.30	41.27	34.57	10.37	31.99	100	183 Peak HORIZONTAL																																																																					
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																							
1	5698.00	108.09	39.79	68.30	68.33	34.56	10.32	32.06	100	183 Peak HORIZONTAL																																																																					
2	5698.00	101.60	---	88.84	34.50	10.32	32.06	100	183 Average HORIZONTAL																																																																						






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																			
ANT	802.11a CH140 5700MHz																																																																																																			
1	Vertical	Fundamental																																																																																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.co.uk/en SPORTON LAB. Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 9 Plane : X Full-directivity IMEI : #41 Power setting : 8.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm/100</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5738.28</td><td>53.66</td><td>-14.64</td><td>68.30</td><td>40.76</td><td>34.55</td><td>10.36</td><td>32.01</td><td></td><td>287</td><td>38</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Poa	T/Poa	Remark	Pol/Phas		MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	dB	dB	cm	deg			1	5738.28	53.66	-14.64	68.30	40.76	34.55	10.36	32.01		287	38	Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.co.uk/en SPORTON LAB. Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 9 Plane : X Full-directivity IMEI : #41 Power setting : 8.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm/100</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5698.00</td><td>106.58</td><td>38.28</td><td>68.30</td><td>93.82</td><td>34.50</td><td>10.32</td><td>32.06</td><td></td><td>287</td><td>38</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5698.00</td><td>99.21</td><td>-----</td><td>66.42</td><td>34.50</td><td>10.32</td><td>32.06</td><td></td><td></td><td>287</td><td>38</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Poa	T/Poa	Remark	Pol/Phas		MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	dB	dB	cm	deg			1	5698.00	106.58	38.28	68.30	93.82	34.50	10.32	32.06		287	38	Peak	VERTICAL	2	5698.00	99.21	-----	66.42	34.50	10.32	32.06			287	38	Average	VERTICAL
		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Poa	T/Poa	Remark	Pol/Phas																																																																																						
	MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	dB	dB	cm	deg																																																																																									
1	5738.28	53.66	-14.64	68.30	40.76	34.55	10.36	32.01		287	38	Peak	VERTICAL																																																																																							
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Poa	T/Poa	Remark	Pol/Phas																																																																																							
	MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	dB	dB	cm	deg																																																																																									
1	5698.00	106.58	38.28	68.30	93.82	34.50	10.32	32.06		287	38	Peak	VERTICAL																																																																																							
2	5698.00	99.21	-----	66.42	34.50	10.32	32.06			287	38	Average	VERTICAL																																																																																							






UNII-2C 5470~5725MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE20 Full CH100 5500MHz																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Power setting : 032906-KS 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBR 1000.000000 WVR 2000.000000 SRT Auto (FR)261401-01 16 X Full-directivity 841 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5399.76</td><td>53.40</td><td>-20.40</td><td>74.00</td><td>40.67</td><td>34.80</td><td>9.94</td><td>31.96</td><td>107</td><td>184 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5466.96</td><td>53.36</td><td>-14.94</td><td>68.30</td><td>40.51</td><td>34.80</td><td>10.54</td><td>31.99</td><td>107</td><td>184 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	5399.76	53.40	-20.40	74.00	40.67	34.80	9.94	31.96	107	184 Peak	HORIZONTAL	2	5466.96	53.36	-14.94	68.30	40.51	34.80	10.54	31.99	107	184 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Power setting : 032906-KS 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBR 1000.000000 WVR 2000.000000 SRT Auto (FR)261401-01 16 X Full-directivity 841 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>163.42</td><td>35.12</td><td>68.30</td><td>90.54</td><td>34.80</td><td>10.09</td><td>32.01</td><td>107</td><td>184 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5500.00</td><td>164.58</td><td>81.10</td><td>34.80</td><td>10.09</td><td>32.01</td><td>107</td><td>184 Average</td><td>107</td><td>184 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	5500.00	163.42	35.12	68.30	90.54	34.80	10.09	32.01	107	184 Peak	HORIZONTAL	2	5500.00	164.58	81.10	34.80	10.09	32.01	107	184 Average	107	184 Average	HORIZONTAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																		
1	5399.76	53.40	-20.40	74.00	40.67	34.80	9.94	31.96	107	184 Peak	HORIZONTAL																																																																															
2	5466.96	53.36	-14.94	68.30	40.51	34.80	10.54	31.99	107	184 Peak	HORIZONTAL																																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																		
1	5500.00	163.42	35.12	68.30	90.54	34.80	10.09	32.01	107	184 Peak	HORIZONTAL																																																																															
2	5500.00	164.58	81.10	34.80	10.09	32.01	107	184 Average	107	184 Average	HORIZONTAL																																																																															
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Power setting : 032906-KS 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL RBR 1000.000000 WVR 0.010000 SRT Auto (FR)261401-01 16 X Full-directivity 841 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.92</td><td>42.61</td><td>-11.29</td><td>54.00</td><td>29.78</td><td>34.80</td><td>10.02</td><td>31.99</td><td>107</td><td>184 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	5459.92	42.61	-11.29	54.00	29.78	34.80	10.02	31.99	107	184 Average	HORIZONTAL	Left blank																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																		
1	5459.92	42.61	-11.29	54.00	29.78	34.80	10.02	31.99	107	184 Average	HORIZONTAL																																																																															




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE20 Full CH100 5500MHz																																																																																									
1	Vertical	Fundamental																																																																																								
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Model : FPO 261401-01 Plane : 16 Polarization : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5403.28</td><td>52.72</td><td>-21.28</td><td>74.00</td><td>39.94</td><td>34.80</td><td>9.94</td><td>31.96</td><td>358</td><td>10 Peak</td><td>VERTICAL</td></tr><tr><td>2 5466.16</td><td>51.59</td><td>-16.71</td><td>68.30</td><td>38.74</td><td>34.80</td><td>10.04</td><td>31.99</td><td>358</td><td>10 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1 5403.28	52.72	-21.28	74.00	39.94	34.80	9.94	31.96	358	10 Peak	VERTICAL	2 5466.16	51.59	-16.71	68.30	38.74	34.80	10.04	31.99	358	10 Peak	VERTICAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Model : FPO 261401-01 Plane : 16 Polarization : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5500.00</td><td>101.43</td><td>33.33</td><td>68.30</td><td>88.76</td><td>34.80</td><td>10.09</td><td>32.01</td><td>358</td><td>10 Peak</td><td>VERTICAL</td></tr><tr><td>2 5500.00</td><td>93.34</td><td>-----</td><td>-----</td><td>80.46</td><td>34.80</td><td>10.09</td><td>32.01</td><td>358</td><td>10 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1 * 5500.00	101.43	33.33	68.30	88.76	34.80	10.09	32.01	358	10 Peak	VERTICAL	2 5500.00	93.34	-----	-----	80.46	34.80	10.09	32.01	358	10 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																		
1 5403.28	52.72	-21.28	74.00	39.94	34.80	9.94	31.96	358	10 Peak	VERTICAL																																																																																
2 5466.16	51.59	-16.71	68.30	38.74	34.80	10.04	31.99	358	10 Peak	VERTICAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																		
1 * 5500.00	101.43	33.33	68.30	88.76	34.80	10.09	32.01	358	10 Peak	VERTICAL																																																																																
2 5500.00	93.34	-----	-----	80.46	34.80	10.09	32.01	358	10 Average	VERTICAL																																																																																
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 0.01000Hz SFT Auto Model : FPO 261401-01 Plane : 16 Polarization : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5469.76</td><td>42.47</td><td>-11.53</td><td>54.00</td><td>29.64</td><td>34.80</td><td>10.02</td><td>31.99</td><td>358</td><td>10 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1 5469.76	42.47	-11.53	54.00	29.64	34.80	10.02	31.99	358	10 Average	VERTICAL	Left blank																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																		
1 5469.76	42.47	-11.53	54.00	29.64	34.80	10.02	31.99	358	10 Average	VERTICAL																																																																																






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE20 Full CH116 5580MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Mode : FPO 261401-01 Plane : 16 Polar : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5460.48</td><td>53.09</td><td>-20.91</td><td>74.00</td><td>40.26</td><td>34.80</td><td>10.02</td><td>31.99</td><td>100</td><td>181 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5466.32</td><td>51.64</td><td>-16.66</td><td>68.30</td><td>38.79</td><td>34.80</td><td>10.04</td><td>31.99</td><td>100</td><td>181 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Mode : FPO 261401-01 Plane : 16 Polar : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5584.00</td><td>104.21</td><td>35.91</td><td>68.30</td><td>91.43</td><td>34.63</td><td>10.22</td><td>32.07</td><td>100</td><td>181 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5584.00</td><td>95.82</td><td>-----</td><td>68.30</td><td>83.04</td><td>34.63</td><td>10.22</td><td>32.07</td><td>100</td><td>181 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 5460.48	53.09	-20.91	74.00	40.26	34.80	10.02	31.99	100	181 Peak	HORIZONTAL	2 5466.32	51.64	-16.66	68.30	38.79	34.80	10.04	31.99	100	181 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 * 5584.00	104.21	35.91	68.30	91.43	34.63	10.22	32.07	100	181 Peak	HORIZONTAL	2 5584.00	95.82	-----	68.30	83.04	34.63	10.22	32.07	100	181 Average	HORIZONTAL	Fundamental
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1 5460.48	53.09	-20.91	74.00	40.26	34.80	10.02	31.99	100	181 Peak	HORIZONTAL																																																																																
2 5466.32	51.64	-16.66	68.30	38.79	34.80	10.04	31.99	100	181 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1 * 5584.00	104.21	35.91	68.30	91.43	34.63	10.22	32.07	100	181 Peak	HORIZONTAL																																																																																
2 5584.00	95.82	-----	68.30	83.04	34.63	10.22	32.07	100	181 Average	HORIZONTAL																																																																																
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.0000Hz VBW 3.010000 SFT Auto Mode : FPO 261401-01 Plane : 16 Polar : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5459.28</td><td>42.62</td><td>-11.38</td><td>54.00</td><td>29.79</td><td>34.80</td><td>10.02</td><td>31.99</td><td>100</td><td>181 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 5459.28	42.62	-11.38	54.00	29.79	34.80	10.02	31.99	100	181 Average	HORIZONTAL																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1 5459.28	42.62	-11.38	54.00	29.79	34.80	10.02	31.99	100	181 Average	HORIZONTAL																																																																																





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ax HE20 Full CH116 5580MHz - R																																			
1	Horizontal	Fundamental																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 032804-KS Condition : 5G BAND 1---3 3m 3117 EN 00216652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto PRF 201401-01 Bode : 16 Plane : E Polar : Full-directivity IMEI : 841 Power setting : 9 <table><tr><th>Prag</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th></tr><tr><td>1</td><td>5751.08</td><td>54.21</td><td>-14.09</td><td>68.30</td><td>41.31</td><td>34.55</td><td>10.36</td><td>32.01</td><td>100</td><td>181 Peak</td><td>HORIZONTAL</td></tr></table>	Prag	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	1	5751.08	54.21	-14.09	68.30	41.31	34.55	10.36	32.01	100	181 Peak	HORIZONTAL	Left blank
Prag	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																										
	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz																										
1	5751.08	54.21	-14.09	68.30	41.31	34.55	10.36	32.01	100	181 Peak	HORIZONTAL																									



WIFI		UNII-2C 5470~5725MHz Band Edge @ 3m																																																			
ANT		802.11ax HE20 Full CH116 5580MHz - L																																																			
1	Vertical	Fundamental																																																			
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Bode : (FR)261401-01 Plane : 16 Full-directivity : 2 Power setting : 841 <table><thead><tr><th>1</th><th>5443.60</th><th>53.54</th><th>-20.46</th><th>74.00</th><th>40.73</th><th>34.80</th><th>9.99</th><th>31.98</th><th>349</th><th>12</th><th>Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5460.56</th><th>52.98</th><th>-15.32</th><th>68.30</th><th>40.15</th><th>34.80</th><th>10.02</th><th>31.99</th><th>349</th><th>12</th><th>Peak</th><th>VERTICAL</th></tr></thead></table>	1	5443.60	53.54	-20.46	74.00	40.73	34.80	9.99	31.98	349	12	Peak	VERTICAL	2	5460.56	52.98	-15.32	68.30	40.15	34.80	10.02	31.99	349	12	Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Bode : (FR)261401-01 Plane : 16 Full-directivity : 2 Power setting : 841 <table><thead><tr><th>1</th><th>5578.00</th><th>102.75</th><th>34.45</th><th>68.30</th><th>89.95</th><th>34.67</th><th>10.20</th><th>32.07</th><th>349</th><th>12</th><th>Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5578.00</th><th>93.39</th><th>-----</th><th>80.59</th><th>34.67</th><th>10.20</th><th>32.07</th><th>349</th><th>12</th><th>Average</th><th>VERTICAL</th></tr></thead></table>	1	5578.00	102.75	34.45	68.30	89.95	34.67	10.20	32.07	349	12	Peak	VERTICAL	2	5578.00	93.39	-----	80.59	34.67	10.20	32.07	349	12	Average	VERTICAL
	1	5443.60	53.54	-20.46	74.00	40.73	34.80	9.99	31.98	349	12	Peak	VERTICAL																																								
2	5460.56	52.98	-15.32	68.30	40.15	34.80	10.02	31.99	349	12	Peak	VERTICAL																																									
1	5578.00	102.75	34.45	68.30	89.95	34.67	10.20	32.07	349	12	Peak	VERTICAL																																									
2	5578.00	93.39	-----	80.59	34.67	10.20	32.07	349	12	Average	VERTICAL																																										
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 0.010000 SRT: Auto Bode : (FR)261401-01 Plane : 16 Full-directivity : 2 Power setting : 841 <table><thead><tr><th>1</th><th>5458.96</th><th>42.57</th><th>-11.43</th><th>54.00</th><th>29.74</th><th>34.80</th><th>10.02</th><th>31.99</th><th>349</th><th>12</th><th>Average</th><th>VERTICAL</th></tr></thead></table>	1	5458.96	42.57	-11.43	54.00	29.74	34.80	10.02	31.99	349	12	Average	VERTICAL	Left blank																																						
1	5458.96	42.57	-11.43	54.00	29.74	34.80	10.02	31.99	349	12	Average	VERTICAL																																									






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Full CH140 5700MHz																																																																						
1	Vertical	Fundamental																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Site : 03040A-KS Condition : SG BAND 1-3 3m 3117 SN 00218663- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SFT Auto RF261401-01 Mode : IS Plane : E Full-directivity IMEI : 841 Power setting : 9 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5707.88</td><td>53.48</td><td>-14.82</td><td>68.30</td><td>40.53</td><td>34.57</td><td>10.37</td><td>31.99</td><td>267 42 Peak VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		Freq	Level	Limit	Level	Factor	Loss	Factor	dB	deg	1	5707.88	53.48	-14.82	68.30	40.53	34.57	10.37	31.99	267 42 Peak VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Site : 03040A-KS Condition : SG BAND 1-3 3m 3117 SN 00218663- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SFT Auto RF261401-01 Mode : IS Plane : E Full-directivity IMEI : 841 Power setting : 9 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5698.00</td><td>101.23</td><td>32.93</td><td>68.30</td><td>88.47</td><td>34.50</td><td>10.32</td><td>32.06</td><td>267 42 Peak VERTICAL</td></tr><tr><td>2</td><td>5698.00</td><td>93.33</td><td>-----</td><td>80.57</td><td>34.50</td><td>10.32</td><td>32.06</td><td>267 42 Average VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		Freq	Level	Limit	Level	Factor	Loss	Factor	dB	deg	1	5698.00	101.23	32.93	68.30	88.47	34.50	10.32	32.06	267 42 Peak VERTICAL	2	5698.00	93.33	-----	80.57	34.50	10.32	32.06	267 42 Average VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																														
	Freq	Level	Limit	Level	Factor	Loss	Factor	dB	deg																																																														
1	5707.88	53.48	-14.82	68.30	40.53	34.57	10.37	31.99	267 42 Peak VERTICAL																																																														
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																														
	Freq	Level	Limit	Level	Factor	Loss	Factor	dB	deg																																																														
1	5698.00	101.23	32.93	68.30	88.47	34.50	10.32	32.06	267 42 Peak VERTICAL																																																														
2	5698.00	93.33	-----	80.57	34.50	10.32	32.06	267 42 Average VERTICAL																																																															






UNII-2C - 5470~5725MHz





WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Partial 26/0 CH100 5500MHz																																																																																	
1	Horizontal	Fundamental																																																																																
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 032900-KS Condition : SG BAND 1 ---3 3e 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000000 VBR 3000.000000 SRT Auto Mode : 23 Plane : 2 Full-directivity IMEI : 841 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5454.27</td><td>53.00</td><td>-21.00</td><td>74.00</td><td>40.17</td><td>34.80</td><td>10.02</td><td>31.99</td><td>100</td><td>179 Peak</td></tr><tr><td>5463.92</td><td>51.48</td><td>-16.82</td><td>68.30</td><td>38.43</td><td>34.80</td><td>10.04</td><td>31.99</td><td>100</td><td>179 Peak</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	5454.27	53.00	-21.00	74.00	40.17	34.80	10.02	31.99	100	179 Peak	5463.92	51.48	-16.82	68.30	38.43	34.80	10.04	31.99	100	179 Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 032900-KS Condition : SG BAND 1 ---3 3e 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000000 VBR 3000.000000 SRT Auto Mode : 23 Plane : 2 Full-directivity IMEI : 841 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5454.00</td><td>100.37</td><td>32.07</td><td>68.30</td><td>87.01</td><td>34.80</td><td>10.07</td><td>32.01</td><td>100</td><td>179 Peak</td></tr><tr><td>5454.00</td><td>95.00</td><td>-----</td><td>82.14</td><td>34.80</td><td>10.07</td><td>32.01</td><td>100</td><td>179 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	5454.00	100.37	32.07	68.30	87.01	34.80	10.07	32.01	100	179 Peak	5454.00	95.00	-----	82.14	34.80	10.07	32.01	100	179 Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
5454.27	53.00	-21.00	74.00	40.17	34.80	10.02	31.99	100	179 Peak																																																																									
5463.92	51.48	-16.82	68.30	38.43	34.80	10.04	31.99	100	179 Peak																																																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
5454.00	100.37	32.07	68.30	87.01	34.80	10.07	32.01	100	179 Peak																																																																									
5454.00	95.00	-----	82.14	34.80	10.07	32.01	100	179 Average	HORIZONTAL																																																																									
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 032900-KS Condition : SG BAND 1 ---3 (AVG) 3e 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000000 VBR 1.800000 SRT Auto Mode : 23 Plane : 2 Full-directivity IMEI : 841 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5417.36</td><td>43.15</td><td>-10.85</td><td>54.00</td><td>30.34</td><td>34.80</td><td>9.97</td><td>31.96</td><td>100</td><td>179 Average</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	5417.36	43.15	-10.85	54.00	30.34	34.80	9.97	31.96	100	179 Average	Left blank																																																		
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
5417.36	43.15	-10.85	54.00	30.34	34.80	9.97	31.96	100	179 Average																																																																									













WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																														
ANT	802.11ax HE20 Partial 26/0 CH100 5500MHz																																																														
1	Vertical	Fundamental																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SFT Auto Bode : (FREQ) 261401 Plane : 23 Full-directivity Power setting : 0 <table><tr><th>1</th><th>5374.96</th><th>52.58</th><th>-21.42</th><th>74.00</th><th>39.91</th><th>34.70</th><th>9.92</th><th>31.95</th><th>379</th><th>7 Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5464.40</th><th>51.01</th><th>-17.29</th><th>68.30</th><th>38.16</th><th>34.80</th><th>10.04</th><th>31.99</th><th>379</th><th>7 Peak</th><th>VERTICAL</th></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SFT Auto Bode : (FREQ) 261401 Plane : 23 Full-directivity Power setting : 0 <table><tr><th>1</th><th>5494.00</th><th>100.82</th><th>32.52</th><th>68.30</th><th>87.96</th><th>34.80</th><th>10.07</th><th>32.01</th><th>379</th><th>7 Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5494.00</th><th>93.55</th><th>-----</th><th>80.69</th><th>34.80</th><th>10.07</th><th>32.01</th><th>379</th><th>7 Average</th><th>VERTICAL</th><th></th></tr></table>	1	5374.96	52.58	-21.42	74.00	39.91	34.70	9.92	31.95	379	7 Peak	VERTICAL	2	5464.40	51.01	-17.29	68.30	38.16	34.80	10.04	31.99	379	7 Peak	VERTICAL	1	5494.00	100.82	32.52	68.30	87.96	34.80	10.07	32.01	379	7 Peak	VERTICAL	2	5494.00	93.55	-----	80.69	34.80	10.07	32.01	379	7 Average	VERTICAL		Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 1.800kHz SFT Auto Bode : (FREQ) 261401 Plane : 23 Full-directivity Power setting : 0 <table><tr><th>1</th><th>5425.52</th><th>43.03</th><th>-10.97</th><th>54.00</th><th>30.24</th><th>34.80</th><th>9.97</th><th>31.98</th><th>379</th><th>7 Average</th><th>VERTICAL</th></tr></table> Left blank	1	5425.52	43.03	-10.97	54.00	30.24	34.80	9.97	31.98	379	7 Average	VERTICAL
1	5374.96	52.58	-21.42	74.00	39.91	34.70	9.92	31.95	379	7 Peak	VERTICAL																																																				
2	5464.40	51.01	-17.29	68.30	38.16	34.80	10.04	31.99	379	7 Peak	VERTICAL																																																				
1	5494.00	100.82	32.52	68.30	87.96	34.80	10.07	32.01	379	7 Peak	VERTICAL																																																				
2	5494.00	93.55	-----	80.69	34.80	10.07	32.01	379	7 Average	VERTICAL																																																					
1	5425.52	43.03	-10.97	54.00	30.24	34.80	9.97	31.98	379	7 Average	VERTICAL																																																				






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																																																											
ANT	802.11ax HE20 Partial 26/8 CH140 5700MHz																																																																																																																																																											
1	Horizontal	Fundamental																																																																																																																																																										
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032606-KS Condition : 5G BAND 1-----3 3m 3117 SN 00218653- HORIZONTAL RBM 1000.0000KHz VBR 3000.0000KHz SRT Auto Project : (FR)261401 Mode : 24 Plane : Z Full-directivity : 841 Power setting : 0 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>cn</th><th>deg</th></tr><tr><td>1 5725.56</td><td>52.79</td><td>-15.51</td><td>68.30</td><td>39.95</td><td>34.53</td><td>10.35</td><td>32.04</td><td>100</td><td>180</td><td>Peak</td></tr></table> HORIZONTAL  No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032606-KS Condition : 5G BAND 1-----3 3m 3117 SN 00218653- HORIZONTAL RBM 1000.0000KHz VBR 3000.0000KHz SRT Auto Project : (FR)261401 Mode : 24 Plane : Z Full-directivity : 841 Power setting : 0 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>cn</th><th>deg</th></tr><tr><td>1 * 5710.00</td><td>103.27</td><td>34.97</td><td>68.30</td><td>90.46</td><td>34.52</td><td>10.33</td><td>32.04</td><td>100</td><td>180</td><td>Peak</td></tr><tr><td>2 5710.00</td><td>95.30</td><td>-----</td><td>-----</td><td>82.49</td><td>34.52</td><td>10.33</td><td>32.04</td><td>100</td><td>180</td><td>Average</td></tr></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg	1 5725.56	52.79	-15.51	68.30	39.95	34.53	10.35	32.04	100	180	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg	1 * 5710.00	103.27	34.97	68.30	90.46	34.52	10.33	32.04	100	180	Peak	2 5710.00	95.30	-----	-----	82.49	34.52	10.33	32.04	100	180	Average	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032606-KS Condition : 5G BAND 1-----3 3m 3117 SN 00218653- VERTICAL RBM 1000.0000KHz VBR 3000.0000KHz SRT Auto Project : (FR)261401 Mode : 24 Plane : Z Full-directivity : 841 Power setting : 0 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>cn</th><th>deg</th></tr><tr><td>1 5730.12</td><td>52.93</td><td>-15.37</td><td>68.30</td><td>40.09</td><td>34.53</td><td>10.35</td><td>32.04</td><td>300</td><td>40</td><td>Peak</td></tr></table> VERTICAL  No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032606-KS Condition : 5G BAND 1-----3 3m 3117 SN 00218653- VERTICAL RBM 1000.0000KHz VBR 3000.0000KHz SRT Auto Project : (FR)261401 Mode : 24 Plane : Z Full-directivity : 841 Power setting : 0 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>cn</th><th>deg</th></tr><tr><td>1 * 5710.00</td><td>105.21</td><td>31.91</td><td>68.30</td><td>87.40</td><td>34.52</td><td>10.33</td><td>32.04</td><td>300</td><td>40</td><td>Peak</td></tr><tr><td>2 5710.00</td><td>93.09</td><td>-----</td><td>-----</td><td>80.29</td><td>34.52</td><td>10.33</td><td>32.04</td><td>300</td><td>40</td><td>Average</td></tr></table> VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg	1 5730.12	52.93	-15.37	68.30	40.09	34.53	10.35	32.04	300	40	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg	1 * 5710.00	105.21	31.91	68.30	87.40	34.52	10.33	32.04	300	40	Peak	2 5710.00	93.09	-----	-----	80.29	34.52	10.33	32.04	300	40	Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																	
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg																																																																																																																																																		
1 5725.56	52.79	-15.51	68.30	39.95	34.53	10.35	32.04	100	180	Peak																																																																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																		
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg																																																																																																																																																		
1 * 5710.00	103.27	34.97	68.30	90.46	34.52	10.33	32.04	100	180	Peak																																																																																																																																																		
2 5710.00	95.30	-----	-----	82.49	34.52	10.33	32.04	100	180	Average																																																																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																		
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg																																																																																																																																																		
1 5730.12	52.93	-15.37	68.30	40.09	34.53	10.35	32.04	300	40	Peak																																																																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																		
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg																																																																																																																																																		
1 * 5710.00	105.21	31.91	68.30	87.40	34.52	10.33	32.04	300	40	Peak																																																																																																																																																		
2 5710.00	93.09	-----	-----	80.29	34.52	10.33	32.04	300	40	Average																																																																																																																																																		







UNII-2C 5470~5725MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																											
ANT	802.11ax HE20 Partial 52/37 CH100 5500MHz																																																																																																																											
1	Horizontal	Fundamental																																																																																																																										
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 1  Site : 032900-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.000000 WVR : 3000.000000 SRT : Auto Project : (FR)261401 Mode : 2F Plane : X Full-directivity : Full-directivity IMEI : 841 Power setting : 2.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>5400.72</td><td>51.95</td><td>-22.05</td><td>74.00</td><td>39.17</td><td>34.80</td><td>9.94</td><td>31.96</td><td>100</td><td>182</td><td>Peak</td></tr><tr><td>5482.00</td><td>52.11</td><td>-16.19</td><td>68.30</td><td>39.28</td><td>34.80</td><td>10.02</td><td>31.99</td><td>100</td><td>182</td><td>Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 3  Site : 032900-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.000000 WVR : 3000.000000 SRT : Auto Project : (FR)261401 Mode : 2F Plane : X Full-directivity : Full-directivity IMEI : 841 Power setting : 2.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>5484.00</td><td>102.44</td><td>34.14</td><td>68.30</td><td>89.68</td><td>34.80</td><td>10.07</td><td>32.01</td><td>100</td><td>182</td><td>Peak</td></tr><tr><td>5484.00</td><td>95.26</td><td>-----</td><td>82.40</td><td>34.80</td><td>10.07</td><td>32.01</td><td>100</td><td>182</td><td>Average</td><td>HORIZONTAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 2  Site : 032900-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.000000 WVR : 3.000000 SRT : Auto Project : (FR)261401 Mode : 2F Plane : X Full-directivity : Full-directivity IMEI : 841 Power setting : 2.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>5431.44</td><td>43.91</td><td>-10.09</td><td>54.00</td><td>31.10</td><td>34.80</td><td>9.99</td><td>31.98</td><td>100</td><td>182</td><td>Average</td></tr></table> Left blank </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg		5400.72	51.95	-22.05	74.00	39.17	34.80	9.94	31.96	100	182	Peak	5482.00	52.11	-16.19	68.30	39.28	34.80	10.02	31.99	100	182	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg		5484.00	102.44	34.14	68.30	89.68	34.80	10.07	32.01	100	182	Peak	5484.00	95.26	-----	82.40	34.80	10.07	32.01	100	182	Average	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 2  Site : 032900-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.000000 WVR : 3.000000 SRT : Auto Project : (FR)261401 Mode : 2F Plane : X Full-directivity : Full-directivity IMEI : 841 Power setting : 2.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>5431.44</td><td>43.91</td><td>-10.09</td><td>54.00</td><td>31.10</td><td>34.80</td><td>9.99</td><td>31.98</td><td>100</td><td>182</td><td>Average</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg		5431.44	43.91	-10.09	54.00	31.10	34.80	9.99	31.98	100	182	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg																																																																																																																			
5400.72	51.95	-22.05	74.00	39.17	34.80	9.94	31.96	100	182	Peak																																																																																																																		
5482.00	52.11	-16.19	68.30	39.28	34.80	10.02	31.99	100	182	Peak																																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg																																																																																																																			
5484.00	102.44	34.14	68.30	89.68	34.80	10.07	32.01	100	182	Peak																																																																																																																		
5484.00	95.26	-----	82.40	34.80	10.07	32.01	100	182	Average	HORIZONTAL																																																																																																																		
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 2  Site : 032900-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.000000 WVR : 3.000000 SRT : Auto Project : (FR)261401 Mode : 2F Plane : X Full-directivity : Full-directivity IMEI : 841 Power setting : 2.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>5431.44</td><td>43.91</td><td>-10.09</td><td>54.00</td><td>31.10</td><td>34.80</td><td>9.99</td><td>31.98</td><td>100</td><td>182</td><td>Average</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg		5431.44	43.91	-10.09	54.00	31.10	34.80	9.99	31.98	100	182	Average																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg																																																																																																																			
5431.44	43.91	-10.09	54.00	31.10	34.80	9.99	31.98	100	182	Average																																																																																																																		



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Partial 52/37 CH100 5500MHz																																																																																
1	Vertical	Fundamental																																																																															
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel : +86-512-57900158 fax : +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Bode : (FR)261401 Plane : 29 Full-directivity Power setting : 2.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>5474.08</td><td>52.24</td><td>-21.76</td><td>74.00</td><td>39.43</td><td>34.80</td><td>9.97</td><td>31.96</td><td>358</td><td>6 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5467.12</td><td>51.01</td><td>-17.29</td><td>68.30</td><td>38.16</td><td>34.80</td><td>10.04</td><td>31.99</td><td>358</td><td>6 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel : +86-512-57900158 fax : +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Bode : (FR)261401 Plane : 29 Full-directivity Power setting : 2.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>5494.00</td><td>101.79</td><td>33.49</td><td>68.30</td><td>88.93</td><td>34.80</td><td>10.07</td><td>32.01</td><td>358</td><td>6 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5494.00</td><td>93.83</td><td>-----</td><td>80.97</td><td>34.80</td><td>10.07</td><td>32.01</td><td>358</td><td>6 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor		cn	deg	1	5474.08	52.24	-21.76	74.00	39.43	34.80	9.97	31.96	358	6 Peak	VERTICAL	2	5467.12	51.01	-17.29	68.30	38.16	34.80	10.04	31.99	358	6 Peak	VERTICAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor		cn	deg	1	5494.00	101.79	33.49	68.30	88.93	34.80	10.07	32.01	358	6 Peak	VERTICAL	2	5494.00	93.83	-----	80.97	34.80	10.07	32.01	358	6 Average	VERTICAL	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Freq	Level	Line	Level Factor	Loss Factor		cn	deg																																																																										
1	5474.08	52.24	-21.76	74.00	39.43	34.80	9.97	31.96	358	6 Peak	VERTICAL																																																																						
2	5467.12	51.01	-17.29	68.30	38.16	34.80	10.04	31.99	358	6 Peak	VERTICAL																																																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Freq	Level	Line	Level Factor	Loss Factor		cn	deg																																																																										
1	5494.00	101.79	33.49	68.30	88.93	34.80	10.07	32.01	358	6 Peak	VERTICAL																																																																						
2	5494.00	93.83	-----	80.97	34.80	10.07	32.01	358	6 Average	VERTICAL																																																																							
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel : +86-512-57900158 fax : +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 0000Hz VBR 3 3000Hz SRT Auto Bode : (FR)261401 Plane : 29 Full-directivity Power setting : 2.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>5469.60</td><td>43.90</td><td>-10.10</td><td>54.00</td><td>31.07</td><td>34.80</td><td>10.02</td><td>31.99</td><td>358</td><td>6 Average</td><td>VERTICAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor		cn	deg	1	5469.60	43.90	-10.10	54.00	31.07	34.80	10.02	31.99	358	6 Average	VERTICAL																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Freq	Level	Line	Level Factor	Loss Factor		cn	deg																																																																										
1	5469.60	43.90	-10.10	54.00	31.07	34.80	10.02	31.99	358	6 Average	VERTICAL																																																																						



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Partial 52/40 CH140 5700MHz																																																																																	
1	Horizontal	Fundamental																																																																																
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218653- HORIZONTAL Project : RRM 1000.0000KHz VBR 3000.0000KHz SRT Auto FR261401 Mode : 30 Plane : X Full-directivity IME1 : #41 Powersetting : 2.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5743.56</td><td>53.16</td><td>-15.14</td><td>68.30</td><td>40.26</td><td>34.55</td><td>10.36</td><td>32.01</td><td>100</td><td>183</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218653- HORIZONTAL Project : RRM 1000.0000KHz VBR 3000.0000KHz SRT Auto FR261401 Mode : 30 Plane : X Full-directivity IME1 : #41 Powersetting : 2.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5704.00</td><td>102.43</td><td>34.13</td><td>68.30</td><td>89.64</td><td>34.52</td><td>10.33</td><td>32.06</td><td>100</td><td>183</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5704.00</td><td>95.33</td><td>-----</td><td>-----</td><td>-----</td><td>82.53</td><td>34.52</td><td>10.33</td><td>32.06</td><td>100</td><td>183</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5743.56	53.16	-15.14	68.30	40.26	34.55	10.36	32.01	100	183	Peak	HORIZONTAL	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5704.00	102.43	34.13	68.30	89.64	34.52	10.33	32.06	100	183	Peak	HORIZONTAL	2	5704.00	95.33	-----	-----	-----	82.53	34.52	10.33	32.06	100	183	Average	HORIZONTAL	
	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
1	5743.56	53.16	-15.14	68.30	40.26	34.55	10.36	32.01	100	183	Peak	HORIZONTAL																																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
1	5704.00	102.43	34.13	68.30	89.64	34.52	10.33	32.06	100	183	Peak	HORIZONTAL																																																																						
2	5704.00	95.33	-----	-----	-----	82.53	34.52	10.33	32.06	100	183	Average	HORIZONTAL																																																																					
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Partial 52/40 CH140 5700MHz																																																																																	
1	Vertical	Fundamental																																																																																
Peak.	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218653- VERTICAL Project : RRM 1000.0000KHz VBR 3000.0000KHz SRT Auto FR261401 Mode : 30 Plane : X Full-directivity IME1 : #41 Powersetting : 2.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5758.28</td><td>52.40</td><td>-15.90</td><td>68.30</td><td>39.45</td><td>34.57</td><td>10.37</td><td>31.99</td><td>284</td><td>42</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>  No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218653- VERTICAL Project : RRM 1000.0000KHz VBR 3000.0000KHz SRT Auto FR261401 Mode : 30 Plane : X Full-directivity IME1 : #41 Powersetting : 2.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5710.00</td><td>103.01</td><td>34.71</td><td>68.30</td><td>90.20</td><td>34.52</td><td>10.33</td><td>32.04</td><td>284</td><td>42</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5710.00</td><td>94.33</td><td>-----</td><td>-----</td><td>-----</td><td>81.52</td><td>34.52</td><td>10.33</td><td>32.04</td><td>284</td><td>42</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5758.28	52.40	-15.90	68.30	39.45	34.57	10.37	31.99	284	42	Peak	VERTICAL	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5710.00	103.01	34.71	68.30	90.20	34.52	10.33	32.04	284	42	Peak	VERTICAL	2	5710.00	94.33	-----	-----	-----	81.52	34.52	10.33	32.04	284	42	Average	VERTICAL	
	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
1	5758.28	52.40	-15.90	68.30	39.45	34.57	10.37	31.99	284	42	Peak	VERTICAL																																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
1	5710.00	103.01	34.71	68.30	90.20	34.52	10.33	32.04	284	42	Peak	VERTICAL																																																																						
2	5710.00	94.33	-----	-----	-----	81.52	34.52	10.33	32.04	284	42	Average	VERTICAL																																																																					






UNII-2C 5470~5725MHz





WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH100 5500MHz	
1	Horizontal	Fundamental
Peak	SPORTON LAB No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 5350 5380 5400 5420 5440 5460 5480 5500 5510 Level (dBuV/m) Frequency (MHz) SG BAND 1 ---3 dBm Site Condition Project Mode Plane IMEI Power setting 032900-KS SG BAND 1 ---3 3e 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VBR 2000.000000 SRT Auto (FR)261401 20 Z Full-directivity 8.5 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB cm deg 1 5403.44 51.75 -22.25 74.00 38.97 34.80 9.94 31.96 100 183 Peak HORIZONTAL 2 5467.28 52.78 -15.52 68.30 39.93 34.80 10.04 31.99 100 183 Peak HORIZONTAL	SPORTON LAB No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 1000 2000 3000 4000 5000 6000 7000 Level (dBuV/m) Frequency (MHz) SG BAND 1 ---3 dBm Site Condition Project Mode Plane IMEI Power setting 032900-KS SG BAND 1 ---3 3e 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VBR 2000.000000 SRT Auto (FR)261401 20 Z Full-directivity 8.5 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB cm deg 1 5484.00 102.55 34.25 68.30 89.69 34.80 10.07 32.01 100 183 Peak HORIZONTAL 2 5494.00 75.48 82.62 24.80 10.07 32.01 100 183 Average HORIZONTAL
	Avg.	SPORTON LAB No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 5350 5380 5400 5420 5440 5460 5480 5500 5510 Level (dBuV/m) Frequency (MHz) SG BAND 1 ---3 dBm Site Condition Project Mode Plane IMEI Power setting 032900-KS SG BAND 1 ---3 (AVG) 3e 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VBR 6.200000 SRT Auto (FR)261401 20 Z Full-directivity 8.5 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB cm deg 1 5408.56 44.35 -9.65 54.00 31.57 34.80 9.94 31.96 100 183 Average HORIZONTAL






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																	
ANT	802.11ax HE20 Partial 106/53 CH100 5500MHz																																																	
1	Vertical	Fundamental																																																
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Bode : (FR) 261401 Plane : 35 Full-directivity : 841 Power setting : 5.5 <table><tr><th>1</th><th>5431.28</th><th>52.45</th><th>-71.55</th><th>74.00</th><th>39.64</th><th>34.80</th><th>9.99</th><th>31.98</th><th>359</th><th>0 Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5466.95</th><th>51.92</th><th>-16.38</th><th>68.30</th><th>39.07</th><th>34.80</th><th>10.04</th><th>31.99</th><th>359</th><th>0 Peak</th><th>VERTICAL</th></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Bode : (FR) 261401 Plane : 35 Full-directivity : 841 Power setting : 5.5 <table><tr><th>1</th><th>5494.00</th><th>100.74</th><th>32.44</th><th>68.30</th><th>87.88</th><th>34.80</th><th>10.07</th><th>32.01</th><th>359</th><th>0 Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5494.00</th><th>94.21</th><th>-----</th><th>81.35</th><th>34.80</th><th>10.07</th><th>32.01</th><th>359</th><th>0 Average</th><th>VERTICAL</th><th></th></tr></table>	1	5431.28	52.45	-71.55	74.00	39.64	34.80	9.99	31.98	359	0 Peak	VERTICAL	2	5466.95	51.92	-16.38	68.30	39.07	34.80	10.04	31.99	359	0 Peak	VERTICAL	1	5494.00	100.74	32.44	68.30	87.88	34.80	10.07	32.01	359	0 Peak	VERTICAL	2	5494.00	94.21	-----	81.35	34.80	10.07	32.01	359	0 Average	VERTICAL		
1	5431.28	52.45	-71.55	74.00	39.64	34.80	9.99	31.98	359	0 Peak	VERTICAL																																							
2	5466.95	51.92	-16.38	68.30	39.07	34.80	10.04	31.99	359	0 Peak	VERTICAL																																							
1	5494.00	100.74	32.44	68.30	87.88	34.80	10.07	32.01	359	0 Peak	VERTICAL																																							
2	5494.00	94.21	-----	81.35	34.80	10.07	32.01	359	0 Average	VERTICAL																																								
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VSW: 4, 2000Hz SRT: Auto Bode : (FR) 261401 Plane : 35 Full-directivity : 841 Power setting : 5.5 <table><tr><th>1</th><th>5455.72</th><th>44.36</th><th>-9.64</th><th>54.00</th><th>31.53</th><th>34.80</th><th>10.02</th><th>31.99</th><th>359</th><th>0 Average</th><th>VERTICAL</th></tr></table> Left blank	1	5455.72	44.36	-9.64	54.00	31.53	34.80	10.02	31.99	359	0 Average	VERTICAL																																					
1	5455.72	44.36	-9.64	54.00	31.53	34.80	10.02	31.99	359	0 Average	VERTICAL																																							



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 106/54 CH140 5700MHz																																																																			
1	Horizontal	Fundamental																																																																		
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 1  Site : 020406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.0000KHz VBR 3000.0000KHz SRT Auto Mode : (FR)261401 Plane : 30 Polarization : E Full-directivity : 841 Power setting : S.S <table><tr><th>MEI</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>cn</th><th>deg</th></tr><tr><td>1 5730.76</td><td>54.29</td><td>-14.01</td><td>68.30</td><td>41.42</td><td>34.53</td><td>10.35</td><td>32.01</td><td>100</td><td>182 Peak</td></tr></table>	MEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg	1 5730.76	54.29	-14.01	68.30	41.42	34.53	10.35	32.01	100	182 Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 2  Site : 020406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.0000KHz VBR 3000.0000KHz SRT Auto Mode : (FR)261401 Plane : 30 Polarization : E Full-directivity : 841 Power setting : S.S <table><tr><th>MEI</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>cn</th><th>deg</th></tr><tr><td>1 * 5710.00</td><td>102.31</td><td>34.01</td><td>68.30</td><td>89.50</td><td>34.52</td><td>10.33</td><td>32.04</td><td>100</td><td>182 Peak</td></tr><tr><td>2 5710.00</td><td>95.62</td><td>-----</td><td>82.81</td><td>34.52</td><td>10.33</td><td>32.04</td><td>100</td><td>182 Average</td><td>HORIZONTAL</td></tr></table>	MEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg	1 * 5710.00	102.31	34.01	68.30	89.50	34.52	10.33	32.04	100	182 Peak	2 5710.00	95.62	-----	82.81	34.52	10.33	32.04	100	182 Average	HORIZONTAL
	MEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg																																																												
1 5730.76	54.29	-14.01	68.30	41.42	34.53	10.35	32.01	100	182 Peak																																																											
MEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg																																																												
1 * 5710.00	102.31	34.01	68.30	89.50	34.52	10.33	32.04	100	182 Peak																																																											
2 5710.00	95.62	-----	82.81	34.52	10.33	32.04	100	182 Average	HORIZONTAL																																																											
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 106/54 CH140 5700MHz																																																																			
1	Vertical	Fundamental																																																																		
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 3  Site : 020406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.0000KHz VBR 3000.0000KHz SRT Auto Mode : (FR)261401 Plane : 30 Polarization : E Full-directivity : 841 Power setting : S.S <table><tr><th>MEI</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>cn</th><th>deg</th></tr><tr><td>1 5752.52</td><td>53.31</td><td>-14.99</td><td>68.30</td><td>40.38</td><td>34.57</td><td>10.37</td><td>32.01</td><td>287</td><td>44 Peak</td></tr></table>	MEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg	1 5752.52	53.31	-14.99	68.30	40.38	34.57	10.37	32.01	287	44 Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 4  Site : 020406-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.0000KHz VBR 3000.0000KHz SRT Auto Mode : (FR)261401 Plane : 30 Polarization : E Full-directivity : 841 Power setting : S.S <table><tr><th>MEI</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>cn</th><th>deg</th></tr><tr><td>1 * 5704.00</td><td>105.00</td><td>31.70</td><td>68.30</td><td>87.21</td><td>34.52</td><td>10.33</td><td>32.06</td><td>287</td><td>44 Peak</td></tr><tr><td>2 5704.00</td><td>94.17</td><td>-----</td><td>81.38</td><td>34.52</td><td>10.33</td><td>32.06</td><td>287</td><td>44 Average</td><td>VERTICAL</td></tr></table>	MEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg	1 * 5704.00	105.00	31.70	68.30	87.21	34.52	10.33	32.06	287	44 Peak	2 5704.00	94.17	-----	81.38	34.52	10.33	32.06	287	44 Average	VERTICAL
	MEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg																																																												
1 5752.52	53.31	-14.99	68.30	40.38	34.57	10.37	32.01	287	44 Peak																																																											
MEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cn	deg																																																												
1 * 5704.00	105.00	31.70	68.30	87.21	34.52	10.33	32.06	287	44 Peak																																																											
2 5704.00	94.17	-----	81.38	34.52	10.33	32.06	287	44 Average	VERTICAL																																																											






UNII-2C 5470~5725MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 0329006-KS Condition : SG BAND 1 --- 3 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000, 5000Hz VSW: 2000, 5000Hz SRT Auto Mode : 41 Plane : 41 Full-directivity Power setting : 841 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5453.84</td><td>52.44</td><td>-21.56</td><td>74.00</td><td>39.61</td><td>34.80</td><td>10.02</td><td>31.99</td><td>100</td><td>183 Peak</td><td>HORIZONTAL</td></tr><tr><td>5464.72</td><td>53.25</td><td>-15.05</td><td>68.30</td><td>40.40</td><td>34.80</td><td>10.04</td><td>31.99</td><td>100</td><td>183 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 0329006-KS Condition : SG BAND 1 --- 3 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000, 5000Hz VSW: 2000, 5000Hz SRT Auto Mode : 41 Plane : 41 Full-directivity Power setting : 841 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5512.00</td><td>101.09</td><td>32.79</td><td>68.30</td><td>88.22</td><td>34.80</td><td>10.09</td><td>32.02</td><td>100</td><td>183 Peak</td><td>HORIZONTAL</td></tr><tr><td>5512.00</td><td>92.83</td><td>-----</td><td>79.16</td><td>34.80</td><td>10.09</td><td>32.02</td><td>100</td><td>183 Average</td><td>HORIZONTAL</td><td></td></tr></tbody></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg	5453.84	52.44	-21.56	74.00	39.61	34.80	10.02	31.99	100	183 Peak	HORIZONTAL	5464.72	53.25	-15.05	68.30	40.40	34.80	10.04	31.99	100	183 Peak	HORIZONTAL	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg	5512.00	101.09	32.79	68.30	88.22	34.80	10.09	32.02	100	183 Peak	HORIZONTAL	5512.00	92.83	-----	79.16	34.80	10.09	32.02	100	183 Average	HORIZONTAL		
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg																																																																																
5453.84	52.44	-21.56	74.00	39.61	34.80	10.02	31.99	100	183 Peak	HORIZONTAL																																																																																
5464.72	53.25	-15.05	68.30	40.40	34.80	10.04	31.99	100	183 Peak	HORIZONTAL																																																																																
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg																																																																																
5512.00	101.09	32.79	68.30	88.22	34.80	10.09	32.02	100	183 Peak	HORIZONTAL																																																																																
5512.00	92.83	-----	79.16	34.80	10.09	32.02	100	183 Average	HORIZONTAL																																																																																	
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 0329006-KS Condition : SG BAND 1 --- 3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000, 5000Hz VSW: 0.010KHz SRT Auto Mode : 41 Plane : 41 Full-directivity Power setting : 841 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5459.92</td><td>42.80</td><td>-11.20</td><td>54.00</td><td>29.97</td><td>34.80</td><td>10.02</td><td>31.99</td><td>100</td><td>183 Average</td><td>HORIZONTAL</td></tr></tbody></table> Left blank	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg	5459.92	42.80	-11.20	54.00	29.97	34.80	10.02	31.99	100	183 Average	HORIZONTAL																																																								
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg																																																																																
5459.92	42.80	-11.20	54.00	29.97	34.80	10.02	31.99	100	183 Average	HORIZONTAL																																																																																




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																																																																								
ANT	802.11ax HE40 Full CH102 5510MHz - R																																																																																																																																																																								
1	Horizontal	Fundamental																																																																																																																																																																							
Peak	No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900588 http://www.sporton.co.uk/en SPORTON LAB. Data: 4 Level (dBm/100kHz) Frequency (MHz) SG BAND 1---3 100% <table><tr><td>Site</td><td colspan="13">030804-KS</td></tr><tr><td>Condition</td><td colspan="13">SG BAND 1---3 3m 3117 SN 00216652- HORIZONTAL</td></tr><tr><td>Project</td><td colspan="13">R08-1500, 000000, V08-3000, 000000, SBT-Auto</td></tr><tr><td>Project</td><td colspan="13">FR261401-01</td></tr><tr><td>Mode</td><td colspan="13">41</td></tr><tr><td>Plane</td><td colspan="13">E</td></tr><tr><td>IMEI</td><td colspan="13">Full-directivity</td></tr><tr><td>Power setting</td><td colspan="13">841</td></tr><tr><td></td><td colspan="13">B</td></tr><tr><td></td><td>Freq</td><td>Level</td><td>Limit</td><td>ReadAntenna</td><td>Cable Preamp</td><td>A/Pos</td><td>T/Pos</td><td>Remark</td><td>Pol/Phase</td><td colspan="4"></td></tr><tr><td></td><td>MHz</td><td>dBu/m</td><td>dB</td><td>dBu/m</td><td>dBu/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td colspan="4"></td></tr><tr><td>1</td><td>5751.96</td><td>53.83</td><td>-14.47</td><td>68.30</td><td>40.90</td><td>34.57</td><td>10.37</td><td>32.01</td><td>100</td><td>183</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Site	030804-KS													Condition	SG BAND 1---3 3m 3117 SN 00216652- HORIZONTAL													Project	R08-1500, 000000, V08-3000, 000000, SBT-Auto													Project	FR261401-01													Mode	41													Plane	E													IMEI	Full-directivity													Power setting	841														B														Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase						MHz	dBu/m	dB	dBu/m	dBu/m	dB	dB	cm	deg					1	5751.96	53.83	-14.47	68.30	40.90	34.57	10.37	32.01	100	183	Peak	HORIZONTAL	Left blank
Site	030804-KS																																																																																																																																																																								
Condition	SG BAND 1---3 3m 3117 SN 00216652- HORIZONTAL																																																																																																																																																																								
Project	R08-1500, 000000, V08-3000, 000000, SBT-Auto																																																																																																																																																																								
Project	FR261401-01																																																																																																																																																																								
Mode	41																																																																																																																																																																								
Plane	E																																																																																																																																																																								
IMEI	Full-directivity																																																																																																																																																																								
Power setting	841																																																																																																																																																																								
	B																																																																																																																																																																								
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																																																																
	MHz	dBu/m	dB	dBu/m	dBu/m	dB	dB	cm	deg																																																																																																																																																																
1	5751.96	53.83	-14.47	68.30	40.90	34.57	10.37	32.01	100	183	Peak	HORIZONTAL																																																																																																																																																													






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																																																																																																						
1	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SFT Auto Mode : 41 Plane : 3 Full-directivity IME1 : 841 Power setting : 8 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.28</td><td>53.55</td><td>-20.45</td><td>74.00</td><td>40.72</td><td>34.80</td><td>10.02</td><td>31.99</td><td>358</td><td>9 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5463.92</td><td>52.49</td><td>-10.81</td><td>68.30</td><td>39.64</td><td>34.80</td><td>10.04</td><td>31.99</td><td>358</td><td>9 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SFT Auto Mode : 41 Plane : 3 Full-directivity IME1 : 841 Power setting : 8 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5512.00</td><td>100.15</td><td>31.85</td><td>68.30</td><td>87.38</td><td>34.80</td><td>10.09</td><td>32.02</td><td>358</td><td>9 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5512.00</td><td>91.95</td><td>-----</td><td>-----</td><td>79.08</td><td>34.80</td><td>10.09</td><td>32.02</td><td>358</td><td>9 Average</td><td>VERTICAL</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5469.28	53.55	-20.45	74.00	40.72	34.80	10.02	31.99	358	9 Peak	VERTICAL	2	5463.92	52.49	-10.81	68.30	39.64	34.80	10.04	31.99	358	9 Peak	VERTICAL		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5512.00	100.15	31.85	68.30	87.38	34.80	10.09	32.02	358	9 Peak	VERTICAL	2	5512.00	91.95	-----	-----	79.08	34.80	10.09	32.02	358	9 Average	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 0.0100kHz SFT Auto Mode : 41 Plane : 3 Full-directivity IME1 : 841 Power setting : 8 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.12</td><td>42.68</td><td>-11.32</td><td>54.00</td><td>29.85</td><td>34.80</td><td>10.02</td><td>31.99</td><td>358</td><td>9 Average</td><td>VERTICAL</td></tr></table> Left blank		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5469.12	42.68	-11.32	54.00	29.85	34.80	10.02	31.99	358	9 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1	5469.28	53.55	-20.45	74.00	40.72	34.80	10.02	31.99	358	9 Peak	VERTICAL																																																																																																																												
2	5463.92	52.49	-10.81	68.30	39.64	34.80	10.04	31.99	358	9 Peak	VERTICAL																																																																																																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1	5512.00	100.15	31.85	68.30	87.38	34.80	10.09	32.02	358	9 Peak	VERTICAL																																																																																																																												
2	5512.00	91.95	-----	-----	79.08	34.80	10.09	32.02	358	9 Average	VERTICAL																																																																																																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1	5469.12	42.68	-11.32	54.00	29.85	34.80	10.02	31.99	358	9 Average	VERTICAL																																																																																																																												



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Full CH102 5510MHz - R																						
1	Vertical	Fundamental																					
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030804-KS Condition : 5G BAND 1-3 3m 3117 EN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto PRF 354.601-01 Bode : 41 Plane : E Polar : Full-directivity IMEI : 841 Power setting : 9 <table><tr><th>Prag</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5758.04</td><td>53.48</td><td>-14.82</td><td>68.30</td><td>40.53</td><td>34.57</td><td>10.37</td><td>31.99</td><td>358</td><td>9 Peak</td><td>VERTICAL</td></tr></table>	Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	1	5758.04	53.48	-14.82	68.30	40.53	34.57	10.37	31.99	358	9 Peak	VERTICAL	Left blank
Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase															
1	5758.04	53.48	-14.82	68.30	40.53	34.57	10.37	31.99	358	9 Peak	VERTICAL												






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Bode : (FR261401-01) Plane : 42 Polar : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5441.68</td><td>52.86</td><td>-21.15</td><td>74.00</td><td>40.04</td><td>34.80</td><td>9.99</td><td>31.98</td><td>100</td><td>182 Peak</td></tr><tr><td>2</td><td>5466.16</td><td>52.82</td><td>-15.48</td><td>68.30</td><td>39.97</td><td>34.80</td><td>10.04</td><td>31.99</td><td>100</td><td>182 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VSW: 3000, 0000Hz SRT: Auto Bode : (FR261401-01) Plane : 42 Polar : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5548.00</td><td>101.26</td><td>32.96</td><td>68.30</td><td>88.43</td><td>34.70</td><td>10.17</td><td>32.04</td><td>100</td><td>182 Peak</td></tr><tr><td>2</td><td>5548.00</td><td>93.00</td><td>-----</td><td>80.17</td><td>34.70</td><td>10.17</td><td>32.04</td><td>100</td><td>182 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5441.68	52.86	-21.15	74.00	40.04	34.80	9.99	31.98	100	182 Peak	2	5466.16	52.82	-15.48	68.30	39.97	34.80	10.04	31.99	100	182 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5548.00	101.26	32.96	68.30	88.43	34.70	10.17	32.04	100	182 Peak	2	5548.00	93.00	-----	80.17	34.70	10.17	32.04	100	182 Average	HORIZONTAL	Fundamental
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	5441.68	52.86	-21.15	74.00	40.04	34.80	9.99	31.98	100	182 Peak																																																																																
2	5466.16	52.82	-15.48	68.30	39.97	34.80	10.04	31.99	100	182 Peak																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	5548.00	101.26	32.96	68.30	88.43	34.70	10.17	32.04	100	182 Peak																																																																																
2	5548.00	93.00	-----	80.17	34.70	10.17	32.04	100	182 Average	HORIZONTAL																																																																																
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VSW: 0.010000 SRT: Auto Bode : (FR261401-01) Plane : 42 Polar : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.92</td><td>42.64</td><td>-11.30</td><td>54.00</td><td>29.81</td><td>34.80</td><td>10.02</td><td>31.99</td><td>100</td><td>182 Average</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5469.92	42.64	-11.30	54.00	29.81	34.80	10.02	31.99	100	182 Average																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	5469.92	42.64	-11.30	54.00	29.81	34.80	10.02	31.99	100	182 Average																																																																																




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																										
ANT	802.11ax HE40 Full CH110 5550MHz - R																										
1	Horizontal	Fundamental																									
Peak	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030804-KS Condition : 5G BAND 1---3 3m 3117 EN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Model : ZPD 150-601-01 Band : 42 Plane : E Full-directivity : Full IMEI : 841 Power setting : 9 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5725.24</td><td>53.43</td><td>-14.87</td><td>68.30</td><td>40.99</td><td>34.53</td><td>10.35</td><td>32.04</td><td>100</td><td>100</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phase	1	5725.24	53.43	-14.87	68.30	40.99	34.53	10.35	32.04	100	100	Peak	HORIZONTAL	Left blank
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phase																
1	5725.24	53.43	-14.87	68.30	40.99	34.53	10.35	32.04	100	100	Peak	HORIZONTAL															






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																																																								
1	Vertical	Fundamental																																																																																							
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:3000.0000Hz SRT:Auto Bode : (FR261401-01) Plane : 42 Polar : 2 Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5394.00</td><td>51.89</td><td>-22.11</td><td>74.00</td><td>39.16</td><td>34.75</td><td>9.93</td><td>31.95</td><td>352</td><td>10 Peak VERTICAL</td></tr><tr><td>2</td><td>5468.24</td><td>51.62</td><td>-16.68</td><td>68.30</td><td>38.77</td><td>34.80</td><td>10.04</td><td>31.99</td><td>352</td><td>10 Peak VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:3000.0000Hz SRT:Auto Bode : (FR261401-01) Plane : 42 Polar : 2 Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5560.00</td><td>100.23</td><td>31.93</td><td>68.30</td><td>87.41</td><td>34.70</td><td>10.17</td><td>32.05</td><td>352</td><td>10 Peak VERTICAL</td></tr><tr><td>2</td><td>5560.00</td><td>91.46</td><td>-----</td><td>78.64</td><td>34.70</td><td>10.17</td><td>32.05</td><td>352</td><td>10 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5394.00	51.89	-22.11	74.00	39.16	34.75	9.93	31.95	352	10 Peak VERTICAL	2	5468.24	51.62	-16.68	68.30	38.77	34.80	10.04	31.99	352	10 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5560.00	100.23	31.93	68.30	87.41	34.70	10.17	32.05	352	10 Peak VERTICAL	2	5560.00	91.46	-----	78.64	34.70	10.17	32.05	352	10 Average VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																	
1	5394.00	51.89	-22.11	74.00	39.16	34.75	9.93	31.95	352	10 Peak VERTICAL																																																																															
2	5468.24	51.62	-16.68	68.30	38.77	34.80	10.04	31.99	352	10 Peak VERTICAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																	
1	5560.00	100.23	31.93	68.30	87.41	34.70	10.17	32.05	352	10 Peak VERTICAL																																																																															
2	5560.00	91.46	-----	78.64	34.70	10.17	32.05	352	10 Average VERTICAL																																																																																
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:3.010000 SRT:Auto Bode : (FR261401-01) Plane : 42 Polar : 2 Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.28</td><td>42.42</td><td>-11.58</td><td>54.00</td><td>29.59</td><td>34.80</td><td>10.02</td><td>31.99</td><td>352</td><td>10 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5469.28	42.42	-11.58	54.00	29.59	34.80	10.02	31.99	352	10 Average VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																	
1	5469.28	42.42	-11.58	54.00	29.59	34.80	10.02	31.99	352	10 Average VERTICAL																																																																															



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Full CH110 5550MHz - R																						
1	Vertical	Fundamental																					
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data 8  Site : 030804-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Bode : 42 Plane : E Polar : Full-directivity IMEI : 841 Power setting : 9 <table><tr><th>Prag</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5756.44</td><td>55.10</td><td>-13.20</td><td>68.30</td><td>42.15</td><td>34.57</td><td>10.37</td><td>31.99</td><td>352</td><td>10 Peak</td><td>VERTICAL</td></tr></table> <td>Left blank</td>	Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	1	5756.44	55.10	-13.20	68.30	42.15	34.57	10.37	31.99	352	10 Peak	VERTICAL	Left blank
	Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase														
1	5756.44	55.10	-13.20	68.30	42.15	34.57	10.37	31.99	352	10 Peak	VERTICAL												






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																					
1	Horizontal	Fundamental																																																				
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VSW:3000 0000Hz SRT:Auto Bode : (FR261401-01) Plane : 43 Polar : Full-directivity Power : 841 Power setting : 8 <table><thead><tr><th>1</th><th>5410.96</th><th>52.74</th><th>-21.26</th><th>74.00</th><th>39.96</th><th>34.80</th><th>9.94</th><th>31.96</th><th>106</th><th>180</th><th>Peak</th><th>HORIZONTAL</th></tr><tr><th>2</th><th>5468.40</th><th>52.51</th><th>-15.79</th><th>68.30</th><th>39.66</th><th>34.80</th><th>10.04</th><th>31.99</th><th>106</th><th>180</th><th>Peak</th><th>HORIZONTAL</th></tr></thead></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VSW:3000 0000Hz SRT:Auto Bode : (FR261401-01) Plane : 43 Polar : Full-directivity Power : 841 Power setting : 8 <table><thead><tr><th>1</th><th>5674.00</th><th>102.80</th><th>34.50</th><th>68.30</th><th>90.06</th><th>34.52</th><th>10.30</th><th>32.08</th><th>106</th><th>180</th><th>Peak</th><th>HORIZONTAL</th></tr><tr><th>2</th><th>5674.00</th><th>92.34</th><th>-----</th><th>79.60</th><th>34.52</th><th>10.30</th><th>32.08</th><th>-----</th><th>106</th><th>180</th><th>Average</th><th>HORIZONTAL</th></tr></thead></table>	1	5410.96	52.74	-21.26	74.00	39.96	34.80	9.94	31.96	106	180	Peak	HORIZONTAL	2	5468.40	52.51	-15.79	68.30	39.66	34.80	10.04	31.99	106	180	Peak	HORIZONTAL	1	5674.00	102.80	34.50	68.30	90.06	34.52	10.30	32.08	106	180	Peak	HORIZONTAL	2	5674.00	92.34	-----	79.60	34.52	10.30	32.08	-----	106	180	Average	HORIZONTAL	
1	5410.96	52.74	-21.26	74.00	39.96	34.80	9.94	31.96	106	180	Peak	HORIZONTAL																																										
2	5468.40	52.51	-15.79	68.30	39.66	34.80	10.04	31.99	106	180	Peak	HORIZONTAL																																										
1	5674.00	102.80	34.50	68.30	90.06	34.52	10.30	32.08	106	180	Peak	HORIZONTAL																																										
2	5674.00	92.34	-----	79.60	34.52	10.30	32.08	-----	106	180	Average	HORIZONTAL																																										
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz VSW:3.01000Hz SRT:Auto Bode : (FR261401-01) Plane : 43 Polar : Full-directivity Power : 841 Power setting : 8 <table><thead><tr><th>1</th><th>5458.64</th><th>42.43</th><th>-11.57</th><th>54.00</th><th>29.60</th><th>34.80</th><th>10.02</th><th>31.99</th><th>106</th><th>180</th><th>Average</th><th>HORIZONTAL</th></tr></thead></table> Left blank	1	5458.64	42.43	-11.57	54.00	29.60	34.80	10.02	31.99	106	180	Average	HORIZONTAL																																								
1	5458.64	42.43	-11.57	54.00	29.60	34.80	10.02	31.99	106	180	Average	HORIZONTAL																																										




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																												
ANT	802.11ax HE40 Full CH134 5670MHz - R																												
1	Horizontal	Fundamental																											
Peak	Site : 030804-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto Model : ZPT301-001-01 Plane : A3 Polar : Full-directivity IMEI : 841 Power setting : 9 <table><tr><th>Frq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5754.20</td><td>53.55</td><td>-14.75</td><td>66.30</td><td>40.62</td><td>34.57</td><td>10.37</td><td>32.01</td><td>106</td></tr></table>	Frq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1 5754.20	53.55	-14.75	66.30	40.62	34.57	10.37	32.01	106	Left blank
Frq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																					
1 5754.20	53.55	-14.75	66.30	40.62	34.57	10.37	32.01	106																					










WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																																																									
1	Vertical	Fundamental																																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Bode : FPO 261401-01 Plane : 43 Polar : 2 Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5457.52</td><td>53.14</td><td>-20.86</td><td>74.00</td><td>40.31</td><td>34.80</td><td>10.02</td><td>31.99</td><td>270</td><td>45 Peak</td><td>VERTICAL</td></tr><tr><td>2 5460.55</td><td>52.15</td><td>-16.15</td><td>68.30</td><td>39.32</td><td>34.80</td><td>10.02</td><td>31.99</td><td>270</td><td>45 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Bode : FPO 261401-01 Plane : 43 Polar : 2 Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5668.00</td><td>101.32</td><td>33.02</td><td>68.30</td><td>88.58</td><td>34.52</td><td>10.30</td><td>32.08</td><td>270</td><td>45 Peak</td><td>VERTICAL</td></tr><tr><td>2 5668.00</td><td>90.83</td><td>-----</td><td>78.09</td><td>34.52</td><td>10.30</td><td>32.08</td><td>270</td><td>45 Average</td><td>VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5457.52	53.14	-20.86	74.00	40.31	34.80	10.02	31.99	270	45 Peak	VERTICAL	2 5460.55	52.15	-16.15	68.30	39.32	34.80	10.02	31.99	270	45 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 5668.00	101.32	33.02	68.30	88.58	34.52	10.30	32.08	270	45 Peak	VERTICAL	2 5668.00	90.83	-----	78.09	34.52	10.30	32.08	270	45 Average	VERTICAL		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																		
1 5457.52	53.14	-20.86	74.00	40.31	34.80	10.02	31.99	270	45 Peak	VERTICAL																																																																																
2 5460.55	52.15	-16.15	68.30	39.32	34.80	10.02	31.99	270	45 Peak	VERTICAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																		
1 * 5668.00	101.32	33.02	68.30	88.58	34.52	10.30	32.08	270	45 Peak	VERTICAL																																																																																
2 5668.00	90.83	-----	78.09	34.52	10.30	32.08	270	45 Average	VERTICAL																																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 0.01000Hz SFT Auto Bode : FPO 261401-01 Plane : 43 Polar : 2 Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5459.28</td><td>42.33</td><td>-11.67</td><td>54.00</td><td>29.50</td><td>34.80</td><td>10.02</td><td>31.99</td><td>270</td><td>45 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5459.28	42.33	-11.67	54.00	29.50	34.80	10.02	31.99	270	45 Average	VERTICAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																		
1 5459.28	42.33	-11.67	54.00	29.50	34.80	10.02	31.99	270	45 Average	VERTICAL																																																																																




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Full CH134 5670MHz - R																						
1	Vertical	Fundamental																					
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900088 http://www.sporton.co.uk/en SPORTON LAB. Data 8 Level (dBm/100kHz) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5685 5700 5710 5720 5730 5740 5750 5760 5765 Frequency (MHz) SG BAND 1---3 -dBm Site : 030804-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RSM 1000, 0000Hz VBR 3000, 0000Hz DRT Auto Bode : 43 Plane : 1 Plane : Full-directivity IMEI : 841 Power setting : 9 <table><tr><th>Prag</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5727.32</td><td>53.71</td><td>-14.99</td><td>68.30</td><td>40.87</td><td>34.53</td><td>10.35</td><td>32.04</td><td>270</td><td>45 Peak VERTICAL</td></tr></table>	Prag	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase	1	5727.32	53.71	-14.99	68.30	40.87	34.53	10.35	32.04	270	45 Peak VERTICAL	Left blank
Prag	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase														
1	5727.32	53.71	-14.99	68.30	40.87	34.53	10.35	32.04	270	45 Peak VERTICAL													






UNII-2C 5470~5725MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m				
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - L				
1	Horizontal	Fundamental			
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57600158 Fax: +86-512-57600158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 1 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 5G BAND 1-3 dBm 1 5371.12 53.25 -22.75 74.00 40.56 34.70 9.92 31.93 101 181 Peak HORIZONTAL 2 5470.00 51.00 -17.25 68.30 38.20 34.80 10.04 31.99 101 181 Peak HORIZONTAL Site Condition Project Mode Plane IMEI Power setting 032900-KS 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VSR 3000.000000 SRT Auto FR261401-01 dB X Full-directivity 841 5.5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dB dB dB cm deg <td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57600158 Fax: +86-512-57600158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 3 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 2000 3000 4000 5000 6000 7000 Frequency (MHz) 5G BAND 1-3 dBm 1 5484.00 98.48 30.38 68.30 85.82 34.80 10.07 32.01 101 181 Peak HORIZONTAL 2 5484.00 92.26 ----- 79.40 34.80 10.07 32.01 101 181 Average HORIZONTAL Site Condition Project Mode Plane IMEI Power setting 032900-KS 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VSR 3000.000000 SRT Auto FR261401-01 dB X Full-directivity 841 5.5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dB dB dB cm deg <tr><td>Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57600158 Fax: +86-512-57600158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 5G BAND 1-3 dBm 1 5453.20 44.96 -9.04 54.00 32.13 34.80 10.02 31.99 101 181 Average HORIZONTAL Site Condition Project Mode Plane IMEI Power setting 032900-KS 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VSR 8.200000 SRT Auto FR261401-01 dB X Full-directivity 841 5.5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dB dB dB cm deg <td>Left blank</td></td></tr></td>	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57600158 Fax: +86-512-57600158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 3 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 2000 3000 4000 5000 6000 7000 Frequency (MHz) 5G BAND 1-3 dBm 1 5484.00 98.48 30.38 68.30 85.82 34.80 10.07 32.01 101 181 Peak HORIZONTAL 2 5484.00 92.26 ----- 79.40 34.80 10.07 32.01 101 181 Average HORIZONTAL Site Condition Project Mode Plane IMEI Power setting 032900-KS 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VSR 3000.000000 SRT Auto FR261401-01 dB X Full-directivity 841 5.5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dB dB dB cm deg <tr><td>Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57600158 Fax: +86-512-57600158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 5G BAND 1-3 dBm 1 5453.20 44.96 -9.04 54.00 32.13 34.80 10.02 31.99 101 181 Average HORIZONTAL Site Condition Project Mode Plane IMEI Power setting 032900-KS 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VSR 8.200000 SRT Auto FR261401-01 dB X Full-directivity 841 5.5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dB dB dB cm deg <td>Left blank</td></td></tr>	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57600158 Fax: +86-512-57600158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 5G BAND 1-3 dBm 1 5453.20 44.96 -9.04 54.00 32.13 34.80 10.02 31.99 101 181 Average HORIZONTAL Site Condition Project Mode Plane IMEI Power setting 032900-KS 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VSR 8.200000 SRT Auto FR261401-01 dB X Full-directivity 841 5.5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dB dB dB cm deg <td>Left blank</td>	Left blank
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57600158 Fax: +86-512-57600158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) 5G BAND 1-3 dBm 1 5453.20 44.96 -9.04 54.00 32.13 34.80 10.02 31.99 101 181 Average HORIZONTAL Site Condition Project Mode Plane IMEI Power setting 032900-KS 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL RRM 1000.000000 VSR 8.200000 SRT Auto FR261401-01 dB X Full-directivity 841 5.5 Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dB dB dB cm deg <td>Left blank</td>	Left blank			



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - R																							
1	Horizontal	Fundamental																						
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030804-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000, 0000Hz VBR 3000, 0000Hz DRT Auto Bode : 45 Plane : E IMEI : Full-directivity Power setting : S.S <table><tr><th>Prag</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5751.00</td><td>52.49</td><td>-15.81</td><td>68.30</td><td>39.99</td><td>34.55</td><td>10.36</td><td>32.01</td><td>101</td><td>101</td><td>Peak</td><td>HORIZONTAL</td></tr></table> Left blank	Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	1	5751.00	52.49	-15.81	68.30	39.99	34.55	10.36	32.01	101	101	Peak	HORIZONTAL	
Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																
1	5751.00	52.49	-15.81	68.30	39.99	34.55	10.36	32.01	101	101	Peak	HORIZONTAL												




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - L																																																																																								
1	Vertical	Fundamental																																																																																							
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 0000Hz VSW:3000 0000Hz SRT:Auto Bode : JFO 261401-01 Plane : 48 Polar : 2 Full-directivity : 441 Power setting : 5.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5391.28</td><td>52.77</td><td>-21.23</td><td>74.00</td><td>40.04</td><td>34.75</td><td>9.93</td><td>31.95</td><td>358</td><td>7 Peak VERTICAL</td></tr><tr><td>2</td><td>5469.68</td><td>51.83</td><td>-16.47</td><td>68.30</td><td>38.98</td><td>34.80</td><td>10.04</td><td>31.99</td><td>358</td><td>7 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5391.28	52.77	-21.23	74.00	40.04	34.75	9.93	31.95	358	7 Peak VERTICAL	2	5469.68	51.83	-16.47	68.30	38.98	34.80	10.04	31.99	358	7 Peak VERTICAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 0000Hz VSW:3000 0000Hz SRT:Auto Bode : JFO 261401-01 Plane : 48 Polar : 2 Full-directivity : 441 Power setting : 5.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5494.00</td><td>95.92</td><td>27.62</td><td>68.30</td><td>83.06</td><td>34.80</td><td>10.07</td><td>32.01</td><td>358</td><td>7 Peak VERTICAL</td></tr><tr><td>2</td><td>5494.00</td><td>90.48</td><td>-----</td><td>77.62</td><td>34.80</td><td>10.07</td><td>32.01</td><td>358</td><td>7 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5494.00	95.92	27.62	68.30	83.06	34.80	10.07	32.01	358	7 Peak VERTICAL	2	5494.00	90.48	-----	77.62	34.80	10.07	32.01	358	7 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5391.28	52.77	-21.23	74.00	40.04	34.75	9.93	31.95	358	7 Peak VERTICAL																																																																															
2	5469.68	51.83	-16.47	68.30	38.98	34.80	10.04	31.99	358	7 Peak VERTICAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5494.00	95.92	27.62	68.30	83.06	34.80	10.07	32.01	358	7 Peak VERTICAL																																																																															
2	5494.00	90.48	-----	77.62	34.80	10.07	32.01	358	7 Average VERTICAL																																																																																
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 0000Hz VSW:3.2000Hz SRT:Auto Bode : JFO 261401-01 Plane : 48 Polar : 2 Full-directivity : 441 Power setting : 5.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5440.24</td><td>44.67</td><td>-9.33</td><td>54.00</td><td>31.86</td><td>34.80</td><td>9.99</td><td>31.98</td><td>358</td><td>7 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5440.24	44.67	-9.33	54.00	31.86	34.80	9.99	31.98	358	7 Average VERTICAL	Left blank																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5440.24	44.67	-9.33	54.00	31.86	34.80	9.99	31.98	358	7 Average VERTICAL																																																																															






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - R																																		
1	Vertical	Fundamental																																	
Peak	No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030804-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : AS Plane : E IMEI : Full-directivity Power setting : S.S <table><tr><th></th><th>Preag</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5763.08</td><td>52.34</td><td>-15.96</td><td>68.30</td><td>39.39</td><td>34.57</td><td>10.37</td><td>31.99</td><td>358</td><td>7 Peak VERTICAL</td></tr></table>		Preag	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	5763.08	52.34	-15.96	68.30	39.39	34.57	10.37	31.99	358	7 Peak VERTICAL	Left blank
	Preag	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																									
	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																											
1	5763.08	52.34	-15.96	68.30	39.39	34.57	10.37	31.99	358	7 Peak VERTICAL																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - R	
1	Horizontal	Fundamental
Peak		Left blank




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - L																																																																																								
1	Vertical	Fundamental																																																																																							
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Bode : (FR)261401-01 Plane : 49 Polar : 2 Full-directivity IME1 Power setting : 441 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5406.96</td><td>52.92</td><td>-21.08</td><td>74.00</td><td>40.14</td><td>34.80</td><td>9.94</td><td>31.96</td><td>272</td><td>41 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5463.12</td><td>52.33</td><td>-15.97</td><td>68.30</td><td>39.48</td><td>34.80</td><td>10.04</td><td>31.99</td><td>272</td><td>41 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Bode : (FR)261401-01 Plane : 49 Polar : 2 Full-directivity IME1 Power setting : 441 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5674.00</td><td>76.47</td><td>28.17</td><td>68.30</td><td>83.73</td><td>34.52</td><td>10.30</td><td>32.08</td><td>272</td><td>41 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5674.00</td><td>90.33</td><td>-----</td><td>77.59</td><td>34.52</td><td>10.30</td><td>32.08</td><td>272</td><td>41 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5406.96	52.92	-21.08	74.00	40.14	34.80	9.94	31.96	272	41 Peak	VERTICAL	2	5463.12	52.33	-15.97	68.30	39.48	34.80	10.04	31.99	272	41 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5674.00	76.47	28.17	68.30	83.73	34.52	10.30	32.08	272	41 Peak	VERTICAL	2	5674.00	90.33	-----	77.59	34.52	10.30	32.08	272	41 Average	VERTICAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5406.96	52.92	-21.08	74.00	40.14	34.80	9.94	31.96	272	41 Peak	VERTICAL																																																																														
2	5463.12	52.33	-15.97	68.30	39.48	34.80	10.04	31.99	272	41 Peak	VERTICAL																																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5674.00	76.47	28.17	68.30	83.73	34.52	10.30	32.08	272	41 Peak	VERTICAL																																																																														
2	5674.00	90.33	-----	77.59	34.52	10.30	32.08	272	41 Average	VERTICAL																																																																															
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3.2000Hz SFT Auto Bode : (FR)261401-01 Plane : 49 Polar : 2 Full-directivity IME1 Power setting : 5.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5362.00</td><td>44.66</td><td>-9.34</td><td>54.00</td><td>31.97</td><td>34.70</td><td>9.92</td><td>31.92</td><td>272</td><td>41 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5362.00	44.66	-9.34	54.00	31.97	34.70	9.92	31.92	272	41 Average	VERTICAL																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5362.00	44.66	-9.34	54.00	31.97	34.70	9.92	31.92	272	41 Average	VERTICAL																																																																														






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																															
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - R																															
1	Vertical	Fundamental																														
Peak	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030804-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz VBR 3000, 0000Hz DRT Auto Bode : 49 Plane : 4 Polar : Full-directivity IMEI : 841 Power setting : S.S <table><tr><th>Prag</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>MHz</td><td>dBm/100kHz</td><td>dBm/100kHz</td><td>dBm/100kHz</td><td>dBm/100kHz</td><td>dBm/100kHz</td><td>dBm/100kHz</td><td>dBm/100kHz</td><td>dBm/100kHz</td></tr></table><table><tr><td>1</td><td>5761.88</td><td>52.63</td><td>-15.67</td><td>68.30</td><td>39.68</td><td>34.57</td><td>10.37</td><td>31.99</td><td>272</td><td>41 Peak</td><td>VERTICAL</td></tr></table>	Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	1	5761.88	52.63	-15.67	68.30	39.68	34.57	10.37	31.99	272	41 Peak	VERTICAL	Left blank
Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																								
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz																								
1	5761.88	52.63	-15.67	68.30	39.68	34.57	10.37	31.99	272	41 Peak	VERTICAL																					




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																															
ANT	802.11ax HE80 Full CH106 5530MHz - R																															
1	Horizontal	Fundamental																														
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900588 http://www.sporton.co.uk/en Site : 030804-KS Condition : SG BAND 1 --- 3 3m 3117 SN 00216652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto PRF 301.601-01 Mode : S2 Plane : E Full-directivity IMEI : 841 Power setting : 9 <table><tr><th>Frq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dB</td><td>dBuV/m</td><td>dBuV</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>5739.96</td><td>53.58</td><td>-14.72</td><td>68.30</td><td>40.68</td><td>34.55</td><td>10.36</td><td>32.01</td><td>116 101 Peak HORIZONTAL</td></tr></table>	Frq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	5739.96	53.58	-14.72	68.30	40.68	34.55	10.36	32.01	116 101 Peak HORIZONTAL	Left blank
Frq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																								
1	5739.96	53.58	-14.72	68.30	40.68	34.55	10.36	32.01	116 101 Peak HORIZONTAL																							
















WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																							
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																																																							
1	Vertical	Fundamental																																																																																						
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Mode : FPO 261401-01 Plane : 52 Polarization : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5374.48</td><td>52.67</td><td>-21.33</td><td>74.00</td><td>40.00</td><td>34.70</td><td>9.92</td><td>31.95</td><td>355</td><td>10 Peak VERTICAL</td></tr><tr><td>2</td><td>5470.00</td><td>53.93</td><td>-14.37</td><td>68.30</td><td>41.08</td><td>34.80</td><td>10.04</td><td>31.99</td><td>355</td><td>10 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5374.48	52.67	-21.33	74.00	40.00	34.70	9.92	31.95	355	10 Peak VERTICAL	2	5470.00	53.93	-14.37	68.30	41.08	34.80	10.04	31.99	355	10 Peak VERTICAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Mode : FPO 261401-01 Plane : 52 Polarization : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5530.00</td><td>76.70</td><td>28.40</td><td>83.85</td><td>34.77</td><td>10.12</td><td>32.04</td><td>355</td><td>10 Peak VERTICAL</td></tr><tr><td>2</td><td>5530.00</td><td>88.70</td><td>-----</td><td>75.85</td><td>34.77</td><td>10.12</td><td>32.04</td><td>355</td><td>10 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5530.00	76.70	28.40	83.85	34.77	10.12	32.04	355	10 Peak VERTICAL	2	5530.00	88.70	-----	75.85	34.77	10.12	32.04	355	10 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																
1	5374.48	52.67	-21.33	74.00	40.00	34.70	9.92	31.95	355	10 Peak VERTICAL																																																																														
2	5470.00	53.93	-14.37	68.30	41.08	34.80	10.04	31.99	355	10 Peak VERTICAL																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																
1	5530.00	76.70	28.40	83.85	34.77	10.12	32.04	355	10 Peak VERTICAL																																																																															
2	5530.00	88.70	-----	75.85	34.77	10.12	32.04	355	10 Average VERTICAL																																																																															
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 1.10000Hz SFT Auto Mode : 52 Plane : 52 Polarization : Full-directivity Power setting : 841 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5458.48</td><td>44.33</td><td>-9.67</td><td>54.00</td><td>31.50</td><td>34.80</td><td>10.02</td><td>31.99</td><td>355</td><td>10 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5458.48	44.33	-9.67	54.00	31.50	34.80	10.02	31.99	355	10 Average VERTICAL	Left blank																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																
1	5458.48	44.33	-9.67	54.00	31.50	34.80	10.02	31.99	355	10 Average VERTICAL																																																																														




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																								
ANT	802.11ax HE80 Full CH106 5530MHz - R																								
1	Vertical	Fundamental																							
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030804-KS Condition : SG BAND 1---3 3m 3117 EN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto PRF 354.601-01 Mode : S2 Plane : E Polar : Full-directivity IMEI : 841 Power setting : 9 <table><tr><th></th><th>Prag</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5756.36</td><td>53.73</td><td>-14.57</td><td>68.30</td><td>40.78</td><td>34.57</td><td>10.37</td><td>31.99</td><td>355</td><td>10 Peak</td><td>VERTICAL</td></tr></table>		Prag	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase	1	5756.36	53.73	-14.57	68.30	40.78	34.57	10.37	31.99	355	10 Peak	VERTICAL	Left blank
	Prag	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase															
1	5756.36	53.73	-14.57	68.30	40.78	34.57	10.37	31.99	355	10 Peak	VERTICAL														








WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																										
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																																																																																										
1	Horizontal	Fundamental																																																																																																																									
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 1  Site Condition Project Mode Plane Polarization Power setting : 030406-KS : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL : RBW 1000.000000 VSW 3000.000000 SRT Auto : (FR261401-01) : 53 : Full-directivity : 841 : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5468.16</td><td>52.93</td><td>-21.07</td><td>74.00</td><td>40.13</td><td>34.80</td><td>10.02</td><td>31.99</td><td>100</td><td>179 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5465.04</td><td>55.29</td><td>-13.01</td><td>68.30</td><td>42.44</td><td>34.80</td><td>10.04</td><td>31.99</td><td>100</td><td>179 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 3  Site Condition Project Mode Plane Polarization Power setting : 030406-KS : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL : RBW 1000.000000 VSW 3000.000000 SRT Auto : (FR261401-01) : 53 : Full-directivity : 841 : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5614.00</td><td>99.28</td><td>30.98</td><td>68.30</td><td>86.51</td><td>34.60</td><td>10.25</td><td>32.08</td><td>100</td><td>179 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5614.00</td><td>90.56</td><td>-----</td><td>77.79</td><td>34.60</td><td>10.25</td><td>32.08</td><td>100</td><td>179 Average HORIZONTAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site Condition Project Mode Plane Polarization Power setting : 030406-KS : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL : RBW 1000.000000 VSW 1.100000 SRT Auto : (FR261401-01) : 53 : Full-directivity : 841 : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5436.72</td><td>43.85</td><td>-10.15</td><td>54.00</td><td>31.04</td><td>34.80</td><td>9.99</td><td>31.98</td><td>100</td><td>179 Average HORIZONTAL</td></tr></table>  Left blank </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5468.16	52.93	-21.07	74.00	40.13	34.80	10.02	31.99	100	179 Peak HORIZONTAL	2	5465.04	55.29	-13.01	68.30	42.44	34.80	10.04	31.99	100	179 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5614.00	99.28	30.98	68.30	86.51	34.60	10.25	32.08	100	179 Peak HORIZONTAL	2	5614.00	90.56	-----	77.79	34.60	10.25	32.08	100	179 Average HORIZONTAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site Condition Project Mode Plane Polarization Power setting : 030406-KS : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL : RBW 1000.000000 VSW 1.100000 SRT Auto : (FR261401-01) : 53 : Full-directivity : 841 : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5436.72</td><td>43.85</td><td>-10.15</td><td>54.00</td><td>31.04</td><td>34.80</td><td>9.99</td><td>31.98</td><td>100</td><td>179 Average HORIZONTAL</td></tr></table>  Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5436.72	43.85	-10.15	54.00	31.04	34.80	9.99	31.98	100	179 Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5468.16	52.93	-21.07	74.00	40.13	34.80	10.02	31.99	100	179 Peak HORIZONTAL																																																																																																																	
2	5465.04	55.29	-13.01	68.30	42.44	34.80	10.04	31.99	100	179 Peak HORIZONTAL																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5614.00	99.28	30.98	68.30	86.51	34.60	10.25	32.08	100	179 Peak HORIZONTAL																																																																																																																	
2	5614.00	90.56	-----	77.79	34.60	10.25	32.08	100	179 Average HORIZONTAL																																																																																																																		
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site Condition Project Mode Plane Polarization Power setting : 030406-KS : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL : RBW 1000.000000 VSW 1.100000 SRT Auto : (FR261401-01) : 53 : Full-directivity : 841 : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5436.72</td><td>43.85</td><td>-10.15</td><td>54.00</td><td>31.04</td><td>34.80</td><td>9.99</td><td>31.98</td><td>100</td><td>179 Average HORIZONTAL</td></tr></table>  Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5436.72	43.85	-10.15	54.00	31.04	34.80	9.99	31.98	100	179 Average HORIZONTAL																																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5436.72	43.85	-10.15	54.00	31.04	34.80	9.99	31.98	100	179 Average HORIZONTAL																																																																																																																	




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																															
ANT	802.11ax HE80 Full CH122 5610MHz - R																															
1	Horizontal	Fundamental																														
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 4 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5685 5700 5710 5720 5730 5740 5750 5765 Frequency (MHz) SG BAND 1---3 -dell Site Condition Project Model Plane Plane IMEI Power setting 030804-KS SG BAND 1---3 3m 3117 EN 00216652- HORIZONTAL RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto ZPD150-601-01 E Full-directivity 841 9 <table><tr><th>Frq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pul/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5727.08</td><td>54.46</td><td>-13.84</td><td>68.30</td><td>41.62</td><td>34.53</td><td>10.35</td><td>32.04</td><td>100 179 Peak HORIZONTAL</td></tr></table>	Frq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pul/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	5727.08	54.46	-13.84	68.30	41.62	34.53	10.35	32.04	100 179 Peak HORIZONTAL	Left blank
Frq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pul/Phase																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																								
1	5727.08	54.46	-13.84	68.30	41.62	34.53	10.35	32.04	100 179 Peak HORIZONTAL																							








WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																																																																
1	Vertical	Fundamental																																																																																															
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5  Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Mode : FPO 261401-01 Plane : 53 Polarization : Full-directivity Power setting : 841 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5365.88</td><td>52.02</td><td>-21.98</td><td>74.00</td><td>39.33</td><td>34.70</td><td>9.92</td><td>31.93</td><td>283</td><td>86</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>5465.84</td><td>53.30</td><td>-15.10</td><td>68.30</td><td>40.35</td><td>34.80</td><td>10.04</td><td>31.99</td><td>283</td><td>86</td><td>Peak VERTICAL</td></tr></table> Data: 7  Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Mode : FPO 261401-01 Plane : 53 Polarization : Full-directivity Power setting : 841 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5620.00</td><td>77.34</td><td>29.04</td><td>68.30</td><td>84.58</td><td>34.58</td><td>10.26</td><td>32.08</td><td>283</td><td>86</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>5620.00</td><td>87.89</td><td>-----</td><td>75.13</td><td>34.58</td><td>10.26</td><td>32.08</td><td>283</td><td>86</td><td>Average VERTICAL</td></tr></table>		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5365.88	52.02	-21.98	74.00	39.33	34.70	9.92	31.93	283	86	Peak VERTICAL	2	5465.84	53.30	-15.10	68.30	40.35	34.80	10.04	31.99	283	86	Peak VERTICAL		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5620.00	77.34	29.04	68.30	84.58	34.58	10.26	32.08	283	86	Peak VERTICAL	2	5620.00	87.89	-----	75.13	34.58	10.26	32.08	283	86	Average VERTICAL	
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5365.88	52.02	-21.98	74.00	39.33	34.70	9.92	31.93	283	86	Peak VERTICAL																																																																																						
2	5465.84	53.30	-15.10	68.30	40.35	34.80	10.04	31.99	283	86	Peak VERTICAL																																																																																						
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5620.00	77.34	29.04	68.30	84.58	34.58	10.26	32.08	283	86	Peak VERTICAL																																																																																						
2	5620.00	87.89	-----	75.13	34.58	10.26	32.08	283	86	Average VERTICAL																																																																																							
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 6  Site : 030406-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VBW 1.10000Hz SFT Auto Mode : 53 Plane : 53 Polarization : Full-directivity Power setting : 841 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5437.52</td><td>43.42</td><td>-10.58</td><td>54.00</td><td>30.61</td><td>34.80</td><td>9.99</td><td>31.98</td><td>283</td><td>86</td><td>Average VERTICAL</td></tr></table> Left blank		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5437.52	43.42	-10.58	54.00	30.61	34.80	9.99	31.98	283	86	Average VERTICAL																																																												
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5437.52	43.42	-10.58	54.00	30.61	34.80	9.99	31.98	283	86	Average VERTICAL																																																																																						




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																								
ANT	802.11ax HE80 Full CH122 5610MHz - R																																								
1	Vertical	Fundamental																																							
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030804-KS Condition : 5G BAND 1 --- 3 3m 3117 EN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto PRF 354.601-01 Mode : S3 Plane : E Polar : Full-directivity IMEI : 841 Power setting : 9 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>Prag</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5754.44</td><td>53.70</td><td>-14.60</td><td>66.30</td><td>40.77</td><td>34.57</td><td>10.37</td><td>32.01</td><td>283</td><td>86 Peak</td><td>VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase		Prag	Level	Limit	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	1	5754.44	53.70	-14.60	66.30	40.77	34.57	10.37	32.01	283	86 Peak	VERTICAL	Left blank
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																	
	Prag	Level	Limit	Line	Level	Factor	Loss	Factor																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB																																	
1	5754.44	53.70	-14.60	66.30	40.77	34.57	10.37	32.01	283	86 Peak	VERTICAL																														






UNII-2C 5470~5725MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 1  Site : 032900-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Emission : 1000.000000 VBR:3000.000000 SRT:Auto Project : (FR)261401-01 Mode : 5G Plane : X Full-directivity : Full-directivity IMEI : 845 Power setting : 0.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><td>5484.56</td><td>52.31</td><td>-21.49</td><td>74.00</td><td>39.53</td><td>34.80</td><td>9.94</td><td>31.96</td><td>100</td><td>180</td><td>Peak</td></tr><tr><td>5486.24</td><td>52.33</td><td>-15.97</td><td>68.30</td><td>39.48</td><td>34.80</td><td>10.04</td><td>31.99</td><td>100</td><td>180</td><td>Peak</td></tr></table> Data: 3  Site : 032900-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Emission : 1000.000000 VBR:3000.000000 SRT:Auto Project : (FR)261401-01 Mode : 5G Plane : X Full-directivity : Full-directivity IMEI : 845 Power setting : 0.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><td>5484.00</td><td>95.40</td><td>77.30</td><td>68.30</td><td>82.73</td><td>34.77</td><td>10.12</td><td>32.02</td><td>100</td><td>180</td><td>Peak</td></tr><tr><td>5524.00</td><td>67.97</td><td></td><td></td><td>75.10</td><td>34.77</td><td>10.12</td><td>32.02</td><td>100</td><td>180</td><td>Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	Level	Line	Level	Factor	Loss	Factor	Factor	Factor	Factor	5484.56	52.31	-21.49	74.00	39.53	34.80	9.94	31.96	100	180	Peak	5486.24	52.33	-15.97	68.30	39.48	34.80	10.04	31.99	100	180	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	Level	Line	Level	Factor	Loss	Factor	Factor	Factor	Factor	5484.00	95.40	77.30	68.30	82.73	34.77	10.12	32.02	100	180	Peak	5524.00	67.97			75.10	34.77	10.12	32.02	100	180	Average	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	Level	Line	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																																
5484.56	52.31	-21.49	74.00	39.53	34.80	9.94	31.96	100	180	Peak																																																																																
5486.24	52.33	-15.97	68.30	39.48	34.80	10.04	31.99	100	180	Peak																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	Level	Line	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																																
5484.00	95.40	77.30	68.30	82.73	34.77	10.12	32.02	100	180	Peak																																																																																
5524.00	67.97			75.10	34.77	10.12	32.02	100	180	Average																																																																																
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site : 032900-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Emission : 1000.000000 VBR:3.000000 SRT:Auto Project : (FR)261401-01 Mode : 5G Plane : X Full-directivity : Full-directivity IMEI : 845 Power setting : 0.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><td>5422.32</td><td>43.90</td><td>-10.10</td><td>54.00</td><td>31.09</td><td>34.80</td><td>9.97</td><td>31.96</td><td>100</td><td>180</td><td>Average</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	Level	Line	Level	Factor	Loss	Factor	Factor	Factor	Factor	5422.32	43.90	-10.10	54.00	31.09	34.80	9.97	31.96	100	180	Average																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	Level	Line	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																																
5422.32	43.90	-10.10	54.00	31.09	34.80	9.97	31.96	100	180	Average																																																																																






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - R																							
1	Horizontal	Fundamental																						
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030804-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto PRF 150.401-01 Mode : SS Plane : E Polar : Full-directivity IMEI : 841 Power setting : S.S <table><tr><th>Prag</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5757.00</td><td>52.54</td><td>-15.76</td><td>68.30</td><td>39.99</td><td>34.57</td><td>10.37</td><td>31.99</td><td>100</td><td>100</td><td>Peak</td><td>HORIZONTAL</td></tr></table> Left blank	Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	1	5757.00	52.54	-15.76	68.30	39.99	34.57	10.37	31.99	100	100	Peak	HORIZONTAL	
Prag	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																
1	5757.00	52.54	-15.76	68.30	39.99	34.57	10.37	31.99	100	100	Peak	HORIZONTAL												



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																				
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - L																																																				
1	Vertical	Fundamental																																																			
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 5 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) SG BAND 1----3 441 Site : 030406-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:3000.0000Hz SRT:Auto Bode : (FR)261401-01 Plane : S Full-directivity : S Power setting : 441 <table><tr><th>1</th><th>5394.96</th><th>52.07</th><th>-21.93</th><th>74.00</th><th>39.28</th><th>34.80</th><th>9.94</th><th>31.95</th><th>300</th><th>38</th><th>Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5467.44</th><th>51.45</th><th>-16.85</th><th>68.30</th><th>38.60</th><th>34.80</th><th>10.04</th><th>31.99</th><th>300</th><th>38</th><th>Peak</th><th>VERTICAL</th></tr></table>	1	5394.96	52.07	-21.93	74.00	39.28	34.80	9.94	31.95	300	38	Peak	VERTICAL	2	5467.44	51.45	-16.85	68.30	38.60	34.80	10.04	31.99	300	38	Peak	VERTICAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 7 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 2000 3000 4000 5000 6000 7000 Frequency (MHz) SG BAND 1----3 441 Site : 030406-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:3000.0000Hz SRT:Auto Bode : (FR)261401-01 Plane : S Full-directivity : S Power setting : 441 <table><tr><th>1</th><th>5494.00</th><th>72.34</th><th>24.04</th><th>68.30</th><th>79.50</th><th>34.80</th><th>10.07</th><th>32.01</th><th>300</th><th>38</th><th>Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>5494.00</th><th>84.34</th><th>-----</th><th>71.48</th><th>34.80</th><th>10.07</th><th>32.01</th><th>300</th><th>38</th><th>Average</th><th>VERTICAL</th></tr></table>	1	5494.00	72.34	24.04	68.30	79.50	34.80	10.07	32.01	300	38	Peak	VERTICAL	2	5494.00	84.34	-----	71.48	34.80	10.07	32.01	300	38	Average	VERTICAL
1	5394.96	52.07	-21.93	74.00	39.28	34.80	9.94	31.95	300	38	Peak	VERTICAL																																									
2	5467.44	51.45	-16.85	68.30	38.60	34.80	10.04	31.99	300	38	Peak	VERTICAL																																									
1	5494.00	72.34	24.04	68.30	79.50	34.80	10.07	32.01	300	38	Peak	VERTICAL																																									
2	5494.00	84.34	-----	71.48	34.80	10.07	32.01	300	38	Average	VERTICAL																																										
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 8 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) SG BAND 1----3 (AVG) 441 Site : 030406-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz VSW:3.0000Hz SRT:Auto Bode : (FR)261401-01 Plane : S Full-directivity : S Power setting : 441 <table><tr><th>1</th><th>5430.48</th><th>43.82</th><th>-10.18</th><th>54.00</th><th>31.01</th><th>34.80</th><th>9.99</th><th>31.98</th><th>300</th><th>38</th><th>Average</th><th>VERTICAL</th></tr></table>	1	5430.48	43.82	-10.18	54.00	31.01	34.80	9.99	31.98	300	38	Average	VERTICAL	Left blank																																						
1	5430.48	43.82	-10.18	54.00	31.01	34.80	9.99	31.98	300	38	Average	VERTICAL																																									






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - L																																																					
1	Horizontal	Fundamental																																																				
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Bode : (FR)261401-01 Plane : 61 Polar : Full-directivity IME1 : 641 Power setting : 5.5 <table><thead><tr><th>1</th><th>5409.68</th><th>53.78</th><th>-20.72</th><th>74.00</th><th>40.50</th><th>34.80</th><th>9.94</th><th>31.96</th><th>109</th><th>180</th><th>Peak</th><th>HORIZONTAL</th></tr><tr><th>2</th><th>5463.44</th><th>52.38</th><th>-16.02</th><th>68.30</th><th>39.43</th><th>34.80</th><th>10.04</th><th>31.99</th><th>109</th><th>180</th><th>Peak</th><th>HORIZONTAL</th></tr></thead></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.0000Hz VBW 3000.0000Hz SFT Auto Bode : (FR)261401-01 Plane : 61 Polar : Full-directivity IME1 : 641 Power setting : 5.5 <table><thead><tr><th>1</th><th>5644.00</th><th>76.52</th><th>28.22</th><th>68.30</th><th>83.78</th><th>34.56</th><th>10.28</th><th>32.10</th><th>109</th><th>180</th><th>Peak</th><th>HORIZONTAL</th></tr><tr><th>2</th><th>5644.00</th><th>88.88</th><th>-----</th><th>-----</th><th>76.14</th><th>34.56</th><th>10.28</th><th>32.10</th><th>109</th><th>180</th><th>Average</th><th>HORIZONTAL</th></tr></thead></table>	1	5409.68	53.78	-20.72	74.00	40.50	34.80	9.94	31.96	109	180	Peak	HORIZONTAL	2	5463.44	52.38	-16.02	68.30	39.43	34.80	10.04	31.99	109	180	Peak	HORIZONTAL	1	5644.00	76.52	28.22	68.30	83.78	34.56	10.28	32.10	109	180	Peak	HORIZONTAL	2	5644.00	88.88	-----	-----	76.14	34.56	10.28	32.10	109	180	Average	HORIZONTAL	
1	5409.68	53.78	-20.72	74.00	40.50	34.80	9.94	31.96	109	180	Peak	HORIZONTAL																																										
2	5463.44	52.38	-16.02	68.30	39.43	34.80	10.04	31.99	109	180	Peak	HORIZONTAL																																										
1	5644.00	76.52	28.22	68.30	83.78	34.56	10.28	32.10	109	180	Peak	HORIZONTAL																																										
2	5644.00	88.88	-----	-----	76.14	34.56	10.28	32.10	109	180	Average	HORIZONTAL																																										
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.0000Hz VBW 3.0000Hz SFT Auto Bode : (FR)261401-01 Plane : 61 Polar : Full-directivity IME1 : 641 Power setting : 5.5 <table><thead><tr><th>1</th><th>5454.00</th><th>43.82</th><th>-10.18</th><th>54.00</th><th>30.99</th><th>34.80</th><th>10.02</th><th>31.99</th><th>109</th><th>180</th><th>Average</th><th>HORIZONTAL</th></tr></thead></table> Left blank	1	5454.00	43.82	-10.18	54.00	30.99	34.80	10.02	31.99	109	180	Average	HORIZONTAL																																								
1	5454.00	43.82	-10.18	54.00	30.99	34.80	10.02	31.99	109	180	Average	HORIZONTAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - R																						
1	Horizontal	Fundamental																					
Peak	No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030804-KS Condition : 5G BAND 1-3 3m 3117 EN 00216652- HORIZONTAL Project : RBW 1000, 0000Hz VBR 3000, 0000Hz DFT Auto PRF 30.601-01 Mode : A1 Plane : E IMEI : Full-directivity Power setting : S.S <table><tr><th>Peak</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5738.92</td><td>52.68</td><td>-15.62</td><td>68.30</td><td>39.78</td><td>34.55</td><td>10.36</td><td>32.01</td><td>100</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Peak	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	1	5738.92	52.68	-15.62	68.30	39.78	34.55	10.36	32.01	100	Peak	HORIZONTAL	Left blank
Peak	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase															
1	5738.92	52.68	-15.62	68.30	39.78	34.55	10.36	32.01	100	Peak	HORIZONTAL												



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - L																																																																																								
1	Vertical	Fundamental																																																																																							
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SFT Auto Bode : FPO 261401-01 Plane : 61 Polar : Full-directivity IME1 : 641 Power setting : 5.5 <table><tr><th>MEI</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5362.00</td><td>51.68</td><td>-22.32</td><td>74.00</td><td>38.99</td><td>34.70</td><td>9.92</td><td>31.93</td><td>278</td><td>37 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5468.40</td><td>51.05</td><td>-17.25</td><td>68.30</td><td>38.20</td><td>34.80</td><td>10.04</td><td>31.99</td><td>278</td><td>37 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SFT Auto Bode : FPO 261401-01 Plane : 61 Polar : Full-directivity IME1 : 641 Power setting : 5.5 <table><tr><th>MEI</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5638.00</td><td>84.42</td><td>26.12</td><td>68.30</td><td>81.68</td><td>34.56</td><td>10.28</td><td>32.10</td><td>278</td><td>37 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5638.00</td><td>86.48</td><td>-----</td><td>73.74</td><td>34.56</td><td>10.28</td><td>32.10</td><td>278</td><td>37 Average</td><td>VERTICAL</td></tr></table>	MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5362.00	51.68	-22.32	74.00	38.99	34.70	9.92	31.93	278	37 Peak	VERTICAL	2	5468.40	51.05	-17.25	68.30	38.20	34.80	10.04	31.99	278	37 Peak	VERTICAL	MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5638.00	84.42	26.12	68.30	81.68	34.56	10.28	32.10	278	37 Peak	VERTICAL	2	5638.00	86.48	-----	73.74	34.56	10.28	32.10	278	37 Average	VERTICAL	
MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5362.00	51.68	-22.32	74.00	38.99	34.70	9.92	31.93	278	37 Peak	VERTICAL																																																																														
2	5468.40	51.05	-17.25	68.30	38.20	34.80	10.04	31.99	278	37 Peak	VERTICAL																																																																														
MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5638.00	84.42	26.12	68.30	81.68	34.56	10.28	32.10	278	37 Peak	VERTICAL																																																																														
2	5638.00	86.48	-----	73.74	34.56	10.28	32.10	278	37 Average	VERTICAL																																																																															
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 030406-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz VBW 3.200kHz SFT Auto Bode : FPO 261401-01 Plane : 61 Polar : Full-directivity IME1 : 641 Power setting : 5.5 <table><tr><th>MEI</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5421.20</td><td>43.79</td><td>-10.21</td><td>54.00</td><td>30.98</td><td>34.80</td><td>9.97</td><td>31.96</td><td>278</td><td>37 Average</td><td>VERTICAL</td></tr></table> Left blank	MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5421.20	43.79	-10.21	54.00	30.98	34.80	9.97	31.96	278	37 Average	VERTICAL																																																								
MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5421.20	43.79	-10.21	54.00	30.98	34.80	9.97	31.96	278	37 Average	VERTICAL																																																																														







WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - R																						
1	Vertical	Fundamental																					
Peak	Site : 030804-KS Condition : 5G BAND 1---3 3m 3117 EN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBR 3000, 0000Hz DRT Auto Model : 801 Plane : E IMEI : Full-directivity Power setting : S.S <table><tr><th></th><th>Peak</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><td>1</td><td>5731.24</td><td>57.76</td><td>-15.54</td><td>68.30</td><td>39.89</td><td>34.53</td><td>10.35</td><td>32.01</td><td>278</td><td>37 Peak VERTICAL</td></tr></table>		Peak	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	1	5731.24	57.76	-15.54	68.30	39.89	34.53	10.35	32.01	278	37 Peak VERTICAL	Left blank
	Peak	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase														
1	5731.24	57.76	-15.54	68.30	39.89	34.53	10.35	32.01	278	37 Peak VERTICAL													







UNII-2C - 5470~5725MHz

WIFI 802.11a (Harmonic @ 3m)




WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																						
ANT	802.11a CH100 5500MHz																																																						
1	Horizontal	Vertical																																																					
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7  Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity : #41 IMEI : PowerSetting : 8.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11004.00</td><td>45.15</td><td>-28.85</td><td>74.00</td><td>54.31</td><td>38.00</td><td>14.56</td><td>61.72</td><td>300 0 Peak HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL RBW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity : #41 IMEI : PowerSetting : 8.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11004.00</td><td>45.38</td><td>-28.62</td><td>74.00</td><td>54.54</td><td>38.00</td><td>14.56</td><td>61.72</td><td>100 0 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 11004.00	45.15	-28.85	74.00	54.31	38.00	14.56	61.72	300 0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 11004.00	45.38	-28.62	74.00	54.54	38.00	14.56	61.72	100 0 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																															
1 11004.00	45.15	-28.85	74.00	54.31	38.00	14.56	61.72	300 0 Peak HORIZONTAL																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																															
1 11004.00	45.38	-28.62	74.00	54.54	38.00	14.56	61.72	100 0 Peak VERTICAL																																															
WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																						
ANT	802.11a CH116 5580MHz																																																						
1	Horizontal	Vertical																																																					
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 9  Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 8 Plane : X Full-directivity : #41 IMEI : PowerSetting : 8.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11158.00</td><td>45.83</td><td>-28.17</td><td>74.00</td><td>54.70</td><td>38.10</td><td>14.68</td><td>61.65</td><td>300 0 Peak HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 10  Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL RBW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Project : (FR)261401-01 Mode : 8 Plane : X Full-directivity : #41 IMEI : PowerSetting : 8.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11158.00</td><td>45.42</td><td>-28.58</td><td>74.00</td><td>54.29</td><td>38.10</td><td>14.68</td><td>61.65</td><td>100 0 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 11158.00	45.83	-28.17	74.00	54.70	38.10	14.68	61.65	300 0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 11158.00	45.42	-28.58	74.00	54.29	38.10	14.68	61.65	100 0 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																															
1 11158.00	45.83	-28.17	74.00	54.70	38.10	14.68	61.65	300 0 Peak HORIZONTAL																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																															
1 11158.00	45.42	-28.58	74.00	54.29	38.10	14.68	61.65	100 0 Peak VERTICAL																																															






WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11a CH140 5700MHz																																																																																																																																					
1	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 03CH06-K5 Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 9 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11400.00</td><td>46.29</td><td>-27.71</td><td>74.00</td><td>54.75</td><td>38.24</td><td>14.85</td><td>61.55</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03CH06-K5 Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 9 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11400.00</td><td>46.29</td><td>-27.71</td><td>74.00</td><td>54.75</td><td>38.24</td><td>14.85</td><td>61.55</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 11400.00	46.29	-27.71	74.00	54.75	38.24	14.85	61.55	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 11400.00	46.29	-27.71	74.00	54.75	38.24	14.85	61.55	300	0 Peak	HORIZONTAL	 Site : 03CH06-K5 Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 9 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11400.00</td><td>45.40</td><td>-28.54</td><td>74.00</td><td>53.92</td><td>38.24</td><td>14.85</td><td>61.55</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>  Site : 03CH06-K5 Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 9 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11400.00</td><td>45.40</td><td>-28.54</td><td>74.00</td><td>53.92</td><td>38.24</td><td>14.85</td><td>61.55</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 11400.00	45.40	-28.54	74.00	53.92	38.24	14.85	61.55	100	0 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 11400.00	45.40	-28.54	74.00	53.92	38.24	14.85	61.55	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																														
1 11400.00	46.29	-27.71	74.00	54.75	38.24	14.85	61.55	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																														
1 11400.00	46.29	-27.71	74.00	54.75	38.24	14.85	61.55	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																														
1 11400.00	45.40	-28.54	74.00	53.92	38.24	14.85	61.55	100	0 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																														
1 11400.00	45.40	-28.54	74.00	53.92	38.24	14.85	61.55	100	0 Peak	VERTICAL																																																																																																																												



UNII-2C 5470~5725MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH100 5500MHz																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03000-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Power : 100.0000W 100.0000W 300.0000W 300.0000W Project : FR261401-01 Mode : 1A Plane : Full-directivity Polarization : 0 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1 11004.00</td><td>45.20</td><td>-28.80</td><td>74.00</td><td>54.36</td><td>38.00</td><td>14.56</td><td>61.72</td><td>300</td><td>0 Peak</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03000-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Power : 100.0000W 100.0000W 300.0000W 300.0000W Project : FR261401-01 Mode : 1A Plane : Full-directivity Polarization : 0 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1 11004.00</td><td>45.05</td><td>-28.95</td><td>74.00</td><td>54.21</td><td>38.00</td><td>14.56</td><td>61.72</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg	1 11004.00	45.20	-28.80	74.00	54.36	38.00	14.56	61.72	300	0 Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg	1 11004.00	45.05	-28.95	74.00	54.21	38.00	14.56	61.72	100	0 Peak	
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg																																																					
1 11004.00	45.20	-28.80	74.00	54.36	38.00	14.56	61.72	300	0 Peak																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg																																																					
1 11004.00	45.05	-28.95	74.00	54.21	38.00	14.56	61.72	100	0 Peak																																																					
WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH116 5580MHz																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03000-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Power : 100.0000W 100.0000W 300.0000W 300.0000W Project : FR261401-01 Mode : 1A Plane : Full-directivity Polarization : 0 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1 11158.00</td><td>45.94</td><td>-28.06</td><td>74.00</td><td>54.81</td><td>38.10</td><td>14.68</td><td>61.65</td><td>300</td><td>0 Peak</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03000-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Power : 100.0000W 100.0000W 300.0000W 300.0000W Project : FR261401-01 Mode : 1A Plane : Full-directivity Polarization : 0 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poa</th><th>T/Poa</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1 11158.00</td><td>45.35</td><td>-28.65</td><td>74.00</td><td>54.22</td><td>38.10</td><td>14.68</td><td>61.65</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg	1 11158.00	45.94	-28.06	74.00	54.81	38.10	14.68	61.65	300	0 Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg	1 11158.00	45.35	-28.65	74.00	54.22	38.10	14.68	61.65	100	0 Peak	
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg																																																					
1 11158.00	45.94	-28.06	74.00	54.81	38.10	14.68	61.65	300	0 Peak																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg																																																					
1 11158.00	45.35	-28.65	74.00	54.22	38.10	14.68	61.65	100	0 Peak																																																					





WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																	
ANT	802.11ax HE20 Full CH140 5700MHz																																																																	
1	Horizontal	Vertical																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 5 Level (dBV/m) Frequency (MHz) 5G BAND 1-3 5G BAND 1-3 (AVG) Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 000kHz VBW 3000, 000kHz SFT: Auto Mode : (F) 261401-01 Plane : 1 Full-directivity IMEI : 841 Power setting : 8 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>46.21</td><td>-27.79</td><td>74.00</td><td>54.67</td><td>38.24</td><td>14.85</td><td>61.55</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table> <td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 6 Level (dBV/m) Frequency (MHz) 5G BAND 1-3 5G BAND 1-3 (AVG) Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VBW 3000, 000kHz SFT: Auto Mode : (F) 261401-01 Plane : 1 Full-directivity IMEI : 841 Power setting : 8 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>46.66</td><td>-27.94</td><td>74.00</td><td>54.52</td><td>38.24</td><td>14.85</td><td>61.55</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table> </td>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	11400.00	46.21	-27.79	74.00	54.67	38.24	14.85	61.55	300	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 6 Level (dBV/m) Frequency (MHz) 5G BAND 1-3 5G BAND 1-3 (AVG) Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VBW 3000, 000kHz SFT: Auto Mode : (F) 261401-01 Plane : 1 Full-directivity IMEI : 841 Power setting : 8 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>46.66</td><td>-27.94</td><td>74.00</td><td>54.52</td><td>38.24</td><td>14.85</td><td>61.55</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	11400.00	46.66	-27.94	74.00	54.52	38.24	14.85	61.55	100	0 Peak	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	11400.00	46.21	-27.79	74.00	54.67	38.24	14.85	61.55	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	11400.00	46.66	-27.94	74.00	54.52	38.24	14.85	61.55	100	0 Peak	VERTICAL																																																							



UNII-2C - 5470~5725MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH102 5510MHz	
1	Horizontal	Vertical
Peak Avg.	SPORTON LAB No. 109B, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn DATA: 9 Level (dBuV/m)	



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																												
ANT	802.11ax HE40 Full CH134 5670MHz																																																												
1	Horizontal	Vertical																																																											
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 9 Level (dBmV/m) 5G BAND 1-3 5G BAND 1-3 (AVG) Site : 03040A-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 000kHz VSW: 3000, 000kHz SMT: Auto Model : (FR) 261401-01 Plane : 43 Full-directivity IMEI : 841 Power setting : 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th>deg</th><th></th></tr><tr><td>1 11345.00</td><td>45.48</td><td>-28.52</td><td>74.00</td><td>54.03</td><td>38.21</td><td>14.81</td><td>61.57</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 10 Level (dBmV/m) 5G BAND 1-3 5G BAND 1-3 (AVG) Site : 03040A-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 000kHz VSW: 3000, 000kHz SMT: Auto Model : (FR) 261401-01 Plane : 43 Full-directivity IMEI : 841 Power setting : 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th>deg</th><th></th></tr><tr><td>1 11345.00</td><td>45.73</td><td>-28.27</td><td>74.00</td><td>54.28</td><td>38.21</td><td>14.81</td><td>61.57</td><td>100</td><td>0 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1 11345.00	45.48	-28.52	74.00	54.03	38.21	14.81	61.57	300	0 Peak HORIZONTAL	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1 11345.00	45.73	-28.27	74.00	54.28	38.21	14.81	61.57	100	0 Peak VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																					
1 11345.00	45.48	-28.52	74.00	54.03	38.21	14.81	61.57	300	0 Peak HORIZONTAL																																																				
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phase																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																					
1 11345.00	45.73	-28.27	74.00	54.28	38.21	14.81	61.57	100	0 Peak VERTICAL																																																				



UNII-2C 5470~5725MHz



UNII-2C - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																									
ANT	802.11a CH144 5720MHz - L																																																																																									
1	Horizontal	Vertical																																																																																								
Peak	No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.co.uk on SPORTON LAB. Date: 1 Level (dBm/100kHz) Frequency (MHz) 56 BAND 1---3 dBm Site : 03CH06-K5 Condition : 56 BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : 88W1000.000000Hz VSW:3000.000000Hz SWT-Auto Mode : 83 Plane : X Full-directivity IMEI : #41 Power setting : 8.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5722.00</td><td>104.23</td><td>25.93</td><td>68.30</td><td>91.29</td><td>34.53</td><td>10.35</td><td>32.04</td><td>400</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5722.00</td><td>94.09</td><td></td><td></td><td>81.25</td><td>34.53</td><td>10.35</td><td>32.04</td><td>400</td><td>0 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1 * 5722.00	104.23	25.93	68.30	91.29	34.53	10.35	32.04	400	0 Peak	HORIZONTAL	2 5722.00	94.09			81.25	34.53	10.35	32.04	400	0 Average	HORIZONTAL	No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.co.uk on SPORTON LAB. Date: 2 Level (dBm/100kHz) Frequency (MHz) 56 BAND 1---3 dBm Site : 03CH06-K5 Condition : 56 BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : 88W1000.000000Hz VSW:3000.000000Hz SWT-Auto Mode : 83 Plane : X Full-directivity IMEI : #41 Power setting : 8.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5722.00</td><td>98.25</td><td>29.95</td><td>68.30</td><td>85.41</td><td>34.53</td><td>10.35</td><td>32.04</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2 5722.00</td><td>91.42</td><td></td><td></td><td>78.58</td><td>34.53</td><td>10.35</td><td>32.04</td><td>100</td><td>0 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1 * 5722.00	98.25	29.95	68.30	85.41	34.53	10.35	32.04	100	0 Peak	VERTICAL	2 5722.00	91.42			78.58	34.53	10.35	32.04	100	0 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																		
1 * 5722.00	104.23	25.93	68.30	91.29	34.53	10.35	32.04	400	0 Peak	HORIZONTAL																																																																																
2 5722.00	94.09			81.25	34.53	10.35	32.04	400	0 Average	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																		
1 * 5722.00	98.25	29.95	68.30	85.41	34.53	10.35	32.04	100	0 Peak	VERTICAL																																																																																
2 5722.00	91.42			78.58	34.53	10.35	32.04	100	0 Average	VERTICAL																																																																																





UNII-2C – Straddle Channel
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Full CH144 5720MHz - L																																																																																								
1	Horizontal	Vertical																																																																																							
Peak	 No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Data: 1 Level (dBm/100kHz) Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218552- HORIZONTAL Project : 88W-1000.0000Hz VSW:3000.0000Hz SWT:Auto Mode : 04 Plane : X Full-directivity IMET : #41 PowerSetting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 * 5716.00</td><td>103.49</td><td>35.19</td><td>68.30</td><td>99.68</td><td>34.52</td><td>10.33</td><td>32.04</td><td>400</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5716.00</td><td>95.37</td><td>-----</td><td>82.56</td><td>34.52</td><td>10.33</td><td>32.04</td><td>400</td><td>0 Average</td><td>HORIZONTAL</td><td></td></tr></tbody></table>  No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Data: 2 Level (dBm/100kHz) Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218552- VERTICAL Project : 88W-1000.0000Hz VSW:3000.0000Hz SWT:Auto Mode : 04 Plane : X Full-directivity IMET : #41 PowerSetting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 * 5716.00</td><td>98.71</td><td>30.41</td><td>68.30</td><td>85.90</td><td>34.52</td><td>10.33</td><td>32.04</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2 5716.00</td><td>90.67</td><td>-----</td><td>77.86</td><td>34.52</td><td>10.33</td><td>32.04</td><td>100</td><td>0 Average</td><td>VERTICAL</td><td></td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	Limit	Level	Factor	Loss	Factor	dB	dB	dB	dB	1 * 5716.00	103.49	35.19	68.30	99.68	34.52	10.33	32.04	400	0 Peak	HORIZONTAL	2 5716.00	95.37	-----	82.56	34.52	10.33	32.04	400	0 Average	HORIZONTAL		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	Limit	Level	Factor	Loss	Factor	dB	dB	dB	dB	1 * 5716.00	98.71	30.41	68.30	85.90	34.52	10.33	32.04	100	0 Peak	VERTICAL	2 5716.00	90.67	-----	77.86	34.52	10.33	32.04	100	0 Average	VERTICAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																														
MHz	dBm/100kHz	Limit	Level	Factor	Loss	Factor	dB	dB	dB	dB																																																																															
1 * 5716.00	103.49	35.19	68.30	99.68	34.52	10.33	32.04	400	0 Peak	HORIZONTAL																																																																															
2 5716.00	95.37	-----	82.56	34.52	10.33	32.04	400	0 Average	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																															
MHz	dBm/100kHz	Limit	Level	Factor	Loss	Factor	dB	dB	dB	dB																																																																															
1 * 5716.00	98.71	30.41	68.30	85.90	34.52	10.33	32.04	100	0 Peak	VERTICAL																																																																															
2 5716.00	90.67	-----	77.86	34.52	10.33	32.04	100	0 Average	VERTICAL																																																																																





UNII-2C - Straddle Channel
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																																
ANT	802.11ax HE40 Full CH142 5710MHz - L																																																																																																
1	Horizontal	Vertical																																																																																															
Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Data: 1 Level (dBm/100kHz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 Frequency (MHz) 5G BAND 1-3 -60dB Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218552- HORIZONTAL Project : 88W-1000.0000Hz VSW:3000.0000Hz SWT:Auto Mode : 85 Plane : X Full-directivity IMEI : #41 PowerSetting : 8 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 *</td><td>5710.00</td><td>98.04</td><td>29.74</td><td>68.30</td><td>85.23</td><td>34.52</td><td>10.33</td><td>32.04</td><td>400</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5710.00</td><td>91.14</td><td>-----</td><td>-----</td><td>78.33</td><td>34.52</td><td>10.33</td><td>32.04</td><td>400</td><td>0 Average</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Data: 2 Level (dBm/100kHz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 Frequency (MHz) 5G BAND 1-3 -60dB Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218552- VERTICAL Project : 88W-1000.0000Hz VSW:3000.0000Hz SWT:Auto Mode : 85 Plane : X Full-directivity IMEI : #41 PowerSetting : 8 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 *</td><td>5710.00</td><td>96.70</td><td>28.40</td><td>68.30</td><td>83.89</td><td>34.52</td><td>10.33</td><td>32.04</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5710.00</td><td>89.67</td><td>-----</td><td>-----</td><td>76.86</td><td>34.52</td><td>10.33</td><td>32.04</td><td>100</td><td>0 Average</td><td>VERTICAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas		MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	dB	dB	dB	1 *	5710.00	98.04	29.74	68.30	85.23	34.52	10.33	32.04	400	0 Peak	HORIZONTAL	2	5710.00	91.14	-----	-----	78.33	34.52	10.33	32.04	400	0 Average	HORIZONTAL		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas		MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	dB	dB	dB	1 *	5710.00	96.70	28.40	68.30	83.89	34.52	10.33	32.04	100	0 Peak	VERTICAL	2	5710.00	89.67	-----	-----	76.86	34.52	10.33	32.04	100	0 Average	VERTICAL
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																					
	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	dB	dB	dB																																																																																						
1 *	5710.00	98.04	29.74	68.30	85.23	34.52	10.33	32.04	400	0 Peak	HORIZONTAL																																																																																						
2	5710.00	91.14	-----	-----	78.33	34.52	10.33	32.04	400	0 Average	HORIZONTAL																																																																																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																						
	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	dB	dB	dB																																																																																						
1 *	5710.00	96.70	28.40	68.30	83.89	34.52	10.33	32.04	100	0 Peak	VERTICAL																																																																																						
2	5710.00	89.67	-----	-----	76.86	34.52	10.33	32.04	100	0 Average	VERTICAL																																																																																						






UNII-2C – Straddle Channel
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																								
ANT	802.11ax CH138 5690MHz - L																																																																																								
1	Horizontal	Vertical																																																																																							
Peak	 Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218552- HORIZONTAL Power : 18W/1000.0000Hz VSW:3000.0000Hz SWT:Auto Project : (FR261401-01) Mode : 86 Plane : X Full-directivity IMET : #41 PowerSetting : 8 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th></tr></thead><tbody><tr><td>1 * 5690.00</td><td>98.94</td><td>30.44</td><td>68.30</td><td>84.18</td><td>34.52</td><td>10.33</td><td>32.06</td><td>400</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5680.00</td><td>90.93</td><td>-----</td><td>-----</td><td>78.17</td><td>34.52</td><td>10.33</td><td>32.06</td><td>400</td><td>0 Average</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218552- VERTICAL Power : 18W/1000.0000Hz VSW:3000.0000Hz SWT:Auto Project : (FR261401-01) Mode : 86 Plane : X Full-directivity IMET : #41 PowerSetting : 8 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th></tr></thead><tbody><tr><td>1 * 5704.00</td><td>98.39</td><td>30.09</td><td>68.30</td><td>85.60</td><td>34.52</td><td>10.33</td><td>32.06</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2 5704.00</td><td>90.68</td><td>-----</td><td>-----</td><td>77.89</td><td>34.52</td><td>10.33</td><td>32.06</td><td>100</td><td>0 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	1 * 5690.00	98.94	30.44	68.30	84.18	34.52	10.33	32.06	400	0 Peak	HORIZONTAL	2 5680.00	90.93	-----	-----	78.17	34.52	10.33	32.06	400	0 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	1 * 5704.00	98.39	30.09	68.30	85.60	34.52	10.33	32.06	100	0 Peak	VERTICAL	2 5704.00	90.68	-----	-----	77.89	34.52	10.33	32.06	100	0 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm																																																																															
1 * 5690.00	98.94	30.44	68.30	84.18	34.52	10.33	32.06	400	0 Peak	HORIZONTAL																																																																															
2 5680.00	90.93	-----	-----	78.17	34.52	10.33	32.06	400	0 Average	HORIZONTAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm																																																																															
1 * 5704.00	98.39	30.09	68.30	85.60	34.52	10.33	32.06	100	0 Peak	VERTICAL																																																																															
2 5704.00	90.68	-----	-----	77.89	34.52	10.33	32.06	100	0 Average	VERTICAL																																																																															



UNII-2C - Straddle Channel

WIFI 802.11a (Harmonic @ 3m)

WIFI		UNII-2C Straddle Channel Harmonic @ 3m																																																																																																																																																																																																		
ANT		802.11a CH144 5720MHz																																																																																																																																																																																																		
1	Horizontal	Vertical																																																																																																																																																																																																		
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 3 Level (dBm/100kHz) <table><tr><td>Site</td><td colspan="9">: 03CH06-K5</td></tr><tr><td>Condition</td><td colspan="9">: 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL</td></tr><tr><td>Project</td><td colspan="9">: 88W-3000-0000Hz VSW-3000-0000Hz SWT-Auto</td></tr><tr><td>Mode</td><td colspan="9">: (FREQ)61403-01</td></tr><tr><td>Plane</td><td colspan="9">: X</td></tr><tr><td>IMEI</td><td colspan="9">: Full-directivity</td></tr><tr><td>PowerSetting</td><td colspan="9">: #41</td></tr></table><table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11444.00</td><td>46.18</td><td>-27.82</td><td>74.00</td><td>54.59</td><td>38.26</td><td>14.87</td><td>61.54</td><td>300 0 Peak HORIZONTAL</td></tr></table> <td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 4 Level (dBm/100kHz) <table><tr><td>Site</td><td colspan="9">: 03CH06-K5</td></tr><tr><td>Condition</td><td colspan="9">: 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL</td></tr><tr><td>Project</td><td colspan="9">: 88W-3000-0000Hz VSW-3000-0000Hz SWT-Auto</td></tr><tr><td>Mode</td><td colspan="9">: (FREQ)61403-01</td></tr><tr><td>Plane</td><td colspan="9">: X</td></tr><tr><td>IMEI</td><td colspan="9">: Full-directivity</td></tr><tr><td>PowerSetting</td><td colspan="9">: #41</td></tr></table><table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11444.00</td><td>46.11</td><td>-27.89</td><td>74.00</td><td>54.52</td><td>38.26</td><td>14.87</td><td>61.54</td><td>100 0 Peak VERTICAL</td></tr></table> </td>	Site	: 03CH06-K5									Condition	: 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL									Project	: 88W-3000-0000Hz VSW-3000-0000Hz SWT-Auto									Mode	: (FREQ)61403-01									Plane	: X									IMEI	: Full-directivity									PowerSetting	: #41									Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm	dB	cm	deg		1 11444.00	46.18	-27.82	74.00	54.59	38.26	14.87	61.54	300 0 Peak HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 4 Level (dBm/100kHz) <table><tr><td>Site</td><td colspan="9">: 03CH06-K5</td></tr><tr><td>Condition</td><td colspan="9">: 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL</td></tr><tr><td>Project</td><td colspan="9">: 88W-3000-0000Hz VSW-3000-0000Hz SWT-Auto</td></tr><tr><td>Mode</td><td colspan="9">: (FREQ)61403-01</td></tr><tr><td>Plane</td><td colspan="9">: X</td></tr><tr><td>IMEI</td><td colspan="9">: Full-directivity</td></tr><tr><td>PowerSetting</td><td colspan="9">: #41</td></tr></table><table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11444.00</td><td>46.11</td><td>-27.89</td><td>74.00</td><td>54.52</td><td>38.26</td><td>14.87</td><td>61.54</td><td>100 0 Peak VERTICAL</td></tr></table>	Site	: 03CH06-K5									Condition	: 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL									Project	: 88W-3000-0000Hz VSW-3000-0000Hz SWT-Auto									Mode	: (FREQ)61403-01									Plane	: X									IMEI	: Full-directivity									PowerSetting	: #41									Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm	dB	cm	deg		1 11444.00	46.11	-27.89	74.00	54.52	38.26	14.87	61.54	100 0 Peak VERTICAL
	Site	: 03CH06-K5																																																																																																																																																																																																		
Condition	: 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL																																																																																																																																																																																																			
Project	: 88W-3000-0000Hz VSW-3000-0000Hz SWT-Auto																																																																																																																																																																																																			
Mode	: (FREQ)61403-01																																																																																																																																																																																																			
Plane	: X																																																																																																																																																																																																			
IMEI	: Full-directivity																																																																																																																																																																																																			
PowerSetting	: #41																																																																																																																																																																																																			
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																												
MHz	dBm/100kHz	dB	dBm/100kHz	dBm	dB	cm	deg																																																																																																																																																																																													
1 11444.00	46.18	-27.82	74.00	54.59	38.26	14.87	61.54	300 0 Peak HORIZONTAL																																																																																																																																																																																												
Site	: 03CH06-K5																																																																																																																																																																																																			
Condition	: 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL																																																																																																																																																																																																			
Project	: 88W-3000-0000Hz VSW-3000-0000Hz SWT-Auto																																																																																																																																																																																																			
Mode	: (FREQ)61403-01																																																																																																																																																																																																			
Plane	: X																																																																																																																																																																																																			
IMEI	: Full-directivity																																																																																																																																																																																																			
PowerSetting	: #41																																																																																																																																																																																																			
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																												
MHz	dBm/100kHz	dB	dBm/100kHz	dBm	dB	cm	deg																																																																																																																																																																																													
1 11444.00	46.11	-27.89	74.00	54.52	38.26	14.87	61.54	100 0 Peak VERTICAL																																																																																																																																																																																												