



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																				
ANT		802.11g CH12 2467MHz																																																																				
1		Vertical					Fundamental																																																															
Peak	Date: 15 Level (dBuV/m) Date: 2022-11-08 Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 000kHz VBW 3000 000kHz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 13.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.08</td><td>58.38</td><td>-15.62</td><td>74.00</td><td>51.02</td><td>32.39</td><td>6.53</td><td>31.56</td><td>131 359 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.08	58.38	-15.62	74.00	51.02	32.39	6.53	31.56	131 359 Peak	Date: 13 Level (dBuV/m) Date: 2022-11-08 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 000kHz VBW 3000 000kHz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 13.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>182.47</td><td>28.47</td><td>74.00</td><td>95.11</td><td>32.39</td><td>6.53</td><td>31.56</td><td>131 359 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	182.47	28.47	74.00	95.11	32.39	6.53	31.56	131 359 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2484.08	58.38	-15.62	74.00	51.02	32.39	6.53	31.56	131 359 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2467.00	182.47	28.47	74.00	95.11	32.39	6.53	31.56	131 359 Peak																																																													
Avg.	Date: 16 Level (dBuV/m) Date: 2022-11-08 Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 13.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>46.58</td><td>-7.58</td><td>54.00</td><td>39.14</td><td>32.39</td><td>6.53</td><td>31.56</td><td>131 359 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	46.58	-7.58	54.00	39.14	32.39	6.53	31.56	131 359 Average	Date: 14 Level (dBuV/m) Date: 2022-11-08 Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 13.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>92.74</td><td>58.74</td><td>54.00</td><td>85.38</td><td>32.39</td><td>6.53</td><td>31.56</td><td>131 359 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	92.74	58.74	54.00	85.38	32.39	6.53	31.56	131 359 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2483.52	46.58	-7.58	54.00	39.14	32.39	6.53	31.56	131 359 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2467.00	92.74	58.74	54.00	85.38	32.39	6.53	31.56	131 359 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11g CH13 2472MHz									
1	Horizontal					Fundamental				
Peak	Date: 15 Level (dBuV/m)									



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																				
ANT		802.11g CH13 2472MHz																																																																				
1		Vertical					Fundamental																																																															
Peak	Date: 19 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VBW 3000 000kHz Mode : 100301-03 SN : #20 G092310523860039 Plane : X with Accessory setting : GM power setting 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.32</td><td>58.43</td><td>-15.57</td><td>74.00</td><td>51.07</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 344 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.32	58.43	-15.57	74.00	51.07	32.39	6.53	31.56	134 344 Peak	Date: 17 Level (dBuV/m) Date: 2022-11-11 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VBW 3000 000kHz Mode : 100301-03 SN : #20 G092310523860039 Plane : X with Accessory setting : GM power setting 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>181.82</td><td>27.82</td><td>74.00</td><td>94.46</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 344 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	181.82	27.82	74.00	94.46	32.39	6.53	31.56	134 344 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2484.32	58.43	-15.57	74.00	51.07	32.39	6.53	31.56	134 344 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2472.00	181.82	27.82	74.00	94.46	32.39	6.53	31.56	134 344 Peak																																																													
Avg.	Date: 20 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 G092310523860039 Plane : X with Accessory setting : GM power setting 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.16</td><td>47.90</td><td>-6.10</td><td>54.00</td><td>40.54</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 344 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.16	47.90	-6.10	54.00	40.54	32.39	6.53	31.56	134 344 Average	Date: 18 Level (dBuV/m) Date: 2022-11-11 Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 G092310523860039 Plane : X with Accessory setting : GM power setting 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>92.23</td><td>36.23</td><td>54.00</td><td>84.87</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 344 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	92.23	36.23	54.00	84.87	32.39	6.53	31.56	134 344 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2484.16	47.90	-6.10	54.00	40.54	32.39	6.53	31.56	134 344 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2472.00	92.23	36.23	54.00	84.87	32.39	6.53	31.56	134 344 Average																																																													



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11n HT20 CH01 2412MHz																																																											
1	Horizontal	Fundamental																																																										
Peak	Date: 1 Level (dBuV/m) Date: 2022-09-28 Site Condition : 03CH02-S2 PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RBW:1000 000kHz VBW:3000 000kHz Project : 100301-03 Mode 20 SN : #22 G992366523870021 Plane : X with Accessory MCS0 power setting 16 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.49</td><td>54.79</td><td>-19.21</td><td>74.00</td><td>48.40</td><td>31.70</td><td>6.94</td><td>32.25</td><td>167</td><td>327 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2389.49	54.79	-19.21	74.00	48.40	31.70	6.94	32.25	167	327 Peak	Date: 3 Level (dBuV/m) Date: 2022-09-28 Site Condition : 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RBW:1000 000kHz VBW:3000 000kHz Project : 100301-03 Mode 20 SN : #22 G992366523870021 Plane : X with Accessory MCS0 power setting 16 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>108.61</td><td>54.61</td><td>74.00</td><td>182.11</td><td>31.80</td><td>6.94</td><td>32.24</td><td>167</td><td>327 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2412.00	108.61	54.61	74.00	182.11	31.80	6.94	32.24	167	327 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2389.49	54.79	-19.21	74.00	48.40	31.70	6.94	32.25	167	327 Peak																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2412.00	108.61	54.61	74.00	182.11	31.80	6.94	32.24	167	327 Peak																																																		
Avg.	Date: 2 Level (dBuV/m) Date: 2022-09-28 Site Condition : 03CH02-S2 AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RBW:1000 000kHz VBW:0.010kHz Project : 100301-03 Mode 20 SN : #22 G992366523870021 Plane : X with Accessory MCS0 power setting 16 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2398.00</td><td>43.45</td><td>-18.55</td><td>54.00</td><td>37.95</td><td>31.70</td><td>6.94</td><td>32.24</td><td>167</td><td>327 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2398.00	43.45	-18.55	54.00	37.95	31.70	6.94	32.24	167	327 Average	Date: 4 Level (dBuV/m) Date: 2022-09-28 Site Condition : 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RBW:1000 000kHz VBW:0.010kHz Project : 100301-03 Mode 20 SN : #22 G992366523870021 Plane : X with Accessory MCS0 power setting 16 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>97.92</td><td>43.92</td><td>54.00</td><td>91.42</td><td>31.80</td><td>6.94</td><td>32.24</td><td>167</td><td>327 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2412.00	97.92	43.92	54.00	91.42	31.80	6.94	32.24	167	327 Average
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2398.00	43.45	-18.55	54.00	37.95	31.70	6.94	32.24	167	327 Average																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2412.00	97.92	43.92	54.00	91.42	31.80	6.94	32.24	167	327 Average																																																		





WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT		802.11n HT20 CH01 2412MHz									
1		Vertical					Fundamental				
Peak	Date: 5 Level (dBuV/m) </										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11n HT20 CH06 2437MHz - L																																																													
1	Horizontal	Fundamental																																																												
Peak	Date: 1 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL Project : RSW 1000.000kHz VBW 3000.000kHz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : MCS2 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.98</td><td>54.86</td><td>-19.94</td><td>74.00</td><td>46.99</td><td>32.36</td><td>6.44</td><td>31.73</td><td>110 117 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2387.98	54.86	-19.94	74.00	46.99	32.36	6.44	31.73	110 117 Peak	Date: 3 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL Project : RSW 1000.000kHz VBW 3000.000kHz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : MCS2 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>189.69</td><td>35.69</td><td>74.00</td><td>182.58</td><td>32.38</td><td>6.48</td><td>31.67</td><td>110 117 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	189.69	35.69	74.00	182.58	32.38	6.48	31.67	110 117 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2387.98	54.86	-19.94	74.00	46.99	32.36	6.44	31.73	110 117 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2437.00	189.69	35.69	74.00	182.58	32.38	6.48	31.67	110 117 Peak																																																					
Avg.	Date: 2 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_BE_74.3m HF_ANT_3117_0107 HORIZONTAL Project : RSW 1000.000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : MCS2 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.94</td><td>43.98</td><td>-18.18</td><td>54.00</td><td>36.83</td><td>32.36</td><td>6.44</td><td>31.73</td><td>110 117 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.94	43.98	-18.18	54.00	36.83	32.36	6.44	31.73	110 117 Average	Date: 4 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_74.3m HF_ANT_3117_0107 HORIZONTAL Project : RSW 1000.000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : MCS2 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>188.84</td><td>46.84</td><td>54.00</td><td>92.85</td><td>32.38</td><td>6.48</td><td>31.67</td><td>110 117 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	188.84	46.84	54.00	92.85	32.38	6.48	31.67	110 117 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2389.94	43.98	-18.18	54.00	36.83	32.36	6.44	31.73	110 117 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2437.00	188.84	46.84	54.00	92.85	32.38	6.48	31.67	110 117 Average																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT	802.11n HT20 CH06 2437MHz - R																																		
1	Horizontal	Fundamental																																	
Peak	Date: 5 Level (dBuV/m) Date: 2022-11-09  Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RENV-1000 000KHz VEW-3000 000KHz Mode : 100301-03 SN : 400 0002370523860039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.18</td><td>54.65</td><td>-19.35</td><td>74.00</td><td>47.29</td><td>32.39</td><td>6.53</td><td>33.56</td><td>110</td><td>117 Peak</td></tr></table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2484.18	54.65	-19.35	74.00	47.29	32.39	6.53	33.56	110	117 Peak	Left blank
	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																										
1	2484.18	54.65	-19.35	74.00	47.29	32.39	6.53	33.56	110	117 Peak																									
Avg.	Date: 6 Level (dBuV/m) Date: 2022-11-09  Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RENV-1000 000KHz VEW-0 0100KHz Mode : 100301-03 SN : 400 0002370523860039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.83</td><td>43.75</td><td>-18.27</td><td>54.00</td><td>36.37</td><td>32.39</td><td>6.53</td><td>33.56</td><td>110</td><td>117 Average</td></tr></table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.83	43.75	-18.27	54.00	36.37	32.39	6.53	33.56	110	117 Average	Left blank
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																										
1	2483.83	43.75	-18.27	54.00	36.37	32.39	6.53	33.56	110	117 Average																									



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11n HT20 CH06 2437MHz - L																																																													
1	Vertical	Fundamental																																																												
Peak	Date: 7 Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000.000kHz VBW 3000.000kHz Mode : 100301-03 SN : #20 0592370523860039 Plane : X with Accessory setting : MCS9 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2363.06</td><td>52.66</td><td>-21.34</td><td>74.00</td><td>45.74</td><td>32.34</td><td>6.37</td><td>31.79</td><td>112 344 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2363.06	52.66	-21.34	74.00	45.74	32.34	6.37	31.79	112 344 Peak	Date: 9 Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_74.3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000.000kHz VBW 3000.000kHz Mode : 100301-03 SN : #20 0592370523860039 Plane : X with Accessory setting : MCS9 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>186.59</td><td>32.59</td><td>74.00</td><td>99.40</td><td>32.38</td><td>6.48</td><td>31.67</td><td>112 344 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	186.59	32.59	74.00	99.40	32.38	6.48	31.67	112 344 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2363.06	52.66	-21.34	74.00	45.74	32.34	6.37	31.79	112 344 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2437.00	186.59	32.59	74.00	99.40	32.38	6.48	31.67	112 344 Peak																																																					
Avg.	Date: 8 Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_BE_74.3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000.000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 0592370523860039 Plane : X with Accessory setting : MCS9 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.94</td><td>42.52</td><td>-11.48</td><td>54.00</td><td>35.45</td><td>32.36</td><td>6.44</td><td>31.73</td><td>112 344 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.94	42.52	-11.48	54.00	35.45	32.36	6.44	31.73	112 344 Average	Date: 10 Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_74.3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000.000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 0592370523860039 Plane : X with Accessory setting : MCS9 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>97.11</td><td>43.11</td><td>54.00</td><td>89.92</td><td>32.38</td><td>6.48</td><td>31.67</td><td>112 344 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	97.11	43.11	54.00	89.92	32.38	6.48	31.67	112 344 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2389.94	42.52	-11.48	54.00	35.45	32.36	6.44	31.73	112 344 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2437.00	97.11	43.11	54.00	89.92	32.38	6.48	31.67	112 344 Average																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																									
ANT	802.11n HT20 CH06 2437MHz - R																																									
1	Vertical						Fundamental																																			
Peak	Date: 11 Level (dBuV/m) 120 108.4 93.8 78.1 62.5 46.9 31.3 15.6 2430 2444 2458 2472 2486 2500 Frequency (MHz) Date: 2022-11-09 PEAK_BE_74 Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 21 SN : #20 GR92370523860039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.68</td><td>54.56</td><td>-19.44</td><td>74.00</td><td>47.19</td><td>32.40</td><td>6.53</td><td>33.56</td><td>112</td><td>344</td><td>Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2487.68	54.56	-19.44	74.00	47.19	32.40	6.53	33.56	112	344	Peak	Left Blank
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																		
1	2487.68	54.56	-19.44	74.00	47.19	32.40	6.53	33.56	112	344	Peak																															
Avg.	Date: 12 Level (dBuV/m) 120 108.4 93.8 78.1 62.5 46.9 31.3 15.6 2430 2444 2458 2472 2486 2500 Frequency (MHz) Date: 2022-11-09 AVG_BE_54 Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 21 SN : #20 GR92370523860039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.83</td><td>42.78</td><td>-11.38</td><td>54.00</td><td>35.34</td><td>32.39</td><td>6.53</td><td>33.56</td><td>112</td><td>344</td><td>Average</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2483.83	42.78	-11.38	54.00	35.34	32.39	6.53	33.56	112	344	Average	Left Blank
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																		
1	2483.83	42.78	-11.38	54.00	35.34	32.39	6.53	33.56	112	344	Average																															



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT20 CH11 2462MHz									
1	Horizontal					Fundamental				
Peak	Date: 3 Level (dBuV/m)									



WIFI		2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																												
ANT		802.11n HT20 CH11 2462MHz																																																												
1	Vertical	Fundamental																																																												
Peak	Date: 7 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW-1000 000kHz VBW 3000 000kHz Mode : 100301-03 SN : #20 092310523860039 Plane : X with Accessory setting : MCS2 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>55.30</td><td>-18.78</td><td>74.00</td><td>47.94</td><td>32.39</td><td>6.53</td><td>31.56</td><td>100 344 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	55.30	-18.78	74.00	47.94	32.39	6.53	31.56	100 344 Peak	Date: 5 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW-1000 000kHz VBW 3000 000kHz Mode : 100301-03 SN : #20 092310523860039 Plane : X with Accessory setting : MCS2 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>187.17</td><td>33.17</td><td>74.00</td><td>99.92</td><td>32.39</td><td>6.48</td><td>31.62</td><td>100 344 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	187.17	33.17	74.00	99.92	32.39	6.48	31.62	100 344 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2462.00	55.30	-18.78	74.00	47.94	32.39	6.53	31.56	100 344 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2462.00	187.17	33.17	74.00	99.92	32.39	6.48	31.62	100 344 Peak																																																					
Avg.	Date: 8 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW-1000 000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 092310523860039 Plane : X with Accessory setting : MCS2 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2463.96</td><td>43.92</td><td>-18.88</td><td>54.00</td><td>36.56</td><td>32.39</td><td>6.53</td><td>31.56</td><td>100 344 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2463.96	43.92	-18.88	54.00	36.56	32.39	6.53	31.56	100 344 Average	Date: 6 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW-1000 000kHz VBW 0.010kHz Mode : 100301-03 SN : #20 092310523860039 Plane : X with Accessory setting : MCS2 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.49</td><td>42.49</td><td>54.00</td><td>89.24</td><td>32.39</td><td>6.48</td><td>31.62</td><td>100 344 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.49	42.49	54.00	89.24	32.39	6.48	31.62	100 344 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2463.96	43.92	-18.88	54.00	36.56	32.39	6.53	31.56	100 344 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2462.00	96.49	42.49	54.00	89.24	32.39	6.48	31.62	100 344 Average																																																					







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11n HT20 CH12 2467MHz																																																													
1	Horizontal	Fundamental																																																												
Peak	Date: 3 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSNW 1000 0000Hz VSW 3000 0000Hz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : MCS2 power setting 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>64.87</td><td>-9.93</td><td>74.00</td><td>56.71</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 124 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	64.87	-9.93	74.00	56.71	32.39	6.53	31.56	134 124 Peak	Date: 1 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSNW 1000 0000Hz VSW 3000 0000Hz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : MCS2 power setting 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>187.88</td><td>33.88</td><td>74.00</td><td>100.44</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 124 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	187.88	33.88	74.00	100.44	32.39	6.53	31.56	134 124 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2483.68	64.87	-9.93	74.00	56.71	32.39	6.53	31.56	134 124 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2467.00	187.88	33.88	74.00	100.44	32.39	6.53	31.56	134 124 Peak																																																					
Avg.	Date: 4 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RSNW 1000 0000Hz VSW 0.0100Hz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : MCS2 power setting 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>58.96</td><td>-3.84</td><td>54.00</td><td>43.68</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 124 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	58.96	-3.84	54.00	43.68	32.39	6.53	31.56	134 124 Average	Date: 2 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RSNW 1000 0000Hz VSW 0.0100Hz Mode : 100301-03 SN : #20 G092370523860039 Plane : X with Accessory setting : MCS2 power setting 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>98.87</td><td>44.87</td><td>54.00</td><td>98.71</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 124 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	98.87	44.87	54.00	98.71	32.39	6.53	31.56	134 124 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2483.52	58.96	-3.84	54.00	43.68	32.39	6.53	31.56	134 124 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2467.00	98.87	44.87	54.00	98.71	32.39	6.53	31.56	134 124 Average																																																					



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																												
ANT		802.11n HT20 CH12 2467MHz																																																												
1	Vertical	Fundamental																																																												
Peak	Date: 7 Level (dBuV/m) Date: 2022-11-09 120 108.4 93.8 78.1 62.5 46.9 31.3 15.6 2460 2468 2476 2484 2492 2500 Frequency (MHz) PEAK_BE_74 Site Condition : 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 0000kHz VBW 3000 0000kHz Mode : 100301-03 SN : #01 0502310523860039 Plane : X with Accessory setting : MCS2 power setting 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.08</td><td>61.87</td><td>-12.13</td><td>74.00</td><td>54.51</td><td>32.39</td><td>6.53</td><td>31.56</td><td>131 343 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.08	61.87	-12.13	74.00	54.51	32.39	6.53	31.56	131 343 Peak	Date: 5 Level (dBuV/m) Date: 2022-11-09 120 108.4 93.8 78.1 62.5 46.9 31.3 15.6 1000 1400 1800 2200 2600 3000 Frequency (MHz) PEAK_74 Site Condition : 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 0000kHz VBW 3000 0000kHz Mode : 100301-03 SN : #01 0502310523860039 Plane : X with Accessory setting : MCS2 power setting 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>104.31</td><td>30.31</td><td>74.00</td><td>96.95</td><td>32.39</td><td>6.53</td><td>31.56</td><td>131 343 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	104.31	30.31	74.00	96.95	32.39	6.53	31.56	131 343 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2484.08	61.87	-12.13	74.00	54.51	32.39	6.53	31.56	131 343 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2467.00	104.31	30.31	74.00	96.95	32.39	6.53	31.56	131 343 Peak																																																					
Avg.	Date: 8 Level (dBuV/m) Date: 2022-11-09 120 108.4 93.8 78.1 62.5 46.9 31.3 15.6 2460 2468 2476 2484 2492 2500 Frequency (MHz) AVG_BE_54 Site Condition : 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 0000kHz VBW 0.0100kHz Mode : 100301-03 SN : #01 0502310523860039 Plane : X with Accessory setting : MCS2 power setting 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>48.98</td><td>-5.82</td><td>54.00</td><td>41.62</td><td>32.39</td><td>6.53</td><td>31.56</td><td>131 343 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	48.98	-5.82	54.00	41.62	32.39	6.53	31.56	131 343 Average	Date: 6 Level (dBuV/m) Date: 2022-11-09 120 108.4 93.8 78.1 62.5 46.9 31.3 15.6 1000 1400 1800 2200 2600 3000 Frequency (MHz) AVG_54 Site Condition : 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 0000kHz VBW 0.0100kHz Mode : 100301-03 SN : #01 0502310523860039 Plane : X with Accessory setting : MCS2 power setting 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>94.38</td><td>40.38</td><td>54.00</td><td>86.94</td><td>32.39</td><td>6.53</td><td>31.56</td><td>131 343 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	94.38	40.38	54.00	86.94	32.39	6.53	31.56	131 343 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2483.52	48.98	-5.82	54.00	41.62	32.39	6.53	31.56	131 343 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2467.00	94.38	40.38	54.00	86.94	32.39	6.53	31.56	131 343 Average																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11n HT20 CH13 2472MHz																																																													
1	Horizontal	Fundamental																																																												
Peak	Date: 11 Level (dBuV/m) Date: 2022-11-09  Site Condition Project Mode SN Plane setting 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSW-1000 0000Hz VSW-3000 0000Hz 100301-03 Mode 24 #20 G092370523860039 X with Accessory MCS9 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>69.83</td><td>-13.17</td><td>74.00</td><td>53.47</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 115 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	69.83	-13.17	74.00	53.47	32.39	6.53	31.56	134 115 Peak	Date: 9 Level (dBuV/m) Date: 2022-11-09  Site Condition Project Mode SN Plane setting 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSW-1000 0000Hz VSW-3000 0000Hz 100301-03 Mode 24 #20 G092370523860039 X with Accessory MCS9 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>182.47</td><td>28.47</td><td>74.00</td><td>95.11</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 115 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	182.47	28.47	74.00	95.11	32.39	6.53	31.56	134 115 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2483.56	69.83	-13.17	74.00	53.47	32.39	6.53	31.56	134 115 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2472.00	182.47	28.47	74.00	95.11	32.39	6.53	31.56	134 115 Peak																																																					
Avg.	Date: 12 Level (dBuV/m) Date: 2022-11-11  Site Condition Project Mode SN Plane setting 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSW-1000 0000Hz VSW-0.0100Hz 100301-03 Mode 24 #20 G092370523860039 X with Accessory MCS9 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>58.81</td><td>-3.19</td><td>54.00</td><td>43.45</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 115 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	58.81	-3.19	54.00	43.45	32.39	6.53	31.56	134 115 Average	Date: 10 Level (dBuV/m) Date: 2022-11-09  Site Condition Project Mode SN Plane setting 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSW-1000 0000Hz VSW-0.0100Hz 100301-03 Mode 24 #20 G092370523860039 X with Accessory MCS9 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>92.67</td><td>38.67</td><td>54.00</td><td>85.31</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 115 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	92.67	38.67	54.00	85.31	32.39	6.53	31.56	134 115 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2483.52	58.81	-3.19	54.00	43.45	32.39	6.53	31.56	134 115 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2472.00	92.67	38.67	54.00	85.31	32.39	6.53	31.56	134 115 Average																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11n HT20 CH13 2472MHz																																																													
1	Vertical	Fundamental																																																												
Peak	Date: 15 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RDW 1000.000kHz VBW 3000.000kHz Project : 100301-03 Mode : Mode 24 SN : #20 G992370523860039 Plane : X with Accessory setting : MCS9 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.84</td><td>58.21</td><td>-15.79</td><td>74.00</td><td>59.85</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 345 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2484.84	58.21	-15.79	74.00	59.85	32.39	6.53	31.56	134 345 Peak	Date: 13 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RDW 1000.000kHz VBW 3000.000kHz Project : 100301-03 Mode : Mode 24 SN : #20 G992370523860039 Plane : X with Accessory setting : MCS9 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>58.48</td><td>-14.48</td><td>74.00</td><td>61.04</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 345 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2472.00	58.48	-14.48	74.00	61.04	32.39	6.53	31.56	134 345 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2484.84	58.21	-15.79	74.00	59.85	32.39	6.53	31.56	134 345 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2472.00	58.48	-14.48	74.00	61.04	32.39	6.53	31.56	134 345 Peak																																																					
Avg.	Date: 16 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RDW 1000.000kHz VBW 0.010kHz Project : 100301-03 Mode : Mode 24 SN : #20 G992370523860039 Plane : X with Accessory setting : MCS9 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.52</td><td>48.32</td><td>-5.68</td><td>54.00</td><td>48.96</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 345 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2483.52	48.32	-5.68	54.00	48.96	32.39	6.53	31.56	134 345 Average	Date: 14 Level (dBuV/m) Date: 2022-11-09 Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RDW 1000.000kHz VBW 0.010kHz Project : 100301-03 Mode : Mode 24 SN : #20 G992370523860039 Plane : X with Accessory setting : MCS9 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>48.58</td><td>-5.42</td><td>54.00</td><td>49.22</td><td>32.39</td><td>6.53</td><td>31.56</td><td>134 345 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2472.00	48.58	-5.42	54.00	49.22	32.39	6.53	31.56	134 345 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2483.52	48.32	-5.68	54.00	48.96	32.39	6.53	31.56	134 345 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2472.00	48.58	-5.42	54.00	49.22	32.39	6.53	31.56	134 345 Average																																																					



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																													
ANT	802.11b CH01 2412MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	Date: 15 Level (dBuV/m) Date: 2022-11-12 Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 10 SN : #20 G092376523860039 Plane : X with Accessory setting : 1M power setting 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.45</td><td>-38.55</td><td>74.00</td><td>57.48</td><td>54.48</td><td>9.47</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>6432.00</td><td>47.48</td><td>-25.52</td><td>74.00</td><td>59.00</td><td>55.76</td><td>10.76</td><td>58.04</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	4824.00	43.45	-38.55	74.00	57.48	54.48	9.47	57.98	--- Peak	2	6432.00	47.48	-25.52	74.00	59.00	55.76	10.76	58.04	--- Peak	Date: 16 Level (dBuV/m) Date: 2022-11-12 Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 10 SN : #20 G092376523860039 Plane : X with Accessory setting : 1M power setting 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>47.38</td><td>-26.78</td><td>74.00</td><td>63.33</td><td>54.48</td><td>9.47</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>6432.00</td><td>47.15</td><td>-26.85</td><td>74.00</td><td>58.07</td><td>55.76</td><td>10.76</td><td>58.04</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	4824.00	47.38	-26.78	74.00	63.33	54.48	9.47	57.98	--- Peak	2	6432.00	47.15	-26.85	74.00	58.07	55.76	10.76	58.04	--- Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																						
1	4824.00	43.45	-38.55	74.00	57.48	54.48	9.47	57.98	--- Peak																																																																					
2	6432.00	47.48	-25.52	74.00	59.00	55.76	10.76	58.04	--- Peak																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																						
1	4824.00	47.38	-26.78	74.00	63.33	54.48	9.47	57.98	--- Peak																																																																					
2	6432.00	47.15	-26.85	74.00	58.07	55.76	10.76	58.04	--- Peak																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11b CH06 2437MHz																																																																																																	
1	Horizontal					Vertical																																																																																												
Peak Avg.	Date: 21 Date: 2022-11-15 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 11 SN : #22 G99286922870021 Plane : X with Accessory setting : 1M power setting 15 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>Level Factor</th><th>Cable Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>43.42</td><td>-30.58</td><td>74.00</td><td>57.59</td><td>33.73</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.38</td><td>-27.64</td><td>74.00</td><td>57.78</td><td>35.72</td><td>12.33</td><td>59.47</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Limit	Over	Line	Level Factor	Cable Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	43.42	-30.58	74.00	57.59	33.73	18.80	57.98	---	Peak	2	7311.00	46.38	-27.64	74.00	57.78	35.72	12.33	59.47	---	Peak	Date: 22 Date: 2022-11-15 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 11 SN : #22 G99286922870021 Plane : X with Accessory setting : 1M power setting 15 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>Level Factor</th><th>Cable Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>46.60</td><td>-27.40</td><td>74.00</td><td>60.77</td><td>33.73</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.57</td><td>-27.43</td><td>74.00</td><td>57.99</td><td>35.72</td><td>12.33</td><td>59.47</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Limit	Over	Line	Level Factor	Cable Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	46.60	-27.40	74.00	60.77	33.73	18.80	57.98	---	Peak	2	7311.00	46.57	-27.43	74.00	57.99	35.72	12.33	59.47	---	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4874.00	43.42	-30.58	74.00	57.59	33.73	18.80	57.98	---	Peak																																																																																								
2	7311.00	46.38	-27.64	74.00	57.78	35.72	12.33	59.47	---	Peak																																																																																								
Freq	Level	Limit	Over	Line	Level Factor	Cable Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4874.00	46.60	-27.40	74.00	60.77	33.73	18.80	57.98	---	Peak																																																																																								
2	7311.00	46.57	-27.43	74.00	57.99	35.72	12.33	59.47	---	Peak																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																					
ANT	802.11b CH11 2462MHz																																																																																																					
1	Horizontal	Vertical																																																																																																				
Peak Avg.	Date: 10 Level (dBuV/m) Date: 2022-11-12 Date: 2022-11-12 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 12 SN : #20 G902316023900039 Plane : X with Accessory setting : 1M power setting 15 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>44.73</td><td>-29.27</td><td>74.00</td><td>58.73</td><td>34.34</td><td>9.56</td><td>57.98</td><td>Peak</td></tr><tr><td>2</td><td>6566.00</td><td>47.42</td><td>-26.58</td><td>74.00</td><td>59.80</td><td>35.35</td><td>10.63</td><td>58.24</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>44.71</td><td>-29.29</td><td>74.00</td><td>57.12</td><td>35.98</td><td>11.32</td><td>59.71</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4924.00	44.73	-29.27	74.00	58.73	34.34	9.56	57.98	Peak	2	6566.00	47.42	-26.58	74.00	59.80	35.35	10.63	58.24	Peak	3	7386.00	44.71	-29.29	74.00	57.12	35.98	11.32	59.71	Peak	Date: 10 Level (dBuV/m) Date: 2022-11-12 Date: 2022-11-12 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 12 SN : #20 G902316023900039 Plane : X with Accessory setting : 1M power setting 15 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>46.60</td><td>-27.40</td><td>74.00</td><td>60.60</td><td>34.34</td><td>9.56</td><td>57.98</td><td>Peak</td></tr><tr><td>2</td><td>6566.00</td><td>47.86</td><td>-26.14</td><td>74.00</td><td>59.44</td><td>35.35</td><td>10.63</td><td>58.24</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>44.15</td><td>-29.85</td><td>74.00</td><td>56.36</td><td>35.98</td><td>11.32</td><td>59.71</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4924.00	46.60	-27.40	74.00	60.60	34.34	9.56	57.98	Peak	2	6566.00	47.86	-26.14	74.00	59.44	35.35	10.63	58.24	Peak	3	7386.00	44.15	-29.85	74.00	56.36	35.98	11.32	59.71	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																														
1	4924.00	44.73	-29.27	74.00	58.73	34.34	9.56	57.98	Peak																																																																																													
2	6566.00	47.42	-26.58	74.00	59.80	35.35	10.63	58.24	Peak																																																																																													
3	7386.00	44.71	-29.29	74.00	57.12	35.98	11.32	59.71	Peak																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																														
1	4924.00	46.60	-27.40	74.00	60.60	34.34	9.56	57.98	Peak																																																																																													
2	6566.00	47.86	-26.14	74.00	59.44	35.35	10.63	58.24	Peak																																																																																													
3	7386.00	44.15	-29.85	74.00	56.36	35.98	11.32	59.71	Peak																																																																																													



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11b CH12 2467MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	Date: 27 Level (dBuV/m) Date: 2022-11-16 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 13 SN : #20 G90237052980039 Plane : X with Accessory setting : 1M power setting 17.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4934.00</td><td>45.68</td><td>-28.32</td><td>74.00</td><td>59.68</td><td>34.34</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4976.00</td><td>46.35</td><td>-27.65</td><td>74.00</td><td>57.93</td><td>35.07</td><td>10.63</td><td>58.26</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7481.00</td><td>45.58</td><td>-28.58</td><td>74.00</td><td>57.97</td><td>35.97</td><td>11.32</td><td>59.76</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	45.68	-28.32	74.00	59.68	34.34	9.56	57.98	---	Peak	2	4976.00	46.35	-27.65	74.00	57.93	35.07	10.63	58.26	---	Peak	3	7481.00	45.58	-28.58	74.00	57.97	35.97	11.32	59.76	---	Peak	Date: 28 Level (dBuV/m) Date: 2022-11-16 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 13 SN : #20 G90237052980039 Plane : X with Accessory setting : 1M power setting 17.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4934.00</td><td>47.26</td><td>-26.74</td><td>74.00</td><td>63.26</td><td>34.34</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4976.00</td><td>48.36</td><td>-25.64</td><td>74.00</td><td>59.36</td><td>35.07</td><td>10.63</td><td>58.26</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7481.00</td><td>45.58</td><td>-28.58</td><td>74.00</td><td>57.97</td><td>35.97</td><td>11.32</td><td>59.76</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	47.26	-26.74	74.00	63.26	34.34	9.56	57.98	---	Peak	2	4976.00	48.36	-25.64	74.00	59.36	35.07	10.63	58.26	---	Peak	3	7481.00	45.58	-28.58	74.00	57.97	35.97	11.32	59.76	---	Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4934.00	45.68	-28.32	74.00	59.68	34.34	9.56	57.98	---	Peak																																																																																																						
2	4976.00	46.35	-27.65	74.00	57.93	35.07	10.63	58.26	---	Peak																																																																																																						
3	7481.00	45.58	-28.58	74.00	57.97	35.97	11.32	59.76	---	Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4934.00	47.26	-26.74	74.00	63.26	34.34	9.56	57.98	---	Peak																																																																																																						
2	4976.00	48.36	-25.64	74.00	59.36	35.07	10.63	58.26	---	Peak																																																																																																						
3	7481.00	45.58	-28.58	74.00	57.97	35.97	11.32	59.76	---	Peak																																																																																																						



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																											
ANT	802.11b CH13 2472MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	Date: 23 PEAK_74 AVG_54 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 14 SN : #20 G90237052980039 Plane : X with Accessory setting : 1M power setting 14 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>43.91</td><td>-30.09</td><td>74.00</td><td>57.92</td><td>34.33</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6596.00</td><td>46.56</td><td>-27.44</td><td>74.00</td><td>58.51</td><td>35.89</td><td>10.61</td><td>58.27</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7416.00</td><td>44.16</td><td>-29.84</td><td>74.00</td><td>56.66</td><td>35.97</td><td>11.29</td><td>59.76</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	43.91	-30.09	74.00	57.92	34.33	9.56	57.98	---	Peak	2	6596.00	46.56	-27.44	74.00	58.51	35.89	10.61	58.27	---	Peak	3	7416.00	44.16	-29.84	74.00	56.66	35.97	11.29	59.76	---	Peak	Date: 24 PEAK_74 AVG_54 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 14 SN : #20 G90237052980039 Plane : X with Accessory setting : 1M power setting 14 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>43.63</td><td>-30.37</td><td>74.00</td><td>57.64</td><td>34.33</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6596.00</td><td>46.28</td><td>-27.72</td><td>74.00</td><td>58.27</td><td>35.89</td><td>10.61</td><td>58.27</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7416.00</td><td>44.47</td><td>-29.53</td><td>74.00</td><td>56.97</td><td>35.97</td><td>11.29</td><td>59.76</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	43.63	-30.37	74.00	57.64	34.33	9.56	57.98	---	Peak	2	6596.00	46.28	-27.72	74.00	58.27	35.89	10.61	58.27	---	Peak	3	7416.00	44.47	-29.53	74.00	56.97	35.97	11.29	59.76	---	Peak
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	4944.00	43.91	-30.09	74.00	57.92	34.33	9.56	57.98	---	Peak																																																																																																		
2	6596.00	46.56	-27.44	74.00	58.51	35.89	10.61	58.27	---	Peak																																																																																																		
3	7416.00	44.16	-29.84	74.00	56.66	35.97	11.29	59.76	---	Peak																																																																																																		
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	4944.00	43.63	-30.37	74.00	57.64	34.33	9.56	57.98	---	Peak																																																																																																		
2	6596.00	46.28	-27.72	74.00	58.27	35.89	10.61	58.27	---	Peak																																																																																																		
3	7416.00	44.47	-29.53	74.00	56.97	35.97	11.29	59.76	---	Peak																																																																																																		



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																													
ANT	802.11g CH01 2412MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	Date: 13 Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 15 SN : #20 G992376523860039 Plane : X with Accessory setting : GM power setting 17 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.73</td><td>-38.27</td><td>74.00</td><td>57.76</td><td>34.48</td><td>9.47</td><td>57.98</td><td>Peak</td></tr><tr><td>2</td><td>6632.00</td><td>47.38</td><td>-35.78</td><td>74.00</td><td>58.82</td><td>35.76</td><td>38.76</td><td>58.84</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	4824.00	43.73	-38.27	74.00	57.76	34.48	9.47	57.98	Peak	2	6632.00	47.38	-35.78	74.00	58.82	35.76	38.76	58.84	Peak	Date: 14 Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 15 SN : #20 G992376523860039 Plane : X with Accessory setting : GM power setting 17 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>45.63</td><td>-28.37</td><td>74.00</td><td>59.66</td><td>34.48</td><td>9.47</td><td>57.98</td><td>Peak</td></tr><tr><td>2</td><td>6632.00</td><td>48.23</td><td>-35.77</td><td>74.00</td><td>59.75</td><td>35.76</td><td>38.76</td><td>58.84</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	4824.00	45.63	-28.37	74.00	59.66	34.48	9.47	57.98	Peak	2	6632.00	48.23	-35.77	74.00	59.75	35.76	38.76	58.84	Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	4824.00	43.73	-38.27	74.00	57.76	34.48	9.47	57.98	Peak																																																																					
2	6632.00	47.38	-35.78	74.00	58.82	35.76	38.76	58.84	Peak																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	4824.00	45.63	-28.37	74.00	59.66	34.48	9.47	57.98	Peak																																																																					
2	6632.00	48.23	-35.77	74.00	59.75	35.76	38.76	58.84	Peak																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																													
ANT	802.11g CH06 2437MHz																																																																																																													
1	Horizontal					Vertical																																																																																																								
Peak Avg.	Date: 19 Level (dBuV/m) Date: 2022-11-12 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 16 SN : #20 G9237052980039 Plane : X with Accessory setting : GM power setting 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4274.00</td><td>42.47</td><td>-31.53</td><td>74.00</td><td>56.58</td><td>34.37</td><td>9.58</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>6498.00</td><td>49.71</td><td>-24.29</td><td>74.00</td><td>61.38</td><td>35.79</td><td>10.75</td><td>58.16</td><td>--- Peak</td></tr><tr><td>3</td><td>7311.00</td><td>45.86</td><td>-28.14</td><td>74.00</td><td>57.24</td><td>36.85</td><td>11.24</td><td>59.47</td><td>--- Peak</td></tr></table> Date: 20 Level (dBuV/m) Date: 2022-11-12 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 16 SN : #20 G9237052980039 Plane : X with Accessory setting : GM power setting 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4274.00</td><td>42.82</td><td>-31.18</td><td>74.00</td><td>56.85</td><td>34.37</td><td>9.58</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>6498.00</td><td>47.38</td><td>-26.62</td><td>74.00</td><td>58.37</td><td>35.79</td><td>10.75</td><td>58.16</td><td>--- Peak</td></tr><tr><td>3</td><td>7311.00</td><td>44.18</td><td>-29.82</td><td>74.00</td><td>56.36</td><td>36.85</td><td>11.24</td><td>59.47</td><td>--- Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4274.00	42.47	-31.53	74.00	56.58	34.37	9.58	57.98	--- Peak	2	6498.00	49.71	-24.29	74.00	61.38	35.79	10.75	58.16	--- Peak	3	7311.00	45.86	-28.14	74.00	57.24	36.85	11.24	59.47	--- Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4274.00	42.82	-31.18	74.00	56.85	34.37	9.58	57.98	--- Peak	2	6498.00	47.38	-26.62	74.00	58.37	35.79	10.75	58.16	--- Peak	3	7311.00	44.18	-29.82	74.00	56.36	36.85	11.24	59.47	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																						
1	4274.00	42.47	-31.53	74.00	56.58	34.37	9.58	57.98	--- Peak																																																																																																					
2	6498.00	49.71	-24.29	74.00	61.38	35.79	10.75	58.16	--- Peak																																																																																																					
3	7311.00	45.86	-28.14	74.00	57.24	36.85	11.24	59.47	--- Peak																																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																						
1	4274.00	42.82	-31.18	74.00	56.85	34.37	9.58	57.98	--- Peak																																																																																																					
2	6498.00	47.38	-26.62	74.00	58.37	35.79	10.75	58.16	--- Peak																																																																																																					
3	7311.00	44.18	-29.82	74.00	56.36	36.85	11.24	59.47	--- Peak																																																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.	Date: 15 Level (dBuV/m) <	



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11g CH12 2467MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	Date: 27 Level (dBuV/m) Date: 2022-11-12 Frequency (MHz) Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 18 SN : #20 G9237052980039 Plane : X with Accessory setting : GM power setting 13.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>42.14</td><td>-31.86</td><td>74.00</td><td>56.14</td><td>34.34</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6576.00</td><td>47.39</td><td>-26.61</td><td>74.00</td><td>59.57</td><td>35.57</td><td>10.61</td><td>58.26</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7481.00</td><td>45.13</td><td>-28.77</td><td>74.00</td><td>57.78</td><td>35.97</td><td>11.32</td><td>59.76</td><td>---</td><td>Peak</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4934.00	42.14	-31.86	74.00	56.14	34.34	9.56	57.98	---	Peak	2	6576.00	47.39	-26.61	74.00	59.57	35.57	10.61	58.26	---	Peak	3	7481.00	45.13	-28.77	74.00	57.78	35.97	11.32	59.76	---	Peak	Date: 28 Level (dBuV/m) Date: 2022-11-12 Frequency (MHz) Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 18 SN : #20 G9237052980039 Plane : X with Accessory setting : GM power setting 13.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>42.51</td><td>-31.49</td><td>74.00</td><td>56.51</td><td>34.34</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6576.00</td><td>45.49</td><td>-24.51</td><td>74.00</td><td>61.97</td><td>35.97</td><td>10.61</td><td>58.26</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7481.00</td><td>45.39</td><td>-28.61</td><td>74.00</td><td>57.86</td><td>35.97</td><td>11.32</td><td>59.76</td><td>---</td><td>Peak</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4934.00	42.51	-31.49	74.00	56.51	34.34	9.56	57.98	---	Peak	2	6576.00	45.49	-24.51	74.00	61.97	35.97	10.61	58.26	---	Peak	3	7481.00	45.39	-28.61	74.00	57.86	35.97	11.32	59.76	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																							
1	4934.00	42.14	-31.86	74.00	56.14	34.34	9.56	57.98	---	Peak																																																																																																						
2	6576.00	47.39	-26.61	74.00	59.57	35.57	10.61	58.26	---	Peak																																																																																																						
3	7481.00	45.13	-28.77	74.00	57.78	35.97	11.32	59.76	---	Peak																																																																																																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																							
1	4934.00	42.51	-31.49	74.00	56.51	34.34	9.56	57.98	---	Peak																																																																																																						
2	6576.00	45.49	-24.51	74.00	61.97	35.97	10.61	58.26	---	Peak																																																																																																						
3	7481.00	45.39	-28.61	74.00	57.86	35.97	11.32	59.76	---	Peak																																																																																																						



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m									
ANT	802.11g CH13 2472MHz									
1	Horizontal					Vertical				
Peak Avg.	Date: 27 Level (dBuV/m)									



2.4GHz 2400~2483.5MHz



WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH01 2412MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	Date: 7 PEAK_74 AVG_54 Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 20 SN : #20 G992376523860039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.88</td><td>42.63</td><td>-31.37</td><td>74.88</td><td>56.66</td><td>34.48</td><td>9.47</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>6632.88</td><td>47.36</td><td>-26.64</td><td>74.88</td><td>58.88</td><td>35.76</td><td>38.76</td><td>58.84</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.88	42.63	-31.37	74.88	56.66	34.48	9.47	57.98	--- Peak	2	6632.88	47.36	-26.64	74.88	58.88	35.76	38.76	58.84	--- Peak	Date: 8 PEAK_74 AVG_54 Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 20 SN : #20 G992376523860039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.88</td><td>42.68</td><td>-31.48</td><td>74.88</td><td>56.63</td><td>34.48</td><td>9.47</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>6632.88</td><td>47.89</td><td>-26.11</td><td>74.88</td><td>59.41</td><td>35.76</td><td>38.76</td><td>58.84</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.88	42.68	-31.48	74.88	56.63	34.48	9.47	57.98	--- Peak	2	6632.88	47.89	-26.11	74.88	59.41	35.76	38.76	58.84	--- Peak
	Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	4824.88	42.63	-31.37	74.88	56.66	34.48	9.47	57.98	--- Peak																																																																									
2	6632.88	47.36	-26.64	74.88	58.88	35.76	38.76	58.84	--- Peak																																																																									
Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	4824.88	42.68	-31.48	74.88	56.63	34.48	9.47	57.98	--- Peak																																																																									
2	6632.88	47.89	-26.11	74.88	59.41	35.76	38.76	58.84	--- Peak																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11n HT20 CH06 2437MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	Date: 19 Date: 2022-11-12 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 21 SN : #20 G90237052980039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4274.00</td><td>43.67</td><td>-32.33</td><td>74.00</td><td>55.79</td><td>34.37</td><td>9.58</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4428.00</td><td>47.38</td><td>-26.62</td><td>74.00</td><td>58.97</td><td>35.79</td><td>10.78</td><td>58.16</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>45.45</td><td>-28.55</td><td>74.00</td><td>57.63</td><td>36.85</td><td>11.24</td><td>59.47</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4274.00	43.67	-32.33	74.00	55.79	34.37	9.58	57.98	---	Peak	2	4428.00	47.38	-26.62	74.00	58.97	35.79	10.78	58.16	---	Peak	3	7311.00	45.45	-28.55	74.00	57.63	36.85	11.24	59.47	---	Peak	Date: 20 Date: 2022-11-12 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 21 SN : #20 G90237052980039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4274.00</td><td>42.27</td><td>-31.73</td><td>74.00</td><td>56.38</td><td>34.37</td><td>9.58</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4428.00</td><td>46.27</td><td>-27.73</td><td>74.00</td><td>59.36</td><td>35.79</td><td>10.78</td><td>58.16</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>45.90</td><td>-28.10</td><td>74.00</td><td>58.88</td><td>36.85</td><td>11.24</td><td>59.47</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4274.00	42.27	-31.73	74.00	56.38	34.37	9.58	57.98	---	Peak	2	4428.00	46.27	-27.73	74.00	59.36	35.79	10.78	58.16	---	Peak	3	7311.00	45.90	-28.10	74.00	58.88	36.85	11.24	59.47	---	Peak
	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4274.00	43.67	-32.33	74.00	55.79	34.37	9.58	57.98	---	Peak																																																																																																						
2	4428.00	47.38	-26.62	74.00	58.97	35.79	10.78	58.16	---	Peak																																																																																																						
3	7311.00	45.45	-28.55	74.00	57.63	36.85	11.24	59.47	---	Peak																																																																																																						
Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4274.00	42.27	-31.73	74.00	56.38	34.37	9.58	57.98	---	Peak																																																																																																						
2	4428.00	46.27	-27.73	74.00	59.36	35.79	10.78	58.16	---	Peak																																																																																																						
3	7311.00	45.90	-28.10	74.00	58.88	36.85	11.24	59.47	---	Peak																																																																																																						



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11n HT20 CH11 2462MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	Date: 7 Date: 2022-11-12  Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100001-03 Mode : Mode 22 SN : #20 G90231622960039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.56</td><td>-31.44</td><td>74.00</td><td>56.56</td><td>34.34</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6566.00</td><td>47.43</td><td>-26.57</td><td>74.00</td><td>59.83</td><td>35.85</td><td>18.81</td><td>58.24</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>45.76</td><td>-28.24</td><td>74.00</td><td>58.17</td><td>35.98</td><td>11.32</td><td>59.71</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	42.56	-31.44	74.00	56.56	34.34	9.56	57.98	---	Peak	2	6566.00	47.43	-26.57	74.00	59.83	35.85	18.81	58.24	---	Peak	3	7386.00	45.76	-28.24	74.00	58.17	35.98	11.32	59.71	---	Peak	Date: 8 Date: 2022-11-12  Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100001-03 Mode : Mode 22 SN : #20 G90231622960039 Plane : X with Accessory setting : MCS0 power setting 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>43.77</td><td>-30.23</td><td>74.00</td><td>57.77</td><td>34.34</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6566.00</td><td>48.61</td><td>-25.39</td><td>74.00</td><td>60.39</td><td>35.85</td><td>18.81</td><td>58.24</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>45.70</td><td>-28.30</td><td>74.00</td><td>58.11</td><td>35.98</td><td>11.32</td><td>59.71</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	43.77	-30.23	74.00	57.77	34.34	9.56	57.98	---	Peak	2	6566.00	48.61	-25.39	74.00	60.39	35.85	18.81	58.24	---	Peak	3	7386.00	45.70	-28.30	74.00	58.11	35.98	11.32	59.71	---	Peak
	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4924.00	42.56	-31.44	74.00	56.56	34.34	9.56	57.98	---	Peak																																																																																																						
2	6566.00	47.43	-26.57	74.00	59.83	35.85	18.81	58.24	---	Peak																																																																																																						
3	7386.00	45.76	-28.24	74.00	58.17	35.98	11.32	59.71	---	Peak																																																																																																						
Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4924.00	43.77	-30.23	74.00	57.77	34.34	9.56	57.98	---	Peak																																																																																																						
2	6566.00	48.61	-25.39	74.00	60.39	35.85	18.81	58.24	---	Peak																																																																																																						
3	7386.00	45.70	-28.30	74.00	58.11	35.98	11.32	59.71	---	Peak																																																																																																						



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11n HT20 CH12 2462MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	Date: 15 Level (dBuV/m) Date: 2022-11-12 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 23 SN : #20 G90231622960039 Plane : X with Accessory setting : MCS0 power setting 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>43.27</td><td>-38.73</td><td>74.00</td><td>57.27</td><td>34.34</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6576.00</td><td>48.53</td><td>-25.37</td><td>74.00</td><td>68.21</td><td>35.37</td><td>18.63</td><td>58.26</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7481.00</td><td>44.78</td><td>-29.38</td><td>74.00</td><td>57.17</td><td>35.97</td><td>11.32</td><td>59.76</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	43.27	-38.73	74.00	57.27	34.34	9.56	57.98	---	Peak	2	6576.00	48.53	-25.37	74.00	68.21	35.37	18.63	58.26	---	Peak	3	7481.00	44.78	-29.38	74.00	57.17	35.97	11.32	59.76	---	Peak	Date: 16 Level (dBuV/m) Date: 2022-11-12 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 23 SN : #20 G90231622960039 Plane : X with Accessory setting : MCS0 power setting 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>43.27</td><td>-38.73</td><td>74.00</td><td>57.27</td><td>34.34</td><td>9.56</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6576.00</td><td>48.51</td><td>-25.49</td><td>74.00</td><td>68.89</td><td>35.37</td><td>18.63</td><td>58.26</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7481.00</td><td>45.12</td><td>-28.88</td><td>74.00</td><td>57.39</td><td>35.97</td><td>11.32</td><td>59.76</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	43.27	-38.73	74.00	57.27	34.34	9.56	57.98	---	Peak	2	6576.00	48.51	-25.49	74.00	68.89	35.37	18.63	58.26	---	Peak	3	7481.00	45.12	-28.88	74.00	57.39	35.97	11.32	59.76	---	Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4934.00	43.27	-38.73	74.00	57.27	34.34	9.56	57.98	---	Peak																																																																																																						
2	6576.00	48.53	-25.37	74.00	68.21	35.37	18.63	58.26	---	Peak																																																																																																						
3	7481.00	44.78	-29.38	74.00	57.17	35.97	11.32	59.76	---	Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4934.00	43.27	-38.73	74.00	57.27	34.34	9.56	57.98	---	Peak																																																																																																						
2	6576.00	48.51	-25.49	74.00	68.89	35.37	18.63	58.26	---	Peak																																																																																																						
3	7481.00	45.12	-28.88	74.00	57.39	35.97	11.32	59.76	---	Peak																																																																																																						



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																				
ANT	802.11n HT20 CH13 2472MHz																																																																																																				
1	Horizontal	Vertical																																																																																																			
Peak Avg.	Date: 27 Level (dBuV/m) Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 24 SN : #20 G90237052980039 Plane : X with Accessory setting : MCS0 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>43.36</td><td>-38.64</td><td>74.00</td><td>57.37</td><td>34.33</td><td>9.56</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>6596.00</td><td>47.33</td><td>-28.68</td><td>74.00</td><td>58.69</td><td>35.69</td><td>10.63</td><td>58.27</td><td>--- Peak</td></tr><tr><td>3</td><td>7416.00</td><td>45.68</td><td>-28.32</td><td>74.00</td><td>58.18</td><td>35.97</td><td>11.29</td><td>59.76</td><td>--- Peak</td></tr></table> Date: 28 Level (dBuV/m) Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 24 SN : #20 G90237052980039 Plane : X with Accessory setting : MCS0 power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>42.99</td><td>-31.01</td><td>74.00</td><td>57.80</td><td>34.33</td><td>9.56</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>6596.00</td><td>46.74</td><td>-25.26</td><td>74.00</td><td>60.31</td><td>35.69</td><td>10.63</td><td>58.27</td><td>--- Peak</td></tr><tr><td>3</td><td>7416.00</td><td>44.79</td><td>-29.21</td><td>74.00</td><td>57.29</td><td>35.97</td><td>11.29</td><td>59.76</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	43.36	-38.64	74.00	57.37	34.33	9.56	57.98	--- Peak	2	6596.00	47.33	-28.68	74.00	58.69	35.69	10.63	58.27	--- Peak	3	7416.00	45.68	-28.32	74.00	58.18	35.97	11.29	59.76	--- Peak	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	42.99	-31.01	74.00	57.80	34.33	9.56	57.98	--- Peak	2	6596.00	46.74	-25.26	74.00	60.31	35.69	10.63	58.27	--- Peak	3	7416.00	44.79	-29.21	74.00	57.29	35.97	11.29	59.76	--- Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4944.00	43.36	-38.64	74.00	57.37	34.33	9.56	57.98	--- Peak																																																																																												
2	6596.00	47.33	-28.68	74.00	58.69	35.69	10.63	58.27	--- Peak																																																																																												
3	7416.00	45.68	-28.32	74.00	58.18	35.97	11.29	59.76	--- Peak																																																																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4944.00	42.99	-31.01	74.00	57.80	34.33	9.56	57.98	--- Peak																																																																																												
2	6596.00	46.74	-25.26	74.00	60.31	35.69	10.63	58.27	--- Peak																																																																																												
3	7416.00	44.79	-29.21	74.00	57.29	35.97	11.29	59.76	--- Peak																																																																																												



Emission below 1GHz
2.4GHz WIFI 802.11n HT20 (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																											
ANT	802.11n HT20 LF																																																																																																																																																																											
1	Horizontal	Vertical																																																																																																																																																																										
QP / Peak	Date: 1 Date: 2022-11-15 Site: 03CH02-SZ Condition: FCC CLASS-B 3m VULB9168-01001 HORIZONTAL Project: 120301-03 Mode: Mode 23 IMEI: #20 G092370523860039 Plane: X with Accessory MC90 power setting 14 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>89.17</td><td>28.04</td><td>-23.46</td><td>43.50</td><td>48.28</td><td>14.04</td><td>0.98</td><td>35.18</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>100.04</td><td>25.73</td><td>-17.77</td><td>43.50</td><td>44.32</td><td>16.51</td><td>0.98</td><td>35.18</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>137.12</td><td>27.18</td><td>-18.81</td><td>46.00</td><td>40.86</td><td>26.15</td><td>1.08</td><td>34.50</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>181.33</td><td>24.92</td><td>-21.08</td><td>46.00</td><td>31.48</td><td>25.43</td><td>2.63</td><td>34.14</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>828.31</td><td>27.97</td><td>-18.83</td><td>46.00</td><td>38.69</td><td>28.42</td><td>3.16</td><td>34.38</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>974.78</td><td>29.48</td><td>-24.52</td><td>54.00</td><td>39.21</td><td>29.99</td><td>3.43</td><td>34.15</td><td>---</td><td>Peak</td></tr></tbody></table>		Freq	Level	Line	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	89.17	28.04	-23.46	43.50	48.28	14.04	0.98	35.18	---	Peak	2	100.04	25.73	-17.77	43.50	44.32	16.51	0.98	35.18	---	Peak	3	137.12	27.18	-18.81	46.00	40.86	26.15	1.08	34.50	---	Peak	4	181.33	24.92	-21.08	46.00	31.48	25.43	2.63	34.14	---	Peak	5	828.31	27.97	-18.83	46.00	38.69	28.42	3.16	34.38	---	Peak	6	974.78	29.48	-24.52	54.00	39.21	29.99	3.43	34.15	---	Peak	Date: 2 Date: 2022-11-15 Site: 03CH02-SZ Condition: FCC CLASS-B 3m VULB9168-01001 VERTICAL Project: 120301-03 Mode: Mode 23 IMEI: #20 G092370523860039 Plane: X with Accessory MC90 power setting 14 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>36.79</td><td>26.66</td><td>-13.14</td><td>48.00</td><td>42.48</td><td>19.38</td><td>0.90</td><td>35.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>89.14</td><td>25.95</td><td>-17.35</td><td>43.50</td><td>46.23</td><td>13.92</td><td>0.98</td><td>35.18</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>136.88</td><td>39.48</td><td>-13.49</td><td>43.50</td><td>47.15</td><td>16.51</td><td>1.45</td><td>35.18</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>325.83</td><td>24.59</td><td>-21.41</td><td>46.00</td><td>37.15</td><td>29.44</td><td>2.09</td><td>34.98</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>683.27</td><td>25.47</td><td>-20.33</td><td>46.00</td><td>35.66</td><td>27.82</td><td>2.69</td><td>34.59</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>980.36</td><td>29.18</td><td>-24.82</td><td>54.00</td><td>29.71</td><td>38.13</td><td>3.46</td><td>34.12</td><td>---</td><td>Peak</td></tr></tbody></table>		Freq	Level	Line	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	36.79	26.66	-13.14	48.00	42.48	19.38	0.90	35.00	---	Peak	2	89.14	25.95	-17.35	43.50	46.23	13.92	0.98	35.18	---	Peak	3	136.88	39.48	-13.49	43.50	47.15	16.51	1.45	35.18	---	Peak	4	325.83	24.59	-21.41	46.00	37.15	29.44	2.09	34.98	---	Peak	5	683.27	25.47	-20.33	46.00	35.66	27.82	2.69	34.59	---	Peak	6	980.36	29.18	-24.82	54.00	29.71	38.13	3.46	34.12	---	Peak
		Freq	Level	Line	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark																																																																																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																			
1	89.17	28.04	-23.46	43.50	48.28	14.04	0.98	35.18	---	Peak																																																																																																																																																																		
2	100.04	25.73	-17.77	43.50	44.32	16.51	0.98	35.18	---	Peak																																																																																																																																																																		
3	137.12	27.18	-18.81	46.00	40.86	26.15	1.08	34.50	---	Peak																																																																																																																																																																		
4	181.33	24.92	-21.08	46.00	31.48	25.43	2.63	34.14	---	Peak																																																																																																																																																																		
5	828.31	27.97	-18.83	46.00	38.69	28.42	3.16	34.38	---	Peak																																																																																																																																																																		
6	974.78	29.48	-24.52	54.00	39.21	29.99	3.43	34.15	---	Peak																																																																																																																																																																		
	Freq	Level	Line	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark																																																																																																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																			
1	36.79	26.66	-13.14	48.00	42.48	19.38	0.90	35.00	---	Peak																																																																																																																																																																		
2	89.14	25.95	-17.35	43.50	46.23	13.92	0.98	35.18	---	Peak																																																																																																																																																																		
3	136.88	39.48	-13.49	43.50	47.15	16.51	1.45	35.18	---	Peak																																																																																																																																																																		
4	325.83	24.59	-21.41	46.00	37.15	29.44	2.09	34.98	---	Peak																																																																																																																																																																		
5	683.27	25.47	-20.33	46.00	35.66	27.82	2.69	34.59	---	Peak																																																																																																																																																																		
6	980.36	29.18	-24.82	54.00	29.71	38.13	3.46	34.12	---	Peak																																																																																																																																																																		



<Co-location Mode>

2.4GHz 2400~2483.5MHz

WIFI 802.11n20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																																																													
1	Horizontal	Fundamental																																																												
Peak	Date: 3 Site Condition: 03CH02-S2 PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RBW:1000.0000kHz VBW:3000.0000kHz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.72</td><td>55.59</td><td>-18.41</td><td>74.00</td><td>48.23</td><td>32.39</td><td>6.53</td><td>31.56</td><td>100 292 Peak</td></tr></table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.72	55.59	-18.41	74.00	48.23	32.39	6.53	31.56	100 292 Peak	Date: 1 Site Condition: 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RBW:1000.0000kHz VBW:3000.0000kHz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>181.29</td><td>27.29</td><td>74.00</td><td>93.93</td><td>32.39</td><td>6.53</td><td>31.56</td><td>100 292 Peak</td></tr></table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2480.00	181.29	27.29	74.00	93.93	32.39	6.53	31.56	100 292 Peak
	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2484.72	55.59	-18.41	74.00	48.23	32.39	6.53	31.56	100 292 Peak																																																					
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2480.00	181.29	27.29	74.00	93.93	32.39	6.53	31.56	100 292 Peak																																																					
Avg.	Date: 4 Site Condition: 03CH02-S2 AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RBW:1000.0000kHz VBW:1.0000kHz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.68</td><td>45.30</td><td>-8.78</td><td>54.00</td><td>37.94</td><td>32.39</td><td>6.53</td><td>31.56</td><td>100 292 Average</td></tr></table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.68	45.30	-8.78	54.00	37.94	32.39	6.53	31.56	100 292 Average	Date: 2 Site Condition: 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RBW:1000.0000kHz VBW:1.0000kHz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>99.84</td><td>45.84</td><td>54.00</td><td>91.68</td><td>32.39</td><td>6.53</td><td>31.56</td><td>100 292 Average</td></tr></table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2480.00	99.84	45.84	54.00	91.68	32.39	6.53	31.56	100 292 Average
	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2483.68	45.30	-8.78	54.00	37.94	32.39	6.53	31.56	100 292 Average																																																					
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2480.00	99.84	45.84	54.00	91.68	32.39	6.53	31.56	100 292 Average																																																					







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																				
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																				
1	Vertical					Fundamental															
Peak	Date: 7 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 246024682476248424922500 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 3000.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2484.68 56.33 -17.67 74.00 48.97 32.39 6.53 31.56 100 94 Peak <td colspan="5"> Date: 5 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0100014001800220026003000 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ PEAK_74 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 3000.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2480.00 99.30 25.30 74.00 91.94 32.39 6.53 31.56 100 94 Peak <tr><td rowspan="2">Avg.</td><td colspan="5"> Date: 8 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 246024682476248424922500 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_BE_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2483.64 45.62 -8.38 54.00 38.26 32.39 6.53 31.56 100 94 Average <td colspan="5"> Date: 6 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0100014001800220026003000 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2480.00 96.27 42.27 54.00 88.91 32.39 6.53 31.56 100 94 Average </td></td></tr></td>					Date: 5 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0100014001800220026003000 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ PEAK_74 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 3000.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2480.00 99.30 25.30 74.00 91.94 32.39 6.53 31.56 100 94 Peak <tr><td rowspan="2">Avg.</td><td colspan="5"> Date: 8 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 246024682476248424922500 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_BE_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2483.64 45.62 -8.38 54.00 38.26 32.39 6.53 31.56 100 94 Average <td colspan="5"> Date: 6 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0100014001800220026003000 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2480.00 96.27 42.27 54.00 88.91 32.39 6.53 31.56 100 94 Average </td></td></tr>					Avg.	Date: 8 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 246024682476248424922500 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_BE_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2483.64 45.62 -8.38 54.00 38.26 32.39 6.53 31.56 100 94 Average <td colspan="5"> Date: 6 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0100014001800220026003000 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2480.00 96.27 42.27 54.00 88.91 32.39 6.53 31.56 100 94 Average </td>					Date: 6 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0100014001800220026003000 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2480.00 96.27 42.27 54.00 88.91 32.39 6.53 31.56 100 94 Average				
	Avg.	Date: 8 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 246024682476248424922500 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_BE_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2483.64 45.62 -8.38 54.00 38.26 32.39 6.53 31.56 100 94 Average <td colspan="5"> Date: 6 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0100014001800220026003000 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2480.00 96.27 42.27 54.00 88.91 32.39 6.53 31.56 100 94 Average </td>					Date: 6 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0100014001800220026003000 Frequency (MHz) Site Condition Project Mode SN Plane WIFI setting BLE setting 03CH02-SZ AVG_54 3m HF ANT_3117_0107 VERTICAL REBW 1000.000KHz VBW 1.000KHz 1D0301-03 Mode 28 #20 G092370523860039 X with Accessory MCS9 power setting 14 6/2/1 Freq Level Limit Over Line ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 2480.00 96.27 42.27 54.00 88.91 32.39 6.53 31.56 100 94 Average														



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																																																											
1	Horizontal	Fundamental																																																										
Peak	Date: 11 Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 28 SN : #20 G092370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 14 BLE setting : 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.72</td><td>63.41</td><td>-18.59</td><td>74.00</td><td>56.85</td><td>32.39</td><td>6.53</td><td>31.56</td><td>140 131 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.72	63.41	-18.59	74.00	56.85	32.39	6.53	31.56	140 131 Peak	Date: 9 Site : 03CH02-SZ Condition : PEAK_74 3m HF ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 28 SN : #20 G092370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 14 BLE setting : 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>187.16</td><td>33.16</td><td>74.00</td><td>99.80</td><td>32.39</td><td>6.53</td><td>31.56</td><td>140 131 Peak</td></tr></tbody></table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2467.00	187.16	33.16	74.00	99.80	32.39	6.53	31.56	140 131 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2483.72	63.41	-18.59	74.00	56.85	32.39	6.53	31.56	140 131 Peak																																																			
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2467.00	187.16	33.16	74.00	99.80	32.39	6.53	31.56	140 131 Peak																																																			
Avg.	Date: 12 Site : 03CH02-SZ Condition : AVG_BE_54 3m HF ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 28 SN : #20 G092370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 14 BLE setting : 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>58.55</td><td>-3.45</td><td>54.00</td><td>43.19</td><td>32.39</td><td>6.53</td><td>31.56</td><td>140 131 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.52	58.55	-3.45	54.00	43.19	32.39	6.53	31.56	140 131 Average	Date: 10 Site : 03CH02-SZ Condition : AVG_54 3m HF ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 28 SN : #20 G092370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 14 BLE setting : 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>97.47</td><td>43.47</td><td>54.00</td><td>90.11</td><td>32.39</td><td>6.53</td><td>31.56</td><td>140 131 Average</td></tr></tbody></table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2467.00	97.47	43.47	54.00	90.11	32.39	6.53	31.56	140 131 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2483.52	58.55	-3.45	54.00	43.19	32.39	6.53	31.56	140 131 Average																																																			
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2467.00	97.47	43.47	54.00	90.11	32.39	6.53	31.56	140 131 Average																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																																																																	
1	Vertical					Fundamental																																																												
Peak	Date: 15 Level (dBuV/m) Date: 2022-11-15  Site Condition : 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project Mode : 100301-03 SN : #20 G992370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 14 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.12</td><td>61.86</td><td>-12.14</td><td>74.00</td><td>54.58</td><td>32.39</td><td>6.53</td><td>31.56</td><td>338</td><td>193</td><td>Peak</td></tr></table> Date: 13 Level (dBuV/m) Date: 2022-11-15  Site Condition : 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project Mode : 100301-03 SN : #20 G992370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 14 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>184.05</td><td>30.05</td><td>74.00</td><td>96.69</td><td>32.39</td><td>6.53</td><td>31.56</td><td>338</td><td>193</td><td>Peak</td></tr></table>										Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2484.12	61.86	-12.14	74.00	54.58	32.39	6.53	31.56	338	193	Peak	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2467.00	184.05	30.05	74.00	96.69	32.39	6.53	31.56	338	193	Peak
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																											
1	2484.12	61.86	-12.14	74.00	54.58	32.39	6.53	31.56	338	193	Peak																																																							
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																											
1	2467.00	184.05	30.05	74.00	96.69	32.39	6.53	31.56	338	193	Peak																																																							
Avg.	Date: 15 Level (dBuV/m) Date: 2022-11-15  Site Condition : 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project Mode : 100301-03 SN : #20 G992370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 14 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>49.72</td><td>-4.28</td><td>54.00</td><td>42.36</td><td>32.39</td><td>6.53</td><td>31.56</td><td>338</td><td>193</td><td>Average</td></tr></table> Date: 14 Level (dBuV/m) Date: 2022-11-15  Site Condition : 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL Project Mode : 100301-03 SN : #20 G992370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 14 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>94.39</td><td>40.39</td><td>54.00</td><td>87.83</td><td>32.39</td><td>6.53</td><td>31.56</td><td>338</td><td>193</td><td>Average</td></tr></table>										Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2483.52	49.72	-4.28	54.00	42.36	32.39	6.53	31.56	338	193	Average	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2467.00	94.39	40.39	54.00	87.83	32.39	6.53	31.56	338	193	Average
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																											
1	2483.52	49.72	-4.28	54.00	42.36	32.39	6.53	31.56	338	193	Average																																																							
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																											
1	2467.00	94.39	40.39	54.00	87.83	32.39	6.53	31.56	338	193	Average																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	11n20_Tx_Ch01 2412Mhz+BLE_Tx_Ch00 2402Mhz																																																											
1	Horizontal	Fundamental																																																										
Peak	Date: 1 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ Condition : PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL Project : REW 1000 0000Hz VSW 3000 0000Hz Mode : 100301-03 SN : #22 0092360523870021 Plane : X with Accessory WIFI setting : MCS9 power setting 16 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.87</td><td>54.96</td><td>-19.84</td><td>74.00</td><td>48.57</td><td>31.70</td><td>6.94</td><td>32.25</td><td>100</td><td>120</td><td>Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2389.87	54.96	-19.84	74.00	48.57	31.70	6.94	32.25	100	120	Peak	Date: 3 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ Condition : PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL Project : REW 1000 0000Hz VSW 3000 0000Hz Mode : 100301-03 SN : #22 0092360523870021 Plane : X with Accessory WIFI setting : MCS9 power setting 16 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.19</td><td>37.19</td><td>74.00</td><td>104.69</td><td>31.80</td><td>6.94</td><td>32.24</td><td>100</td><td>120</td><td>Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2412.00	111.19	37.19	74.00	104.69	31.80	6.94	32.24	100	120	Peak
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																				
1	2389.87	54.96	-19.84	74.00	48.57	31.70	6.94	32.25	100	120	Peak																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																				
1	2412.00	111.19	37.19	74.00	104.69	31.80	6.94	32.24	100	120	Peak																																																	
Avg.	Date: 2 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ Condition : AVG_BE_54.3m HF_ANT_3117_0107 HORIZONTAL Project : REW 1000 0000Hz VSW 0.0100Hz Mode : 100301-03 SN : #22 0092360523870021 Plane : X with Accessory WIFI setting : MCS9 power setting 16 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>44.55</td><td>-9.45</td><td>54.00</td><td>38.15</td><td>31.70</td><td>6.94</td><td>32.24</td><td>100</td><td>120</td><td>Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2390.00	44.55	-9.45	54.00	38.15	31.70	6.94	32.24	100	120	Average	Date: 4 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ Condition : AVG_54.3m HF_ANT_3117_0107 HORIZONTAL Project : REW 1000 0000Hz VSW 0.0100Hz Mode : 100301-03 SN : #22 0092360523870021 Plane : X with Accessory WIFI setting : MCS9 power setting 16 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.88</td><td>45.88</td><td>54.00</td><td>93.38</td><td>31.80</td><td>6.94</td><td>32.24</td><td>100</td><td>120</td><td>Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2412.00	99.88	45.88	54.00	93.38	31.80	6.94	32.24	100	120	Average
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																				
1	2390.00	44.55	-9.45	54.00	38.15	31.70	6.94	32.24	100	120	Average																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																				
1	2412.00	99.88	45.88	54.00	93.38	31.80	6.94	32.24	100	120	Average																																																	



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT		11n20_Tx_Ch01 2412Mhz+BLE_Tx_Ch00 2402Mhz									
1		Vertical					Fundamental				
Peak	Date: 5 Level (dBuV/m) <										



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																
ANT		11n20_Tx_Ch01 2412Mhz+BLE_Tx_Ch00 2402Mhz																																																
1	Horizontal	Fundamental																																																
Peak	Date: 1 Level (dBuV/m) Date: 2022-08-29 Site Condition: 03CH02-SZ PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VBW:3000.000kHz Project: 100301-03 Mode: 29 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: MCS5 power setting 16 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.55</td><td>52.23</td><td>-21.77</td><td>74.00</td><td>45.84</td><td>31.70</td><td>6.94 32.25 100 85 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	2386.55	52.23	-21.77	74.00	45.84	31.70	6.94 32.25 100 85 Peak	Date: 3 Level (dBuV/m) Date: 2022-08-29 Site Condition: 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VBW:3000.000kHz Project: 100301-03 Mode: 29 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: MCS5 power setting 16 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>183.27</td><td>29.27</td><td>74.00</td><td>96.87</td><td>31.70</td><td>6.94 32.24 100 85 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	2402.00	183.27	29.27	74.00	96.87	31.70	6.94 32.24 100 85 Peak
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																											
1	2386.55	52.23	-21.77	74.00	45.84	31.70	6.94 32.25 100 85 Peak																																											
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																											
1	2402.00	183.27	29.27	74.00	96.87	31.70	6.94 32.24 100 85 Peak																																											
Avg.	Date: 2 Level (dBuV/m) Date: 2022-08-29 Site Condition: 03CH02-SZ AVG_BE_54.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VBW:3.000kHz Project: 100301-03 Mode: 29 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: MCS5 power setting 16 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.91</td><td>43.71</td><td>-18.29</td><td>54.00</td><td>37.31</td><td>31.70</td><td>6.94 32.24 100 85 Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	2389.91	43.71	-18.29	54.00	37.31	31.70	6.94 32.24 100 85 Average	Date: 4 Level (dBuV/m) Date: 2022-08-29 Site Condition: 03CH02-SZ AVG_54.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VBW:3.000kHz Project: 100301-03 Mode: 29 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: MCS5 power setting 16 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>180.83</td><td>46.83</td><td>54.00</td><td>93.63</td><td>31.70</td><td>6.94 32.24 100 85 Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	2402.00	180.83	46.83	54.00	93.63	31.70	6.94 32.24 100 85 Average
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																											
1	2389.91	43.71	-18.29	54.00	37.31	31.70	6.94 32.24 100 85 Average																																											
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																											
1	2402.00	180.83	46.83	54.00	93.63	31.70	6.94 32.24 100 85 Average																																											







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	11n20_Tx_Ch01 2412Mhz+BLE_Tx_Ch00 2402Mhz																																																													
1	Vertical	Fundamental																																																												
Peak	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL Project: REW 1000 0000Hz VSW 3.0000Hz Mode: 100301-03 SN: #22 009236523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.59</td><td>51.58</td><td>-22.42</td><td>74.00</td><td>45.19</td><td>31.70</td><td>6.94</td><td>32.25</td><td>100</td><td>253</td><td>Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2389.59	51.58	-22.42	74.00	45.19	31.70	6.94	32.25	100	253	Peak	Date: 7 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 VERTICAL Project: REW 1000 0000Hz VSW 3.0000Hz Mode: 100301-03 SN: #22 009236523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.87</td><td>24.87</td><td>74.00</td><td>92.47</td><td>31.70</td><td>6.94</td><td>32.24</td><td>100</td><td>253</td><td>Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2402.00	98.87	24.87	74.00	92.47	31.70	6.94	32.24	100	253	Peak
	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2389.59	51.58	-22.42	74.00	45.19	31.70	6.94	32.25	100	253	Peak																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2402.00	98.87	24.87	74.00	92.47	31.70	6.94	32.24	100	253	Peak																																																			
Avg.	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ Condition: AVG_BE_54.3m HF_ANT_3117_0107 VERTICAL Project: REW 1000 0000Hz VSW 3.0000Hz Mode: 100301-03 SN: #22 009236523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.53</td><td>42.92</td><td>-11.88</td><td>54.00</td><td>36.68</td><td>31.70</td><td>6.87</td><td>32.25</td><td>100</td><td>253</td><td>Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2371.53	42.92	-11.88	54.00	36.68	31.70	6.87	32.25	100	253	Average	Date: 8 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ Condition: AVG_54.3m HF_ANT_3117_0107 VERTICAL Project: REW 1000 0000Hz VSW 3.0000Hz Mode: 100301-03 SN: #22 009236523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.26</td><td>43.26</td><td>54.00</td><td>90.86</td><td>31.70</td><td>6.94</td><td>32.24</td><td>100</td><td>253</td><td>Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2402.00	97.26	43.26	54.00	90.86	31.70	6.94	32.24	100	253	Average
Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2371.53	42.92	-11.88	54.00	36.68	31.70	6.87	32.25	100	253	Average																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2402.00	97.26	43.26	54.00	90.86	31.70	6.94	32.24	100	253	Average																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	Mode 34_11n20_Tx_Ch11 2462Mhz +BLE_Tx_Ch39 2480Mhz																																																													
1	Horizontal	Fundamental																																																												
Peak	Date: 3 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VSW 3000.000kHz Project Mode 34 SN #22 G09236523870021 Plane X with Accessory WIFI setting MCS8 power setting 16 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2487.12</td><td>57.27</td><td>-16.73</td><td>74.00</td><td>59.12</td><td>32.87</td><td>7.83</td><td>31.95</td><td>100 116 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2487.12	57.27	-16.73	74.00	59.12	32.87	7.83	31.95	100 116 Peak	Date: 1 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VSW 3000.000kHz Project Mode 34 SN #22 G09236523870021 Plane X with Accessory WIFI setting MCS8 power setting 16 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>188.44</td><td>34.44</td><td>74.00</td><td>181.48</td><td>32.83</td><td>6.98</td><td>32.85</td><td>100 116 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2462.00	188.44	34.44	74.00	181.48	32.83	6.98	32.85	100 116 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	2487.12	57.27	-16.73	74.00	59.12	32.87	7.83	31.95	100 116 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	2462.00	188.44	34.44	74.00	181.48	32.83	6.98	32.85	100 116 Peak																																																					
Avg.	Date: 4 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VSW 0.010kHz Project Mode 34 SN #22 G09236523870021 Plane X with Accessory WIFI setting MCS8 power setting 16 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.00</td><td>45.30</td><td>-8.70</td><td>54.00</td><td>39.15</td><td>32.87</td><td>7.83</td><td>31.95</td><td>100 116 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2483.00	45.30	-8.70	54.00	39.15	32.87	7.83	31.95	100 116 Average	Date: 2 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VSW 0.010kHz Project Mode 34 SN #22 G09236523870021 Plane X with Accessory WIFI setting MCS8 power setting 16 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>98.62</td><td>44.62</td><td>54.00</td><td>91.66</td><td>32.83</td><td>6.98</td><td>32.85</td><td>100 116 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2462.00	98.62	44.62	54.00	91.66	32.83	6.98	32.85	100 116 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	2483.00	45.30	-8.70	54.00	39.15	32.87	7.83	31.95	100 116 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	2462.00	98.62	44.62	54.00	91.66	32.83	6.98	32.85	100 116 Average																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	Mode 34_11n20_Tx_Ch11 2462Mhz +BLE_Tx_Ch39 2480Mhz																																																													
1	Vertical	Fundamental																																																												
Peak	Date: 7 Level (dBuV/m) Date: 2022-09-29  Site Condition : 03CH02-SZ PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL Project Mode 34 SN #22 G09236523870021 Plane X with Accessory WIFI setting MCS9 power setting 16 BLE setting 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2466.00</td><td>57.87</td><td>-16.13</td><td>74.00</td><td>59.72</td><td>32.87</td><td>7.83</td><td>31.95</td><td>182 344 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2466.00	57.87	-16.13	74.00	59.72	32.87	7.83	31.95	182 344 Peak	Date: 5 Level (dBuV/m) Date: 2022-09-29  Site Condition : 03CH02-SZ PEAK_74 3m HF ANT_3117_0107 VERTICAL Project Mode 34 SN #22 G09236523870021 Plane X with Accessory WIFI setting MCS9 power setting 16 BLE setting 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>186.78</td><td>32.78</td><td>74.00</td><td>99.82</td><td>32.83</td><td>6.98</td><td>32.85</td><td>182 344 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	186.78	32.78	74.00	99.82	32.83	6.98	32.85	182 344 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2466.00	57.87	-16.13	74.00	59.72	32.87	7.83	31.95	182 344 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2462.00	186.78	32.78	74.00	99.82	32.83	6.98	32.85	182 344 Peak																																																					
Avg.	Date: 8 Level (dBuV/m) Date: 2022-09-29  Site Condition : 03CH02-SZ AVG_BE_54 3m HF ANT_3117_0107 VERTICAL Project Mode 34 SN #22 G09236523870021 Plane X with Accessory WIFI setting MCS9 power setting 16 BLE setting 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.88</td><td>44.17</td><td>-9.83</td><td>54.00</td><td>37.82</td><td>32.87</td><td>7.83</td><td>31.95</td><td>182 344 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.88	44.17	-9.83	54.00	37.82	32.87	7.83	31.95	182 344 Average	Date: 6 Level (dBuV/m) Date: 2022-09-29  Site Condition : 03CH02-SZ AVG_54 3m HF ANT_3117_0107 VERTICAL Project Mode 34 SN #22 G09236523870021 Plane X with Accessory WIFI setting MCS9 power setting 16 BLE setting 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.33</td><td>42.33</td><td>54.00</td><td>89.37</td><td>32.83</td><td>6.98</td><td>32.85</td><td>182 344 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.33	42.33	54.00	89.37	32.83	6.98	32.85	182 344 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2483.88	44.17	-9.83	54.00	37.82	32.87	7.83	31.95	182 344 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2462.00	96.33	42.33	54.00	89.37	32.83	6.98	32.85	182 344 Average																																																					







WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																
ANT		Mode 34_11n20_Tx_Ch11 2462Mhz +BLE_Tx_Ch39 2480Mhz																																																
1	Horizontal	Fundamental																																																
Peak	Date: 3 Site Condition : 03CH02-SZ Condition : PEAK_BE_74 3m HF ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VSW 3.000kHz Project : 100301-03 Mode : Mode 34 SN : #22 G99236523870021 Plane : X with Accessory WIFI setting : MCS9 power setting 16 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.56</td><td>55.29</td><td>-18.71</td><td>74.00</td><td>48.14</td><td>32.87</td><td>7.83 31.95 134 151 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2484.56	55.29	-18.71	74.00	48.14	32.87	7.83 31.95 134 151 Peak	Date: 1 Site Condition : 03CH02-SZ Condition : PEAK_74 3m HF ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VSW 3.000kHz Project : 100301-03 Mode : Mode 34 SN : #22 G99236523870021 Plane : X with Accessory WIFI setting : MCS9 power setting 16 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>185.26</td><td>31.26</td><td>74.00</td><td>98.11</td><td>32.87</td><td>7.83 31.95 134 151 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2480.00	185.26	31.26	74.00	98.11	32.87	7.83 31.95 134 151 Peak
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																											
1	2484.56	55.29	-18.71	74.00	48.14	32.87	7.83 31.95 134 151 Peak																																											
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																											
1	2480.00	185.26	31.26	74.00	98.11	32.87	7.83 31.95 134 151 Peak																																											
Avg.	Date: 4 Site Condition : 03CH02-SZ Condition : AVG_BE_54 3m HF ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VSW 3.000kHz Project : 100301-03 Mode : Mode 34 SN : #22 G99236523870021 Plane : X with Accessory WIFI setting : MCS9 power setting 16 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.96</td><td>44.97</td><td>-9.83</td><td>54.00</td><td>37.82</td><td>32.87</td><td>7.83 31.95 134 151 Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2483.96	44.97	-9.83	54.00	37.82	32.87	7.83 31.95 134 151 Average	Date: 2 Site Condition : 03CH02-SZ Condition : AVG_54 3m HF ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VSW 3.000kHz Project : 100301-03 Mode : Mode 34 SN : #22 G99236523870021 Plane : X with Accessory WIFI setting : MCS9 power setting 16 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>181.62</td><td>47.62</td><td>54.00</td><td>94.47</td><td>32.87</td><td>7.83 31.95 134 151 Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2480.00	181.62	47.62	54.00	94.47	32.87	7.83 31.95 134 151 Average
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																											
1	2483.96	44.97	-9.83	54.00	37.82	32.87	7.83 31.95 134 151 Average																																											
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																											
1	2480.00	181.62	47.62	54.00	94.47	32.87	7.83 31.95 134 151 Average																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																	
ANT	Mode 34_11n20_Tx_Ch11 2462Mhz +BLE_Tx_Ch39 2480Mhz																																																	
1	Vertical	Fundamental																																																
Peak	Date: 7 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-S2 PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REBW 1000 000kHz VSW 3.000 000kHz Project Mode: 34 SN: #22 G99236523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2464.36</td><td>52.47</td><td>-21.53</td><td>74.00</td><td>45.32</td><td>32.87</td><td>7.83 31.95 100 236 Peak</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2464.36	52.47	-21.53	74.00	45.32	32.87	7.83 31.95 100 236 Peak	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 VERTICAL REBW 1000 000kHz VSW 3.000kHz Project Mode: 34 SN: #22 G99236523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.14</td><td>45.14</td><td>54.00</td><td>91.99</td><td>32.87</td><td>7.83 31.95 100 236 Average</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2480.00	99.14	45.14	54.00	91.99	32.87	7.83 31.95 100 236 Average
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																											
1	2464.36	52.47	-21.53	74.00	45.32	32.87	7.83 31.95 100 236 Peak																																											
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																											
1	2480.00	99.14	45.14	54.00	91.99	32.87	7.83 31.95 100 236 Average																																											
Avg.	Date: 8 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-S2 AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL REBW 1000 000kHz VSW 3.000kHz Project Mode: 34 SN: #22 G99236523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2466.84</td><td>43.68</td><td>-18.32</td><td>54.00</td><td>36.48</td><td>32.10</td><td>7.83 31.85 100 236 Average</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2466.84	43.68	-18.32	54.00	36.48	32.10	7.83 31.85 100 236 Average	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 VERTICAL REBW 1000 000kHz VSW 3.000 000kHz Project Mode: 34 SN: #22 G99236523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.84</td><td>25.84</td><td>74.00</td><td>92.69</td><td>32.87</td><td>7.83 31.95 100 236 Peak</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2480.00	99.84	25.84	74.00	92.69	32.87	7.83 31.95 100 236 Peak
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																											
1	2466.84	43.68	-18.32	54.00	36.48	32.10	7.83 31.85 100 236 Average																																											
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																											
1	2480.00	99.84	25.84	74.00	92.69	32.87	7.83 31.95 100 236 Peak																																											







2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																													
1	Horizontal	Fundamental																																																												
Peak	Date: 1 Level (dBuV/m) Date: 2022-09-29  Site Condition: 03CH02-S2 PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VBW:3000.000kHz Project Mode: 100301-03 Mode: 30 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2385.58</td><td>53.25</td><td>-28.75</td><td>74.00</td><td>46.66</td><td>31.70</td><td>6.94</td><td>32.25</td><td>100 121 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2385.58	53.25	-28.75	74.00	46.66	31.70	6.94	32.25	100 121 Peak	Date: 3 Level (dBuV/m) Date: 2022-09-29  Site Condition: 03CH02-S2 PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VBW:3000.000kHz Project Mode: 100301-03 Mode: 30 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>149.87</td><td>35.07</td><td>74.00</td><td>182.57</td><td>31.88</td><td>6.94</td><td>32.24</td><td>100 121 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2412.00	149.87	35.07	74.00	182.57	31.88	6.94	32.24	100 121 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2385.58	53.25	-28.75	74.00	46.66	31.70	6.94	32.25	100 121 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2412.00	149.87	35.07	74.00	182.57	31.88	6.94	32.24	100 121 Peak																																																					
Avg.	Date: 2 Level (dBuV/m) Date: 2022-09-29  Site Condition: 03CH02-S2 AVG_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VBW:0.010kHz Project Mode: 100301-03 Mode: 30 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2386.13</td><td>44.28</td><td>-9.88</td><td>54.00</td><td>37.81</td><td>31.70</td><td>6.94</td><td>32.25</td><td>100 121 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2386.13	44.28	-9.88	54.00	37.81	31.70	6.94	32.25	100 121 Average	Date: 4 Level (dBuV/m) Date: 2022-09-29  Site Condition: 03CH02-S2 AVG_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VBW:0.010kHz Project Mode: 100301-03 Mode: 30 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>189.28</td><td>51.28</td><td>54.00</td><td>98.78</td><td>31.88</td><td>6.94</td><td>32.24</td><td>100 121 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2412.00	189.28	51.28	54.00	98.78	31.88	6.94	32.24	100 121 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2386.13	44.28	-9.88	54.00	37.81	31.70	6.94	32.25	100 121 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2412.00	189.28	51.28	54.00	98.78	31.88	6.94	32.24	100 121 Average																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																					
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																																																					
1	Vertical					Fundamental																																																																																
Peak	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL REW 1000.000KHz VSW 3.000 000KHz 100301-03 Project Mode 30 SN #22 G092360523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2385.81</td><td>54.15</td><td>-19.85</td><td>74.00</td><td>47.76</td><td>31.70</td><td>6.94</td><td>32.25</td><td>375</td><td>239 Peak</td></tr></tbody></table>										Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2385.81	54.15	-19.85	74.00	47.76	31.70	6.94	32.25	375	239 Peak	Date: 7 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 VERTICAL REW 1000.000KHz VSW 3.000 000KHz 100301-03 Project Mode 30 SN #22 G092360523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>186.91</td><td>32.91</td><td>74.00</td><td>180.41</td><td>31.80</td><td>6.94</td><td>32.24</td><td>375</td><td>239 Peak</td></tr></tbody></table>										Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	186.91	32.91	74.00	180.41	31.80	6.94	32.24	375	239 Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2385.81	54.15	-19.85	74.00	47.76	31.70	6.94	32.25	375	239 Peak																																																																												
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2412.00	186.91	32.91	74.00	180.41	31.80	6.94	32.24	375	239 Peak																																																																												
Avg.	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ AVG_BE_54.3m HF_ANT_3117_0107 VERTICAL REW 1000.000KHz VSW 3.010KHz 100301-03 Project Mode 30 SN #22 G092360523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2386.13</td><td>43.49</td><td>-18.51</td><td>54.00</td><td>37.10</td><td>31.70</td><td>6.94</td><td>32.25</td><td>375</td><td>239 Average</td></tr></tbody></table>										Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2386.13	43.49	-18.51	54.00	37.10	31.70	6.94	32.25	375	239 Average	Date: 8 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ AVG_54.3m HF_ANT_3117_0107 VERTICAL REW 1000.000KHz VSW 3.010KHz 100301-03 Project Mode 30 SN #22 G092360523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>183.89</td><td>49.89</td><td>54.00</td><td>186.59</td><td>31.80</td><td>6.94</td><td>32.24</td><td>375</td><td>239 Average</td></tr></tbody></table>										Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	183.89	49.89	54.00	186.59	31.80	6.94	32.24	375	239 Average
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2386.13	43.49	-18.51	54.00	37.10	31.70	6.94	32.25	375	239 Average																																																																												
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2412.00	183.89	49.89	54.00	186.59	31.80	6.94	32.24	375	239 Average																																																																												



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	Date: 1 Level (dBuV/m) Date: 2022-09-29  Site Condition: 03CH02-SZ PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VBW 3000.000kHz Project: 100301-03 Mode: 30 SN: #22-G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.28</td><td>51.83</td><td>-22.17</td><td>74.00</td><td>45.51</td><td>31.70</td><td>6.87</td><td>32.25</td><td>100</td><td>89 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.28	51.83	-22.17	74.00	45.51	31.70	6.87	32.25	100	89 Peak	Date: 3 Level (dBuV/m) Date: 2022-09-29  Site Condition: 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VBW 3000.000kHz Project: 100301-03 Mode: 30 SN: #22-G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2438.00</td><td>182.39</td><td>28.39</td><td>74.00</td><td>95.55</td><td>32.00</td><td>6.98</td><td>32.14</td><td>100</td><td>89 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2438.00	182.39	28.39	74.00	95.55	32.00	6.98	32.14	100	89 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2388.28	51.83	-22.17	74.00	45.51	31.70	6.87	32.25	100	89 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2438.00	182.39	28.39	74.00	95.55	32.00	6.98	32.14	100	89 Peak																																																						
Avg.	Date: 2 Level (dBuV/m) Date: 2022-09-29  Site Condition: 03CH02-SZ AVG_BE_54.3m HF_ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VBW 3.000kHz Project: 100301-03 Mode: 30 SN: #22-G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.82</td><td>44.87</td><td>-9.93</td><td>54.00</td><td>37.68</td><td>31.70</td><td>6.94</td><td>32.25</td><td>100</td><td>89 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.82	44.87	-9.93	54.00	37.68	31.70	6.94	32.25	100	89 Average	Date: 4 Level (dBuV/m) Date: 2022-09-29  Site Condition: 03CH02-SZ AVG_54.3m HF_ANT_3117_0107 HORIZONTAL REBW 1000.000kHz VBW 3.000kHz Project: 100301-03 Mode: 30 SN: #22-G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2438.00</td><td>181.46</td><td>47.46</td><td>54.00</td><td>94.62</td><td>32.00</td><td>6.98</td><td>32.14</td><td>100</td><td>89 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2438.00	181.46	47.46	54.00	94.62	32.00	6.98	32.14	100	89 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2386.82	44.87	-9.93	54.00	37.68	31.70	6.94	32.25	100	89 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2438.00	181.46	47.46	54.00	94.62	32.00	6.98	32.14	100	89 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																							
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																							
1	Horizontal					Fundamental																																		
Peak	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : 30 SN : #22 C902360523870021 Plane : X with Accessory WIFI setting : 1M power setting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2486.98</td><td>52.68</td><td>-21.32</td><td>74.00</td><td>45.53</td><td>32.07</td><td>7.83</td><td>31.95</td><td>100 89 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2486.98	52.68	-21.32	74.00	45.53	32.07	7.83	31.95	100 89 Peak	Left blank				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																
1	2486.98	52.68	-21.32	74.00	45.53	32.07	7.83	31.95	100 89 Peak																															
Avg.	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : AVG_BE_54 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 100301-03 Mode : 30 SN : #22 C902360523870021 Plane : X with Accessory WIFI setting : 1M power setting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2491.25</td><td>43.58</td><td>-18.42</td><td>54.00</td><td>36.48</td><td>32.10</td><td>7.83</td><td>31.95</td><td>100 89 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2491.25	43.58	-18.42	54.00	36.48	32.10	7.83	31.95	100 89 Average	Left blank				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																
1	2491.25	43.58	-18.42	54.00	36.48	32.10	7.83	31.95	100 89 Average																															



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m										
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz										
1	Vertical						Fundamental				
Peak	Date: 7 Level (dBuV/m) <										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																															
1	Vertical	Fundamental																														
Peak	Date: 11 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL Project : #62220104 Mode : Mode 2 SN : #22-09236523870021 Plane : X with Accessories WIFI setting : 1M powersetting 18 BLE setting : 5/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2498.55</td><td>52.15</td><td>-21.85</td><td>74.00</td><td>44.97</td><td>32.10</td><td>7.83</td><td>31.95</td><td>100 234 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2498.55	52.15	-21.85	74.00	44.97	32.10	7.83	31.95	100 234 Peak	Left Blank
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																								
1	2498.55	52.15	-21.85	74.00	44.97	32.10	7.83	31.95	100 234 Peak																							
Avg.	Date: 12 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : AVG_BE_54 3m HF ANT_3117_0107 VERTICAL Project : #62220104 Mode : Mode 2 SN : #22-09236523870021 Plane : X with Accessories WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2498.97</td><td>43.34</td><td>-18.66</td><td>54.00</td><td>36.16</td><td>32.10</td><td>7.83</td><td>31.95</td><td>100 234 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2498.97	43.34	-18.66	54.00	36.16	32.10	7.83	31.95	100 234 Average	Left Blank
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																								
1	2498.97	43.34	-18.66	54.00	36.16	32.10	7.83	31.95	100 234 Average																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz	
1	Horizontal	Fundamental
Peak	Date: 1 Level (dBuV/m)	



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																	
ANT		11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																																	
1		Fundamental																																																	
Peak	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL REBW 1000.000KHz VSW 3.000 000KHz Project Mode : 100301-03 Mode 31 SN #22 G09236523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.86</td><td>53.16</td><td>-28.84</td><td>74.00</td><td>46.77</td><td>31.70</td><td>6.94</td><td>32.25</td><td>372</td><td>238</td><td></td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg		1	2388.86	53.16	-28.84	74.00	46.77	31.70	6.94	32.25	372	238		Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg																																								
1	2388.86	53.16	-28.84	74.00	46.77	31.70	6.94	32.25	372	238		Peak																																							
Date: 7 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 VERTICAL REBW 1000.000KHz VSW 3.000 000KHz Project Mode : 100301-03 Mode 31 SN #22 G09236523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>187.34</td><td>33.34</td><td>74.00</td><td>180.04</td><td>31.80</td><td>6.94</td><td>32.24</td><td>372</td><td>238</td><td></td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg		1	2412.00	187.34	33.34	74.00	180.04	31.80	6.94	32.24	372	238		Peak	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg																																								
1	2412.00	187.34	33.34	74.00	180.04	31.80	6.94	32.24	372	238		Peak																																							
Avg.	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ AVG_BE_54.3m HF_ANT_3117_0107 VERTICAL REBW 1000.000KHz VSW 0.010KHz Project Mode : 100301-03 Mode 31 SN #22 G09236523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2372.86</td><td>43.70</td><td>-18.30</td><td>54.00</td><td>37.38</td><td>31.70</td><td>6.87</td><td>32.25</td><td>372</td><td>238</td><td></td><td>Average</td></tr></table>												Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg		1	2372.86	43.70	-18.30	54.00	37.38	31.70	6.87	32.25	372	238		Average
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg																																								
1	2372.86	43.70	-18.30	54.00	37.38	31.70	6.87	32.25	372	238		Average																																							
Date: 8 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ AVG_54.3m HF_ANT_3117_0107 VERTICAL REBW 1000.000KHz VSW 0.010KHz Project Mode : 100301-03 Mode 31 SN #22 G09236523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>183.54</td><td>49.54</td><td>54.00</td><td>97.94</td><td>31.80</td><td>6.94</td><td>32.24</td><td>372</td><td>238</td><td></td><td>Average</td></tr></table>												Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg		1	2412.00	183.54	49.54	54.00	97.94	31.80	6.94	32.24	372	238		Average	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg																																								
1	2412.00	183.54	49.54	54.00	97.94	31.80	6.94	32.24	372	238		Average																																							



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																						
ANT		11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																																																						
1		Horizontal					Fundamental																																																																	
Peak	Date: 1 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VSW:3.000kHz Project Mode: 100301-03 Mode: 31 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.16</td><td>52.58</td><td>-21.58</td><td>74.00</td><td>46.19</td><td>31.70</td><td>6.87</td><td>32.26</td><td>100</td><td>86 Peak</td></tr></table>					Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2351.16	52.58	-21.58	74.00	46.19	31.70	6.87	32.26	100	86 Peak	Date: 3 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VSW:3.000kHz Project Mode: 100301-03 Mode: 31 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>102.84</td><td>28.84</td><td>74.00</td><td>95.91</td><td>32.00</td><td>6.98</td><td>32.85</td><td>100</td><td>86 Peak</td></tr></table>					Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	102.84	28.84	74.00	95.91	32.00	6.98	32.85	100	86 Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	2351.16	52.58	-21.58	74.00	46.19	31.70	6.87	32.26	100	86 Peak																																																														
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	2452.00	102.84	28.84	74.00	95.91	32.00	6.98	32.85	100	86 Peak																																																														
Avg.	Date: 2 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ AVG_BE_54.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VSW:3.000kHz Project Mode: 100301-03 Mode: 31 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.02</td><td>43.54</td><td>-18.46</td><td>54.00</td><td>37.22</td><td>31.70</td><td>6.87</td><td>32.25</td><td>100</td><td>86 Average</td></tr></table>					Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2372.02	43.54	-18.46	54.00	37.22	31.70	6.87	32.25	100	86 Average	Date: 4 Level (dBuV/m) Date: 2022-09-29 Site Condition: 03CH02-SZ AVG_54.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VSW:3.000kHz Project Mode: 100301-03 Mode: 31 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>102.83</td><td>48.83</td><td>54.00</td><td>95.10</td><td>32.00</td><td>6.98</td><td>32.85</td><td>100</td><td>86 Average</td></tr></table>					Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	102.83	48.83	54.00	95.10	32.00	6.98	32.85	100	86 Average
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	2372.02	43.54	-18.46	54.00	37.22	31.70	6.87	32.25	100	86 Average																																																														
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	2452.00	102.83	48.83	54.00	95.10	32.00	6.98	32.85	100	86 Average																																																														





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																														
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																														
1	Horizontal	Fundamental																													
Peak	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000 000KHz VBW: 3000 000KHz Project : 100301-03 Mode : 31 SN : #22 0902360523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2448.19</td><td>52.45</td><td>-21.55</td><td>74.00</td><td>45.27</td><td>32.10</td><td>7.83</td><td>31.95</td><td>100</td><td>86 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2448.19	52.45	-21.55	74.00	45.27	32.10	7.83	31.95	100	86 Peak	Left blank
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																							
1	2448.19	52.45	-21.55	74.00	45.27	32.10	7.83	31.95	100	86 Peak																					
Avg.	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : AVG_BE_54 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000 000KHz VBW: 3 000KHz Project : 100301-03 Mode : 31 SN : #22 0902360523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2448.98</td><td>44.88</td><td>-9.92</td><td>54.80</td><td>36.98</td><td>32.10</td><td>7.83</td><td>31.95</td><td>100</td><td>86 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2448.98	44.88	-9.92	54.80	36.98	32.10	7.83	31.95	100	86 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																							
1	2448.98	44.88	-9.92	54.80	36.98	32.10	7.83	31.95	100	86 Average																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz									
1	Vertical					Fundamental				
Peak	Date: 7 Level (dBuV/m) </									



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																
1	Vertical	Fundamental																															
Peak	Date: 11 Level (dBuV/m) Date: 2022-09-29  Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL RBW: 1000 000KHz VBW: 3000 000KHz Project : 100301-03 Mode : 31 SN : #22 0902360523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2448.74</td><td>52.35</td><td>-21.65</td><td>74.00</td><td>45.87</td><td>32.18</td><td>7.83</td><td>31.85</td><td>189 235 Peak</td></tr></tbody></table>			Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	2448.74	52.35	-21.65	74.00	45.87	32.18	7.83	31.85	189 235 Peak	Left blank
		Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																								
1	2448.74	52.35	-21.65	74.00	45.87	32.18	7.83	31.85	189 235 Peak																								
Avg.	Date: 12 Level (dBuV/m) Date: 2022-09-29  Site : 03CH02-S2 Condition : AVG_BE_54 3m HF ANT_3117_0107 VERTICAL RBW: 1000 000KHz VBW: 3 000KHz Project : 100301-03 Mode : 31 SN : #22 0902360523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.39</td><td>43.67</td><td>-18.33</td><td>54.00</td><td>36.49</td><td>32.18</td><td>7.83</td><td>31.95</td><td>189 235 Average</td></tr></tbody></table>			Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	2492.39	43.67	-18.33	54.00	36.49	32.18	7.83	31.95	189 235 Average	Left blank
		Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																								
1	2492.39	43.67	-18.33	54.00	36.49	32.18	7.83	31.95	189 235 Average																								



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz									
1	Horizontal					Fundamental				
Peak	Date: 1 Level (dBuV/m) <									



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																															
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																															
1	Horizontal	Fundamental																														
Peak	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000 000KHz VSW: 3000 000KHz Project : 100301-03 Mode : 32 SN : #22 C09236523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 5/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2486.35</td><td>53.68</td><td>-28.32</td><td>74.00</td><td>46.53</td><td>32.07</td><td>7.03</td><td>31.95</td><td>118 121 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2486.35	53.68	-28.32	74.00	46.53	32.07	7.03	31.95	118 121 Peak	Left blank
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																								
1	2486.35	53.68	-28.32	74.00	46.53	32.07	7.03	31.95	118 121 Peak																							
Avg.	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : AVG_BE_54 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000 000KHz VSW: 5 010KHz Project : 100301-03 Mode : 32 SN : #22 C09236523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.97</td><td>43.12</td><td>-18.88</td><td>54.00</td><td>35.97</td><td>32.07</td><td>7.03</td><td>31.95</td><td>118 121 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2483.97	43.12	-18.88	54.00	35.97	32.07	7.03	31.95	118 121 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																								
1	2483.97	43.12	-18.88	54.00	35.97	32.07	7.03	31.95	118 121 Average																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz	
1	Vertical	Fundamental
Peak	Date: 7 Level (dBuV/m)	



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																														
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																														
1	Vertical	Fundamental																													
Peak	Date: 11 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL RBW: 1000 000KHz VBW: 3000 000KHz Project : 10D0301-03 Mode : Mode 32 SN : #22 C09236523870021 Plane : X with Accessory WIFI setting : 1M power setting 18 BLE setting : 5/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2435.38</td><td>53.87</td><td>-28.93</td><td>74.00</td><td>45.92</td><td>32.87</td><td>7.83</td><td>31.95</td><td>367</td><td>201 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2435.38	53.87	-28.93	74.00	45.92	32.87	7.83	31.95	367	201 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																							
1	2435.38	53.87	-28.93	74.00	45.92	32.87	7.83	31.95	367	201 Peak																					
Avg.	Date: 12 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-S2 Condition : AVG_BE_54 3m HF ANT_3117_0107 VERTICAL RBW: 1000 000KHz VBW: 0 010KHz Project : 10D0301-03 Mode : Mode 32 SN : #22 C09236523870021 Plane : X with Accessory WIFI setting : 1M power setting 18 BLE setting : 6/2/1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2435.93</td><td>42.43</td><td>-11.57</td><td>54.00</td><td>35.28</td><td>32.87</td><td>7.83</td><td>31.95</td><td>367</td><td>201 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2435.93	42.43	-11.57	54.00	35.28	32.87	7.83	31.95	367	201 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																							
1	2435.93	42.43	-11.57	54.00	35.28	32.87	7.83	31.95	367	201 Average																					



WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																												
ANT		11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																																																												
1	Horizontal	Fundamental																																																												
Peak	Date: 1 Date: 2022-09-29 Site Condition : 03CH02-SZ PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VSW:3.000kHz Project Mode : 100301-03 Mode 32 SN #22-G09236523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2366.81</td><td>51.87</td><td>-22.93</td><td>74.00</td><td>44.75</td><td>31.70</td><td>6.87</td><td>32.25</td><td>88 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2366.81	51.87	-22.93	74.00	44.75	31.70	6.87	32.25	88 Peak	Date: 3 Date: 2022-09-29 Site Condition : 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VSW:3.000kHz Project Mode : 100301-03 Mode 32 SN #22-G09236523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2488.00</td><td>181.83</td><td>27.83</td><td>74.00</td><td>94.53</td><td>31.80</td><td>6.94</td><td>32.24</td><td>88 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2488.00	181.83	27.83	74.00	94.53	31.80	6.94	32.24	88 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2366.81	51.87	-22.93	74.00	44.75	31.70	6.87	32.25	88 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2488.00	181.83	27.83	74.00	94.53	31.80	6.94	32.24	88 Peak																																																					
Avg.	Date: 2 Date: 2022-09-29 Site Condition : 03CH02-SZ AVG_BE_54.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VSW:3.000kHz Project Mode : 100301-03 Mode 32 SN #22-G09236523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2377.62</td><td>42.72</td><td>-11.28</td><td>54.00</td><td>36.48</td><td>31.70</td><td>6.87</td><td>32.25</td><td>88 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2377.62	42.72	-11.28	54.00	36.48	31.70	6.87	32.25	88 Average	Date: 4 Date: 2022-09-29 Site Condition : 03CH02-SZ AVG_54.3m HF_ANT_3117_0107 HORIZONTAL REBW:1000.000kHz VSW:3.000kHz Project Mode : 100301-03 Mode 32 SN #22-G09236523870021 Plane X with Accessory WIFI setting 1M powersetting 18 BLE setting 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2488.00</td><td>180.83</td><td>46.83</td><td>54.00</td><td>93.53</td><td>31.80</td><td>6.94</td><td>32.24</td><td>88 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2488.00	180.83	46.83	54.00	93.53	31.80	6.94	32.24	88 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2377.62	42.72	-11.28	54.00	36.48	31.70	6.87	32.25	88 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2488.00	180.83	46.83	54.00	93.53	31.80	6.94	32.24	88 Peak																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m											
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz											
1	Vertical						Fundamental					
Peak	Date: 5 Level (dBuV/m) <											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	11b_Tx_Ch11 2462Mhz+BLE_Tx_Ch11 2424Mhz																																																																					
1	Horizontal					Fundamental																																																																
Peak	Date: 3 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ Condition : PEAK_BE_74 3m HF ANT_3117_0107 HORIZONTAL REBW 1000 000KHz VSW 3000 000KHz Project : 100301-03 Mode : Mode 33 SN : #22 009236523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.76</td><td>55.49</td><td>-18.69</td><td>74.00</td><td>48.12</td><td>32.10</td><td>7.93</td><td>31.85</td><td>117</td><td>120</td><td>Peak</td></tr></table>					Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2499.76	55.49	-18.69	74.00	48.12	32.10	7.93	31.85	117	120	Peak	Date: 1 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ Condition : PEAK_74 3m HF ANT_3117_0107 HORIZONTAL REBW 1000 000KHz VSW 3000 000KHz Project : 100301-03 Mode : Mode 33 SN : #22 009236523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>180.69</td><td>34.69</td><td>74.00</td><td>181.64</td><td>32.83</td><td>6.98</td><td>32.85</td><td>117</td><td>120</td><td>Peak</td></tr></table>					Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2462.00	180.69	34.69	74.00	181.64	32.83	6.98	32.85	117	120	Peak
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2499.76	55.49	-18.69	74.00	48.12	32.10	7.93	31.85	117	120	Peak																																																											
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2462.00	180.69	34.69	74.00	181.64	32.83	6.98	32.85	117	120	Peak																																																											
Avg.	Date: 4 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ Condition : AVG_BE_54 3m HF ANT_3117_0107 HORIZONTAL REBW 1000 000KHz VSW 0 010KHz Project : 100301-03 Mode : Mode 33 SN : #22 009236523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.96</td><td>45.58</td><td>-8.42</td><td>54.00</td><td>38.38</td><td>32.10</td><td>7.93</td><td>31.85</td><td>117</td><td>120</td><td>Average</td></tr></table>					Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2499.96	45.58	-8.42	54.00	38.38	32.10	7.93	31.85	117	120	Average	Date: 2 Level (dBuV/m) Date: 2022-09-29 Site Condition : 03CH02-SZ Condition : AVG_54 3m HF ANT_3117_0107 HORIZONTAL REBW 1000 000KHz VSW 0 010KHz Project : 100301-03 Mode : Mode 33 SN : #22 009236523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>184.89</td><td>50.80</td><td>54.00</td><td>97.94</td><td>32.83</td><td>6.98</td><td>32.85</td><td>117</td><td>120</td><td>Average</td></tr></table>					Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2462.00	184.89	50.80	54.00	97.94	32.83	6.98	32.85	117	120	Average
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2499.96	45.58	-8.42	54.00	38.38	32.10	7.93	31.85	117	120	Average																																																											
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2462.00	184.89	50.80	54.00	97.94	32.83	6.98	32.85	117	120	Average																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	11b_Tx_Ch11 2462Mhz+BLE_Tx_Ch11 2424Mhz																																																													
1	Vertical	Fundamental																																																												
Peak	Date: 7 Site Condition: 03CH02-SZ Condition: PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL Project: 100301-03 Mode: 33 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2495.04</td><td>54.18</td><td>-19.98</td><td>74.00</td><td>46.82</td><td>32.18</td><td>7.83</td><td>31.85</td><td>390 239 Peak</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2495.04	54.18	-19.98	74.00	46.82	32.18	7.83	31.85	390 239 Peak	Date: 5 Site Condition: 03CH02-SZ Condition: PEAK_74 3m HF ANT_3117_0107 VERTICAL Project: 100301-03 Mode: 33 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>187.23</td><td>33.23</td><td>74.00</td><td>180.27</td><td>32.83</td><td>6.98</td><td>32.85</td><td>390 239 Peak</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2462.00	187.23	33.23	74.00	180.27	32.83	6.98	32.85	390 239 Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2495.04	54.18	-19.98	74.00	46.82	32.18	7.83	31.85	390 239 Peak																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2462.00	187.23	33.23	74.00	180.27	32.83	6.98	32.85	390 239 Peak																																																					
Avg.	Date: 8 Site Condition: 03CH02-SZ Condition: AVG_BE_54 3m HF ANT_3117_0107 VERTICAL Project: 100301-03 Mode: 33 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2499.96</td><td>44.22</td><td>-9.78</td><td>54.00</td><td>36.94</td><td>32.18</td><td>7.83</td><td>31.85</td><td>390 239 Average</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2499.96	44.22	-9.78	54.00	36.94	32.18	7.83	31.85	390 239 Average	Date: 6 Site Condition: 03CH02-SZ Condition: AVG_54 3m HF ANT_3117_0107 VERTICAL Project: 100301-03 Mode: 33 SN: #22 G09236523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>183.42</td><td>49.42</td><td>54.00</td><td>96.46</td><td>32.83</td><td>6.98</td><td>32.85</td><td>390 239 Average</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2462.00	183.42	49.42	54.00	96.46	32.83	6.98	32.85	390 239 Average
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2499.96	44.22	-9.78	54.00	36.94	32.18	7.83	31.85	390 239 Average																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2462.00	183.42	49.42	54.00	96.46	32.83	6.98	32.85	390 239 Average																																																					



2.4GHz 2400~2483.5MHz

WIFI 802.11n20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																													
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																												
Peak Avg.	Date: 23 Level (dBuV/m) Date: 2022-11-15 Site: 03CH02-S2 Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 100101-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6201 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4934.00</td><td>43.69</td><td>-38.31</td><td>74.00</td><td>57.69</td><td>34.34</td><td>9.56</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>4968.00</td><td>42.35</td><td>-31.65</td><td>74.00</td><td>56.34</td><td>34.32</td><td>9.59</td><td>57.98</td><td>--- Peak</td></tr><tr><td>3</td><td>4976.00</td><td>47.36</td><td>-26.74</td><td>74.00</td><td>58.64</td><td>35.87</td><td>10.81</td><td>58.26</td><td>--- Peak</td></tr><tr><td>4</td><td>7481.00</td><td>45.82</td><td>-28.98</td><td>74.00</td><td>57.49</td><td>35.97</td><td>11.32</td><td>59.76</td><td>--- Peak</td></tr><tr><td>5</td><td>7488.00</td><td>43.64</td><td>-30.36</td><td>74.00</td><td>56.47</td><td>35.94</td><td>11.29</td><td>59.86</td><td>--- Peak</td></tr></table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	4934.00	43.69	-38.31	74.00	57.69	34.34	9.56	57.98	--- Peak	2	4968.00	42.35	-31.65	74.00	56.34	34.32	9.59	57.98	--- Peak	3	4976.00	47.36	-26.74	74.00	58.64	35.87	10.81	58.26	--- Peak	4	7481.00	45.82	-28.98	74.00	57.49	35.97	11.32	59.76	--- Peak	5	7488.00	43.64	-30.36	74.00	56.47	35.94	11.29	59.86	--- Peak	Date: 24 Level (dBuV/m) Date: 2022-11-15 Site: 03CH02-S2 Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project: 100101-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6201 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4934.00</td><td>44.85</td><td>-29.95</td><td>74.00</td><td>58.85</td><td>34.34</td><td>9.56</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>4968.00</td><td>41.98</td><td>-32.02</td><td>74.00</td><td>55.97</td><td>34.32</td><td>9.59</td><td>57.98</td><td>--- Peak</td></tr><tr><td>3</td><td>4976.00</td><td>46.36</td><td>-25.64</td><td>74.00</td><td>60.36</td><td>35.87</td><td>10.81</td><td>58.26</td><td>--- Peak</td></tr><tr><td>4</td><td>7481.00</td><td>44.42</td><td>-29.38</td><td>74.00</td><td>57.89</td><td>35.97</td><td>11.32</td><td>59.76</td><td>--- Peak</td></tr><tr><td>5</td><td>7488.00</td><td>44.29</td><td>-29.71</td><td>74.00</td><td>56.52</td><td>35.94</td><td>11.29</td><td>59.86</td><td>--- Peak</td></tr></table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	4934.00	44.85	-29.95	74.00	58.85	34.34	9.56	57.98	--- Peak	2	4968.00	41.98	-32.02	74.00	55.97	34.32	9.59	57.98	--- Peak	3	4976.00	46.36	-25.64	74.00	60.36	35.87	10.81	58.26	--- Peak	4	7481.00	44.42	-29.38	74.00	57.89	35.97	11.32	59.76	--- Peak	5	7488.00	44.29	-29.71	74.00	56.52	35.94	11.29	59.86	--- Peak
	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4934.00	43.69	-38.31	74.00	57.69	34.34	9.56	57.98	--- Peak																																																																																																																																					
2	4968.00	42.35	-31.65	74.00	56.34	34.32	9.59	57.98	--- Peak																																																																																																																																					
3	4976.00	47.36	-26.74	74.00	58.64	35.87	10.81	58.26	--- Peak																																																																																																																																					
4	7481.00	45.82	-28.98	74.00	57.49	35.97	11.32	59.76	--- Peak																																																																																																																																					
5	7488.00	43.64	-30.36	74.00	56.47	35.94	11.29	59.86	--- Peak																																																																																																																																					
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4934.00	44.85	-29.95	74.00	58.85	34.34	9.56	57.98	--- Peak																																																																																																																																					
2	4968.00	41.98	-32.02	74.00	55.97	34.32	9.59	57.98	--- Peak																																																																																																																																					
3	4976.00	46.36	-25.64	74.00	60.36	35.87	10.81	58.26	--- Peak																																																																																																																																					
4	7481.00	44.42	-29.38	74.00	57.89	35.97	11.32	59.76	--- Peak																																																																																																																																					
5	7488.00	44.29	-29.71	74.00	56.52	35.94	11.29	59.86	--- Peak																																																																																																																																					



WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																											
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																																																																																																																																											
1	Horizontal	Vertical																																																																																																																																																																										
Peak	Date: 5 Level (dBuV/m) Date: 2022-09-30 Site: 03CH02-SZ Condition: PEAK 74 3m HF_ANT_3117_0107 HORIZONTAL Project: 100001-03 Mode: 30 SN: #22 G90296023870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/01 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>49.64</td><td>-24.36</td><td>74.00</td><td>63.77</td><td>33.88</td><td>9.97</td><td>57.98</td><td>320 268 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>44.79</td><td>-9.20</td><td>54.00</td><td>58.83</td><td>33.88</td><td>9.97</td><td>57.98</td><td>320 268 Average</td></tr><tr><td>3</td><td>4876.00</td><td>43.13</td><td>-10.87</td><td>74.00</td><td>57.38</td><td>33.73</td><td>38.00</td><td>57.98</td><td>--- Peak</td></tr><tr><td>4</td><td>6432.00</td><td>51.91</td><td>-22.09</td><td>74.00</td><td>63.24</td><td>35.45</td><td>11.20</td><td>58.84</td><td>125 196 Peak</td></tr><tr><td>5</td><td>6432.00</td><td>47.52</td><td>-6.48</td><td>54.00</td><td>58.85</td><td>35.45</td><td>11.20</td><td>58.84</td><td>125 196 Average</td></tr><tr><td>6</td><td>7336.00</td><td>46.23</td><td>-27.77</td><td>74.00</td><td>57.49</td><td>35.78</td><td>12.32</td><td>59.28</td><td>--- Peak</td></tr><tr><td>7</td><td>7336.00</td><td>45.50</td><td>-28.50</td><td>74.00</td><td>57.34</td><td>35.72</td><td>12.33</td><td>59.47</td><td>--- Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	4824.00	49.64	-24.36	74.00	63.77	33.88	9.97	57.98	320 268 Peak	2	4824.00	44.79	-9.20	54.00	58.83	33.88	9.97	57.98	320 268 Average	3	4876.00	43.13	-10.87	74.00	57.38	33.73	38.00	57.98	--- Peak	4	6432.00	51.91	-22.09	74.00	63.24	35.45	11.20	58.84	125 196 Peak	5	6432.00	47.52	-6.48	54.00	58.85	35.45	11.20	58.84	125 196 Average	6	7336.00	46.23	-27.77	74.00	57.49	35.78	12.32	59.28	--- Peak	7	7336.00	45.50	-28.50	74.00	57.34	35.72	12.33	59.47	--- Peak	Date: 6 Level (dBuV/m) Date: 2022-09-30 Site: 03CH02-SZ Condition: PEAK 74 3m HF_ANT_3117_0107 VERTICAL Project: 100001-03 Mode: 30 SN: #22 G90296023870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/01 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>49.31</td><td>-24.69</td><td>74.00</td><td>63.44</td><td>33.88</td><td>9.97</td><td>57.98</td><td>332 258 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>46.89</td><td>-7.91</td><td>54.00</td><td>60.22</td><td>33.88</td><td>9.97</td><td>57.98</td><td>332 258 Average</td></tr><tr><td>3</td><td>4876.00</td><td>42.09</td><td>-31.90</td><td>74.00</td><td>56.77</td><td>33.73</td><td>38.00</td><td>57.98</td><td>--- Peak</td></tr><tr><td>4</td><td>6432.00</td><td>47.35</td><td>-26.65</td><td>74.00</td><td>58.68</td><td>35.45</td><td>11.20</td><td>58.84</td><td>--- Peak</td></tr><tr><td>5</td><td>7336.00</td><td>45.36</td><td>-28.64</td><td>74.00</td><td>56.82</td><td>35.78</td><td>12.32</td><td>59.28</td><td>--- Peak</td></tr><tr><td>6</td><td>7336.00</td><td>46.73</td><td>-27.27</td><td>74.00</td><td>58.15</td><td>35.72</td><td>12.33</td><td>59.47</td><td>--- Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	4824.00	49.31	-24.69	74.00	63.44	33.88	9.97	57.98	332 258 Peak	2	4824.00	46.89	-7.91	54.00	60.22	33.88	9.97	57.98	332 258 Average	3	4876.00	42.09	-31.90	74.00	56.77	33.73	38.00	57.98	--- Peak	4	6432.00	47.35	-26.65	74.00	58.68	35.45	11.20	58.84	--- Peak	5	7336.00	45.36	-28.64	74.00	56.82	35.78	12.32	59.28	--- Peak	6	7336.00	46.73	-27.27	74.00	58.15	35.72	12.33	59.47	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1	4824.00	49.64	-24.36	74.00	63.77	33.88	9.97	57.98	320 268 Peak																																																																																																																																																																			
2	4824.00	44.79	-9.20	54.00	58.83	33.88	9.97	57.98	320 268 Average																																																																																																																																																																			
3	4876.00	43.13	-10.87	74.00	57.38	33.73	38.00	57.98	--- Peak																																																																																																																																																																			
4	6432.00	51.91	-22.09	74.00	63.24	35.45	11.20	58.84	125 196 Peak																																																																																																																																																																			
5	6432.00	47.52	-6.48	54.00	58.85	35.45	11.20	58.84	125 196 Average																																																																																																																																																																			
6	7336.00	46.23	-27.77	74.00	57.49	35.78	12.32	59.28	--- Peak																																																																																																																																																																			
7	7336.00	45.50	-28.50	74.00	57.34	35.72	12.33	59.47	--- Peak																																																																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1	4824.00	49.31	-24.69	74.00	63.44	33.88	9.97	57.98	332 258 Peak																																																																																																																																																																			
2	4824.00	46.89	-7.91	54.00	60.22	33.88	9.97	57.98	332 258 Average																																																																																																																																																																			
3	4876.00	42.09	-31.90	74.00	56.77	33.73	38.00	57.98	--- Peak																																																																																																																																																																			
4	6432.00	47.35	-26.65	74.00	58.68	35.45	11.20	58.84	--- Peak																																																																																																																																																																			
5	7336.00	45.36	-28.64	74.00	56.82	35.78	12.32	59.28	--- Peak																																																																																																																																																																			
6	7336.00	46.73	-27.27	74.00	58.15	35.72	12.33	59.47	--- Peak																																																																																																																																																																			



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																													
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																												
Peak Avg.	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 10D0301-03 Mode : Mode 31 SN : #22 G99296923670021 Plane : X with Accessory WIFI setting : 1M power setting 1S BLE setting : 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>49.73</td><td>-24.27</td><td>74.00</td><td>63.86</td><td>33.88</td><td>9.97</td><td>57.98</td><td>321 268 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>44.62</td><td>-9.38</td><td>54.00</td><td>58.75</td><td>33.88</td><td>9.97</td><td>57.98</td><td>321 268 Average</td></tr><tr><td>3</td><td>4904.00</td><td>42.62</td><td>-11.38</td><td>74.00</td><td>56.79</td><td>33.78</td><td>10.03</td><td>57.98</td><td>---</td></tr><tr><td>4</td><td>9432.00</td><td>48.07</td><td>-25.93</td><td>74.00</td><td>59.48</td><td>35.45</td><td>11.26</td><td>58.84</td><td>---</td></tr><tr><td>5</td><td>7356.00</td><td>46.08</td><td>-27.92</td><td>74.00</td><td>57.61</td><td>35.74</td><td>12.34</td><td>59.61</td><td>---</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.00	49.73	-24.27	74.00	63.86	33.88	9.97	57.98	321 268 Peak	2	4824.00	44.62	-9.38	54.00	58.75	33.88	9.97	57.98	321 268 Average	3	4904.00	42.62	-11.38	74.00	56.79	33.78	10.03	57.98	---	4	9432.00	48.07	-25.93	74.00	59.48	35.45	11.26	58.84	---	5	7356.00	46.08	-27.92	74.00	57.61	35.74	12.34	59.61	---	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 10D0301-03 Mode : Mode 31 SN : #22 G99296923670021 Plane : X with Accessory WIFI setting : 1M power setting 1S BLE setting : 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>49.32</td><td>-24.68</td><td>74.00</td><td>63.45</td><td>33.88</td><td>9.97</td><td>57.98</td><td>311 257 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>44.45</td><td>-9.55</td><td>54.00</td><td>58.58</td><td>33.88</td><td>9.97</td><td>57.98</td><td>311 257 Average</td></tr><tr><td>3</td><td>4904.00</td><td>43.65</td><td>-26.35</td><td>74.00</td><td>57.96</td><td>33.78</td><td>10.03</td><td>57.98</td><td>---</td></tr><tr><td>4</td><td>9432.00</td><td>46.77</td><td>-27.23</td><td>74.00</td><td>58.58</td><td>35.45</td><td>11.26</td><td>58.84</td><td>---</td></tr><tr><td>5</td><td>7356.00</td><td>46.41</td><td>-27.59</td><td>74.00</td><td>57.94</td><td>35.74</td><td>12.34</td><td>59.61</td><td>---</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.00	49.32	-24.68	74.00	63.45	33.88	9.97	57.98	311 257 Peak	2	4824.00	44.45	-9.55	54.00	58.58	33.88	9.97	57.98	311 257 Average	3	4904.00	43.65	-26.35	74.00	57.96	33.78	10.03	57.98	---	4	9432.00	46.77	-27.23	74.00	58.58	35.45	11.26	58.84	---	5	7356.00	46.41	-27.59	74.00	57.94	35.74	12.34	59.61	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																						
1	4824.00	49.73	-24.27	74.00	63.86	33.88	9.97	57.98	321 268 Peak																																																																																																																																					
2	4824.00	44.62	-9.38	54.00	58.75	33.88	9.97	57.98	321 268 Average																																																																																																																																					
3	4904.00	42.62	-11.38	74.00	56.79	33.78	10.03	57.98	---																																																																																																																																					
4	9432.00	48.07	-25.93	74.00	59.48	35.45	11.26	58.84	---																																																																																																																																					
5	7356.00	46.08	-27.92	74.00	57.61	35.74	12.34	59.61	---																																																																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																						
1	4824.00	49.32	-24.68	74.00	63.45	33.88	9.97	57.98	311 257 Peak																																																																																																																																					
2	4824.00	44.45	-9.55	54.00	58.58	33.88	9.97	57.98	311 257 Average																																																																																																																																					
3	4904.00	43.65	-26.35	74.00	57.96	33.78	10.03	57.98	---																																																																																																																																					
4	9432.00	46.77	-27.23	74.00	58.58	35.45	11.26	58.84	---																																																																																																																																					
5	7356.00	46.41	-27.59	74.00	57.94	35.74	12.34	59.61	---																																																																																																																																					
	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 10D0301-03 Mode : Mode 31 SN : #22 G99296923670021 Plane : X with Accessory WIFI setting : 1M power setting 1S BLE setting : 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>49.73</td><td>-24.27</td><td>74.00</td><td>63.86</td><td>33.88</td><td>9.97</td><td>57.98</td><td>321 268 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>44.62</td><td>-9.38</td><td>54.00</td><td>58.75</td><td>33.88</td><td>9.97</td><td>57.98</td><td>321 268 Average</td></tr><tr><td>3</td><td>4904.00</td><td>42.62</td><td>-11.38</td><td>74.00</td><td>56.79</td><td>33.78</td><td>10.03</td><td>57.98</td><td>---</td></tr><tr><td>4</td><td>9432.00</td><td>48.07</td><td>-25.93</td><td>74.00</td><td>59.48</td><td>35.45</td><td>11.26</td><td>58.84</td><td>---</td></tr><tr><td>5</td><td>7356.00</td><td>46.08</td><td>-27.92</td><td>74.00</td><td>57.61</td><td>35.74</td><td>12.34</td><td>59.61</td><td>---</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.00	49.73	-24.27	74.00	63.86	33.88	9.97	57.98	321 268 Peak	2	4824.00	44.62	-9.38	54.00	58.75	33.88	9.97	57.98	321 268 Average	3	4904.00	42.62	-11.38	74.00	56.79	33.78	10.03	57.98	---	4	9432.00	48.07	-25.93	74.00	59.48	35.45	11.26	58.84	---	5	7356.00	46.08	-27.92	74.00	57.61	35.74	12.34	59.61	---	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 10D0301-03 Mode : Mode 31 SN : #22 G99296923670021 Plane : X with Accessory WIFI setting : 1M power setting 1S BLE setting : 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>49.32</td><td>-24.68</td><td>74.00</td><td>63.45</td><td>33.88</td><td>9.97</td><td>57.98</td><td>311 257 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>44.45</td><td>-9.55</td><td>54.00</td><td>58.58</td><td>33.88</td><td>9.97</td><td>57.98</td><td>311 257 Average</td></tr><tr><td>3</td><td>4904.00</td><td>43.65</td><td>-26.35</td><td>74.00</td><td>57.96</td><td>33.78</td><td>10.03</td><td>57.98</td><td>---</td></tr><tr><td>4</td><td>9432.00</td><td>46.77</td><td>-27.23</td><td>74.00</td><td>58.58</td><td>35.45</td><td>11.26</td><td>58.84</td><td>---</td></tr><tr><td>5</td><td>7356.00</td><td>46.41</td><td>-27.59</td><td>74.00</td><td>57.94</td><td>35.74</td><td>12.34</td><td>59.61</td><td>---</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.00	49.32	-24.68	74.00	63.45	33.88	9.97	57.98	311 257 Peak	2	4824.00	44.45	-9.55	54.00	58.58	33.88	9.97	57.98	311 257 Average	3	4904.00	43.65	-26.35	74.00	57.96	33.78	10.03	57.98	---	4	9432.00	46.77	-27.23	74.00	58.58	35.45	11.26	58.84	---	5	7356.00	46.41	-27.59	74.00	57.94	35.74	12.34	59.61	---
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																						
1	4824.00	49.73	-24.27	74.00	63.86	33.88	9.97	57.98	321 268 Peak																																																																																																																																					
2	4824.00	44.62	-9.38	54.00	58.75	33.88	9.97	57.98	321 268 Average																																																																																																																																					
3	4904.00	42.62	-11.38	74.00	56.79	33.78	10.03	57.98	---																																																																																																																																					
4	9432.00	48.07	-25.93	74.00	59.48	35.45	11.26	58.84	---																																																																																																																																					
5	7356.00	46.08	-27.92	74.00	57.61	35.74	12.34	59.61	---																																																																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																						
1	4824.00	49.32	-24.68	74.00	63.45	33.88	9.97	57.98	311 257 Peak																																																																																																																																					
2	4824.00	44.45	-9.55	54.00	58.58	33.88	9.97	57.98	311 257 Average																																																																																																																																					
3	4904.00	43.65	-26.35	74.00	57.96	33.78	10.03	57.98	---																																																																																																																																					
4	9432.00	46.77	-27.23	74.00	58.58	35.45	11.26	58.84	---																																																																																																																																					
5	7356.00	46.41	-27.59	74.00	57.94	35.74	12.34	59.61	---																																																																																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																					
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																																																																																																																																																																																					
1	Horizontal	Vertical																																																																																																																																																																																				
Peak Avg.	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site: 03CH02-SZ Condition: PEAK, 74 3m HF_ANT_3117_0107 HORIZONTAL Project: 10D0301-03 Mode: 32 SN: #22 G99296923670021 Plane: X with Accessory WIFI setting: 1M powersetting 1S BLE setting: 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4816.00</td><td>47.12</td><td>-26.88</td><td>74.00</td><td>61.25</td><td>33.88</td><td>9.97</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>4874.00</td><td>48.72</td><td>-25.28</td><td>74.00</td><td>62.89</td><td>33.73</td><td>10.00</td><td>57.98</td><td>322 266 Peak</td></tr><tr><td>3</td><td>4874.00</td><td>44.04</td><td>-35.96</td><td>54.00</td><td>59.11</td><td>33.73</td><td>10.00</td><td>57.98</td><td>322 266 Average</td></tr><tr><td>4</td><td>6488.50</td><td>51.10</td><td>-22.74</td><td>74.00</td><td>62.65</td><td>35.49</td><td>11.28</td><td>58.16</td><td>180 270 Peak</td></tr><tr><td>5</td><td>6488.50</td><td>46.72</td><td>-27.28</td><td>54.00</td><td>58.11</td><td>35.49</td><td>11.28</td><td>58.16</td><td>180 270 Average</td></tr><tr><td>6</td><td>7224.00</td><td>45.98</td><td>-28.28</td><td>74.00</td><td>57.82</td><td>35.59</td><td>12.32</td><td>59.23</td><td>--- Peak</td></tr><tr><td>7</td><td>7331.00</td><td>46.56</td><td>-27.44</td><td>74.00</td><td>58.38</td><td>35.72</td><td>12.33</td><td>59.47</td><td>--- Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4816.00	47.12	-26.88	74.00	61.25	33.88	9.97	57.98	--- Peak	2	4874.00	48.72	-25.28	74.00	62.89	33.73	10.00	57.98	322 266 Peak	3	4874.00	44.04	-35.96	54.00	59.11	33.73	10.00	57.98	322 266 Average	4	6488.50	51.10	-22.74	74.00	62.65	35.49	11.28	58.16	180 270 Peak	5	6488.50	46.72	-27.28	54.00	58.11	35.49	11.28	58.16	180 270 Average	6	7224.00	45.98	-28.28	74.00	57.82	35.59	12.32	59.23	--- Peak	7	7331.00	46.56	-27.44	74.00	58.38	35.72	12.33	59.47	--- Peak	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site: 03CH02-SZ Condition: PEAK, 74 3m HF_ANT_3117_0107 VERTICAL Project: 10D0301-03 Mode: 32 SN: #22 G99296923670021 Plane: X with Accessory WIFI setting: 1M powersetting 1S BLE setting: 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4816.00</td><td>43.85</td><td>-30.15</td><td>74.00</td><td>57.98</td><td>33.88</td><td>9.97</td><td>57.98</td><td>--- Peak</td></tr><tr><td>2</td><td>4874.00</td><td>58.25</td><td>-15.75</td><td>74.00</td><td>64.42</td><td>33.73</td><td>10.00</td><td>57.98</td><td>313 258 Peak</td></tr><tr><td>3</td><td>4874.00</td><td>46.87</td><td>-27.13</td><td>54.00</td><td>60.24</td><td>33.73</td><td>10.00</td><td>57.98</td><td>313 258 Average</td></tr><tr><td>4</td><td>6488.50</td><td>51.46</td><td>-22.54</td><td>74.00</td><td>62.85</td><td>35.49</td><td>11.28</td><td>58.16</td><td>184 165 Peak</td></tr><tr><td>5</td><td>6488.50</td><td>47.39</td><td>-26.61</td><td>54.00</td><td>58.78</td><td>35.49</td><td>11.28</td><td>58.16</td><td>184 165 Average</td></tr><tr><td>6</td><td>7224.00</td><td>45.73</td><td>-28.27</td><td>74.00</td><td>56.95</td><td>35.69</td><td>12.32</td><td>59.23</td><td>--- Peak</td></tr><tr><td>7</td><td>7331.00</td><td>45.41</td><td>-28.59</td><td>74.00</td><td>56.83</td><td>35.72</td><td>12.33</td><td>59.47</td><td>--- Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4816.00	43.85	-30.15	74.00	57.98	33.88	9.97	57.98	--- Peak	2	4874.00	58.25	-15.75	74.00	64.42	33.73	10.00	57.98	313 258 Peak	3	4874.00	46.87	-27.13	54.00	60.24	33.73	10.00	57.98	313 258 Average	4	6488.50	51.46	-22.54	74.00	62.85	35.49	11.28	58.16	184 165 Peak	5	6488.50	47.39	-26.61	54.00	58.78	35.49	11.28	58.16	184 165 Average	6	7224.00	45.73	-28.27	74.00	56.95	35.69	12.32	59.23	--- Peak	7	7331.00	45.41	-28.59	74.00	56.83	35.72	12.33	59.47	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																														
1	4816.00	47.12	-26.88	74.00	61.25	33.88	9.97	57.98	--- Peak																																																																																																																																																																													
2	4874.00	48.72	-25.28	74.00	62.89	33.73	10.00	57.98	322 266 Peak																																																																																																																																																																													
3	4874.00	44.04	-35.96	54.00	59.11	33.73	10.00	57.98	322 266 Average																																																																																																																																																																													
4	6488.50	51.10	-22.74	74.00	62.65	35.49	11.28	58.16	180 270 Peak																																																																																																																																																																													
5	6488.50	46.72	-27.28	54.00	58.11	35.49	11.28	58.16	180 270 Average																																																																																																																																																																													
6	7224.00	45.98	-28.28	74.00	57.82	35.59	12.32	59.23	--- Peak																																																																																																																																																																													
7	7331.00	46.56	-27.44	74.00	58.38	35.72	12.33	59.47	--- Peak																																																																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																														
1	4816.00	43.85	-30.15	74.00	57.98	33.88	9.97	57.98	--- Peak																																																																																																																																																																													
2	4874.00	58.25	-15.75	74.00	64.42	33.73	10.00	57.98	313 258 Peak																																																																																																																																																																													
3	4874.00	46.87	-27.13	54.00	60.24	33.73	10.00	57.98	313 258 Average																																																																																																																																																																													
4	6488.50	51.46	-22.54	74.00	62.85	35.49	11.28	58.16	184 165 Peak																																																																																																																																																																													
5	6488.50	47.39	-26.61	54.00	58.78	35.49	11.28	58.16	184 165 Average																																																																																																																																																																													
6	7224.00	45.73	-28.27	74.00	56.95	35.69	12.32	59.23	--- Peak																																																																																																																																																																													
7	7331.00	45.41	-28.59	74.00	56.83	35.72	12.33	59.47	--- Peak																																																																																																																																																																													




WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																													
ANT	11b_Tx_Ch11 2462Mhz+BLE_Tx_Ch11 2424Mhz																																																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																																																												
Peak Avg.	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 10D0301-03 Mode: 33 SN: #22 G99296923670021 Plane: X with Accessory WIFI setting: 1M powersetting 1S BLE setting: 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4848.00</td><td>42.95</td><td>-31.85</td><td>74.00</td><td>57.85</td><td>33.80</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>46.51</td><td>-27.49</td><td>74.00</td><td>69.65</td><td>33.79</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>6564.00</td><td>51.68</td><td>-22.32</td><td>74.00</td><td>63.18</td><td>35.51</td><td>11.33</td><td>58.24</td><td>180</td><td>225 Peak</td></tr><tr><td>4</td><td>6564.00</td><td>46.94</td><td>-7.18</td><td>54.00</td><td>58.26</td><td>35.51</td><td>11.33</td><td>58.24</td><td>180</td><td>225 Average</td></tr><tr><td>5</td><td>7272.00</td><td>46.38</td><td>-27.72</td><td>74.00</td><td>57.61</td><td>35.71</td><td>12.33</td><td>59.37</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7386.00</td><td>46.38</td><td>-27.62</td><td>74.00</td><td>57.99</td><td>35.76</td><td>12.34</td><td>59.71</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4848.00	42.95	-31.85	74.00	57.85	33.80	18.80	57.98	---	Peak	2	4924.00	46.51	-27.49	74.00	69.65	33.79	18.80	57.98	---	Peak	3	6564.00	51.68	-22.32	74.00	63.18	35.51	11.33	58.24	180	225 Peak	4	6564.00	46.94	-7.18	54.00	58.26	35.51	11.33	58.24	180	225 Average	5	7272.00	46.38	-27.72	74.00	57.61	35.71	12.33	59.37	---	Peak	6	7386.00	46.38	-27.62	74.00	57.99	35.76	12.34	59.71	---	Peak	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project: 10D0301-03 Mode: 33 SN: #22 G99296923670021 Plane: X with Accessory WIFI setting: 1M powersetting 1S BLE setting: 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4848.00</td><td>42.61</td><td>-31.39</td><td>74.00</td><td>56.71</td><td>33.80</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>46.45</td><td>-27.55</td><td>74.00</td><td>69.59</td><td>33.79</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>6564.00</td><td>51.71</td><td>-22.29</td><td>74.00</td><td>63.13</td><td>35.51</td><td>11.33</td><td>58.24</td><td>122</td><td>263 Peak</td></tr><tr><td>4</td><td>6564.00</td><td>47.31</td><td>-6.69</td><td>54.00</td><td>58.73</td><td>35.51</td><td>11.33</td><td>58.24</td><td>322</td><td>263 Average</td></tr><tr><td>5</td><td>7272.00</td><td>46.28</td><td>-27.68</td><td>74.00</td><td>57.55</td><td>35.71</td><td>12.33</td><td>59.37</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7386.00</td><td>46.68</td><td>-27.32</td><td>74.00</td><td>58.29</td><td>35.76</td><td>12.34</td><td>59.71</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4848.00	42.61	-31.39	74.00	56.71	33.80	18.80	57.98	---	Peak	2	4924.00	46.45	-27.55	74.00	69.59	33.79	18.80	57.98	---	Peak	3	6564.00	51.71	-22.29	74.00	63.13	35.51	11.33	58.24	122	263 Peak	4	6564.00	47.31	-6.69	54.00	58.73	35.51	11.33	58.24	322	263 Average	5	7272.00	46.28	-27.68	74.00	57.55	35.71	12.33	59.37	---	Peak	6	7386.00	46.68	-27.32	74.00	58.29	35.76	12.34	59.71	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																						
1	4848.00	42.95	-31.85	74.00	57.85	33.80	18.80	57.98	---	Peak																																																																																																																																																																				
2	4924.00	46.51	-27.49	74.00	69.65	33.79	18.80	57.98	---	Peak																																																																																																																																																																				
3	6564.00	51.68	-22.32	74.00	63.18	35.51	11.33	58.24	180	225 Peak																																																																																																																																																																				
4	6564.00	46.94	-7.18	54.00	58.26	35.51	11.33	58.24	180	225 Average																																																																																																																																																																				
5	7272.00	46.38	-27.72	74.00	57.61	35.71	12.33	59.37	---	Peak																																																																																																																																																																				
6	7386.00	46.38	-27.62	74.00	57.99	35.76	12.34	59.71	---	Peak																																																																																																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																						
1	4848.00	42.61	-31.39	74.00	56.71	33.80	18.80	57.98	---	Peak																																																																																																																																																																				
2	4924.00	46.45	-27.55	74.00	69.59	33.79	18.80	57.98	---	Peak																																																																																																																																																																				
3	6564.00	51.71	-22.29	74.00	63.13	35.51	11.33	58.24	122	263 Peak																																																																																																																																																																				
4	6564.00	47.31	-6.69	54.00	58.73	35.51	11.33	58.24	322	263 Average																																																																																																																																																																				
5	7272.00	46.28	-27.68	74.00	57.55	35.71	12.33	59.37	---	Peak																																																																																																																																																																				
6	7386.00	46.68	-27.32	74.00	58.29	35.76	12.34	59.71	---	Peak																																																																																																																																																																				
	Date: 5 Level (dBuV/m) Date: 2022-09-29 Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 10D0301-03 Mode: 33 SN: #22 G99296923670021 Plane: X with Accessory WIFI setting: 1M powersetting 1S BLE setting: 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4848.00</td><td>42.95</td><td>-31.85</td><td>74.00</td><td>57.85</td><td>33.80</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>46.51</td><td>-27.49</td><td>74.00</td><td>69.65</td><td>33.79</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>6564.00</td><td>51.68</td><td>-22.32</td><td>74.00</td><td>63.18</td><td>35.51</td><td>11.33</td><td>58.24</td><td>180</td><td>225 Peak</td></tr><tr><td>4</td><td>6564.00</td><td>46.94</td><td>-7.18</td><td>54.00</td><td>58.26</td><td>35.51</td><td>11.33</td><td>58.24</td><td>180</td><td>225 Average</td></tr><tr><td>5</td><td>7272.00</td><td>46.38</td><td>-27.72</td><td>74.00</td><td>57.61</td><td>35.71</td><td>12.33</td><td>59.37</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7386.00</td><td>46.38</td><td>-27.62</td><td>74.00</td><td>57.99</td><td>35.76</td><td>12.34</td><td>59.71</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4848.00	42.95	-31.85	74.00	57.85	33.80	18.80	57.98	---	Peak	2	4924.00	46.51	-27.49	74.00	69.65	33.79	18.80	57.98	---	Peak	3	6564.00	51.68	-22.32	74.00	63.18	35.51	11.33	58.24	180	225 Peak	4	6564.00	46.94	-7.18	54.00	58.26	35.51	11.33	58.24	180	225 Average	5	7272.00	46.38	-27.72	74.00	57.61	35.71	12.33	59.37	---	Peak	6	7386.00	46.38	-27.62	74.00	57.99	35.76	12.34	59.71	---	Peak	Date: 6 Level (dBuV/m) Date: 2022-09-29 Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project: 10D0301-03 Mode: 33 SN: #22 G99296923670021 Plane: X with Accessory WIFI setting: 1M powersetting 1S BLE setting: 6/21 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4848.00</td><td>42.61</td><td>-31.39</td><td>74.00</td><td>56.71</td><td>33.80</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>46.45</td><td>-27.55</td><td>74.00</td><td>69.59</td><td>33.79</td><td>18.80</td><td>57.98</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>6564.00</td><td>51.71</td><td>-22.29</td><td>74.00</td><td>63.13</td><td>35.51</td><td>11.33</td><td>58.24</td><td>122</td><td>263 Peak</td></tr><tr><td>4</td><td>6564.00</td><td>47.31</td><td>-6.69</td><td>54.00</td><td>58.73</td><td>35.51</td><td>11.33</td><td>58.24</td><td>322</td><td>263 Average</td></tr><tr><td>5</td><td>7272.00</td><td>46.28</td><td>-27.68</td><td>74.00</td><td>57.55</td><td>35.71</td><td>12.33</td><td>59.37</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7386.00</td><td>46.68</td><td>-27.32</td><td>74.00</td><td>58.29</td><td>35.76</td><td>12.34</td><td>59.71</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4848.00	42.61	-31.39	74.00	56.71	33.80	18.80	57.98	---	Peak	2	4924.00	46.45	-27.55	74.00	69.59	33.79	18.80	57.98	---	Peak	3	6564.00	51.71	-22.29	74.00	63.13	35.51	11.33	58.24	122	263 Peak	4	6564.00	47.31	-6.69	54.00	58.73	35.51	11.33	58.24	322	263 Average	5	7272.00	46.28	-27.68	74.00	57.55	35.71	12.33	59.37	---	Peak	6	7386.00	46.68	-27.32	74.00	58.29	35.76	12.34	59.71	---	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																						
1	4848.00	42.95	-31.85	74.00	57.85	33.80	18.80	57.98	---	Peak																																																																																																																																																																				
2	4924.00	46.51	-27.49	74.00	69.65	33.79	18.80	57.98	---	Peak																																																																																																																																																																				
3	6564.00	51.68	-22.32	74.00	63.18	35.51	11.33	58.24	180	225 Peak																																																																																																																																																																				
4	6564.00	46.94	-7.18	54.00	58.26	35.51	11.33	58.24	180	225 Average																																																																																																																																																																				
5	7272.00	46.38	-27.72	74.00	57.61	35.71	12.33	59.37	---	Peak																																																																																																																																																																				
6	7386.00	46.38	-27.62	74.00	57.99	35.76	12.34	59.71	---	Peak																																																																																																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																						
1	4848.00	42.61	-31.39	74.00	56.71	33.80	18.80	57.98	---	Peak																																																																																																																																																																				
2	4924.00	46.45	-27.55	74.00	69.59	33.79	18.80	57.98	---	Peak																																																																																																																																																																				
3	6564.00	51.71	-22.29	74.00	63.13	35.51	11.33	58.24	122	263 Peak																																																																																																																																																																				
4	6564.00	47.31	-6.69	54.00	58.73	35.51	11.33	58.24	322	263 Average																																																																																																																																																																				
5	7272.00	46.28	-27.68	74.00	57.55	35.71	12.33	59.37	---	Peak																																																																																																																																																																				
6	7386.00	46.68	-27.32	74.00	58.29	35.76	12.34	59.71	---	Peak																																																																																																																																																																				


Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.40	-	-	10Hz
802.11g	96.00	1.391	0.719	1kHz
802.11n HT20	96.25	1.304	0.767	1kHz

802.11b



802.11g



802.11n HT20

