








11AX20SISO_Ant1_2462_106Tone_RU54




11AX20SISO_Ant2_2462_26Tone_RU8






11AX20SISO_Ant2_2462_52Tone_RU40





Date: 27.JUL.2025 15:38:42


11AX20SISO_Ant2_2462_106Tone_RU54





Date: 27.JUL.2025 15:39:58















11AX20SISO_Ant2_2472_52Tone_RU40



11AX20SISO_Ant2_2472_106Tone_RU54






Band edge measurements

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Ru Size	Ru Index	RefLevel [dBm/100KHZ]	Result [dBm/100KHZ]	Limit [dBm/100KHZ]	Verdict
11AX20SISO	Ant1	Low	2412	26Tone	RU0	-1.11	-45.05	≤-31.11	PASS
				52Tone	RU37	-1.52	-44.67	≤-31.52	PASS
				106Tone	RU53	-0.61	-43.31	≤-30.61	PASS
	Ant2	Low	2412	26Tone	RU0	0.84	-41.04	≤-29.16	PASS
				52Tone	RU37	0.91	-43.32	≤-29.09	PASS
				106Tone	RU53	1.72	-41.43	≤-28.28	PASS
	Ant1	High	2462	26Tone	RU8	-2.06	-52.21	≤-32.06	PASS
				52Tone	RU40	-1.13	-52.77	≤-31.13	PASS
				106Tone	RU54	-0.55	-50.31	≤-30.55	PASS
	Ant2	High	2462	26Tone	RU8	-1.26	-52.62	≤-31.26	PASS
				52Tone	RU40	-0.55	-52.09	≤-30.55	PASS
				106Tone	RU54	-0.94	-49.66	≤-30.94	PASS
	Ant1	High	2467	26Tone	RU8	-2.93	-52.87	≤-32.93	PASS
				52Tone	RU40	-1.95	-52.54	≤-31.95	PASS
				106Tone	RU54	-2.28	-50.31	≤-32.28	PASS
	Ant2	High	2467	26Tone	RU8	-3.45	-53.05	≤-33.45	PASS
				52Tone	RU40	-2.45	-51.86	≤-32.45	PASS
				106Tone	RU54	-2.55	-48.34	≤-32.55	PASS
	Ant1	High	2472	26Tone	RU8	-6.21	-43.35	≤-36.21	PASS
				52Tone	RU40	-8.61	-45.37	≤-38.61	PASS
				106Tone	RU54	-10.05	-48.4	≤-40.05	PASS
	Ant2	High	2472	26Tone	RU8	-6.29	-43.01	≤-36.29	PASS
				52Tone	RU40	-6.10	-41.31	≤-36.1	PASS
				106Tone	RU54	-8.06	-43.8	≤-38.06	PASS




Test Graphs






11AX20SISO_Ant1_Low_2412_106Tone_RU53





Date: 27.JUL.2025 15:58:58


11AX20SISO_Ant2_Low_2412_26Tone_RU0





Date: 27.JUL.2025 15:27:51



























Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.177600	---	25.45	54.48	29.03	L1	OFF	10.5
0.177600	48.04	---	64.50	16.46	L1	OFF	10.5
0.212662	---	21.72	52.90	31.17	L1	OFF	10.4
0.212662	43.15	---	62.93	19.78	L1	OFF	10.4
0.265669	---	17.28	51.01	33.73	L1	OFF	10.4
0.265669	43.32	---	61.05	17.73	L1	OFF	10.4
0.319444	---	17.69	49.49	31.81	L1	OFF	10.4
0.319444	43.57	---	59.53	15.96	L1	OFF	10.4
0.355219	---	13.59	48.64	35.06	L1	OFF	10.3
0.355219	38.58	---	58.68	20.10	L1	OFF	10.3
0.406688	---	10.53	47.58	37.05	L1	OFF	10.3
0.406688	29.31	---	57.60	28.29	L1	OFF	10.3
0.499969	---	13.65	46.00	32.35	L1	OFF	10.3
0.499969	28.64	---	56.00	27.36	L1	OFF	10.3



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.165694	---	21.14	55.10	33.96	N	OFF	10.5
0.165694	42.60	---	65.11	22.51	N	OFF	10.5
0.190275	---	22.18	53.87	31.68	N	OFF	10.5
0.190275	54.13	---	63.89	9.76	N	OFF	10.5
0.253706	---	25.41	51.39	25.98	N	OFF	10.4
0.253706	48.90	---	61.43	12.53	N	OFF	10.4
0.359720	---	18.34	48.54	30.20	N	OFF	10.4
0.359720	42.99	---	58.57	15.59	N	OFF	10.4
0.444000	---	20.57	46.90	26.33	N	OFF	10.3
0.444000	48.12	---	56.92	8.80	N	OFF	10.3
0.514894	---	17.61	46.00	28.39	N	OFF	10.3
0.514894	42.40	---	56.00	13.60	N	OFF	10.3



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	46~48%
		Temperature :	26.2~27.5℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	802.11b	1	2412	1Mbps	-	-
Mode 2	2400-2483.5	1	802.11b	6	2437	1Mbps	-	-
Mode 3	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	1	802.11b	12	2467	1Mbps	-	-
Mode 5	2400-2483.5	1	802.11b	13	2472	1Mbps	-	-
Mode 6	2400-2483.5	1	802.11g	1	2412	6Mbps	-	-
Mode 7	2400-2483.5	1	802.11g	6	2437	6Mbps	-	-
Mode 8	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 9	2400-2483.5	1	802.11g	12	2467	6Mbps	-	-
Mode 10	2400-2483.5	1	802.11g	13	2472	6Mbps	-	-
Mode 11	2400-2483.5	1	802.11ax HE20	1	2412	MCS0	-	-
Mode 12	2400-2483.5	1	802.11ax HE20	6	2437	MCS0	-	-
Mode 13	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	-	-
Mode 14	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	-	-
Mode 15	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	-	-
Mode 16	2400-2483.5	1	802.11ax HE20	1	2412	MCS0	26/0RU	-
Mode 17	2400-2483.5	1	802.11ax HE20	1	2412	MCS0	52/37RU	-
Mode 18	2400-2483.5	1	802.11ax HE20	1	2412	MCS0	106/53RU	-
Mode 19	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	26/8RU	-
Mode 20	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	52/40RU	-
Mode 21	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	106/54RU	-
Mode 22	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	26/8RU	-
Mode 23	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	52/40RU	-
Mode 24	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	106/54RU	-
Mode 25	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	26/8RU	-
Mode 26	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	52/40RU	-
Mode 27	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	106/54RU	-
Mode 28	2400-2483.5	2	802.11b	1	2412	1Mbps	-	-
Mode 29	2400-2483.5	2	802.11b	6	2437	1Mbps	-	-
Mode 30	2400-2483.5	2	802.11b	11	2462	1Mbps	-	-
Mode 31	2400-2483.5	2	802.11b	12	2467	1Mbps	-	-
Mode 32	2400-2483.5	2	802.11b	13	2472	1Mbps	-	-
Mode 33	2400-2483.5	2	802.11g	1	2412	6Mbps	-	-
Mode 34	2400-2483.5	2	802.11g	6	2437	6Mbps	-	-
Mode 35	2400-2483.5	2	802.11g	11	2462	6Mbps	-	-
Mode 36	2400-2483.5	2	802.11g	12	2467	6Mbps	-	-
Mode 37	2400-2483.5	2	802.11g	13	2472	6Mbps	-	-



Mode 38	2400-2483.5	2	802.11ax HE20	1	2412	MCS0	-	-
Mode 39	2400-2483.5	2	802.11ax HE20	6	2437	MCS0	-	-
Mode 40	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	-	-
Mode 41	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	-	-
Mode 42	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	-	-
Mode 43	2400-2483.5	2	802.11ax HE20	1	2412	MCS0	26/0RU	-
Mode 44	2400-2483.5	2	802.11ax HE20	1	2412	MCS0	52/37RU	-
Mode 45	2400-2483.5	2	802.11ax HE20	1	2412	MCS0	106/53RU	-
Mode 46	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	26/8RU	-
Mode 47	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	52/40RU	-
Mode 48	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	106/54RU	-
Mode 49	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	26/8RU	-
Mode 50	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	52/40RU	-
Mode 51	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	106/54RU	-
Mode 52	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	26/8RU	-
Mode 53	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	52/40RU	-
Mode 54	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	106/54RU	-
Mode 55	2400-2483.5	1	802.11n HT20	1	2412	MCS0	-	-
Mode 56	2400-2483.5	1	802.11n HT20	6	2437	MCS0	-	-
Mode 57	2400-2483.5	1	802.11n HT20	11	2462	MCS0	-	-
Mode 58	2400-2483.5	1	802.11n HT20	12	2467	MCS0	-	-
Mode 59	2400-2483.5	1	802.11n HT20	13	2472	MCS0	-	-
Mode 60	2400-2483.5	2	802.11n HT20	1	2412	MCS0	-	-
Mode 61	2400-2483.5	2	802.11n HT20	6	2437	MCS0	-	-
Mode 62	2400-2483.5	2	802.11n HT20	11	2462	MCS0	-	-
Mode 63	2400-2483.5	2	802.11n HT20	12	2467	MCS0	-	-
Mode 64	2400-2483.5	2	802.11n HT20	13	2472	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	1	2386.18	43.24	54.00	-10.76	H	AVERAGE	Pass	Band Edge
1	802.11b	1	4824.00	47.24	54.00	-6.76	V	AVERAGE	Pass	Harmonic
2	802.11b	6	-	-	-	-	-	-	-	Band Edge
2	802.11b	6	4874.00	50.22	54.00	-3.78	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2487.82	44.97	54.00	-9.03	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	48.64	54.00	-5.36	V	AVERAGE	Pass	Harmonic
4	802.11b	12	2483.95	48.99	54.00	-5.01	H	AVERAGE	Pass	Band Edge
4	802.11b	12	4934.00	47.38	54.00	-6.62	V	AVERAGE	Pass	Harmonic
5	802.11b	13	2484.55	50.71	54.00	-3.29	H	AVERAGE	Pass	Band Edge
5	802.11b	13	4944.00	41.91	74.00	-32.09	H	PEAK	Pass	Harmonic
6	802.11g	1	2388.00	43.86	54.00	-10.14	H	AVERAGE	Pass	Band Edge
6	802.11g	1	4824.00	44.72	54.00	-9.28	V	AVERAGE	Pass	Harmonic
7	802.11g	6	-	-	-	-	-	-	-	Band Edge
7	802.11g	6	4874.00	48.32	54.00	-5.68	V	AVERAGE	Pass	Harmonic
8	802.11g	11	2487.82	44.54	54.00	-9.46	H	AVERAGE	Pass	Band Edge
8	802.11g	11	4924.00	48.38	54.00	-5.62	V	AVERAGE	Pass	Harmonic
9	802.11g	12	2484.10	49.79	54.00	-4.21	H	AVERAGE	Pass	Band Edge
9	802.11g	12	4934.00	47.11	54.00	-6.89	V	AVERAGE	Pass	Harmonic
10	802.11g	13	2487.00	50.24	54.00	-3.76	H	AVERAGE	Pass	Band Edge
10	802.11g	13	4944.00	44.88	54.00	-9.12	V	AVERAGE	Pass	Harmonic
11	802.11ax HE20	1	2389.95	49.81	54.00	-4.19	H	AVERAGE	Pass	Band Edge
11	802.11ax HE20	1	4824.00	40.18	74.00	-33.82	V	PEAK	Pass	Harmonic
12	802.11ax HE20	6	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	6	4874.00	42.08	74.00	-31.92	V	PEAK	Pass	Harmonic
13	802.11ax HE20	11	2483.74	49.86	54.00	-4.14	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	11	4924.00	40.20	74.00	-33.80	V	PEAK	Pass	Harmonic
14	802.11ax HE20	12	2483.55	50.98	54.00	-3.02	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	12	4934.00	41.00	74.00	-33.00	H	PEAK	Pass	Harmonic
15	802.11ax HE20	13	2483.50	50.49	54.00	-3.51	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	13	4944.00	41.32	74.00	-32.68	V	PEAK	Pass	Harmonic
16	802.11ax HE20	1	2388.78	48.83	54.00	-5.17	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	1	2389.82	47.80	54.00	-6.20	H	AVERAGE	Pass	Band Edge
17	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	1	2389.95	49.90	54.00	-4.10	H	AVERAGE	Pass	Band Edge
18	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
19	802.11ax HE20	11	2483.50	48.05	54.00	-5.95	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	11	2483.56	48.82	54.00	-5.18	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	11	2483.50	48.78	54.00	-5.22	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic







22	802.11ax HE20	12	2483.50	49.76	54.00	-4.24	H	AVERAGE	Pass	Band Edge
22	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	12	2483.55	50.45	54.00	-3.55	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	12	2485.10	49.82	54.00	-4.18	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	13	2483.50	51.03	54.00	-2.97	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	13	2483.50	49.95	54.00	-4.05	H	AVERAGE	Pass	Band Edge
26	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	13	2483.50	48.43	54.00	-5.57	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
28	802.11b	1	2386.18	43.87	54.00	-10.13	H	AVERAGE	Pass	Band Edge
28	802.11b	1	4824.00	48.45	54.00	-5.55	V	AVERAGE	Pass	Harmonic
29	802.11b	6	-	-	-	-	-	-	-	Band Edge
29	802.11b	6	4874.00	47.03	54.00	-6.97	V	AVERAGE	Pass	Harmonic
30	802.11b	11	2488.54	44.18	54.00	-9.82	H	AVERAGE	Pass	Band Edge
30	802.11b	11	4924.00	47.57	54.00	-6.43	V	AVERAGE	Pass	Harmonic
31	802.11b	12	2484.05	48.61	54.00	-5.39	H	AVERAGE	Pass	Band Edge
31	802.11b	12	4934.00	47.24	54.00	-6.76	V	AVERAGE	Pass	Harmonic
32	802.11b	13	2487.00	50.22	54.00	-3.78	H	AVERAGE	Pass	Band Edge
32	802.11b	13	4944.00	46.98	54.00	-7.02	V	AVERAGE	Pass	Harmonic
33	802.11g	1	2385.01	42.76	54.00	-11.24	H	AVERAGE	Pass	Band Edge
33	802.11g	1	4824.00	48.99	54.00	-5.01	H	AVERAGE	Pass	Harmonic
34	802.11g	6	-	-	-	-	-	-	-	Band Edge
34	802.11g	6	4874.00	47.56	54.00	-6.44	H	AVERAGE	Pass	Harmonic
35	802.11g	11	2486.80	43.46	54.00	-10.54	H	AVERAGE	Pass	Band Edge
35	802.11g	11	4924.00	47.98	54.00	-6.02	H	AVERAGE	Pass	Harmonic
36	802.11g	12	2484.00	47.30	54.00	-6.70	H	AVERAGE	Pass	Band Edge
36	802.11g	12	4934.00	47.82	54.00	-6.18	H	AVERAGE	Pass	Harmonic
37	802.11g	13	2485.80	47.52	54.00	-6.48	H	AVERAGE	Pass	Band Edge
37	802.11g	13	4944.00	47.48	54.00	-6.52	H	AVERAGE	Pass	Harmonic
38	802.11ax HE20	1	2389.95	50.06	54.00	-3.94	H	AVERAGE	Pass	Band Edge
38	802.11ax HE20	1	4824.00	40.52	74.00	-33.48	H	PEAK	Pass	Harmonic
39	802.11ax HE20	6	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE20	6	7311.00	42.64	74.00	-31.36	H	PEAK	Pass	Harmonic
40	802.11ax HE20	11	2483.50	50.86	54.00	-3.14	H	AVERAGE	Pass	Band Edge
40	802.11ax HE20	11	7386.00	42.36	74.00	-31.64	H	PEAK	Pass	Harmonic
41	802.11ax HE20	12	2483.50	50.77	54.00	-3.23	H	AVERAGE	Pass	Band Edge
41	802.11ax HE20	12	7401.00	42.04	74.00	-31.96	V	PEAK	Pass	Harmonic
42	802.11ax HE20	13	2483.50	50.08	54.00	-3.92	H	AVERAGE	Pass	Band Edge
42	802.11ax HE20	13	7416.00	42.90	74.00	-31.10	V	PEAK	Pass	Harmonic
43	802.11ax HE20	1	2389.17	44.84	54.00	-9.16	H	AVERAGE	Pass	Band Edge
43	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
44	802.11ax HE20	1	2389.56	44.99	54.00	-9.01	H	AVERAGE	Pass	Band Edge
44	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic







45	802.11ax HE20	1	2389.95	45.13	54.00	-8.87	H	AVERAGE	Pass	Band Edge
45	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
46	802.11ax HE20	11	2486.92	45.08	54.00	-8.92	H	AVERAGE	Pass	Band Edge
46	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
47	802.11ax HE20	11	2483.68	46.18	54.00	-7.82	H	AVERAGE	Pass	Band Edge
47	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
48	802.11ax HE20	11	2483.68	45.70	54.00	-8.30	H	AVERAGE	Pass	Band Edge
48	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
49	802.11ax HE20	12	2484.50	49.90	54.00	-4.10	H	AVERAGE	Pass	Band Edge
49	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE20	12	2483.50	50.36	54.00	-3.64	H	AVERAGE	Pass	Band Edge
50	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
51	802.11ax HE20	12	2483.55	49.85	54.00	-4.15	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE20	13	2483.50	50.62	54.00	-3.38	H	AVERAGE	Pass	Band Edge
52	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	13	2483.50	51.00	54.00	-3.00	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	13	2483.75	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
55	802.11n HT20	1	2389.43	70.95	74.00	-3.05	H	PEAK	Pass	Band Edge
55	802.11n HT20	1	4824.00	40.25	74.00	-33.75	H	PEAK	Pass	Harmonic
56	802.11n HT20	6	-	-	-	-	-	-	-	Band Edge
56	802.11n HT20	6	4874.00	40.62	74.00	-33.38	H	PEAK	Pass	Harmonic
57	802.11n HT20	11	2483.50	50.65	54.00	-3.35	H	AVERAGE	Pass	Band Edge
57	802.11n HT20	11	4924.00	41.25	74.00	-32.75	H	PEAK	Pass	Harmonic
58	802.11n HT20	12	2483.65	50.87	54.00	-3.13	H	AVERAGE	Pass	Band Edge
58	802.11n HT20	12	4934.00	40.94	74.00	-33.06	V	PEAK	Pass	Harmonic
59	802.11n HT20	13	2483.50	50.85	54.00	-3.15	H	AVERAGE	Pass	Band Edge
59	802.11n HT20	13	4944.00	40.56	74.00	-33.44	H	PEAK	Pass	Harmonic
60	802.11n HT20	1	2389.95	46.75	54.00	-7.25	H	AVERAGE	Pass	Band Edge
60	802.11n HT20	1	4824.00	40.64	74.00	-33.36	H	PEAK	Pass	Harmonic
61	802.11n HT20	6	-	-	-	-	-	-	-	Band Edge
61	802.11n HT20	6	7311.00	42.09	74.00	-31.91	H	PEAK	Pass	Harmonic
62	802.11n HT20	11	2483.68	47.88	54.00	-6.12	H	AVERAGE	Pass	Band Edge
62	802.11n HT20	11	7386.00	42.18	74.00	-31.82	V	PEAK	Pass	Harmonic
63	802.11n HT20	12	2483.55	48.83	54.00	-5.17	H	AVERAGE	Pass	Band Edge
63	802.11n HT20	12	7401.00	42.46	74.00	-31.54	H	PEAK	Pass	Harmonic
64	802.11n HT20	13	2483.50	50.39	54.00	-3.61	H	AVERAGE	Pass	Band Edge
64	802.11n HT20	13	7416.00	42.51	74.00	-31.49	V	PEAK	Pass	Harmonic





Mode	1																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11b_CH1_2412MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.75</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>39.50</td><td>32.11</td><td>8.45</td><td>30.69</td><td>6.00</td><td>182</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.75	55.37	74.00	-18.63	39.50	32.11	8.45	30.69	6.00	182	0 PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.46</td><td>-----</td><td>-----</td><td>90.42</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>182</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.46	-----	-----	90.42	32.22	8.50	30.68	6.00	182	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2384.75	55.37	74.00	-18.63	39.50	32.11	8.45	30.69	6.00	182	0 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2412.00	106.46	-----	-----	90.42	32.22	8.50	30.68	6.00	182	0 PEAK																																																																													
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.18</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>27.35</td><td>32.12</td><td>8.46</td><td>30.69</td><td>6.00</td><td>182</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.18	43.24	54.00	-10.76	27.35	32.12	8.46	30.69	6.00	182	0 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.94</td><td>-----</td><td>-----</td><td>85.90</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>182</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.94	-----	-----	85.90	32.22	8.50	30.68	6.00	182	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2386.18	43.24	54.00	-10.76	27.35	32.12	8.46	30.69	6.00	182	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2412.00	101.94	-----	-----	85.90	32.22	8.50	30.68	6.00	182	0 AVERAGE																																																																													





Mode	1																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH1_2412MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.75</td><td>55.01</td><td>74.00</td><td>-18.99</td><td>39.24</td><td>32.03</td><td>8.43</td><td>30.69</td><td>6.00</td><td>106</td><td>62</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.75	55.01	74.00	-18.99	39.24	32.03	8.43	30.69	6.00	106	62	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.35</td><td>-----</td><td>-----</td><td>79.31</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>106</td><td>62</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.35	-----	-----	79.31	32.22	8.50	30.68	6.00	106	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2371.75	55.01	74.00	-18.99	39.24	32.03	8.43	30.69	6.00	106	62	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	95.35	-----	-----	79.31	32.22	8.50	30.68	6.00	106	62	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>26.54</td><td>32.12</td><td>8.46</td><td>30.69</td><td>6.00</td><td>106</td><td>62</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	42.43	54.00	-11.57	26.54	32.12	8.46	30.69	6.00	106	62	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>90.87</td><td>-----</td><td>-----</td><td>74.83</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>106</td><td>62</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	90.87	-----	-----	74.83	32.22	8.50	30.68	6.00	106	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.31	42.43	54.00	-11.57	26.54	32.12	8.46	30.69	6.00	106	62	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	90.87	-----	-----	74.83	32.22	8.50	30.68	6.00	106	62	AVERAGE																																																																																																			







Mode	1																																																																																												
	Harmonic																																																																																												
	2400-2483.5_802.11b_CH1_2412MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>61.55</td><td>34.15</td><td>12.19</td><td>64.12</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.77	74.00	-30.23	61.55	34.15	12.19	64.12	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>68.05</td><td>34.15</td><td>12.19</td><td>64.12</td></tr><tr><td>2</td><td>4824.00</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>65.02</td><td>34.15</td><td>12.19</td><td>64.12</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	50.27	74.00	-23.73	68.05	34.15	12.19	64.12	2	4824.00	47.24	54.00	-6.76	65.02	34.15	12.19	64.12
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	4824.00	43.77	74.00	-30.23	61.55	34.15	12.19	64.12																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	4824.00	50.27	74.00	-23.73	68.05	34.15	12.19	64.12																																																																																					
2	4824.00	47.24	54.00	-6.76	65.02	34.15	12.19	64.12																																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>61.55</td><td>34.15</td><td>12.19</td><td>64.12</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.77	74.00	-30.23	61.55	34.15	12.19	64.12	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>68.05</td><td>34.15</td><td>12.19</td><td>64.12</td></tr><tr><td>2</td><td>4824.00</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>65.02</td><td>34.15</td><td>12.19</td><td>64.12</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	50.27	74.00	-23.73	68.05	34.15	12.19	64.12	2	4824.00	47.24	54.00	-6.76	65.02	34.15	12.19	64.12	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	4824.00	43.77	74.00	-30.23	61.55	34.15	12.19	64.12																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	4824.00	50.27	74.00	-23.73	68.05	34.15	12.19	64.12																																																																																					
2	4824.00	47.24	54.00	-6.76	65.02	34.15	12.19	64.12																																																																																					







Mode	2																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11b_CH6_2437MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>61.29</td><td>34.15</td><td>12.25</td><td>64.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.40	74.00	-30.60	61.29	34.15	12.25	64.29	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>69.82</td><td>34.15</td><td>12.25</td><td>64.29</td><td>0.00</td><td>100</td><td>22</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>50.22</td><td>54.00</td><td>-3.78</td><td>68.11</td><td>34.15</td><td>12.25</td><td>64.29</td><td>0.00</td><td>100</td><td>22</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	51.93	74.00	-22.07	69.82	34.15	12.25	64.29	0.00	100	22	PEAK	2	4874.00	50.22	54.00	-3.78	68.11	34.15	12.25	64.29	0.00	100	22	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4874.00	43.40	74.00	-30.60	61.29	34.15	12.25	64.29	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4874.00	51.93	74.00	-22.07	69.82	34.15	12.25	64.29	0.00	100	22	PEAK																																																																																																				
2	4874.00	50.22	54.00	-3.78	68.11	34.15	12.25	64.29	0.00	100	22	AVERAGE																																																																																																				





Mode	3																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.02</td><td>56.57</td><td>74.00</td><td>-17.43</td><td>40.19</td><td>32.38</td><td>8.65</td><td>30.65</td><td>6.00</td><td>100</td><td>46</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2492.02	56.57	74.00	-17.43	40.19	32.38	8.65	30.65	6.00	100	46	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.85</td><td>-----</td><td>-----</td><td>90.60</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>100</td><td>46</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	106.85	-----	-----	90.60	32.32	8.59	30.66	6.00	100	46
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2492.02	56.57	74.00	-17.43	40.19	32.38	8.65	30.65	6.00	100	46	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2462.00	106.85	-----	-----	90.60	32.32	8.59	30.66	6.00	100	46	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.82</td><td>44.97</td><td>54.00</td><td>-9.03</td><td>28.60</td><td>32.38</td><td>8.64</td><td>30.65</td><td>6.00</td><td>100</td><td>46</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.82	44.97	54.00	-9.03	28.60	32.38	8.64	30.65	6.00	100	46	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.36</td><td>-----</td><td>-----</td><td>86.11</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>100</td><td>46</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	102.36	-----	-----	86.11	32.32	8.59	30.66	6.00	100	46
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2487.82	44.97	54.00	-9.03	28.60	32.38	8.64	30.65	6.00	100	46	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2462.00	102.36	-----	-----	86.11	32.32	8.59	30.66	6.00	100	46	AVERAGE																																																																																																							







Mode	3																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.98</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>38.88</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>100</td><td>40</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.98	55.24	74.00	-18.76	38.88	32.37	8.64	30.65	6.00	100	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.98	55.24	74.00	-18.76	38.88	32.37	8.64	30.65	6.00	100	40	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.42</td><td>43.06</td><td>54.00</td><td>-10.94</td><td>26.69</td><td>32.38</td><td>8.64</td><td>30.65</td><td>6.00</td><td>100</td><td>40</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.42	43.06	54.00	-10.94	26.69	32.38	8.64	30.65	6.00	100	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2488.42	43.06	54.00	-10.94	26.69	32.38	8.64	30.65	6.00	100	40	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.33</td><td>-----</td><td>-----</td><td>81.08</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>100</td><td>40</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.33	-----	-----	81.08	32.32	8.59	30.66	6.00	100	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	97.33	-----	-----	81.08	32.32	8.59	30.66	6.00	100	40	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>92.82</td><td>-----</td><td>-----</td><td>76.57</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>100</td><td>40</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	92.82	-----	-----	76.57	32.32	8.59	30.66	6.00	100	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	92.82	-----	-----	76.57	32.32	8.59	30.66	6.00	100	40	AVERAGE																																											







Mode	3																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>61.93</td><td>34.00</td><td>12.30</td><td>64.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.87	74.00	-30.13	61.93	34.00	12.30	64.36	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>68.99</td><td>34.00</td><td>12.30</td><td>64.36</td><td>0.00</td><td>100</td><td>23</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>48.64</td><td>54.00</td><td>-5.36</td><td>66.70</td><td>34.00</td><td>12.30</td><td>64.36</td><td>0.00</td><td>100</td><td>23</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	50.93	74.00	-23.07	68.99	34.00	12.30	64.36	0.00	100	23	PEAK	2	4924.00	48.64	54.00	-5.36	66.70	34.00	12.30	64.36	0.00	100	23	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4924.00	43.87	74.00	-30.13	61.93	34.00	12.30	64.36	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4924.00	50.93	74.00	-23.07	68.99	34.00	12.30	64.36	0.00	100	23	PEAK																																																																																																				
2	4924.00	48.64	54.00	-5.36	66.70	34.00	12.30	64.36	0.00	100	23	AVERAGE																																																																																																				





Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.25</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>42.60</td><td>32.09</td><td>9.23</td><td>30.65</td><td>6.00</td><td>170</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.25	59.27	74.00	-14.73	42.60	32.09	9.23	30.65	6.00	170	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>107.12</td><td>-----</td><td>-----</td><td>90.37</td><td>32.20</td><td>9.21</td><td>30.66</td><td>6.00</td><td>170</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	107.12	-----	-----	90.37	32.20	9.21	30.66	6.00	170	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.25	59.27	74.00	-14.73	42.60	32.09	9.23	30.65	6.00	170	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	107.12	-----	-----	90.37	32.20	9.21	30.66	6.00	170	360	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.95</td><td>48.99</td><td>54.00</td><td>-5.01</td><td>32.31</td><td>32.10</td><td>9.23</td><td>30.65</td><td>6.00</td><td>170</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.95	48.99	54.00	-5.01	32.31	32.10	9.23	30.65	6.00	170	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>102.60</td><td>-----</td><td>-----</td><td>85.85</td><td>32.20</td><td>9.21</td><td>30.66</td><td>6.00</td><td>170</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.60	-----	-----	85.85	32.20	9.21	30.66	6.00	170	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.95	48.99	54.00	-5.01	32.31	32.10	9.23	30.65	6.00	170	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	102.60	-----	-----	85.85	32.20	9.21	30.66	6.00	170	360	AVERAGE																																																																																							







Mode	4																																																					
	Band Edge																																																					
	2400-2483.5_802.11b_CH12_2467MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>39.67</td><td>32.10</td><td>9.23</td><td>30.65</td><td>6.00</td><td>215</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	56.35	74.00	-17.65	39.67	32.10	9.23	30.65	6.00	215
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2467.00	56.35	74.00	-17.65	39.67	32.10	9.23	30.65	6.00	215	0 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>102.04</td><td>-----</td><td>-----</td><td>85.29</td><td>32.20</td><td>9.21</td><td>30.66</td><td>6.00</td><td>215</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.04	-----	-----	85.29	32.20	9.21	30.66	6.00	215
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2467.00	102.04	-----	-----	85.29	32.20	9.21	30.66	6.00	215	0 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>45.38</td><td>54.00</td><td>-8.62</td><td>28.70</td><td>32.10</td><td>9.23</td><td>30.65</td><td>6.00</td><td>215</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	45.38	54.00	-8.62	28.70	32.10	9.23	30.65	6.00	215
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2467.00	45.38	54.00	-8.62	28.70	32.10	9.23	30.65	6.00	215	0 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>97.55</td><td>-----</td><td>-----</td><td>80.80</td><td>32.20</td><td>9.21</td><td>30.66</td><td>6.00</td><td>215</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	97.55	-----	-----	80.80	32.20	9.21	30.66	6.00	215
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2467.00	97.55	-----	-----	80.80	32.20	9.21	30.66	6.00	215	0 AVERAGE																																											






Mode	4																																																																																																										
	Harmonic																																																																																																										
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal							Vertical																																																																																																			
Peak Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>60.98</td><td>33.96</td><td>12.31</td><td>64.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4934.00	42.90	74.00	-31.10	60.98	33.96	12.31	64.35	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>50.02</td><td>74.00</td><td>-23.98</td><td>68.10</td><td>33.96</td><td>12.31</td><td>64.35</td><td>0.00</td><td>110</td><td>29</td><td>PEAK</td></tr><tr><td>2</td><td>4934.00</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>65.46</td><td>33.96</td><td>12.31</td><td>64.35</td><td>0.00</td><td>110</td><td>29</td><td>AVERAGE</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4934.00	50.02	74.00	-23.98	68.10	33.96	12.31	64.35	0.00	110	29	PEAK	2	4934.00	47.38	54.00	-6.62	65.46	33.96	12.31	64.35	0.00	110	29	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	4934.00	42.90	74.00	-31.10	60.98	33.96	12.31	64.35	0.00	--	--	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	4934.00	50.02	74.00	-23.98	68.10	33.96	12.31	64.35	0.00	110	29	PEAK																																																																																															
2	4934.00	47.38	54.00	-6.62	65.46	33.96	12.31	64.35	0.00	110	29	AVERAGE																																																																																															





Mode	5																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH13_2472MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>60.00</td><td>74.00</td><td>-14.00</td><td>43.33</td><td>32.09</td><td>9.23</td><td>30.65</td><td>6.00</td><td>170</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	60.00	74.00	-14.00	43.33	32.09	9.23	30.65	6.00	170	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.40	60.00	74.00	-14.00	43.33	32.09	9.23	30.65	6.00	170	360	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>106.52</td><td>-----</td><td>-----</td><td>89.79</td><td>32.17</td><td>9.22</td><td>30.66</td><td>6.00</td><td>170</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	106.52	-----	-----	89.79	32.17	9.22	30.66	6.00	170	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2472.00	106.52	-----	-----	89.79	32.17	9.22	30.66	6.00	170	360	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.55</td><td>50.71</td><td>54.00</td><td>-3.29</td><td>34.04</td><td>32.09</td><td>9.23</td><td>30.65</td><td>6.00</td><td>170</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.55	50.71	54.00	-3.29	34.04	32.09	9.23	30.65	6.00	170	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.55	50.71	54.00	-3.29	34.04	32.09	9.23	30.65	6.00	170	360	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>101.98</td><td>-----</td><td>-----</td><td>85.25</td><td>32.17</td><td>9.22</td><td>30.66</td><td>6.00</td><td>170</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	101.98	-----	-----	85.25	32.17	9.22	30.66	6.00	170	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2472.00	101.98	-----	-----	85.25	32.17	9.22	30.66	6.00	170	360	AVERAGE																																											







Mode	5																																																				
	Band Edge																																																				
	2400-2483.5_802.11b_CH13_2472MHz																																																				
ANT	1																																																				
Pol.	Vertical																																																				
Peak	Fundamental																																																				
																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.65</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>40.80</td><td>32.09</td><td>9.23</td><td>30.65</td><td>6.00</td><td>203</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.65	57.47	74.00	-16.53	40.80	32.09	9.23	30.65	6.00	203
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2484.65	57.47	74.00	-16.53	40.80	32.09	9.23	30.65	6.00	203	0 PEAK																																										
Avg																																																					
																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>101.51</td><td>-----</td><td>-----</td><td>84.78</td><td>32.17</td><td>9.22</td><td>30.66</td><td>6.00</td><td>203</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	101.51	-----	-----	84.78	32.17	9.22	30.66	6.00	203
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2472.00	101.51	-----	-----	84.78	32.17	9.22	30.66	6.00	203	0 PEAK																																										







Mode	5																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>41.91</td><td>74.00</td><td>-32.09</td><td>60.00</td><td>33.92</td><td>12.33</td><td>64.34</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	41.91	74.00	-32.09	60.00	33.92	12.33	64.34	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>41.60</td><td>74.00</td><td>-32.40</td><td>59.69</td><td>33.92</td><td>12.33</td><td>64.34</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	41.60	74.00	-32.40	59.69	33.92	12.33	64.34	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4944.00	41.91	74.00	-32.09	60.00	33.92	12.33	64.34	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4944.00	41.60	74.00	-32.40	59.69	33.92	12.33	64.34	0.00	--	PEAK																																																																																							





Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH1_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.79</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>40.34</td><td>32.11</td><td>8.46</td><td>30.69</td><td>6.00</td><td>137</td><td>233</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.79	56.22	74.00	-17.78	40.34	32.11	8.46	30.69	6.00	137	233	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.81</td><td>-----</td><td>-----</td><td>90.77</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>137</td><td>233</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.81	-----	-----	90.77	32.22	8.50	30.68	6.00	137	233
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2385.79	56.22	74.00	-17.78	40.34	32.11	8.46	30.69	6.00	137	233	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	106.81	-----	-----	90.77	32.22	8.50	30.68	6.00	137	233	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>27.96</td><td>32.13</td><td>8.46</td><td>30.69</td><td>6.00</td><td>137</td><td>233</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	43.86	54.00	-10.14	27.96	32.13	8.46	30.69	6.00	137	233	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.33</td><td>-----</td><td>-----</td><td>86.29</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>137</td><td>233</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.33	-----	-----	86.29	32.22	8.50	30.68	6.00	137	233
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.00	43.86	54.00	-10.14	27.96	32.13	8.46	30.69	6.00	137	233	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	102.33	-----	-----	86.29	32.22	8.50	30.68	6.00	137	233	AVERAGE																																																																																							





Mode	6																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5_802.11g_CH1_2412MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.73</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>38.59</td><td>32.07</td><td>8.44</td><td>30.69</td><td>6.00</td><td>261</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2377.73	54.41	74.00	-19.59	38.59	32.07	8.44	30.69	6.00	261	229	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.04</td><td>-----</td><td>-----</td><td>80.00</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>261</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	96.04	-----	-----	80.00	32.22	8.50	30.68	6.00	261	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2377.73	54.41	74.00	-19.59	38.59	32.07	8.44	30.69	6.00	261	229	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2412.00	96.04	-----	-----	80.00	32.22	8.50	30.68	6.00	261	229	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>27.26</td><td>32.13</td><td>8.46</td><td>30.69</td><td>6.00</td><td>261</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.78	43.16	54.00	-10.84	27.26	32.13	8.46	30.69	6.00	261	229	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>91.65</td><td>-----</td><td>-----</td><td>75.61</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>261</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	91.65	-----	-----	75.61	32.22	8.50	30.68	6.00	261	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2388.78	43.16	54.00	-10.84	27.26	32.13	8.46	30.69	6.00	261	229	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2412.00	91.65	-----	-----	75.61	32.22	8.50	30.68	6.00	261	229	AVERAGE																																																																																											







Mode	6																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11g_CH1_2412MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>60.28</td><td>34.20</td><td>12.19</td><td>64.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.55	74.00	-31.45	60.28	34.20	12.19	64.12	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>65.64</td><td>34.20</td><td>12.19</td><td>64.12</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>44.72</td><td>54.00</td><td>-9.28</td><td>62.45</td><td>34.20</td><td>12.19</td><td>64.12</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	47.91	74.00	-26.09	65.64	34.20	12.19	64.12	0.00	100	334	PEAK	2	4824.00	44.72	54.00	-9.28	62.45	34.20	12.19	64.12	0.00	100	334	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4824.00	42.55	74.00	-31.45	60.28	34.20	12.19	64.12	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4824.00	47.91	74.00	-26.09	65.64	34.20	12.19	64.12	0.00	100	334	PEAK																																																																																																				
2	4824.00	44.72	54.00	-9.28	62.45	34.20	12.19	64.12	0.00	100	334	AVERAGE																																																																																																				







Mode	7																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11g_CH6_2437MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>58.18</td><td>34.25</td><td>12.25</td><td>64.29</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.03</td><td>74.00</td><td>-31.97</td><td>55.15</td><td>35.00</td><td>15.09</td><td>64.01</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	40.39	74.00	-33.61	58.18	34.25	12.25	64.29	0.00	--	-- PEAK	2	7311.00	42.03	74.00	-31.97	55.15	35.00	15.09	64.01	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>50.81</td><td>74.00</td><td>-23.19</td><td>68.60</td><td>34.25</td><td>12.25</td><td>64.29</td><td>0.00</td><td>100</td><td>24 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>48.32</td><td>54.00</td><td>-5.68</td><td>66.11</td><td>34.25</td><td>12.25</td><td>64.29</td><td>0.00</td><td>100</td><td>24 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>42.71</td><td>74.00</td><td>-31.29</td><td>55.83</td><td>35.00</td><td>15.09</td><td>64.01</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	50.81	74.00	-23.19	68.60	34.25	12.25	64.29	0.00	100	24 PEAK	2	4874.00	48.32	54.00	-5.68	66.11	34.25	12.25	64.29	0.00	100	24 AVERAGE	3	7311.00	42.71	74.00	-31.29	55.83	35.00	15.09	64.01	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4874.00	40.39	74.00	-33.61	58.18	34.25	12.25	64.29	0.00	--	-- PEAK																																																																																																																																			
2	7311.00	42.03	74.00	-31.97	55.15	35.00	15.09	64.01	0.00	--	-- PEAK																																																																																																																																			
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4874.00	50.81	74.00	-23.19	68.60	34.25	12.25	64.29	0.00	100	24 PEAK																																																																																																																																			
2	4874.00	48.32	54.00	-5.68	66.11	34.25	12.25	64.29	0.00	100	24 AVERAGE																																																																																																																																			
3	7311.00	42.71	74.00	-31.29	55.83	35.00	15.09	64.01	0.00	--	-- PEAK																																																																																																																																			





Mode	8																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.20</td><td>55.52</td><td>74.00</td><td>-18.48</td><td>39.12</td><td>32.39</td><td>8.66</td><td>30.65</td><td>6.00</td><td>102</td><td>182</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2495.20	55.52	74.00	-18.48	39.12	32.39	8.66	30.65	6.00	102	182	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.20</td><td>-----</td><td>-----</td><td>89.95</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>102</td><td>182</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	106.20	-----	-----	89.95	32.32	8.59	30.66	6.00	102	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2495.20	55.52	74.00	-18.48	39.12	32.39	8.66	30.65	6.00	102	182	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2462.00	106.20	-----	-----	89.95	32.32	8.59	30.66	6.00	102	182	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.82</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>28.17</td><td>32.38</td><td>8.64</td><td>30.65</td><td>6.00</td><td>102</td><td>182</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.82	44.54	54.00	-9.46	28.17	32.38	8.64	30.65	6.00	102	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.68</td><td>-----</td><td>-----</td><td>85.43</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>102</td><td>182</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	101.68	-----	-----	85.43	32.32	8.59	30.66	6.00	102	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2487.82	44.54	54.00	-9.46	28.17	32.38	8.64	30.65	6.00	102	182	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2462.00	101.68	-----	-----	85.43	32.32	8.59	30.66	6.00	102	182	AVERAGE																																																																																																			







Mode	8																																																							
	Band Edge																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.42</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>38.82</td><td>32.39</td><td>8.66</td><td>30.65</td><td>6.00</td><td>266</td><td>238</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2497.42	55.22	74.00	-18.78	38.82	32.39	8.66	30.65	6.00	266	238	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2497.42	55.22	74.00	-18.78	38.82	32.39	8.66	30.65	6.00	266	238	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.66</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>27.38</td><td>32.38</td><td>8.64</td><td>30.65</td><td>6.00</td><td>266</td><td>238</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.66	43.75	54.00	-10.25	27.38	32.38	8.64	30.65	6.00	266	238	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2488.66	43.75	54.00	-10.25	27.38	32.38	8.64	30.65	6.00	266	238	AVERAGE																																												
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.58</td><td>-----</td><td>-----</td><td>81.33</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>266</td><td>238</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	97.58	-----	-----	81.33	32.32	8.59	30.66	6.00	266	238	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	97.58	-----	-----	81.33	32.32	8.59	30.66	6.00	266	238	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>93.17</td><td>-----</td><td>-----</td><td>76.92</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>266</td><td>238</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	93.17	-----	-----	76.92	32.32	8.59	30.66	6.00	266	238	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	93.17	-----	-----	76.92	32.32	8.59	30.66	6.00	266	238	AVERAGE																																												







Mode	8																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>61.88</td><td>34.30</td><td>12.30</td><td>64.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7306.00</td><td>42.02</td><td>74.00</td><td>-31.98</td><td>55.07</td><td>35.00</td><td>15.19</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.12	74.00	-29.88	61.88	34.30	12.30	64.36	0.00	--	--	PEAK	2	7306.00	42.02	74.00	-31.98	55.07	35.00	15.19	64.04	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>50.71</td><td>74.00</td><td>-23.29</td><td>68.47</td><td>34.30</td><td>12.30</td><td>64.36</td><td>0.00</td><td>130</td><td>24</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>48.38</td><td>54.00</td><td>-5.62</td><td>66.14</td><td>34.30</td><td>12.30</td><td>64.36</td><td>0.00</td><td>130</td><td>24</td><td>AVERAGE</td></tr><tr><td>3</td><td>7306.00</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>55.35</td><td>35.00</td><td>15.19</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	50.71	74.00	-23.29	68.47	34.30	12.30	64.36	0.00	130	24	PEAK	2	4924.00	48.38	54.00	-5.62	66.14	34.30	12.30	64.36	0.00	130	24	AVERAGE	3	7306.00	42.30	74.00	-31.70	55.35	35.00	15.19	64.04	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4924.00	44.12	74.00	-29.88	61.88	34.30	12.30	64.36	0.00	--	--	PEAK																																																																																																																															
2	7306.00	42.02	74.00	-31.98	55.07	35.00	15.19	64.04	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4924.00	50.71	74.00	-23.29	68.47	34.30	12.30	64.36	0.00	130	24	PEAK																																																																																																																															
2	4924.00	48.38	54.00	-5.62	66.14	34.30	12.30	64.36	0.00	130	24	AVERAGE																																																																																																																															
3	7306.00	42.30	74.00	-31.70	55.35	35.00	15.19	64.04	0.00	--	--	PEAK																																																																																																																															





		9																																																					
Mode		Band Edge																																																					
		2400-2483.5_802.11g_CH12_2467MHz																																																					
ANT		1																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.70</td><td>58.71</td><td>74.00</td><td>-15.29</td><td>42.36</td><td>32.37</td><td>8.63</td><td>30.65</td><td>6.00</td><td>169</td><td>236</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.70	58.71	74.00	-15.29	42.36	32.37	8.63	30.65	6.00	169	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.70	58.71	74.00	-15.29	42.36	32.37	8.63	30.65	6.00	169	236	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>108.02</td><td>-----</td><td>-----</td><td>91.75</td><td>32.33</td><td>8.60</td><td>30.66</td><td>6.00</td><td>169</td><td>236</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	108.02	-----	-----	91.75	32.33	8.60	30.66	6.00	169	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2467.00	108.02	-----	-----	91.75	32.33	8.60	30.66	6.00	169	236	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>33.43</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>169</td><td>236</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	49.79	54.00	-4.21	33.43	32.37	8.64	30.65	6.00	169	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.10	49.79	54.00	-4.21	33.43	32.37	8.64	30.65	6.00	169	236	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>103.55</td><td>-----</td><td>-----</td><td>87.28</td><td>32.33</td><td>8.60</td><td>30.66</td><td>6.00</td><td>169</td><td>236</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	103.55	-----	-----	87.28	32.33	8.60	30.66	6.00	169	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2467.00	103.55	-----	-----	87.28	32.33	8.60	30.66	6.00	169	236	AVERAGE																																											







Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.10</td><td>55.75</td><td>74.00</td><td>-18.25</td><td>39.39</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>201</td><td>235</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.10	55.75	74.00	-18.25	39.39	32.37	8.64	30.65	6.00	201	235	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>97.90</td><td>-----</td><td>-----</td><td>81.63</td><td>32.33</td><td>8.60</td><td>30.66</td><td>6.00</td><td>201</td><td>235</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	97.90	-----	-----	81.63	32.33	8.60	30.66	6.00	201	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2487.10	55.75	74.00	-18.25	39.39	32.37	8.64	30.65	6.00	201	235	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2467.00	97.90	-----	-----	81.63	32.33	8.60	30.66	6.00	201	235	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.85</td><td>44.72</td><td>54.00</td><td>-9.28</td><td>28.36</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>201</td><td>235</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.85	44.72	54.00	-9.28	28.36	32.37	8.64	30.65	6.00	201	235	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>93.49</td><td>-----</td><td>-----</td><td>77.20</td><td>32.34</td><td>8.61</td><td>30.66</td><td>6.00</td><td>201</td><td>235</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	93.49	-----	-----	77.20	32.34	8.61	30.66	6.00	201	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2483.85	44.72	54.00	-9.28	28.36	32.37	8.64	30.65	6.00	201	235	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2467.00	93.49	-----	-----	77.20	32.34	8.61	30.66	6.00	201	235	AVERAGE																																																																																							



Mode	9																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>43.33</td><td>74.00</td><td>-30.67</td><td>61.03</td><td>34.34</td><td>12.31</td><td>64.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>41.14</td><td>74.00</td><td>-32.86</td><td>54.17</td><td>35.00</td><td>15.21</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	43.33	74.00	-30.67	61.03	34.34	12.31	64.35	0.00	--	--	PEAK	2	7401.00	41.14	74.00	-32.86	54.17	35.00	15.21	64.04	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>67.56</td><td>34.34</td><td>12.31</td><td>64.35</td><td>0.00</td><td>100</td><td>22</td><td>PEAK</td></tr><tr><td>2</td><td>4934.00</td><td>47.11</td><td>54.00</td><td>-6.89</td><td>64.81</td><td>34.34</td><td>12.31</td><td>64.35</td><td>0.00</td><td>100</td><td>22</td><td>AVERAGE</td></tr><tr><td>3</td><td>7401.00</td><td>41.76</td><td>74.00</td><td>-32.24</td><td>54.79</td><td>35.00</td><td>15.21</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	49.86	74.00	-24.14	67.56	34.34	12.31	64.35	0.00	100	22	PEAK	2	4934.00	47.11	54.00	-6.89	64.81	34.34	12.31	64.35	0.00	100	22	AVERAGE	3	7401.00	41.76	74.00	-32.24	54.79	35.00	15.21	64.04	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4934.00	43.33	74.00	-30.67	61.03	34.34	12.31	64.35	0.00	--	--	PEAK																																																																																																																														
2	7401.00	41.14	74.00	-32.86	54.17	35.00	15.21	64.04	0.00	--	--	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4934.00	49.86	74.00	-24.14	67.56	34.34	12.31	64.35	0.00	100	22	PEAK																																																																																																																														
2	4934.00	47.11	54.00	-6.89	64.81	34.34	12.31	64.35	0.00	100	22	AVERAGE																																																																																																																														
3	7401.00	41.76	74.00	-32.24	54.79	35.00	15.21	64.04	0.00	--	--	PEAK																																																																																																																														



Mode	10																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.90</td><td>59.51</td><td>74.00</td><td>-14.49</td><td>42.84</td><td>32.09</td><td>9.23</td><td>30.65</td><td>6.00</td><td>169</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.90	59.51	74.00	-14.49	42.84	32.09	9.23	30.65	6.00	169	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>106.02</td><td>-----</td><td>-----</td><td>89.29</td><td>32.17</td><td>9.22</td><td>30.66</td><td>6.00</td><td>169</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	106.02	-----	-----	89.29	32.17	9.22	30.66	6.00	169	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2484.90	59.51	74.00	-14.49	42.84	32.09	9.23	30.65	6.00	169	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2472.00	106.02	-----	-----	89.29	32.17	9.22	30.66	6.00	169	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.00</td><td>50.24</td><td>54.00</td><td>-3.76</td><td>33.58</td><td>32.08</td><td>9.23</td><td>30.65</td><td>6.00</td><td>169</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.00	50.24	54.00	-3.76	33.58	32.08	9.23	30.65	6.00	169	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>101.51</td><td>-----</td><td>-----</td><td>84.78</td><td>32.17</td><td>9.22</td><td>30.66</td><td>6.00</td><td>169</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	101.51	-----	-----	84.78	32.17	9.22	30.66	6.00	169	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2487.00	50.24	54.00	-3.76	33.58	32.08	9.23	30.65	6.00	169	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2472.00	101.51	-----	-----	84.78	32.17	9.22	30.66	6.00	169	360	AVERAGE																																																																																																			