





Test Mode :	802.11g	Test Channel :	13
-------------	---------	----------------	----







Test Mode :	802.11n HT20	Test Channel :	01
-------------	--------------	----------------	----






Test Mode :	802.11n HT20	Test Channel :	06
-------------	--------------	----------------	----










Test Mode :	802.11n HT20	Test Channel :	13
-------------	--------------	----------------	----







Test Mode : 802.11ax HE20

Test Channel : 01


100kHz PSD reference Level




Channel Plot



Spurious Emission 30MHz~1GHz




Spurious Emission 1GHz~26.5GHz






Test Mode :	802.11ax HE20	Test Channel :	06
-------------	---------------	----------------	----






Test Mode :	802.11ax HE20	Test Channel :	11
-------------	---------------	----------------	----






Test Mode :	802.11ax HE20	Test Channel :	12
-------------	---------------	----------------	----





Test Mode :	802.11ax HE20	Test Channel :	13
-------------	---------------	----------------	----



3.5 Radiated Band Edges and Spurious Emission Measurement

3.5.1 Limit of Radiated band edge and Spurious Emission Measurement

In any 100 kHz bandwidth outside the intentional radiator frequency band, all harmonics/spurious must be at least 20 dB below the highest emission level within the authorized band. If the output power of this device was measured by spectrum analyzer, the attenuation under this paragraph shall be 30 dB instead of 20 dB. In addition, radiated emissions which fall in the restricted bands must also comply with the limits as below.

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

3.5.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.5.3 Test Procedures


1. The testing follows ANSI C63.10-2013 clause 11.11 & 11.12
2. The EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level.
3. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
4. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
5. Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level
6. For testing below 1GHz, if the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then peak values of EUT will be reported, otherwise, the emissions will be repeated one by one using the CISPR quasi-peak method and reported.
7. For testing above 1GHz, the emission level of the EUT in peak mode was 20dB lower than peak limit (that means the emission level in average mode also complies with the limit in average mode), then peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
8. Use the following spectrum analyzer settings:
 - (1) Span shall wide enough to fully capture the emission being measured;
 - (2) Set RBW=100 kHz for $f < 1$ GHz; VBW $\geq$ RBW; Sweep = auto; Detector function = peak; Trace = max hold;
 - (3) Set RBW = 1 MHz, VBW= 3MHz for $f \geq 1$ GHz for peak measurement.

For average measurement:


 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq 1/T$, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

3.5.4 Test Setup


For radiated emissions below 30MHz



For radiated emissions from 30MHz to 1GHz



For radiated emissions above 1GHz





3.5.5 Test Results of Radiated Spurious Emissions (9kHz ~ 30MHz)

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

3.5.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix C.

3.5.7 Duty Cycle

Please refer to Appendix D.

3.5.8 Test Result of Radiated Spurious Emission (30MHz ~ 10th Harmonic or 40GHz, whichever is lower)

Please refer to Appendix C.

3.6 AC Conducted Emission Measurement

3.6.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

Frequency of Emission (MHz)	Conducted Limit (dB μ V)	
	Quasi-Peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.


3.6.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.6.3 Test Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room, and it was kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
6. Both sides of AC line were checked for maximum conducted interference.
7. The frequency range from 150 kHz to 30 MHz was searched.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF bandwidth = 9kHz) with Maximum Hold Mode.

3.6.4 Test Setup



3.6.5 Test Result of AC Conducted Emission

Please refer to Appendix B.

3.7 Antenna Requirements

3.7.1 Standard Applicable

If directional gain of transmitting Antennas is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi. The use of a permanently attached Antenna or of an Antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the rule.

3.7.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used.

3.7.3 Antenna Gain

<CDD Modes >

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

For CDD transmissions, directional gain is calculated as

Directional gain = G_{ANT} + Array Gain, where Array Gain is as follows.

For power spectral density (PSD) measurements on all devices,

Array Gain = $10 \log(N_{ANT}/N_{SS}=1)$ dB.

For power measurements on IEEE 802.11 devices,

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$.

Directional gain may be calculated by using the formulas applicable to equal gain antennas with G_{ANT} set equal to the gain of the antenna having the highest gain;

The EUT supports CDD mode.

For power, the directional gain G_{ANT} is set equal to the antenna having the highest gain, i.e., F)2)f)i).

For PSD, the directional gain calculation is following F)2)f)ii) of KDB 662911 D01 v02r01.

The power and PSD limit should be modified if the directional gain of EUT is over 6 dBi,

The directional gain "DG" is calculated as following table.

<CDD Modes>						
	Ant. 0	Ant. 1	DG for Power	DG for PSD	Power Limit Reduction	PSD Limit Reduction
	(dBi)	(dBi)	(dBi)	(dBi)	(dB)	(dB)
2.4 GHz	7.20	4.00	7.20	8.76	1.20	2.76

$Power\ Limit\ Reduction = DG(Power) - 6dBi, (min = 0)$

$PSD\ Limit\ Reduction = DG(PSD) - 6dBi, (min = 0)$



4 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 06, 2023	Oct. 04, 2023~ Oct. 23, 2023	Apr. 05, 2024	Conducted (TH01-SZ)
Pulse Power Sensor	Anritsu	MA2411B	1339473	30MHz~40GHz	Dec. 27, 2022	Oct. 04, 2023~ Oct. 23, 2023	Dec. 26, 2023	Conducted (TH01-SZ)
Power Meter	Anritsu	ML2495A	1542004	50MHz Bandwidth	Dec. 27, 2022	Oct. 04, 2023~ Oct. 23, 2023	Dec. 26, 2023	Conducted (TH01-SZ)
Attenuator	MICROWAV	EMVE2214-10	2	30MHz~26.5GHz	Feb. 22, 2023	Oct. 04, 2023~ Oct. 23, 2023	Feb. 22, 2024	Conducted (TH01-SZ)
EMI Test Receiver&SA	KEYSIGHT	N9038A	MY54450083	20Hz~8.4GHz	Apr. 04, 2023	Sep. 29, 2023~ Oct. 25, 2023	Apr. 03, 2024	Radiation (03CH03-SZ)
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY55150246	10Hz~44GHz;	Apr. 04, 2023	Sep. 29, 2023~ Oct. 25, 2023	Apr. 03, 2024	Radiation (03CH03-SZ)
Loop Antenna	R&S	HFH2-Z2	100354	9kHz~30MHz	Jul. 28, 2022	Sep. 29, 2023~ Oct. 25, 2023	Jul. 27, 2024	Radiation (03CH03-SZ)
Bilog Antenna	TeseQ	CBL6112D	35408	30MHz~2GHz	Aug. 20, 2023	Sep. 29, 2023~ Oct. 25, 2023	Aug. 19, 2024	Radiation (03CH03-SZ)
Double Ridge Horn Antenna	SCHWARZBECK	BBHA9120D	9120D-1355	1GHz~18GHz	Apr. 08, 2023	Sep. 29, 2023~ Oct. 25, 2023	Apr. 07, 2024	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 07, 2023	Sep. 29, 2023~ Oct. 25, 2023	Jul. 06, 2024	Radiation (03CH03-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz~40GHz	Apr. 08, 2023	Sep. 29, 2023~ Oct. 25, 2023	Apr. 07, 2024	Radiation (03CH03-SZ)
Amplifier	Burgeon	BPA-530	102211	0.01Hz~3000MHz	Oct. 19, 2022	Sep. 29, 2023~ Oct. 25, 2023	Oct. 18, 2023	Radiation (03CH03-SZ)
Amplifier	Burgeon	BPA-530	102211	0.01Hz~3000MHz	Oct. 18, 2023		Oct. 17, 2024	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	AMF-7D-00101800-30-10P-R	1943528	1GHz~18GHz	Oct. 19, 2022	Sep. 29, 2023~ Oct. 25, 2023	Oct. 18, 2023	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	AMF-7D-00101800-30-10P-R	1943528	1GHz~18GHz	Oct. 18, 2023		Oct. 17, 2024	Radiation (03CH03-SZ)
Amplifier	Agilent Technologies	83017A	MY39501302	500MHz~26.5GHz	Dec. 26, 2022	Sep. 29, 2023~ Oct. 25, 2023	Dec. 25, 2023	Radiation (03CH03-SZ)
AC Power Source	Chroma	61601	616010002729	1 N/A	Nov. 10, 2022	Sep. 29, 2023~ Oct. 25, 2023	Nov. 09, 2023	Radiation (03CH03-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Sep. 29, 2023~ Oct. 25, 2023	NCR	Radiation (03CH03-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Sep. 29, 2023~ Oct. 25, 2023	NCR	Radiation (03CH03-SZ)
EMI Receiver	R&S	ESR7	102297	9kHz~7GHz;	Jul. 07, 2023	Oct. 31, 2023	Jul. 06, 2024	Conduction (CO02-SZ)
AC LISN	R&S	ENV216	101499	9kHz~30MHz	Jul. 07, 2023	Oct. 31, 2023	Jul. 06, 2024	Conduction (CO02-SZ)
AC Power Source	CHROMA	61601	616010002470	100Vac~250Vac	Nov. 10, 2022	Oct. 31, 2023	Nov. 09, 2023	Conduction (CO02-SZ)

NCR: No Calibration Required

5 Uncertainty of Evaluation

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.10-2013. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Spurious Emission & Bandedge	± 1.34 dB
Occupied Channel Bandwidth	$\pm 0.1\%$
Conducted Power	± 1.34 dB
Frequency	± 1.3 Hz

Uncertainty of Conducted Emission Measurement (150kHz ~ 30MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.7dB
---	-------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	5.0dB
---	-------

Uncertainty of Radiated Emission Measurement (1000 MHz ~ 18000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	4.9dB
---	-------

Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	5.0dB
---	-------

----- THE END -----



Appendix A. Conducted Test Results

Test Engineer:	Liu Qiu Qiu	Temperature:	24~26	°C
Test Date:	2023/10/4~2023/10/23	Relative Humidity:	50~53	%

TEST RESULTS DATA
Peak Output Power

2.4GHz Band MIMO																
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Peak Conducted Power (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
					Ant0	Ant1	SUM	Ant0	Ant1	Ant0	Ant1	Ant0	Ant1	Ant0	Ant1	
11b	1Mbps	2	1	2412	16.84	16.35	19.61	28.80		7.20		26.81		36.00		Pass
11b	1Mbps	2	6	2437	20.71	20.54	23.64	28.80		7.20		30.84		36.00		Pass
11b	1Mbps	2	11	2462	20.19	20.08	23.15	28.80		7.20		30.35		36.00		Pass
11b	1Mbps	2	12	2467	15.77	15.25	18.53	28.80		7.20		25.73		36.00		Pass
11b	1Mbps	2	13	2472	9.72	9.48	12.61	28.80		7.20		19.81		36.00		Pass
11g	6Mbps	2	1	2412	23.41	22.99	26.22	28.80		7.20		33.42		36.00		Pass
11g	6Mbps	2	6	2437	24.86	24.58	27.73	28.80		7.20		34.93		36.00		Pass
11g	6Mbps	2	11	2462	21.55	21.39	24.48	28.80		7.20		31.68		36.00		Pass
11g	6Mbps	2	12	2467	20.31	20.18	23.26	28.80		7.20		30.46		36.00		Pass
11g	6Mbps	2	13	2472	17.26	16.34	19.83	28.80		7.20		27.03		36.00		Pass
HT20	MCS0	2	1	2412	23.24	23.06	26.16	28.80		7.20		33.36		36.00		Pass
HT20	MCS0	2	6	2437	23.72	23.59	26.67	28.80		7.20		33.87		36.00		Pass
HT20	MCS0	2	11	2462	21.14	21.08	24.12	28.80		7.20		31.32		36.00		Pass
HT20	MCS0	2	12	2467	18.97	18.83	21.91	28.80		7.20		29.11		36.00		Pass
HT20	MCS0	2	13	2472	16.74	15.96	19.38	28.80		7.20		26.58		36.00		Pass

Note: Measured power (dBm) has offset with cable loss.

TEST RESULTS DATA
Average Output Power

2.4GHz Band MIMO																
Mod.	Data Rate	N _{TX}	CH.	Freq. (MHz)	Average Conducted Power (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
					Ant0	Ant1	SUM	Ant0	Ant1	Ant0	Ant1	Ant0	Ant1	Ant0	Ant1	
11b	1Mbps	2	1	2412	16.20	15.90	19.06	28.80		7.20		26.26		36.00		Pass
11b	1Mbps	2	6	2437	17.10	17.00	20.06	28.80		7.20		27.26		36.00		Pass
11b	1Mbps	2	11	2462	18.10	17.90	21.01	28.80		7.20		28.21		36.00		Pass
11b	1Mbps	2	12	2467	13.60	13.20	16.41	28.80		7.20		23.61		36.00		Pass
11b	1Mbps	2	13	2472	7.60	7.40	10.51	28.80		7.20		17.71		36.00		Pass
11g	6Mbps	2	1	2412	15.60	15.30	18.46	28.80		7.20		25.66		36.00		Pass
11g	6Mbps	2	6	2437	17.00	16.80	19.91	28.80		7.20		27.11		36.00		Pass
11g	6Mbps	2	11	2462	14.10	14.00	17.06	28.80		7.20		24.26		36.00		Pass
11g	6Mbps	2	12	2467	11.70	11.50	14.61	28.80		7.20		21.81		36.00		Pass
11g	6Mbps	2	13	2472	5.50	5.70	8.61	28.80		7.20		15.81		36.00		Pass
HT20	MCS0	2	1	2412	15.50	15.30	18.41	28.80		7.20		25.61		36.00		Pass
HT20	MCS0	2	6	2437	16.10	16.00	19.06	28.80		7.20		26.26		36.00		Pass
HT20	MCS0	2	11	2462	13.50	13.40	16.46	28.80		7.20		23.66		36.00		Pass
HT20	MCS0	2	12	2467	10.00	10.00	13.01	28.80		7.20		20.21		36.00		Pass
HT20	MCS0	2	13	2472	3.10	2.60	5.87	28.80		7.20		13.07		36.00		Pass

Setting	
Ant 1	Ant 2
15.00	
16.00	
17.00	
12.00	
6.50	
14.50	
16.00	
13.00	
10.50	
4.50	
14.50	
15.00	
12.50	
9.00	
2.00	

Note: Measured power (dBm) has offset with cable loss.

TEST RESULTS DATA
Peak Output Power

2.4GHz Band MIMO																	
Mod.	Data Rate	N _{TX}	CH.	Freq. (MHz)	RU Config.	Peak Conducted Power (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
						Ant0	Ant1	SUM	Ant0	Ant1	Ant0	Ant1	Ant0	Ant1	Ant0	Ant1	
HE20	MCS0	2	1	2412	Full	24.12	23.96	27.05	28.80		7.20		34.25		36.00		Pass
HE20	MCS0	2	1	2412	26/0	19.16	18.86	22.02	28.80		7.20		29.22		36.00		Pass
HE20	MCS0	2	1	2412	52/37	22.73	21.81	25.30	28.80		7.20		32.50		36.00		Pass
HE20	MCS0	2	1	2412	106/53	23.95	23.83	26.90	28.80		7.20		34.10		36.00		Pass
HE20	MCS0	2	6	2437	Full	24.11	24.04	27.09	28.80		7.20		34.29		36.00		Pass
HE20	MCS0	2	6	2437	26/4	17.86	18.10	20.99	28.80		7.20		28.19		36.00		Pass
HE20	MCS0	2	6	2437	52/38	21.97	21.88	24.94	28.80		7.20		32.14		36.00		Pass
HE20	MCS0	2	6	2437	106/53	23.93	23.82	26.89	28.80		7.20		34.09		36.00		Pass
HE20	MCS0	2	11	2462	Full	20.22	19.76	23.01	28.80		7.20		30.21		36.00		Pass
HE20	MCS0	2	11	2462	26/8	14.27	14.58	17.44	28.80		7.20		24.64		36.00		Pass
HE20	MCS0	2	11	2462	52/40	17.46	17.51	20.50	28.80		7.20		27.70		36.00		Pass
HE20	MCS0	2	11	2462	106/54	19.98	19.58	22.79	28.80		7.20		29.99		36.00		Pass
HE20	MCS0	2	12	2467	Full	19.65	18.83	22.27	28.80		7.20		29.47		36.00		Pass
HE20	MCS0	2	12	2467	26/8	13.04	13.55	16.31	28.80		7.20		23.51		36.00		Pass
HE20	MCS0	2	12	2467	52/40	15.42	15.62	18.53	28.80		7.20		25.73		36.00		Pass
HE20	MCS0	2	12	2467	106/54	18.31	18.56	21.45	28.80		7.20		28.65		36.00		Pass
HE20	MCS0	2	13	2472	Full	16.53	16.77	19.66	28.80		7.20		26.86		36.00		Pass
HE20	MCS0	2	13	2472	26/8	7.05	7.81	10.46	28.80		7.20		17.66		36.00		Pass
HE20	MCS0	2	13	2472	52/40	11.78	11.32	14.57	28.80		7.20		21.77		36.00		Pass
HE20	MCS0	2	13	2472	106/54	14.34	14.56	17.46	28.80		7.20		24.66		36.00		Pass

Note: Measured power (dBm) has offset with cable loss.

TEST RESULTS DATA
Average Output Power

2.4GHz Band MIMO																
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Average Conducted Power (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)	Pass /Fail
						Ant0	Ant1	SUM	Ant0	Ant1	Ant0	Ant1	Ant0	Ant1		
HE20	MCS0	2	1	2412	Full	16.20	15.90	19.06	28.80		7.20		26.26	36.00	Pass	
HE20	MCS0	2	1	2412	26/0	8.50	8.30	11.41	28.80		7.20		18.61	36.00	Pass	
HE20	MCS0	2	1	2412	52/37	12.10	11.80	14.96	28.80		7.20		22.16	36.00	Pass	
HE20	MCS0	2	1	2412	106/53	14.50	14.10	17.31	28.80		7.20		24.51	36.00	Pass	
HE20	MCS0	2	6	2437	Full	16.10	16.00	19.06	28.80		7.20		26.26	36.00	Pass	
HE20	MCS0	2	6	2437	26/4	8.50	8.50	11.51	28.80		7.20		18.71	36.00	Pass	
HE20	MCS0	2	6	2437	52/38	12.10	11.90	15.01	28.80		7.20		22.21	36.00	Pass	
HE20	MCS0	2	6	2437	106/53	14.60	14.20	17.41	28.80		7.20		24.61	36.00	Pass	
HE20	MCS0	2	11	2462	Full	12.20	12.10	15.16	28.80		7.20		22.36	36.00	Pass	
HE20	MCS0	2	11	2462	26/8	4.70	4.50	7.61	28.80		7.20		14.81	36.00	Pass	
HE20	MCS0	2	11	2462	52/40	7.70	7.50	10.61	28.80		7.20		17.81	36.00	Pass	
HE20	MCS0	2	11	2462	106/54	10.80	10.40	13.61	28.80		7.20		20.81	36.00	Pass	
HE20	MCS0	2	12	2467	Full	10.40	10.00	13.21	28.80		7.20		20.41	36.00	Pass	
HE20	MCS0	2	12	2467	26/8	2.80	2.80	5.81	28.80		7.20		13.01	36.00	Pass	
HE20	MCS0	2	12	2467	52/40	5.00	5.40	8.21	28.80		7.20		15.41	36.00	Pass	
HE20	MCS0	2	12	2467	106/54	7.80	8.00	10.91	28.80		7.20		18.11	36.00	Pass	
HE20	MCS0	2	13	2472	Full	5.10	5.30	8.21	28.80		7.20		15.41	36.00	Pass	
HE20	MCS0	2	13	2472	26/8	-3.50	-3.40	-0.44	28.80		7.20		6.76	36.00	Pass	
HE20	MCS0	2	13	2472	52/40	0.00	-0.10	2.96	28.80		7.20		10.16	36.00	Pass	
HE20	MCS0	2	13	2472	106/54	3.20	3.20	6.21	28.80		7.20		13.41	36.00	Pass	

Setting	
Ant 1	Ant 2
15.00	
7.00	
10.50	
13.00	
15.00	
7.00	
10.50	
13.00	
11.00	
3.00	
6.00	
9.00	
9.00	
1.00	
3.50	
6.00	
4.00	
-4.50	
-1.50	
1.00	

Note: Measured power (dBm) has offset with cable loss.

TEST RESULTS DATA
6dB and 99% Occupied Bandwidth

2.4GHz Band MIMO										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	99% Occupied BW (MHz)		6dB BW (MHz)		6dB BW Limit (MHz)	Pass/Fail
					Ant0	Ant1	Ant0	Ant1		
11b	1Mbps	2	1	2412	12.09	12.19	8.08	8.08	0.50	Pass
11b	1Mbps	2	6	2437	12.29	12.39	8.10	7.62	0.50	Pass
11b	1Mbps	2	11	2462	12.19	12.39	7.62	7.60	0.50	Pass
11b	1Mbps	2	12	2467	12.19	12.29	7.60	8.04	0.50	Pass
11b	1Mbps	2	13	2472	12.39	12.59	8.04	8.10	0.50	Pass
11g	6Mbps	2	1	2412	17.43	17.03	15.36	16.36	0.50	Pass
11g	6Mbps	2	6	2437	17.38	17.08	15.80	16.08	0.50	Pass
11g	6Mbps	2	11	2462	17.33	17.03	16.38	16.38	0.50	Pass
11g	6Mbps	2	12	2467	16.58	16.43	14.08	15.10	0.50	Pass
11g	6Mbps	2	13	2472	16.58	16.43	14.48	15.12	0.50	Pass
HT20	MCS0	2	1	2412	18.48	18.08	16.58	17.60	0.50	Pass
HT20	MCS0	2	6	2437	18.43	18.08	15.34	17.60	0.50	Pass
HT20	MCS0	2	11	2462	18.53	18.08	17.08	17.62	0.50	Pass
HT20	MCS0	2	12	2467	17.68	17.58	15.78	15.70	0.50	Pass
HT20	MCS0	2	13	2472	17.58	17.58	15.10	15.08	0.50	Pass

TEST RESULTS DATA
6dB and 99% Occupied Bandwidth

2.4GHz Band MIMO											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Occupied BW (MHz)		6dB BW (MHz)		6dB BW Limit (MHz)	Pass/Fail
						Ant0	Ant1	Ant0	Ant1		
HE20	MCS0	2	1	2412	Full	19.08	19.03	18.58	18.50	0.50	Pass
HE20	MCS0	2	6	2437	Full	19.03	18.98	18.23	18.10	0.50	Pass
HE20	MCS0	2	11	2462	Full	19.03	19.08	18.03	18.70	0.50	Pass
HE20	MCS0	2	12	2467	Full	18.78	18.78	18.80	18.75	0.50	Pass
HE20	MCS0	2	13	2472	Full	18.78	18.78	18.25	17.73	0.50	Pass

TEST RESULTS DATA
Peak Power Spectral Density

2.4GHz Band MIMO												
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	Peak PSD (dBm/3kHz)			DG (dBi)		Peak PSD Limit (dBm/3kHz)		Pass/Fail
					Ant0	Ant1	Worse + 3.01	Ant0	Ant1	Ant0	Ant1	
11b	1Mbps	2	1	2412	-6.66	-7.91	-3.65	8.76		5.24		Pass
11b	1Mbps	2	6	2437	-3.26	-3.97	-0.25	8.76		5.24		Pass
11b	1Mbps	2	11	2462	-3.70	-4.12	-0.69	8.76		5.24		Pass
11b	1Mbps	2	12	2467	-9.40	-8.28	-5.27	8.76		5.24		Pass
11b	1Mbps	2	13	2472	-14.36	-15.30	-11.35	8.76		5.24		Pass
11g	6Mbps	2	1	2412	-9.32	-8.82	-5.81	8.76		5.24		Pass
11g	6Mbps	2	6	2437	-7.67	-7.20	-4.19	8.76		5.24		Pass
11g	6Mbps	2	11	2462	-10.29	-9.91	-6.90	8.76		5.24		Pass
11g	6Mbps	2	12	2467	-12.11	-13.86	-9.10	8.76		5.24		Pass
11g	6Mbps	2	13	2472	-17.67	-18.80	-14.66	8.76		5.24		Pass
HT20	MCS0	2	1	2412	-9.33	-9.75	-6.32	8.76		5.24		Pass
HT20	MCS0	2	6	2437	-8.72	-9.38	-5.71	8.76		5.24		Pass
HT20	MCS0	2	11	2462	-11.49	-10.70	-7.69	8.76		5.24		Pass
HT20	MCS0	2	12	2467	-15.62	-15.12	-12.11	8.76		5.24		Pass
HT20	MCS0	2	13	2472	-19.75	-19.48	-16.47	8.76		5.24		Pass

Measured power density (dBm) has offset with cable loss.


TEST RESULTS DATA
Peak Power Spectral Density

2.4GHz Band MIMO													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Peak PSD (dBm/3kHz)			DG (dBi)		Peak PSD Limit (dBm/3kHz)		Pass/Fail
						Ant0	Ant1	Worse + 3.01	Ant0	Ant1	Ant0	Ant1	
HE20	MCS0	2	1	2412	Full	-9.97	-9.96	-6.95	8.76		5.24		Pass
HE20	MCS0	2	1	2412	26/0	-10.22	-10.27	-7.21	8.76		5.24		Pass
HE20	MCS0	2	1	2412	52/37	-10.21	-10.23	-7.20	8.76		5.24		Pass
HE20	MCS0	2	1	2412	106/53	-10.06	-10.02	-7.01	8.76		5.24		Pass
HE20	MCS0	2	6	2437	Full	-9.84	-9.59	-6.58	8.76		5.24		Pass
HE20	MCS0	2	6	2437	26/4	-9.98	-9.75	-6.74	8.76		5.24		Pass
HE20	MCS0	2	6	2437	52/38	-10.04	-9.86	-6.85	8.76		5.24		Pass
HE20	MCS0	2	6	2437	106/53	-9.85	-9.92	-6.84	8.76		5.24		Pass
HE20	MCS0	2	11	2462	Full	-13.69	-13.21	-10.20	8.76		5.24		Pass
HE20	MCS0	2	11	2462	26/8	-13.85	-13.56	-10.55	8.76		5.24		Pass
HE20	MCS0	2	11	2462	52/40	-13.78	-13.36	-10.35	8.76		5.24		Pass
HE20	MCS0	2	11	2462	106/54	-13.84	-13.56	-10.55	8.76		5.24		Pass
HE20	MCS0	2	12	2467	Full	-15.75	-15.86	-12.74	8.76		5.24		Pass
HE20	MCS0	2	12	2467	26/8	-15.99	-15.96	-12.95	8.76		5.24		Pass
HE20	MCS0	2	12	2467	52/40	-16.07	-16.02	-13.01	8.76		5.24		Pass
HE20	MCS0	2	12	2467	106/54	-15.96	-15.96	-12.95	8.76		5.24		Pass
HE20	MCS0	2	13	2472	Full	-20.98	-21.23	-17.97	8.76		5.24		Pass
HE20	MCS0	2	13	2472	26/8	-21.27	-21.34	-18.26	8.76		5.24		Pass
HE20	MCS0	2	13	2472	52/40	-21.18	-21.40	-18.17	8.76		5.24		Pass
HE20	MCS0	2	13	2472	106/54	-21.12	-21.41	-18.11	8.76		5.24		Pass

Measured power density (dBm) has offset with cable loss.




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Tao Zhang	Temperature :	24~25℃
		Relative Humidity :	48~49%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		

Full Spectrum



Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.155490	45.40	---	65.70	20.30	N	OFF	19.7
0.155490	---	28.65	55.70	27.05	N	OFF	19.7
0.195000	38.80	---	63.82	25.02	N	OFF	19.7
0.195000	---	25.77	53.82	28.05	N	OFF	19.7
0.293010	34.02	---	60.44	26.42	N	OFF	19.7
0.293010	---	21.70	50.44	28.74	N	OFF	19.7
0.381750	26.44	---	58.24	31.80	N	OFF	19.7
0.381750	---	19.96	48.24	28.28	N	OFF	19.7
0.496500	26.61	---	56.06	29.45	N	OFF	19.7
0.496500	---	20.07	46.06	25.99	N	OFF	19.7
3.321330	24.43	---	56.00	31.57	N	OFF	19.8
3.321330	---	19.19	46.00	26.81	N	OFF	19.8



Appendix C. Radiated Spurious Emission

Test Engineer :	Reid Huang	Relative Humidity :	48~49%
		Temperature :	24~25°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	0+1	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	0+1	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	0+1	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	0+1	802.11b	12	2467	1Mbps	-	-
Mode 5	2400-2483.5	0+1	802.11b	13	2472	1Mbps	-	-
Mode 6	2400-2483.5	0+1	802.11g	01	2412	6Mbps	-	-
Mode 7	2400-2483.5	0+1	802.11g	06	2437	6Mbps	-	-
Mode 8	2400-2483.5	0+1	802.11g	11	2462	6Mbps	-	-
Mode 9	2400-2483.5	0+1	802.11g	12	2467	6Mbps	-	-
Mode 10	2400-2483.5	0+1	802.11g	13	2472	6Mbps	-	-
Mode 11	2400-2483.5	0+1	802.11n HT20	01	2412	MCS0	-	-
Mode 12	2400-2483.5	0+1	802.11n HT20	06	2437	MCS0	-	-
Mode 13	2400-2483.5	0+1	802.11n HT20	11	2462	MCS0	-	-
Mode 14	2400-2483.5	0+1	802.11n HT20	12	2467	MCS0	-	-
Mode 15	2400-2483.5	0+1	802.11n HT20	13	2472	MCS0	-	-
Mode 16	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 17	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	Partial_RU 26/0	-
Mode 18	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	Partial_RU 52/37	-
Mode 19	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	Partial_RU 106/53	-
Mode 20	2400-2483.5	0+1	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 21	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 22	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	Partial_RU 26/8	-
Mode 23	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	Partial_RU 52/40	-
Mode 24	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	Partial_RU 106/54	-
Mode 25	2400-2483.5	0+1	802.11ax HE20	12	2467	MCS0	Full RU	-
Mode 26	2400-2483.5	0+1	802.11ax HE20	12	2467	MCS0	Partial_RU 26/8	-
Mode 27	2400-2483.5	0+1	802.11ax HE20	12	2467	MCS0	Partial_RU 52/40	-
Mode 28	2400-2483.5	0+1	802.11ax HE20	12	2467	MCS0	Partial_RU 106/54	-
Mode 29	2400-2483.5	0+1	802.11ax HE20	13	2472	MCS0	Full RU	-
Mode 30	2400-2483.5	0+1	802.11ax HE20	13	2472	MCS0	Partial_RU 26/8	-
Mode 31	2400-2483.5	0+1	802.11ax HE20	13	2472	MCS0	Partial_RU 52/40	-
Mode 32	2400-2483.5	0+1	802.11ax HE20	13	2472	MCS0	Partial_RU 106/54	-
Mode 33	2400-2483.5	0+1	802.11n HT20	12	2467	MCS0	-	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2385.40	48.61	54.00	-5.39	V	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	44.38	54.00	-9.62	H	Average	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	50.52	54.00	-3.48	H	Average	Pass	Harmonic
3	802.11b	11	2488.60	48.37	54.00	-5.63	V	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	45.35	54.00	-8.65	H	Average	Pass	Harmonic
4	802.11b	12	2483.51	50.38	54.00	-3.62	V	AVERAGE	Pass	Band Edge
4	802.11b	12	4934.00	42.68	54.00	-11.32	H	Average	Pass	Harmonic
5	802.11b	13	2485.64	50.67	54.00	-3.33	V	AVERAGE	Pass	Band Edge
5	802.11b	13	7416.00	44.55	74.00	-29.45	V	Peak	Pass	Harmonic
6	802.11g	01	2389.95	49.83	54.00	-4.17	V	AVERAGE	Pass	Band Edge
6	802.11g	01	4824.00	43.80	74.00	-30.20	H	Peak	Pass	Harmonic
7	802.11g	06	-	-	-	-	-	-	-	Band Edge
7	802.11g	06	7311.00	44.29	74.00	-29.71	H	Peak	Pass	Harmonic
8	802.11g	11	2483.55	49.13	54.00	-4.87	V	AVERAGE	Pass	Band Edge
8	802.11g	11	7386.00	45.11	74.00	-28.89	H	Peak	Pass	Harmonic
9	802.11g	12	2483.51	50.50	54.00	-3.50	V	AVERAGE	Pass	Band Edge
9	802.11g	12	7401.00	44.88	74.00	-29.12	H	Peak	Pass	Harmonic
10	802.11g	13	2484.27	49.79	54.00	-4.21	V	AVERAGE	Pass	Band Edge
10	802.11g	13	7416.00	43.86	74.00	-30.14	V	Peak	Pass	Harmonic
11	802.11n HT20	01	2388.00	49.73	54.00	-4.27	V	AVERAGE	Pass	Band Edge
11	802.11n HT20	01	4824.00	42.24	74.00	-31.76	V	Peak	Pass	Harmonic
12	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	06	7311.00	45.30	74.00	-28.70	H	Peak	Pass	Harmonic
13	802.11n HT20	11	2483.51	50.63	54.00	-3.37	V	AVERAGE	Pass	Band Edge
13	802.11n HT20	11	7386.00	44.83	74.00	-29.17	H	Peak	Pass	Harmonic
14	802.11n HT20	12	2483.58	50.91	54.00	-3.09	V	AVERAGE	Pass	Band Edge
14	802.11n HT20	12	7401.00	44.32	74.00	-29.68	H	Peak	Pass	Harmonic
15	802.11n HT20	13	2483.51	50.65	54.00	-3.35	V	AVERAGE	Pass	Band Edge
15	802.11n HT20	13	7416.00	44.26	74.00	-29.74	V	Peak	Pass	Harmonic
16	802.11ax HE20	01	2389.95	50.05	54.00	-3.95	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	01	4824.00	44.09	74.00	-29.91	H	Peak	Pass	Harmonic
17	802.11ax HE20	01	2389.43	42.93	54.00	-11.07	V	AVERAGE	Pass	Band Edge
17	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	01	2389.95	46.41	54.00	-7.59	V	AVERAGE	Pass	Band Edge
18	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
19	802.11ax HE20	01	2389.82	46.75	54.00	-7.25	V	AVERAGE	Pass	Band Edge
19	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11ax HE20	06	4874.00	45.44	74.00	-28.56	H	Peak	Pass	Harmonic
21	802.11ax HE20	11	2483.51	49.32	54.00	-4.68	V	AVERAGE	Pass	Band Edge
21	802.11ax HE20	11	7386.00	44.78	74.00	-29.22	V	Peak	Pass	Harmonic
22	802.11ax HE20	11	2484.76	41.78	54.00	-12.22	V	AVERAGE	Pass	Band Edge
22	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	11	2484.46	42.21	54.00	-11.79	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	11	2488.71	43.48	54.00	-10.52	V	Peak	Pass	Band Edge
24	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	12	2483.51	50.66	54.00	-3.34	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	12	7401.00	44.87	74.00	-29.13	H	Peak	Pass	Harmonic
26	802.11ax HE20	12	2483.51	43.94	54.00	-10.06	V	AVERAGE	Pass	Band Edge
26	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	12	2483.55	42.23	54.00	-11.77	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	12	2483.55	43.80	54.00	-10.20	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	13	2484.12	50.36	54.00	-3.64	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	13	7416.00	43.94	74.00	-30.06	H	Peak	Pass	Harmonic
30	802.11ax HE20	13	2483.58	46.25	54.00	-7.75	V	AVERAGE	Pass	Band Edge
30	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	13	2483.62	46.66	54.00	-7.34	V	AVERAGE	Pass	Band Edge
31	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	13	2483.51	45.43	54.00	-8.57	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
33	802.11n HT20	12	30	25.22	40	-14.78	V	Peak	Pass	Band Edge





Mode	1																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																	
ANT	0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.74</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>50.23</td><td>32.36</td><td>4.79</td><td>33.67</td><td>243</td><td>0</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.74	53.71	74.00	-20.29	50.23	32.36	4.79	33.67	243	0	PEAK	Level (dBuV/m) Date: 2023-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.61</td><td>-----</td><td>-----</td><td>101.07</td><td>32.37</td><td>4.82</td><td>33.65</td><td>243</td><td>0</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	104.61	-----	-----	101.07	32.37	4.82	33.65	243	0	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2387.74	53.71	74.00	-20.29	50.23	32.36	4.79	33.67	243	0	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2412.00	104.61	-----	-----	101.07	32.37	4.82	33.65	243	0	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2023-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.35</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>41.68</td><td>32.36</td><td>4.79</td><td>33.67</td><td>243</td><td>0</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.35	45.16	54.00	-8.84	41.68	32.36	4.79	33.67	243	0	AVERAGE	Level (dBuV/m) Date: 2023-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.14</td><td>-----</td><td>-----</td><td>98.60</td><td>32.37</td><td>4.82</td><td>33.65</td><td>243</td><td>0</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	102.14	-----	-----	98.60	32.37	4.82	33.65	243	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2387.35	45.16	54.00	-8.84	41.68	32.36	4.79	33.67	243	0	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2412.00	102.14	-----	-----	98.60	32.37	4.82	33.65	243	0	AVERAGE																																																																							





Mode	1																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																	
ANT	0+1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.53</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>52.63</td><td>32.36</td><td>4.79</td><td>33.67</td><td>191</td><td>0</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2385.53	56.11	74.00	-17.89	52.63	32.36	4.79	33.67	191	0	PEAK	Level (dBuV/m) Date: 2023-09-29 Frequency (MHz) PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.02</td><td>-----</td><td>-----</td><td>103.48</td><td>32.37</td><td>4.82</td><td>33.65</td><td>191</td><td>0</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	107.02	-----	-----	103.48	32.37	4.82	33.65	191	0	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2385.53	56.11	74.00	-17.89	52.63	32.36	4.79	33.67	191	0	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2412.00	107.02	-----	-----	103.48	32.37	4.82	33.65	191	0	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2023-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.40</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>45.13</td><td>32.36</td><td>4.79</td><td>33.67</td><td>191</td><td>0</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2385.40	48.61	54.00	-5.39	45.13	32.36	4.79	33.67	191	0	AVERAGE	Level (dBuV/m) Date: 2023-09-29 Frequency (MHz) AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.61</td><td>-----</td><td>-----</td><td>101.07</td><td>32.37</td><td>4.82</td><td>33.65</td><td>191</td><td>0</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	104.61	-----	-----	101.07	32.37	4.82	33.65	191	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2385.40	48.61	54.00	-5.39	45.13	32.36	4.79	33.67	191	0	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2412.00	104.61	-----	-----	101.07	32.37	4.82	33.65	191	0	AVERAGE																																																																							







Mode	1																																																															
	Harmonic																																																															
	2400-2483.5_802.11b_CH01_2412MHz																																																															
ANT	0+1																																																															
Pol.	Horizontal						Vertical																																																									
Peak Avg																																																																
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>63.98</td><td>34.40</td><td>7.75</td><td>57.48</td><td>100</td><td>268</td><td>Peak</td><td></td></tr><tr><td>2</td><td>4824.00</td><td>44.38</td><td>54.00</td><td>-9.62</td><td>59.71</td><td>34.40</td><td>7.75</td><td>57.48</td><td>100</td><td>268</td><td>Average</td><td></td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	48.65	74.00	-25.35	63.98	34.40	7.75	57.48	100	268	Peak		2	4824.00	44.38	54.00	-9.62	59.71	34.40	7.75	57.48	100	268	Average	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	4824.00	48.65	74.00	-25.35	63.98	34.40	7.75	57.48	100	268	Peak																																																					
2	4824.00	44.38	54.00	-9.62	59.71	34.40	7.75	57.48	100	268	Average																																																					
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>58.48</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	43.15	74.00	-30.85	58.48	34.40	7.75	57.48	--	--	Peak															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	4824.00	43.15	74.00	-30.85	58.48	34.40	7.75	57.48	--	--	Peak																																																					



Mode	2																																																																												
	Harmonic																																																																												
	2400-2483.5_802.11b_CH06_2437MHz																																																																												
ANT	0+1																																																																												
Pol.	Horizontal						Vertical																																																																						
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>68.45</td><td>34.37</td><td>7.77</td><td>57.52</td><td>156</td><td>264</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>50.52</td><td>54.00</td><td>-3.48</td><td>65.90</td><td>34.37</td><td>7.77</td><td>57.52</td><td>156</td><td>264</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>58.73</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	53.07	74.00	-20.93	68.45	34.37	7.77	57.52	156	264	Peak	2	4874.00	50.52	54.00	-3.48	65.90	34.37	7.77	57.52	156	264	Average	3	7311.00	44.79	74.00	-29.21	58.73	36.05	8.93	58.92	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4874.00	53.07	74.00	-20.93	68.45	34.37	7.77	57.52	156	264	Peak																																																																		
2	4874.00	50.52	54.00	-3.48	65.90	34.37	7.77	57.52	156	264	Average																																																																		
3	7311.00	44.79	74.00	-29.21	58.73	36.05	8.93	58.92	--	--	Peak																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>61.09</td><td>34.37</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.13</td><td>74.00</td><td>-29.87</td><td>58.07</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	45.71	74.00	-28.29	61.09	34.37	7.77	57.52	--	--	Peak	2	7311.00	44.13	74.00	-29.87	58.07	36.05	8.93	58.92	--	--	Peak													
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4874.00	45.71	74.00	-28.29	61.09	34.37	7.77	57.52	--	--	Peak																																																																		
2	7311.00	44.13	74.00	-29.87	58.07	36.05	8.93	58.92	--	--	Peak																																																																		





Mode	3																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11b_CH11_2462MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 97.5 dBuV/m at 2462 MHz, decreasing to about 48.8 dBuV/m at 2483.5 MHz, and then rising to a peak of 102.36 dBuV/m at 2462.00 MHz. A red line indicates the limit at 74.00 dBuV/m. The peak is labeled PEAK_BE_74.						 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 97.5 dBuV/m at 2462 MHz, decreasing to about 48.8 dBuV/m at 2483.5 MHz, and then rising to a peak of 102.36 dBuV/m at 2462.00 MHz. A red line indicates the limit at 74.00 dBuV/m. The peak is labeled PEAK_74.																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.83</td><td>54.53</td><td>74.00</td><td>-19.47</td><td>50.81</td><td>32.40</td><td>4.93</td><td>33.61</td><td>329</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2488.83	54.53	74.00	-19.47	50.81	32.40	4.93	33.61	329	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.36</td><td>-----</td><td>-----</td><td>98.70</td><td>32.39</td><td>4.89</td><td>33.62</td><td>329</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	102.36	-----	-----	98.70	32.39	4.89	33.62	329	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2488.83	54.53	74.00	-19.47	50.81	32.40	4.93	33.61	329	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	102.36	-----	-----	98.70	32.39	4.89	33.62	329	360	PEAK																																																																																
Avg	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 97.5 dBuV/m at 2462 MHz, decreasing to about 48.8 dBuV/m at 2483.5 MHz, and then rising to a peak of 100.22 dBuV/m at 2462.00 MHz. A red line indicates the limit at 74.00 dBuV/m. The peak is labeled AVG_BE_54.						 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 97.5 dBuV/m at 2462 MHz, decreasing to about 48.8 dBuV/m at 2483.5 MHz, and then rising to a peak of 100.22 dBuV/m at 2462.00 MHz. A red line indicates the limit at 74.00 dBuV/m. The peak is labeled AVG_54.																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.75</td><td>45.43</td><td>54.00</td><td>-8.57</td><td>41.71</td><td>32.40</td><td>4.93</td><td>33.61</td><td>329</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2488.75	45.43	54.00	-8.57	41.71	32.40	4.93	33.61	329	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.22</td><td>-----</td><td>-----</td><td>96.56</td><td>32.39</td><td>4.89</td><td>33.62</td><td>329</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	100.22	-----	-----	96.56	32.39	4.89	33.62	329	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2488.75	45.43	54.00	-8.57	41.71	32.40	4.93	33.61	329	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	100.22	-----	-----	96.56	32.39	4.89	33.62	329	360	AVERAGE																																																																																



Mode	3	
	Band Edge	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak		







Mode	3																																																																																																																																		
	Harmonic																																																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																		
ANT	0+1																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>50.23</td><td>74.00</td><td>-23.77</td><td>65.65</td><td>34.34</td><td>7.79</td><td>57.55</td><td>140</td><td>266</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>60.77</td><td>34.34</td><td>7.79</td><td>57.55</td><td>140</td><td>266</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>57.91</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	50.23	74.00	-23.77	65.65	34.34	7.79	57.55	140	266	Peak	2	4924.00	45.35	54.00	-8.65	60.77	34.34	7.79	57.55	140	266	Average	3	7386.00	44.12	74.00	-29.88	57.91	35.99	9.17	58.95	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>59.94</td><td>34.34</td><td>7.79</td><td>57.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>57.85</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	44.52	74.00	-29.48	59.94	34.34	7.79	57.55	--	--	Peak	2	7386.00	44.06	74.00	-29.94	57.85	35.99	9.17	58.95	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	50.23	74.00	-23.77	65.65	34.34	7.79	57.55	140	266	Peak																																																																																																																								
2	4924.00	45.35	54.00	-8.65	60.77	34.34	7.79	57.55	140	266	Average																																																																																																																								
3	7386.00	44.12	74.00	-29.88	57.91	35.99	9.17	58.95	--	--	Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	44.52	74.00	-29.48	59.94	34.34	7.79	57.55	--	--	Peak																																																																																																																								
2	7386.00	44.06	74.00	-29.94	57.85	35.99	9.17	58.95	--	--	Peak																																																																																																																								





Mode	4										
	Band Edge										
	2400-2483.5_802.11b_CH12_2467MHz										
ANT	0+1										
Pol.	Horizontal										
Peak	<										







Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_802.11b_CH12_2467MHz																																																																			
ANT	0+1																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Date: 2023-09-29  Limit Line Margin Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2484.27</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>53.14</td><td>32.40</td><td>4.92</td><td>33.61</td><td>255</td><td>0</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2484.27	56.85	74.00	-17.15	53.14	32.40	4.92	33.61	255	0	PEAK	Date: 2023-09-29  Limit Line Margin Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2467.00</td><td>106.24</td><td>-----</td><td>-----</td><td>102.57</td><td>32.39</td><td>4.90</td><td>33.62</td><td>255</td><td>0</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2467.00	106.24	-----	-----	102.57	32.39	4.90	33.62	255	0	PEAK
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2484.27	56.85	74.00	-17.15	53.14	32.40	4.92	33.61	255	0	PEAK																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2467.00	106.24	-----	-----	102.57	32.39	4.90	33.62	255	0	PEAK																																																										
Avg	Date: 2023-09-29  Limit Line Margin Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2483.51</td><td>50.38</td><td>54.00</td><td>-3.62</td><td>46.68</td><td>32.39</td><td>4.92</td><td>33.61</td><td>255</td><td>0</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2483.51	50.38	54.00	-3.62	46.68	32.39	4.92	33.61	255	0	AVERAGE	Date: 2023-09-29  Limit Line Margin Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2467.00</td><td>103.79</td><td>-----</td><td>-----</td><td>100.12</td><td>32.39</td><td>4.90</td><td>33.62</td><td>255</td><td>0</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2467.00	103.79	-----	-----	100.12	32.39	4.90	33.62	255	0	AVERAGE
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2483.51	50.38	54.00	-3.62	46.68	32.39	4.92	33.61	255	0	AVERAGE																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2467.00	103.79	-----	-----	100.12	32.39	4.90	33.62	255	0	AVERAGE																																																										







Mode	4																																																																																																																																		
	Harmonic																																																																																																																																		
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																																																		
ANT	0+1																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>63.28</td><td>34.34</td><td>7.79</td><td>57.56</td><td>145</td><td>268</td><td>Peak</td></tr><tr><td>2</td><td>4934.00</td><td>42.68</td><td>54.00</td><td>-11.32</td><td>58.11</td><td>34.34</td><td>7.79</td><td>57.56</td><td>145</td><td>268</td><td>Average</td></tr><tr><td>3</td><td>7401.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>58.87</td><td>35.98</td><td>9.20</td><td>58.96</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	47.85	74.00	-26.15	63.28	34.34	7.79	57.56	145	268	Peak	2	4934.00	42.68	54.00	-11.32	58.11	34.34	7.79	57.56	145	268	Average	3	7401.00	45.09	74.00	-28.91	58.87	35.98	9.20	58.96	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>58.24</td><td>34.34</td><td>7.79</td><td>57.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>57.74</td><td>35.98</td><td>9.20</td><td>58.96</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	42.81	74.00	-31.19	58.24	34.34	7.79	57.56	--	--	Peak	2	7401.00	43.96	74.00	-30.04	57.74	35.98	9.20	58.96	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4934.00	47.85	74.00	-26.15	63.28	34.34	7.79	57.56	145	268	Peak																																																																																																																								
2	4934.00	42.68	54.00	-11.32	58.11	34.34	7.79	57.56	145	268	Average																																																																																																																								
3	7401.00	45.09	74.00	-28.91	58.87	35.98	9.20	58.96	--	--	Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4934.00	42.81	74.00	-31.19	58.24	34.34	7.79	57.56	--	--	Peak																																																																																																																								
2	7401.00	43.96	74.00	-30.04	57.74	35.98	9.20	58.96	--	--	Peak																																																																																																																								



Mode	5																																																																																				
	Band Edge																																																																																				
	2400-2483.5_802.11b_CH13_2472MHz																																																																																				
ANT	0+1																																																																																				
Pol.	Horizontal					Fundamental																																																																															
Peak																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.79</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>50.59</td><td>32.40</td><td>4.92</td><td>33.61</td><td>143 360 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.79	54.30	74.00	-19.70	50.59	32.40	4.92	33.61	143 360 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>90.02</td><td>-----</td><td>-----</td><td>86.35</td><td>32.39</td><td>4.90</td><td>33.62</td><td>143 360 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	90.02	-----	-----	86.35	32.39	4.90	33.62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	2485.79	54.30	74.00	-19.70	50.59	32.40	4.92	33.61	143 360 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	2472.00	90.02	-----	-----	86.35	32.39	4.90	33.62	143 360 PEAK																																																																												
Avg																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.48</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>42.26</td><td>32.40</td><td>4.92</td><td>33.61</td><td>143 360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.48	45.97	54.00	-8.03	42.26	32.40	4.92	33.61	143 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>87.74</td><td>-----</td><td>-----</td><td>84.07</td><td>32.39</td><td>4.90</td><td>33.62</td><td>143 360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	87.74	-----	-----	84.07	32.39	4.90	33.62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	2485.48	45.97	54.00	-8.03	42.26	32.40	4.92	33.61	143 360 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	2472.00	87.74	-----	-----	84.07	32.39	4.90	33.62	143 360 AVERAGE																																																																												







Mode	5																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11b_CH13_2472MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.41</td><td>57.95</td><td>74.00</td><td>-16.05</td><td>54.24</td><td>32.40</td><td>4.92</td><td>33.61</td><td>252</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.41	57.95	74.00	-16.05	54.24	32.40	4.92	33.61	252	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>100.86</td><td>-----</td><td>-----</td><td>97.19</td><td>32.39</td><td>4.90</td><td>33.62</td><td>252</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	100.86	-----	-----	97.19	32.39	4.90	33.62	252	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2485.41	57.95	74.00	-16.05	54.24	32.40	4.92	33.61	252	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2472.00	100.86	-----	-----	97.19	32.39	4.90	33.62	252	360	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.64</td><td>50.67</td><td>54.00</td><td>-3.33</td><td>46.96</td><td>32.40</td><td>4.92</td><td>33.61</td><td>252</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.64	50.67	54.00	-3.33	46.96	32.40	4.92	33.61	252	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>98.46</td><td>-----</td><td>-----</td><td>94.79</td><td>32.39</td><td>4.90</td><td>33.62</td><td>252</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	98.46	-----	-----	94.79	32.39	4.90	33.62	252	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2485.64	50.67	54.00	-3.33	46.96	32.40	4.92	33.61	252	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2472.00	98.46	-----	-----	94.79	32.39	4.90	33.62	252	360	AVERAGE																																																																																







Mode	5																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																																																
ANT	0+1																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-09-30 Frequency (MHz)						Level (dBuV/m) Date: 2023-09-30 Frequency (MHz)																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4944.00</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>58.12</td><td>34.33</td><td>7.80</td><td>57.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>58.10</td><td>35.96</td><td>9.19</td><td>58.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4944.00	42.69	74.00	-31.31	58.12	34.33	7.80	57.56	--	--	Peak	2	7416.00	44.28	74.00	-29.72	58.10	35.96	9.19	58.97	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4944.00</td><td>41.50</td><td>74.00</td><td>-32.50</td><td>56.93</td><td>34.33</td><td>7.80</td><td>57.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>58.37</td><td>35.96</td><td>9.19</td><td>58.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4944.00	41.50	74.00	-32.50	56.93	34.33	7.80	57.56	--	--	Peak	2	7416.00	44.55	74.00	-29.45	58.37	35.96	9.19	58.97	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4944.00	42.69	74.00	-31.31	58.12	34.33	7.80	57.56	--	--	Peak																																																																																																																						
2	7416.00	44.28	74.00	-29.72	58.10	35.96	9.19	58.97	--	--	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4944.00	41.50	74.00	-32.50	56.93	34.33	7.80	57.56	--	--	Peak																																																																																																																						
2	7416.00	44.55	74.00	-29.45	58.37	35.96	9.19	58.97	--	--	Peak																																																																																																																						





Mode	6																																																	
	Band Edge																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																	
ANT	0+1																																																	
Pol.	Horizontal																																																	
Peak	Fundamental																																																	
	Date: 2023-09-29																																																	
																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>56.26</td><td>74.00</td><td>-17.74</td><td>52.78</td><td>32.36</td><td>4.79</td><td>33.67</td><td>100</td><td>55</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.48	56.26	74.00	-17.74	52.78	32.36	4.79	33.67	100	55	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2387.48	56.26	74.00	-17.74	52.78	32.36	4.79	33.67	100	55	PEAK																																							
Avg	Fundamental																																																	
	Date: 2023-09-29																																																	
																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.67</td><td>-----</td><td>-----</td><td>103.13</td><td>32.37</td><td>4.82</td><td>33.65</td><td>100</td><td>55</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	106.67	-----	-----	103.13	32.37	4.82	33.65	100	55	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2412.00	106.67	-----	-----	103.13	32.37	4.82	33.65	100	55	PEAK																																							
Peak	Horizontal																																																	
	Date: 2023-09-29																																																	
																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>56.26</td><td>74.00</td><td>-17.74</td><td>52.78</td><td>32.36</td><td>4.79</td><td>33.67</td><td>100</td><td>55</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.48	56.26	74.00	-17.74	52.78	32.36	4.79	33.67	100	55	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2387.48	56.26	74.00	-17.74	52.78	32.36	4.79	33.67	100	55	PEAK																																							
Avg	Horizontal																																																	
	Date: 2023-09-29																																																	
																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.67</td><td>-----</td><td>-----</td><td>103.13</td><td>32.37</td><td>4.82</td><td>33.65</td><td>100</td><td>55</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	106.67	-----	-----	103.13	32.37	4.82	33.65	100	55	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2412.00	106.67	-----	-----	103.13	32.37	4.82	33.65	100	55	PEAK																																							



Mode	6																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>60.20</td><td>74.00</td><td>-13.80</td><td>56.71</td><td>32.36</td><td>4.80</td><td>33.67</td><td>192</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	60.20	74.00	-13.80	56.71	32.36	4.80	33.67	192	360	PEAK	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>110.29</td><td>-----</td><td>-----</td><td>106.75</td><td>32.37</td><td>4.82</td><td>33.65</td><td>192</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	110.29	-----	-----	106.75	32.37	4.82	33.65	192	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.95	60.20	74.00	-13.80	56.71	32.36	4.80	33.67	192	360	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	110.29	-----	-----	106.75	32.37	4.82	33.65	192	360	PEAK																																																																																	
Avg	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>49.83</td><td>54.00</td><td>-4.17</td><td>46.34</td><td>32.36</td><td>4.80</td><td>33.67</td><td>192</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	49.83	54.00	-4.17	46.34	32.36	4.80	33.67	192	360	AVERAGE	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.09</td><td>-----</td><td>-----</td><td>99.55</td><td>32.37</td><td>4.82</td><td>33.65</td><td>192</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	103.09	-----	-----	99.55	32.37	4.82	33.65	192	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.95	49.83	54.00	-4.17	46.34	32.36	4.80	33.67	192	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	103.09	-----	-----	99.55	32.37	4.82	33.65	192	360	AVERAGE																																																																																	







Mode	6																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.80</td><td>74.00</td><td>-30.20</td><td>59.13</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	43.80	74.00	-30.20	59.13	34.40	7.75	57.48	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.47</td><td>74.00</td><td>-31.53</td><td>57.80</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	42.47	74.00	-31.53	57.80	34.40	7.75	57.48	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	43.80	74.00	-30.20	59.13	34.40	7.75	57.48	--	--	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	42.47	74.00	-31.53	57.80	34.40	7.75	57.48	--	--	Peak																																																																																	







Mode	7																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																											
ANT	0+1																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>59.55</td><td>34.37</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>58.23</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	44.17	74.00	-29.83	59.55	34.37	7.77	57.52	--	--	Peak	2	7311.00	44.29	74.00	-29.71	58.23	36.05	8.93	58.92	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>42.59</td><td>74.00</td><td>-31.41</td><td>57.97</td><td>34.37</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>57.66</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	42.59	74.00	-31.41	57.97	34.37	7.77	57.52	--	--	Peak	2	7311.00	43.72	74.00	-30.28	57.66	36.05	8.93	58.92	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	4874.00	44.17	74.00	-29.83	59.55	34.37	7.77	57.52	--	--	Peak																																																																																																	
2	7311.00	44.29	74.00	-29.71	58.23	36.05	8.93	58.92	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	4874.00	42.59	74.00	-31.41	57.97	34.37	7.77	57.52	--	--	Peak																																																																																																	
2	7311.00	43.72	74.00	-30.28	57.66	36.05	8.93	58.92	--	--	Peak																																																																																																	



Mode	8																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11g_CH11_2462MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.85</td><td>58.96</td><td>74.00</td><td>-15.04</td><td>55.25</td><td>32.40</td><td>4.92</td><td>33.61</td><td>101</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.85	58.96	74.00	-15.04	55.25	32.40	4.92	33.61	101	24	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.15</td><td>-----</td><td>-----</td><td>99.49</td><td>32.39</td><td>4.89</td><td>33.62</td><td>101</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	103.15	-----	-----	99.49	32.39	4.89	33.62	101	24
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.85	58.96	74.00	-15.04	55.25	32.40	4.92	33.61	101	24	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	103.15	-----	-----	99.49	32.39	4.89	33.62	101	24	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>42.16</td><td>32.39</td><td>4.92</td><td>33.61</td><td>101</td><td>24</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	45.86	54.00	-8.14	42.16	32.39	4.92	33.61	101	24	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.31</td><td>-----</td><td>-----</td><td>92.65</td><td>32.39</td><td>4.89</td><td>33.62</td><td>101</td><td>24</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	96.31	-----	-----	92.65	32.39	4.89	33.62	101	24
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.55	45.86	54.00	-8.14	42.16	32.39	4.92	33.61	101	24	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	96.31	-----	-----	92.65	32.39	4.89	33.62	101	24	AVERAGE																																																																																







Mode	8																																																																																						
	Band Edge																																																																																						
	2400-2483.5_802.11g_CH11_2462MHz																																																																																						
ANT	0+1																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.93</td><td>62.11</td><td>74.00</td><td>-11.89</td><td>58.40</td><td>32.40</td><td>4.92</td><td>33.61</td><td>201</td><td>1 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.93	62.11	74.00	-11.89	58.40	32.40	4.92	33.61	201	1 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.23</td><td>-----</td><td>-----</td><td>104.58</td><td>32.39</td><td>4.89</td><td>33.63</td><td>201</td><td>1 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	108.23	-----	-----	104.58	32.39	4.89	33.63	201
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.93	62.11	74.00	-11.89	58.40	32.40	4.92	33.61	201	1 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2462.00	108.23	-----	-----	104.58	32.39	4.89	33.63	201	1 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>49.13</td><td>54.00</td><td>-4.87</td><td>45.43</td><td>32.39</td><td>4.92</td><td>33.61</td><td>201</td><td>1 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	49.13	54.00	-4.87	45.43	32.39	4.92	33.61	201	1 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.82</td><td>-----</td><td>-----</td><td>98.17</td><td>32.39</td><td>4.89</td><td>33.63</td><td>201</td><td>1 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	101.82	-----	-----	98.17	32.39	4.89	33.63	201
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.55	49.13	54.00	-4.87	45.43	32.39	4.92	33.61	201	1 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2462.00	101.82	-----	-----	98.17	32.39	4.89	33.63	201	1 AVERAGE																																																																													







Mode	8																																																																																							
	Harmonic																																																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>42.20</td><td>74.00</td><td>-31.80</td><td>57.62</td><td>34.34</td><td>7.79</td><td>57.55</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>58.90</td><td>35.99</td><td>9.17</td><td>58.95</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4924.00	42.20	74.00	-31.80	57.62	34.34	7.79	57.55	-- -- Peak	2	7386.00	45.11	74.00	-28.89	58.90	35.99	9.17	58.95	-- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>58.23</td><td>34.34</td><td>7.79</td><td>57.55</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>58.19</td><td>35.99</td><td>9.17</td><td>58.95</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4924.00	42.81	74.00	-31.19	58.23	34.34	7.79	57.55	-- -- Peak	2	7386.00	44.40	74.00	-29.60	58.19	35.99	9.17	58.95	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	4924.00	42.20	74.00	-31.80	57.62	34.34	7.79	57.55	-- -- Peak																																																																															
2	7386.00	45.11	74.00	-28.89	58.90	35.99	9.17	58.95	-- -- Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	4924.00	42.81	74.00	-31.19	58.23	34.34	7.79	57.55	-- -- Peak																																																																															
2	7386.00	44.40	74.00	-29.60	58.19	35.99	9.17	58.95	-- -- Peak																																																																															
	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>42.20</td><td>74.00</td><td>-31.80</td><td>57.62</td><td>34.34</td><td>7.79</td><td>57.55</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>58.90</td><td>35.99</td><td>9.17</td><td>58.95</td><td>-- -- Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.20	74.00	-31.80	57.62	34.34	7.79	57.55	-- -- Peak	2	7386.00	45.11	74.00	-28.89	58.90	35.99	9.17	58.95	-- -- Peak	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>58.23</td><td>34.34</td><td>7.79</td><td>57.55</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>58.19</td><td>35.99</td><td>9.17</td><td>58.95</td><td>-- -- Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.81	74.00	-31.19	58.23	34.34	7.79	57.55	-- -- Peak	2	7386.00	44.40	74.00	-29.60	58.19	35.99	9.17	58.95	-- -- Peak																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4924.00	42.20	74.00	-31.80	57.62	34.34	7.79	57.55	-- -- Peak																																																																															
2	7386.00	45.11	74.00	-28.89	58.90	35.99	9.17	58.95	-- -- Peak																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4924.00	42.81	74.00	-31.19	58.23	34.34	7.79	57.55	-- -- Peak																																																																															
2	7386.00	44.40	74.00	-29.60	58.19	35.99	9.17	58.95	-- -- Peak																																																																															



Mode	9																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11g_CH12_2467MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>52.52</td><td>32.39</td><td>4.92</td><td>33.61</td><td>200</td><td>48</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	56.22	74.00	-17.78	52.52	32.39	4.92	33.61	200	48	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>101.57</td><td>-----</td><td>-----</td><td>97.90</td><td>32.39</td><td>4.90</td><td>33.62</td><td>200</td><td>48</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2467.00	101.57	-----	-----	97.90	32.39	4.90	33.62	200	48
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	56.22	74.00	-17.78	52.52	32.39	4.92	33.61	200	48	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2467.00	101.57	-----	-----	97.90	32.39	4.90	33.62	200	48	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>41.50</td><td>32.39</td><td>4.92</td><td>33.61</td><td>200</td><td>48</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	45.20	54.00	-8.80	41.50	32.39	4.92	33.61	200	48	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>94.66</td><td>-----</td><td>-----</td><td>90.99</td><td>32.39</td><td>4.90</td><td>33.62</td><td>200</td><td>48</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2467.00	94.66	-----	-----	90.99	32.39	4.90	33.62	200	48
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	45.20	54.00	-8.80	41.50	32.39	4.92	33.61	200	48	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2467.00	94.66	-----	-----	90.99	32.39	4.90	33.62	200	48	AVERAGE																																																																																







Mode	9																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11g_CH12_2467MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>62.23</td><td>74.00</td><td>-11.77</td><td>58.53</td><td>32.39</td><td>4.92</td><td>33.61</td><td>227</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.58	62.23	74.00	-11.77	58.53	32.39	4.92	33.61	227	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>107.09</td><td>-----</td><td>-----</td><td>103.42</td><td>32.39</td><td>4.90</td><td>33.62</td><td>227</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2467.00	107.09	-----	-----	103.42	32.39	4.90	33.62	227	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.58	62.23	74.00	-11.77	58.53	32.39	4.92	33.61	227	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2467.00	107.09	-----	-----	103.42	32.39	4.90	33.62	227	360	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.50</td><td>54.00</td><td>-3.50</td><td>46.80</td><td>32.39</td><td>4.92</td><td>33.61</td><td>227</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	50.50	54.00	-3.50	46.80	32.39	4.92	33.61	227	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>100.47</td><td>-----</td><td>-----</td><td>96.80</td><td>32.39</td><td>4.90</td><td>33.62</td><td>227</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2467.00	100.47	-----	-----	96.80	32.39	4.90	33.62	227	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	50.50	54.00	-3.50	46.80	32.39	4.92	33.61	227	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2467.00	100.47	-----	-----	96.80	32.39	4.90	33.62	227	360	AVERAGE																																																																																







Mode	9																																																																																							
	Harmonic																																																																																							
	2400-2483.5_802.11g_CH12_2467MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>57.57</td><td>34.34</td><td>7.79</td><td>57.56</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7401.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>58.66</td><td>35.98</td><td>9.20</td><td>58.96</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4934.00	42.14	74.00	-31.86	57.57	34.34	7.79	57.56	-- -- Peak	2	7401.00	44.88	74.00	-29.12	58.66	35.98	9.20	58.96	-- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>42.59</td><td>74.00</td><td>-31.41</td><td>58.02</td><td>34.34</td><td>7.79</td><td>57.56</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7401.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>57.22</td><td>35.98</td><td>9.20</td><td>58.96</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4934.00	42.59	74.00	-31.41	58.02	34.34	7.79	57.56	-- -- Peak	2	7401.00	43.44	74.00	-30.56	57.22	35.98	9.20	58.96	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
1	4934.00	42.14	74.00	-31.86	57.57	34.34	7.79	57.56	-- -- Peak																																																																															
2	7401.00	44.88	74.00	-29.12	58.66	35.98	9.20	58.96	-- -- Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	4934.00	42.59	74.00	-31.41	58.02	34.34	7.79	57.56	-- -- Peak																																																																															
2	7401.00	43.44	74.00	-30.56	57.22	35.98	9.20	58.96	-- -- Peak																																																																															





Mode	10																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11g_CH13_2472MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>52.73</td><td>32.40</td><td>4.92</td><td>33.61</td><td>146</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.04	56.44	74.00	-17.56	52.73	32.40	4.92	33.61	146	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>95.71</td><td>-----</td><td>-----</td><td>92.04</td><td>32.39</td><td>4.90</td><td>33.62</td><td>146</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	95.71	-----	-----	92.04	32.39	4.90	33.62	146	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2484.04	56.44	74.00	-17.56	52.73	32.40	4.92	33.61	146	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2472.00	95.71	-----	-----	92.04	32.39	4.90	33.62	146	360	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.19</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>42.94</td><td>32.40</td><td>4.92</td><td>33.61</td><td>146</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.19	46.65	54.00	-7.35	42.94	32.40	4.92	33.61	146	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>88.34</td><td>-----</td><td>-----</td><td>84.66</td><td>32.39</td><td>4.91</td><td>33.62</td><td>146</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	88.34	-----	-----	84.66	32.39	4.91	33.62	146	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2484.19	46.65	54.00	-7.35	42.94	32.40	4.92	33.61	146	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2472.00	88.34	-----	-----	84.66	32.39	4.91	33.62	146	360	AVERAGE																																																																																







Mode	10																																																																																					
	Band Edge																																																																																					
	2400-2483.5_802.11g_CH13_2472MHz																																																																																					
ANT	0+1																																																																																					
Pol.	Vertical					Fundamental																																																																																
Peak	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2484.31</td><td>59.06</td><td>74.00</td><td>-14.94</td><td>55.35</td><td>32.40</td><td>4.92</td><td>33.61</td><td>200</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2484.31	59.06	74.00	-14.94	55.35	32.40	4.92	33.61	200	1 PEAK	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>101.47</td><td>-----</td><td>-----</td><td>97.79</td><td>32.39</td><td>4.91</td><td>33.62</td><td>200</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2472.00	101.47	-----	-----	97.79	32.39	4.91	33.62	200	1 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	2484.31	59.06	74.00	-14.94	55.35	32.40	4.92	33.61	200	1 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	2472.00	101.47	-----	-----	97.79	32.39	4.91	33.62	200	1 PEAK																																																																												
Avg	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2484.27</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>46.08</td><td>32.40</td><td>4.92</td><td>33.61</td><td>200</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2484.27	49.79	54.00	-4.21	46.08	32.40	4.92	33.61	200	1 AVERAGE	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>94.24</td><td>-----</td><td>-----</td><td>90.56</td><td>32.39</td><td>4.91</td><td>33.62</td><td>200</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2472.00	94.24	-----	-----	90.56	32.39	4.91	33.62	200	1 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	2484.27	49.79	54.00	-4.21	46.08	32.40	4.92	33.61	200	1 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	2472.00	94.24	-----	-----	90.56	32.39	4.91	33.62	200	1 AVERAGE																																																																												







Mode	10																																																																						
	Harmonic																																																																						
	2400-2483.5_802.11g_CH13_2472MHz																																																																						
ANT	0+1																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>57.91</td><td>34.33</td><td>7.80</td><td>57.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>57.56</td><td>35.96</td><td>9.19</td><td>58.97</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4944.00	42.48	74.00	-31.52	57.91	34.33	7.80	57.56	--	--	Peak	2	7416.00	43.74	74.00	-30.26	57.56	35.96	9.19	58.97	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4944.00	42.48	74.00	-31.52	57.91	34.33	7.80	57.56	--	--	Peak																																																												
2	7416.00	43.74	74.00	-30.26	57.56	35.96	9.19	58.97	--	--	Peak																																																												
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>56.90</td><td>34.33</td><td>7.80</td><td>57.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>57.68</td><td>35.96</td><td>9.19</td><td>58.97</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4944.00	41.47	74.00	-32.53	56.90	34.33	7.80	57.56	--	--	Peak	2	7416.00	43.86	74.00	-30.14	57.68	35.96	9.19	58.97	--	--	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4944.00	41.47	74.00	-32.53	56.90	34.33	7.80	57.56	--	--	Peak																																																												
2	7416.00	43.86	74.00	-30.14	57.68	35.96	9.19	58.97	--	--	Peak																																																												





Mode	11																																																																																								
	Band Edge																																																																																								
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																								
ANT	0+1																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.35</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>52.93</td><td>32.36</td><td>4.79</td><td>33.67</td><td>241</td><td>0° PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.35	56.41	74.00	-17.59	52.93	32.36	4.79	33.67	241	0° PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.75</td><td>-----</td><td>-----</td><td>102.21</td><td>32.37</td><td>4.82</td><td>33.65</td><td>241</td><td>0° PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	105.75	-----	-----	102.21	32.37	4.82	33.65	241	0° PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2387.35	56.41	74.00	-17.59	52.93	32.36	4.79	33.67	241	0° PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2412.00	105.75	-----	-----	102.21	32.37	4.82	33.65	241	0° PEAK																																																																															
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>45.98</td><td>54.00</td><td>-8.02</td><td>42.49</td><td>32.36</td><td>4.80</td><td>33.67</td><td>241</td><td>0° AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.82	45.98	54.00	-8.02	42.49	32.36	4.80	33.67	241	0° AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.06</td><td>-----</td><td>-----</td><td>95.53</td><td>32.37</td><td>4.82</td><td>33.66</td><td>241</td><td>0° AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	99.06	-----	-----	95.53	32.37	4.82	33.66	241	0° AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2389.82	45.98	54.00	-8.02	42.49	32.36	4.80	33.67	241	0° AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2412.00	99.06	-----	-----	95.53	32.37	4.82	33.66	241	0° AVERAGE																																																																															



Mode	11																																																																															
	Band Edge																																																																															
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																															
ANT	0+1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2023-09-29  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 231023362362238824142440 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>60.62</td><td>74.00</td><td>-13.38</td><td>57.14</td><td>32.36</td><td>4.79</td><td>33.67</td><td>189</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.78	60.62	74.00	-13.38	57.14	32.36	4.79	33.67	189	0 PEAK	Level (dBuV/m) Date: 2023-09-29  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 100014001800220026003000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.87</td><td>-----</td><td>-----</td><td>107.34</td><td>32.37</td><td>4.82</td><td>33.66</td><td>189</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	110.87	-----	-----	107.34	32.37	4.82	33.66	189	0 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	2388.78	60.62	74.00	-13.38	57.14	32.36	4.79	33.67	189	0 PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	2412.00	110.87	-----	-----	107.34	32.37	4.82	33.66	189	0 PEAK																																																																						
Avg	Level (dBuV/m) Date: 2023-09-29  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 231023362362238824142440 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.00</td><td>49.73</td><td>54.00</td><td>-4.27</td><td>46.25</td><td>32.36</td><td>4.79</td><td>33.67</td><td>189</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.00	49.73	54.00	-4.27	46.25	32.36	4.79	33.67	189	0 AVERAGE	Level (dBuV/m) Date: 2023-09-29  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 100014001800220026003000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.18</td><td>-----</td><td>-----</td><td>99.65</td><td>32.37</td><td>4.82</td><td>33.66</td><td>189</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	103.18	-----	-----	99.65	32.37	4.82	33.66	189	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	2388.00	49.73	54.00	-4.27	46.25	32.36	4.79	33.67	189	0 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	2412.00	103.18	-----	-----	99.65	32.37	4.82	33.66	189	0 AVERAGE																																																																						





Mode	11																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.60</td><td>74.00</td><td>-32.40</td><td>56.93</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	41.60	74.00	-32.40	56.93	34.40	7.75	57.48	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>57.57</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	42.24	74.00	-31.76	57.57	34.40	7.75	57.48	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	41.60	74.00	-32.40	56.93	34.40	7.75	57.48	--	--	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	42.24	74.00	-31.76	57.57	34.40	7.75	57.48	--	--	Peak																																																																																	







Mode	12																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>41.05</td><td>74.00</td><td>-32.95</td><td>56.43</td><td>34.37</td><td>7.77</td><td>57.52</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>59.24</td><td>36.05</td><td>8.93</td><td>58.92</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4874.00	41.05	74.00	-32.95	56.43	34.37	7.77	57.52	-- -- Peak	2	7311.00	45.30	74.00	-28.70	59.24	36.05	8.93	58.92	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>56.96</td><td>34.37</td><td>7.77</td><td>57.52</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>58.83</td><td>36.05</td><td>8.93</td><td>58.92</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4874.00	41.58	74.00	-32.42	56.96	34.37	7.77	57.52	-- -- Peak	2	7311.00	44.89	74.00	-29.11	58.83	36.05	8.93	58.92	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	4874.00	41.05	74.00	-32.95	56.43	34.37	7.77	57.52	-- -- Peak																																																																																																	
2	7311.00	45.30	74.00	-28.70	59.24	36.05	8.93	58.92	-- -- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	4874.00	41.58	74.00	-32.42	56.96	34.37	7.77	57.52	-- -- Peak																																																																																																	
2	7311.00	44.89	74.00	-29.11	58.83	36.05	8.93	58.92	-- -- Peak																																																																																																	





		13																																																		
Mode		Band Edge																																																		
		2400-2483.5_802.11n HT20_CH11_2462MHz																																																		
ANT		0+1																																																		
Pol.		Horizontal																																																		
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>54.68</td><td>32.40</td><td>4.92</td><td>33.61</td><td>144</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.04	58.39	74.00	-15.61	54.68	32.40	4.92	33.61	144	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	2484.04	58.39	74.00	-15.61	54.68	32.40	4.92	33.61	144	360	PEAK																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.54</td><td>-----</td><td>-----</td><td>97.88</td><td>32.39</td><td>4.89</td><td>33.62</td><td>144</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	101.54	-----	-----	97.88	32.39	4.89	33.62	144	360	PEAK	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	2462.00	101.54	-----	-----	97.88	32.39	4.89	33.62	144	360	PEAK																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.96</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>41.75</td><td>32.40</td><td>4.92</td><td>33.61</td><td>144</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.96	45.46	54.00	-8.54	41.75	32.40	4.92	33.61	144	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	2483.96	45.46	54.00	-8.54	41.75	32.40	4.92	33.61	144	360	AVERAGE																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.83</td><td>-----</td><td>-----</td><td>91.17</td><td>32.39</td><td>4.89</td><td>33.62</td><td>144</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	94.83	-----	-----	91.17	32.39	4.89	33.62	144	360	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	2462.00	94.83	-----	-----	91.17	32.39	4.89	33.62	144	360	AVERAGE																																									







Mode	13																																																																													
	Band Edge																																																																													
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																													
ANT	0+1																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.70</td><td>63.22</td><td>74.00</td><td>-10.78</td><td>59.51</td><td>32.40</td><td>4.92</td><td>33.61</td><td>260 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.70	63.22	74.00	-10.78	59.51	32.40	4.92	33.61	260 360 PEAK	Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.75</td><td>-----</td><td>-----</td><td>104.09</td><td>32.39</td><td>4.89</td><td>33.62</td><td>260 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	107.75	-----	-----	104.09	32.39	4.89	33.62	260 360 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2483.70	63.22	74.00	-10.78	59.51	32.40	4.92	33.61	260 360 PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2462.00	107.75	-----	-----	104.09	32.39	4.89	33.62	260 360 PEAK																																																																					
Avg	Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>50.63</td><td>54.00</td><td>-3.37</td><td>46.93</td><td>32.39</td><td>4.92</td><td>33.61</td><td>260 360 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	50.63	54.00	-3.37	46.93	32.39	4.92	33.61	260 360 AVERAGE	Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>101.00</td><td>-----</td><td>-----</td><td>97.34</td><td>32.39</td><td>4.89</td><td>33.62</td><td>260 360 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	101.00	-----	-----	97.34	32.39	4.89	33.62	260 360 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2483.51	50.63	54.00	-3.37	46.93	32.39	4.92	33.61	260 360 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2462.00	101.00	-----	-----	97.34	32.39	4.89	33.62	260 360 AVERAGE																																																																					







Mode	13																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>41.61</td><td>74.00</td><td>-32.39</td><td>57.03</td><td>34.34</td><td>7.79</td><td>57.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>58.62</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	41.61	74.00	-32.39	57.03	34.34	7.79	57.55	--	--	Peak	2	7386.00	44.83	74.00	-29.17	58.62	35.99	9.17	58.95	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>57.23</td><td>34.34</td><td>7.79</td><td>57.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>58.03</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	41.81	74.00	-32.19	57.23	34.34	7.79	57.55	--	--	Peak	2	7386.00	44.24	74.00	-29.76	58.03	35.99	9.17	58.95	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	41.61	74.00	-32.39	57.03	34.34	7.79	57.55	--	--	Peak																																																																																																																							
2	7386.00	44.83	74.00	-29.17	58.62	35.99	9.17	58.95	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	41.81	74.00	-32.19	57.23	34.34	7.79	57.55	--	--	Peak																																																																																																																							
2	7386.00	44.24	74.00	-29.76	58.03	35.99	9.17	58.95	--	--	Peak																																																																																																																							





Mode	14																																																																																						
	Band Edge																																																																																						
	2400-2483.5_802.11n HT20_CH12_2467MHz																																																																																						
ANT	0+1																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.85</td><td>57.54</td><td>74.00</td><td>-16.46</td><td>53.83</td><td>32.40</td><td>4.92</td><td>33.61</td><td>143</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.85	57.54	74.00	-16.46	53.83	32.40	4.92	33.61	143	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>98.26</td><td>-----</td><td>-----</td><td>94.59</td><td>32.39</td><td>4.90</td><td>33.62</td><td>143</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2467.00	98.26	-----	-----	94.59	32.39	4.90	33.62	143
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.85	57.54	74.00	-16.46	53.83	32.40	4.92	33.61	143	0 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2467.00	98.26	-----	-----	94.59	32.39	4.90	33.62	143	0 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>42.15</td><td>32.40</td><td>4.92</td><td>33.61</td><td>143</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.00	45.86	54.00	-8.14	42.15	32.40	4.92	33.61	143	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>91.79</td><td>-----</td><td>-----</td><td>88.12</td><td>32.39</td><td>4.90</td><td>33.62</td><td>143</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2467.00	91.79	-----	-----	88.12	32.39	4.90	33.62	143
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2484.00	45.86	54.00	-8.14	42.15	32.40	4.92	33.61	143	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2467.00	91.79	-----	-----	88.12	32.39	4.90	33.62	143	0 AVERAGE																																																																													







Mode	14																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11n HT20_CH12_2467MHz																																																																																									
ANT	0+1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>62.58</td><td>74.00</td><td>-11.42</td><td>58.88</td><td>32.39</td><td>4.92</td><td>33.61</td><td>259</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.62	62.58	74.00	-11.42	58.88	32.39	4.92	33.61	259	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>105.38</td><td>-----</td><td>-----</td><td>101.71</td><td>32.39</td><td>4.90</td><td>33.62</td><td>259</td><td>0</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2467.00	105.38	-----	-----	101.71	32.39	4.90	33.62	259	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.62	62.58	74.00	-11.42	58.88	32.39	4.92	33.61	259	0	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2467.00	105.38	-----	-----	101.71	32.39	4.90	33.62	259	0	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>50.91</td><td>54.00</td><td>-3.09</td><td>47.21</td><td>32.39</td><td>4.92</td><td>33.61</td><td>259</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.58	50.91	54.00	-3.09	47.21	32.39	4.92	33.61	259	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>98.15</td><td>-----</td><td>-----</td><td>94.48</td><td>32.39</td><td>4.90</td><td>33.62</td><td>259</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2467.00	98.15	-----	-----	94.48	32.39	4.90	33.62	259	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.58	50.91	54.00	-3.09	47.21	32.39	4.92	33.61	259	0	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2467.00	98.15	-----	-----	94.48	32.39	4.90	33.62	259	0	AVERAGE																																																																															







Mode	14																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11n HT20_CH12_2467MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4934.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>57.66</td><td>34.34</td><td>7.79</td><td>57.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>58.10</td><td>35.98</td><td>9.20</td><td>58.96</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4934.00	42.23	74.00	-31.77	57.66	34.34	7.79	57.56	--	--	Peak	2	7401.00	44.32	74.00	-29.68	58.10	35.98	9.20	58.96	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4934.00</td><td>42.05</td><td>74.00</td><td>-31.95</td><td>57.48</td><td>34.34</td><td>7.79</td><td>57.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>43.94</td><td>74.00</td><td>-30.06</td><td>57.72</td><td>35.98</td><td>9.20</td><td>58.96</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4934.00	42.05	74.00	-31.95	57.48	34.34	7.79	57.56	--	--	Peak	2	7401.00	43.94	74.00	-30.06	57.72	35.98	9.20	58.96	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4934.00	42.23	74.00	-31.77	57.66	34.34	7.79	57.56	--	--	Peak																																																																																																																							
2	7401.00	44.32	74.00	-29.68	58.10	35.98	9.20	58.96	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4934.00	42.05	74.00	-31.95	57.48	34.34	7.79	57.56	--	--	Peak																																																																																																																							
2	7401.00	43.94	74.00	-30.06	57.72	35.98	9.20	58.96	--	--	Peak																																																																																																																							



Mode	15																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11n HT20_CH13_2472MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>52.84</td><td>32.40</td><td>4.92</td><td>33.61</td><td>148</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.34	56.55	74.00	-17.45	52.84	32.40	4.92	33.61	148	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>92.68</td><td>-----</td><td>-----</td><td>89.01</td><td>32.39</td><td>4.90</td><td>33.62</td><td>148</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	92.68	-----	-----	89.01	32.39	4.90	33.62	148	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2484.34	56.55	74.00	-17.45	52.84	32.40	4.92	33.61	148	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2472.00	92.68	-----	-----	89.01	32.39	4.90	33.62	148	360	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>44.97</td><td>54.00</td><td>-9.03</td><td>41.26</td><td>32.40</td><td>4.92</td><td>33.61</td><td>148</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.34	44.97	54.00	-9.03	41.26	32.40	4.92	33.61	148	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>84.93</td><td>-----</td><td>-----</td><td>81.26</td><td>32.39</td><td>4.90</td><td>33.62</td><td>148</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	84.93	-----	-----	81.26	32.39	4.90	33.62	148	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2484.34	44.97	54.00	-9.03	41.26	32.40	4.92	33.61	148	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2472.00	84.93	-----	-----	81.26	32.39	4.90	33.62	148	360	AVERAGE																																																																																







Mode	15																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11n HT20_CH13_2472MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>63.27</td><td>74.00</td><td>-10.73</td><td>59.56</td><td>32.40</td><td>4.92</td><td>33.61</td><td>233</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.74	63.27	74.00	-10.73	59.56	32.40	4.92	33.61	233	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>98.93</td><td>-----</td><td>-----</td><td>95.26</td><td>32.39</td><td>4.90</td><td>33.62</td><td>233</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	98.93	-----	-----	95.26	32.39	4.90	33.62	233	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.74	63.27	74.00	-10.73	59.56	32.40	4.92	33.61	233	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2472.00	98.93	-----	-----	95.26	32.39	4.90	33.62	233	360	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>46.95</td><td>32.39</td><td>4.92</td><td>33.61</td><td>233</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	50.65	54.00	-3.35	46.95	32.39	4.92	33.61	233	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>92.17</td><td>-----</td><td>-----</td><td>88.49</td><td>32.39</td><td>4.91</td><td>33.62</td><td>233</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2472.00	92.17	-----	-----	88.49	32.39	4.91	33.62	233	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	50.65	54.00	-3.35	46.95	32.39	4.92	33.61	233	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2472.00	92.17	-----	-----	88.49	32.39	4.91	33.62	233	360	AVERAGE																																																																																







Mode	15																																																																																																																					
	Harmonic																																																																																																																					
	2400-2483.5_802.11n HT20_CH13_2472MHz																																																																																																																					
ANT	0+1																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																
Peak Avg																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4944.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>57.52</td><td>34.33</td><td>7.80</td><td>57.56</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>57.85</td><td>35.96</td><td>9.19</td><td>58.97</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4944.00	42.09	74.00	-31.91	57.52	34.33	7.80	57.56	--	-- Peak	2	7416.00	44.03	74.00	-29.97	57.85	35.96	9.19	58.97	--	-- Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4944.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>58.19</td><td>34.33</td><td>7.80</td><td>57.56</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>58.08</td><td>35.96</td><td>9.19</td><td>58.97</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4944.00	42.76	74.00	-31.24	58.19	34.33	7.80	57.56	--	-- Peak	2	7416.00	44.26	74.00	-29.74	58.08	35.96	9.19	58.97	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	4944.00	42.09	74.00	-31.91	57.52	34.33	7.80	57.56	--	-- Peak																																																																																																												
2	7416.00	44.03	74.00	-29.97	57.85	35.96	9.19	58.97	--	-- Peak																																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	4944.00	42.76	74.00	-31.24	58.19	34.33	7.80	57.56	--	-- Peak																																																																																																												
2	7416.00	44.26	74.00	-29.74	58.08	35.96	9.19	58.97	--	-- Peak																																																																																																												





		16																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																							
ANT		0+1																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>55.55</td><td>32.36</td><td>4.79</td><td>33.67</td><td>243</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.17	59.03	74.00	-14.97	55.55	32.36	4.79	33.67	243	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.63</td><td>-----</td><td>-----</td><td>104.09</td><td>32.37</td><td>4.82</td><td>33.65</td><td>243</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	107.63	-----	-----	104.09	32.37	4.82	33.65	243	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2389.17	59.03	74.00	-14.97	55.55	32.36	4.79	33.67	243	360	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2412.00	107.63	-----	-----	104.09	32.37	4.82	33.65	243	360	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.74</td><td>54.00</td><td>-7.26</td><td>43.25</td><td>32.36</td><td>4.80</td><td>33.67</td><td>243</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	46.74	54.00	-7.26	43.25	32.36	4.80	33.67	243	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.69</td><td>-----</td><td>-----</td><td>96.16</td><td>32.37</td><td>4.82</td><td>33.66</td><td>243</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	99.69	-----	-----	96.16	32.37	4.82	33.66	243	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2389.95	46.74	54.00	-7.26	43.25	32.36	4.80	33.67	243	360	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2412.00	99.69	-----	-----	96.16	32.37	4.82	33.66	243	360	AVERAGE																																																																														







Mode	16																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>60.92</td><td>74.00</td><td>-13.08</td><td>57.43</td><td>32.36</td><td>4.80</td><td>33.67</td><td>240</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	60.92	74.00	-13.08	57.43	32.36	4.80	33.67	240	360	PEAK	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>113.67</td><td>-----</td><td>-----</td><td>110.14</td><td>32.37</td><td>4.82</td><td>33.66</td><td>240</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	113.67	-----	-----	110.14	32.37	4.82	33.66	240	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.95	60.92	74.00	-13.08	57.43	32.36	4.80	33.67	240	360	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	113.67	-----	-----	110.14	32.37	4.82	33.66	240	360	PEAK																																																																																	
Avg	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>50.05</td><td>54.00</td><td>-3.95</td><td>46.56</td><td>32.36</td><td>4.80</td><td>33.67</td><td>240</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	50.05	54.00	-3.95	46.56	32.36	4.80	33.67	240	360	AVERAGE	 Date: 2023-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.74</td><td>-----</td><td>-----</td><td>100.21</td><td>32.37</td><td>4.82</td><td>33.66</td><td>240</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	103.74	-----	-----	100.21	32.37	4.82	33.66	240	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.95	50.05	54.00	-3.95	46.56	32.36	4.80	33.67	240	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	103.74	-----	-----	100.21	32.37	4.82	33.66	240	360	AVERAGE																																																																																	







Mode	16																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>59.42</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	44.09	74.00	-29.91	59.42	34.40	7.75	57.48	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>56.68</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	41.35	74.00	-32.65	56.68	34.40	7.75	57.48	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	44.09	74.00	-29.91	59.42	34.40	7.75	57.48	--	--	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	41.35	74.00	-32.65	56.68	34.40	7.75	57.48	--	--	Peak																																																																																	







		17																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11ax HE20_CH01_Partial_RU 26/0_2412MHz																																																																																							
ANT		0+1																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>52.17</td><td>74.00</td><td>-21.83</td><td>48.69</td><td>32.36</td><td>4.79</td><td>33.67</td><td>200</td><td>144</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.26	52.17	74.00	-21.83	48.69	32.36	4.79	33.67	200	144	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.59</td><td>-----</td><td>-----</td><td>100.08</td><td>32.36</td><td>4.81</td><td>33.66</td><td>200</td><td>144</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	103.59	-----	-----	100.08	32.36	4.81	33.66	200	144
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2388.26	52.17	74.00	-21.83	48.69	32.36	4.79	33.67	200	144	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2412.00	103.59	-----	-----	100.08	32.36	4.81	33.66	200	144	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>37.47</td><td>32.36</td><td>4.79</td><td>33.67</td><td>200</td><td>144</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2386.31	40.95	54.00	-13.05	37.47	32.36	4.79	33.67	200	144	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>93.41</td><td>-----</td><td>-----</td><td>89.90</td><td>32.36</td><td>4.81</td><td>33.66</td><td>200</td><td>144</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	93.41	-----	-----	89.90	32.36	4.81	33.66	200	144
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2386.31	40.95	54.00	-13.05	37.47	32.36	4.79	33.67	200	144	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2412.00	93.41	-----	-----	89.90	32.36	4.81	33.66	200	144	AVERAGE																																																																														







Mode	17																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH01_Partial_RU 26/0_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2023-10-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2372.66</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>51.58</td><td>32.35</td><td>4.78</td><td>33.68</td><td>145</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2372.66	55.03	74.00	-18.97	51.58	32.35	4.78	33.68	145	360	PEAK	 Date: 2023-10-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>112.82</td><td>-----</td><td>-----</td><td>109.31</td><td>32.36</td><td>4.81</td><td>33.66</td><td>145</td><td>360</td><td>PEAK_74</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	112.82	-----	-----	109.31	32.36	4.81	33.66	145	360	PEAK_74
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2372.66	55.03	74.00	-18.97	51.58	32.35	4.78	33.68	145	360	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	112.82	-----	-----	109.31	32.36	4.81	33.66	145	360	PEAK_74																																																																																	
Avg	 Date: 2023-10-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>39.44</td><td>32.36</td><td>4.80</td><td>33.67</td><td>145</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.43	42.93	54.00	-11.07	39.44	32.36	4.80	33.67	145	360	AVERAGE	 Date: 2023-10-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.86</td><td>-----</td><td>-----</td><td>99.35</td><td>32.36</td><td>4.81</td><td>33.66</td><td>145</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	102.86	-----	-----	99.35	32.36	4.81	33.66	145	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.43	42.93	54.00	-11.07	39.44	32.36	4.80	33.67	145	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	102.86	-----	-----	99.35	32.36	4.81	33.66	145	360	AVERAGE																																																																																	







Mode	18																																																																																				
	Band Edge																																																																																				
	2400-2483.5_802.11ax HE20_CH01_Partial_RU 52/37_2412MHz																																																																																				
ANT	0+1																																																																																				
Pol.	Horizontal					Fundamental																																																																															
Peak																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.55</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>50.73</td><td>32.35</td><td>4.78</td><td>33.67</td><td>240 360 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2379.55	54.19	74.00	-19.81	50.73	32.35	4.78	33.67	240 360 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.32</td><td>-----</td><td>-----</td><td>103.81</td><td>32.36</td><td>4.81</td><td>33.66</td><td>240 360 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	107.32	-----	-----	103.81	32.36	4.81	33.66
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	2379.55	54.19	74.00	-19.81	50.73	32.35	4.78	33.67	240 360 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	2412.00	107.32	-----	-----	103.81	32.36	4.81	33.66	240 360 PEAK																																																																												
Avg																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>39.10</td><td>32.36</td><td>4.80</td><td>33.67</td><td>240 360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.82	42.59	54.00	-11.41	39.10	32.36	4.80	33.67	240 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.00</td><td>-----</td><td>-----</td><td>92.49</td><td>32.36</td><td>4.81</td><td>33.66</td><td>240 360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	96.00	-----	-----	92.49	32.36	4.81	33.66
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	2389.82	42.59	54.00	-11.41	39.10	32.36	4.80	33.67	240 360 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	2412.00	96.00	-----	-----	92.49	32.36	4.81	33.66	240 360 AVERAGE																																																																												







Mode	18																																																																																													
	Band Edge																																																																																													
	2400-2483.5_802.11ax HE20_CH01_Partial_RU 52/37_2412MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2387.35</td><td>58.74</td><td>74.00</td><td>-15.26</td><td>55.26</td><td>32.36</td><td>4.79</td><td>33.67</td><td>150</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2387.35	58.74	74.00	-15.26	55.26	32.36	4.79	33.67	150	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>113.09</td><td>-----</td><td>-----</td><td>109.58</td><td>32.36</td><td>4.81</td><td>33.66</td><td>150</td><td>0</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	113.09	-----	-----	109.58	32.36	4.81	33.66	150	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2387.35	58.74	74.00	-15.26	55.26	32.36	4.79	33.67	150	0	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2412.00	113.09	-----	-----	109.58	32.36	4.81	33.66	150	0	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.95</td><td>46.41</td><td>54.00</td><td>-7.59</td><td>42.92</td><td>32.36</td><td>4.80</td><td>33.67</td><td>150</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.95	46.41	54.00	-7.59	42.92	32.36	4.80	33.67	150	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>103.65</td><td>-----</td><td>-----</td><td>100.14</td><td>32.36</td><td>4.81</td><td>33.66</td><td>150</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	103.65	-----	-----	100.14	32.36	4.81	33.66	150	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2389.95	46.41	54.00	-7.59	42.92	32.36	4.80	33.67	150	0	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2412.00	103.65	-----	-----	100.14	32.36	4.81	33.66	150	0	AVERAGE																																																																																			



		19																																																																																					
Mode		Band Edge																																																																																					
		2400-2483.5_802.11ax HE20_CH01_Partial_RU 106/53_2412MHz																																																																																					
ANT		0+1																																																																																					
Pol.		Horizontal					Fundamental																																																																																
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.19</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>51.41</td><td>32.35</td><td>4.79</td><td>33.67</td><td>204</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2383.19	54.88	74.00	-19.12	51.41	32.35	4.79	33.67	204	0 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.95</td><td>-----</td><td>-----</td><td>103.43</td><td>32.36</td><td>4.82</td><td>33.66</td><td>204</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	106.95	-----	-----	103.43	32.36	4.82	33.66	204
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2383.19	54.88	74.00	-19.12	51.41	32.35	4.79	33.67	204	0 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2412.00	106.95	-----	-----	103.43	32.36	4.82	33.66	204	0 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>42.54</td><td>54.00</td><td>-11.46</td><td>39.06</td><td>32.36</td><td>4.79</td><td>33.67</td><td>204</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.78	42.54	54.00	-11.46	39.06	32.36	4.79	33.67	204	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.20</td><td>-----</td><td>-----</td><td>91.68</td><td>32.36</td><td>4.82</td><td>33.66</td><td>204</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	95.20	-----	-----	91.68	32.36	4.82	33.66	204
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2388.78	42.54	54.00	-11.46	39.06	32.36	4.79	33.67	204	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2412.00	95.20	-----	-----	91.68	32.36	4.82	33.66	204	0 AVERAGE																																																																													







Mode	19																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11ax HE20_CH01_Partial_RU 106/53_2412MHz																																																																																									
ANT	0+1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.49</td><td>58.75</td><td>74.00</td><td>-15.25</td><td>55.28</td><td>32.35</td><td>4.79</td><td>33.67</td><td>266</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2384.49	58.75	74.00	-15.25	55.28	32.35	4.79	33.67	266	360	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>112.88</td><td>-----</td><td>-----</td><td>109.36</td><td>32.36</td><td>4.82</td><td>33.66</td><td>266</td><td>360</td><td>PEAK_74</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	112.88	-----	-----	109.36	32.36	4.82	33.66	266	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2384.49	58.75	74.00	-15.25	55.28	32.35	4.79	33.67	266	360	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2412.00	112.88	-----	-----	109.36	32.36	4.82	33.66	266	360	PEAK_74																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>43.26</td><td>32.36</td><td>4.80</td><td>33.67</td><td>266</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.82	46.75	54.00	-7.25	43.26	32.36	4.80	33.67	266	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.34</td><td>-----</td><td>-----</td><td>98.83</td><td>32.36</td><td>4.81</td><td>33.66</td><td>266</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	102.34	-----	-----	98.83	32.36	4.81	33.66	266	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.82	46.75	54.00	-7.25	43.26	32.36	4.80	33.67	266	360	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2412.00	102.34	-----	-----	98.83	32.36	4.81	33.66	266	360	AVERAGE																																																																															



Mode	20																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																																																			
ANT	0+1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-10-04 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz)						Level (dBuV/m) Date: 2023-10-04 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz)																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>60.82</td><td>34.37</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>57.66</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	45.44	74.00	-28.56	60.82	34.37	7.77	57.52	--	--	Peak	2	7311.00	43.72	74.00	-30.28	57.66	36.05	8.93	58.92	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>58.14</td><td>34.37</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>57.38</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.76	74.00	-31.24	58.14	34.37	7.77	57.52	--	--	Peak	2	7311.00	43.44	74.00	-30.56	57.38	36.05	8.93	58.92	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4874.00	45.44	74.00	-28.56	60.82	34.37	7.77	57.52	--	--	Peak																																																																																																									
2	7311.00	43.72	74.00	-30.28	57.66	36.05	8.93	58.92	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4874.00	42.76	74.00	-31.24	58.14	34.37	7.77	57.52	--	--	Peak																																																																																																									
2	7311.00	43.44	74.00	-30.56	57.38	36.05	8.93	58.92	--	--	Peak																																																																																																									



Mode	21																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-10-04 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>51.67</td><td>32.39</td><td>4.92</td><td>33.61</td><td>252</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	55.37	74.00	-18.63	51.67	32.39	4.92	33.61	252	354	PEAK	 Level (dBuV/m) Frequency (MHz) Date: 2023-10-04 PEAK_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.30</td><td>-----</td><td>-----</td><td>101.64</td><td>32.39</td><td>4.89</td><td>33.62</td><td>252</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	105.30	-----	-----	101.64	32.39	4.89	33.62	252	354	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.51	55.37	74.00	-18.63	51.67	32.39	4.92	33.61	252	354	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	105.30	-----	-----	101.64	32.39	4.89	33.62	252	354	PEAK																																																																																	
Avg	 Level (dBuV/m) Frequency (MHz) Date: 2023-10-04 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>40.21</td><td>32.39</td><td>4.92</td><td>33.61</td><td>252</td><td>354</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	43.91	54.00	-10.09	40.21	32.39	4.92	33.61	252	354	AVERAGE	 Level (dBuV/m) Frequency (MHz) Date: 2023-10-04 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.23</td><td>-----</td><td>-----</td><td>91.57</td><td>32.39</td><td>4.89</td><td>33.62</td><td>252</td><td>354</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	95.23	-----	-----	91.57	32.39	4.89	33.62	252	354	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.51	43.91	54.00	-10.09	40.21	32.39	4.92	33.61	252	354	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	95.23	-----	-----	91.57	32.39	4.89	33.62	252	354	AVERAGE																																																																																	