Mode	43	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5459.44 53.79 74.00 -20.21 44.07 34.66 8.41 33.35 165 155 PEAK 2 5469.36 54.73 68.30 -13.57 45.02 34.67 8.40 33.36 165 155 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5510.00 103.80 ------ ------ 94.15 34.71 8.34 33.40 165 155 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5459.60 43.67 54.00 -10.33 33.95 34.66 8.41 33.35 165 155 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5510.00 96.42 ------ ------ 86.77 34.71 8.34 33.40 165 155 AVERAGE

Mode	43	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5742.05 49.27 68.30 -19.03 38.80 35.08 8.74 33.35 165 155 PEAK	Blank

Mode	43	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11020.00 45.19 74.00 -28.81 54.12 38.12 11.22 58.27 -- -- Peak 2 16530.00 46.29 68.30 -22.01 51.21 40.97 12.92 58.81 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11020.00 45.24 74.00 -28.76 54.17 38.12 11.22 58.27 -- -- Peak 2 16530.00 45.33 68.30 -22.97 50.25 40.97 12.92 58.81 -- -- Peak

Mode	44	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Partial_RU 242/61_5510MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5458.32 52.82 74.00 -21.18 43.10 34.66 8.41 33.35 177 296 PEAK 2 5470.00 58.03 68.30 -10.27 48.32 34.67 8.40 33.36 177 296 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5510.00 105.61 ------ ------ 95.95 34.70 8.36 33.40 177 296 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5459.92 42.25 54.00 -11.75 32.53 34.66 8.41 33.35 177 296 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5510.00 94.72 ------ ------ 85.07 34.70 8.35 33.40 177 296 AVERAGE

Mode	44	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Partial_RU 242/61_5510MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5760.67 49.76 68.30 -18.54 39.19 35.11 8.81 33.35 177 296 PEAK	Blank

Mode	44	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Partial_RU 242/61_5510MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5449.04 51.14 74.00 -22.86 41.39 34.66 8.42 33.33 108 161 PEAK 2 5467.12 52.13 68.30 -16.17 42.42 34.67 8.40 33.36 108 161 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5510.00 102.59 ------ ------ 92.94 34.70 8.35 33.40 108 161 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5459.76 40.71 54.00 -13.29 30.99 34.66 8.41 33.35 108 161 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5510.00 92.72 ------ ------ 83.07 34.69 8.36 33.40 108 161 AVERAGE

Mode	44	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Partial_RU 242/61_5510MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5742.05 50.37 68.30 -17.93 39.90 35.08 8.74 33.35 108 161 PEAK	Blank

Mode	45
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz
ANT	0+1

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5459.20 52.05 74.00 -21.95 42.33 34.66 8.41 33.35 100 299 PEAK 2 5469.40 52.08 68.30 -16.22 42.37 34.67 8.40 33.36 100 299 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5550.00 106.43 ------ ------ 96.76 34.77 8.29 33.39 100 299 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5459.00 42.70 54.00 -11.30 32.98 34.66 8.41 33.35 100 299 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5550.00 97.43 ------ ------ 87.76 34.77 8.29 33.39 100 299 AVERAGE

Mode	45	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5730.82 51.23 68.30 -17.07 40.81 35.07 8.70 33.35 100 299 PEAK	Blank

Mode	45
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5455.60 49.61 74.00 -24.39 39.87 34.66 8.42 33.34 100 163 PEAK 2 5470.00 50.13 68.30 -18.17 40.42 34.67 8.40 33.36 100 163 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5550.00 102.71 ------ ------ 93.04 34.77 8.29 33.39 100 163 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5459.40 40.31 54.00 -13.69 30.59 34.66 8.41 33.35 100 163 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5550.00 95.47 ------ ------ 85.80 34.78 8.28 33.39 100 163 AVERAGE

Mode	45	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5725.23 49.71 68.30 -18.59 39.34 35.06 8.67 33.36 100 163 PEAK	Blank

Mode	45	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11100.00 46.35 74.00 -27.65 55.08 38.20 11.26 58.19 -- -- Peak 2 16650.00 44.90 68.30 -23.40 49.58 41.03 12.97 58.68 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11100.00 46.93 74.00 -27.07 55.66 38.20 11.26 58.19 -- -- Peak 2 16650.00 45.94 68.30 -22.36 50.62 41.03 12.97 58.68 -- -- Peak

Mode	46	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5441.52 48.93 74.00 -25.07 39.17 34.65 8.43 33.32 100 305 PEAK 2 5466.16 47.60 68.30 -20.70 37.89 34.67 8.40 33.36 100 305 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5670.00 106.95 ------ ------ 96.90 34.96 8.46 33.37 100 305 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5451.44 38.70 54.00 -15.30 28.95 34.66 8.42 33.33 100 305 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5670.00 97.62 ------ ------ 87.57 34.96 8.46 33.37 100 305 AVERAGE

Mode	46	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5730.80 62.34 68.30 -5.96 51.92 35.07 8.70 33.35 100 305 PEAK	Blank

Mode	46
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5418.48 48.32 74.00 -25.68 38.51 34.63 8.46 33.28 232 160 PEAK 2 5468.40 48.26 68.30 -20.04 38.55 34.67 8.40 33.36 232 160 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5670.00 105.05 ------ ------ 94.96 34.97 8.49 33.37 232 160 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5406.32 38.26 54.00 -15.74 28.42 34.62 8.48 33.26 232 160 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5670.00 97.06 ------ ------ 87.01 34.96 8.46 33.37 232 160 AVERAGE

Mode	46	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5728.05 59.51 68.30 -8.79 49.11 35.06 8.69 33.35 232 160 PEAK	Blank

Mode	46	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11340.00 46.95 74.00 -27.05 55.05 38.44 11.38 57.92 -- -- Peak 2 17010.00 44.28 68.30 -24.02 48.23 41.21 13.12 58.28 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11340.00 47.48 74.00 -26.52 55.58 38.44 11.38 57.92 -- -- Peak 2 17010.00 44.76 68.30 -23.54 48.71 41.21 13.12 58.28 -- -- Peak

Mode	47	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Partial_RU 242/62_5670MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5429.36 49.35 74.00 -24.65 39.56 34.64 8.45 33.30 100 302 PEAK 2 5469.04 48.24 68.30 -20.06 38.53 34.67 8.40 33.36 100 302 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5670.00 106.47 ------ ------ 96.34 34.98 8.51 33.36 100 302 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5433.84 38.37 54.00 -15.63 28.60 34.64 8.44 33.31 100 302 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5670.00 97.26 ------ ------ 87.13 34.98 8.51 33.36 100 302 AVERAGE

Mode	47	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Partial_RU 242/62_5670MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5727.38 54.54 68.30 -13.76 44.15 35.06 8.68 33.35 100 302 PEAK	Blank

Mode	47	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Partial_RU 242/62_5670MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5406.96 48.22 74.00 -25.78 38.38 34.62 8.48 33.26 236 158 PEAK 2 5465.20 47.80 68.30 -20.50 38.09 34.67 8.40 33.36 236 158 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5670.00 103.17 ------ ------ 93.01 34.99 8.53 33.36 236 158 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5431.60 38.12 54.00 -15.88 28.33 34.64 8.45 33.30 236 158 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5670.00 93.54 ------ ------ 83.38 34.99 8.53 33.36 236 158 AVERAGE

Mode	47	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Partial_RU 242/62_5670MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5726.43 52.21 68.30 -16.09 41.82 35.06 8.68 33.35 236 158 PEAK	Blank

Mode	48	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full_5710MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5391.25 48.56 -25.44 74.00 38.50 34.81 8.48 33.23 100 295 Peak 2 5464.40 47.97 -20.33 68.30 38.03 34.87 8.43 33.36 100 295 Peak 3 5710.00 106.60 ------ ------ 96.29 35.02 8.65 33.36 100 295 Peak 4 5857.10 51.40 -16.90 68.30 40.76 35.12 8.85 33.33 100 295 Peak	Blank
Avg	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5421.50 38.84 -15.16 54.00 28.80 34.83 8.48 33.27 100 295 Average 2 5710.00 99.19 ------ ------ 88.88 35.02 8.65 33.36 100 295 Average	Blank

Mode	48	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full_5710MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5384.10 48.39 -25.61 74.00 38.43 34.81 8.38 33.23 251 360 Peak 2 5463.30 46.58 -21.72 68.30 36.64 34.87 8.43 33.36 251 360 Peak 3 5710.00 105.78 ------ ------ 95.47 35.02 8.65 33.36 251 360 Peak 4 5859.30 50.41 -17.89 68.30 39.77 35.12 8.85 33.33 251 360 Peak	Blank
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5435.25 38.30 -15.70 54.00 28.34 34.85 8.43 33.32 251 360 Average 2 5710.00 97.50 ------ ------ 87.19 35.02 8.65 33.36 251 360 Average	Blank

Mode	48	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full_5710MHzS	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 11420.00 46.51 -27.49 74.00 55.16 37.77 11.41 57.83 --- --- Peak 2 17130.00 47.80 -20.50 68.30 52.65 40.11 13.15 58.11 --- --- Peak	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 11420.00 46.96 -27.04 74.00 55.61 37.77 11.41 57.83 --- --- Peak 2 17130.00 46.34 -21.96 68.30 51.19 40.11 13.15 58.11 --- --- Peak

Mode	49	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5449.54 59.30 74.00 -14.70 49.55 34.66 8.42 33.33 100 296 PEAK 2 5464.66 59.10 68.30 -9.20 49.39 34.67 8.40 33.36 100 296 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5530.00 104.27 ------ ------ 94.62 34.72 8.33 33.40 100 296 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5457.10 50.69 54.00 -3.31 40.96 34.66 8.41 33.34 100 296 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5530.00 96.09 ------ ------ 86.43 34.73 8.32 33.39 100 296 AVERAGE

Mode	49	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5748.08 50.56 68.30 -17.74 40.06 35.09 8.76 33.35 100 296 PEAK	Blank

Mode	49	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5457.64 54.84 74.00 -19.16 45.11 34.66 8.41 33.34 220 157 PEAK 2 5463.58 55.05 68.30 -13.25 45.33 34.67 8.40 33.35 220 157 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5530.00 100.06 ------ ------ 90.39 34.74 8.32 33.39 220 157 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5458.72 46.44 54.00 -7.56 36.72 34.66 8.41 33.35 220 157 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5530.00 92.23 ------ ------ 82.56 34.74 8.32 33.39 220 157 AVERAGE

Mode	49	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5748.32 50.57 68.30 -17.73 40.07 35.09 8.76 33.35 220 157 PEAK	Blank

Mode	49	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11060.00 46.69 74.00 -27.31 55.52 38.16 11.24 58.23 -- -- Peak 2 16590.00 45.69 68.30 -22.61 50.49 41.00 12.95 58.75 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11060.00 46.24 74.00 -27.76 55.07 38.16 11.24 58.23 -- -- Peak 2 16590.00 46.23 68.30 -22.07 51.03 41.00 12.95 58.75 -- -- Peak

Mode	50	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Partial_RU 484/65_5530MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5441.98 58.76 74.00 -15.24 49.00 34.65 8.43 33.32 100 297 PEAK 2 5463.04 60.37 68.30 -7.93 50.64 34.67 8.41 33.35 100 297 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5530.00 103.65 ------ ------ 94.00 34.70 8.35 33.40 100 297 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5457.82 48.15 54.00 -5.85 38.42 34.66 8.41 33.34 100 297 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5530.00 94.50 ------ ------ 84.85 34.70 8.35 33.40 100 297 AVERAGE

Mode	50	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Partial_RU 484/65_5530MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5752.78 51.03 68.30 -17.27 40.50 35.10 8.78 33.35 100 297 PEAK	Blank

Mode	50	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Partial_RU 484/65_5530MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5457.64 52.05 74.00 -21.95 42.32 34.66 8.41 33.34 216 157 PEAK 2 5462.14 53.81 68.30 -14.49 44.08 34.67 8.41 33.35 216 157 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5530.00 99.06 ------ ------ 89.40 34.73 8.32 33.39 216 157 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5457.46 42.87 54.00 -11.13 33.14 34.66 8.41 33.34 216 157 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5530.00 90.71 ------ ------ 81.06 34.72 8.33 33.40 216 157 AVERAGE

Mode	50	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Partial_RU 484/65_5530MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5728.11 49.03 68.30 -19.27 38.63 35.06 8.69 33.35 216 157 PEAK	Blank

Mode	51	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5454.00 50.03 74.00 -23.97 40.29 34.66 8.42 33.34 100 296 PEAK 2 5462.84 52.23 68.30 -16.07 42.50 34.67 8.41 33.35 100 296 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5610.00 104.47 ------ ------ 94.67 34.89 8.29 33.38 100 296 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5459.20 42.15 54.00 -11.85 32.43 34.66 8.41 33.35 100 296 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5610.00 96.03 ------ ------ 86.27 34.88 8.26 33.38 100 296 AVERAGE

Mode	51	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5727.03 57.43 68.30 -10.87 47.04 35.06 8.68 33.35 100 296 PEAK	Blank

Mode	51
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5416.30 48.20 74.00 -25.80 38.38 34.63 8.47 33.28 116 0 PEAK 2 5467.26 49.35 68.30 -18.95 39.64 34.67 8.40 33.36 116 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5610.00 100.57 ------ ------ 90.84 34.87 8.24 33.38 116 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5448.80 39.36 54.00 -14.64 29.61 34.66 8.42 33.33 116 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5610.00 91.36 ------ ------ 81.60 34.88 8.26 33.38 116 0 AVERAGE

Mode	51	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5741.91 54.18 68.30 -14.12 43.71 35.08 8.74 33.35 116 0 PEAK	Blank

Mode	51	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11220.00 47.39 74.00 -26.61 55.80 38.32 11.32 58.05 -- -- Peak 2 16830.00 45.15 68.30 -23.15 49.46 41.12 13.05 58.48 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11220.00 47.73 74.00 -26.27 56.14 38.32 11.32 58.05 -- -- Peak 2 16830.00 45.19 68.30 -23.11 49.50 41.12 13.05 58.48 -- -- Peak

Mode	52
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Partial_RU 484/66_5610MHz
ANT	0+1

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5424.62 48.87 74.00 -25.13 39.06 34.64 8.46 33.29 100 298 PEAK 2 5468.04 48.74 68.30 -19.56 39.03 34.67 8.40 33.36 100 298 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5610.00 103.77 ------ ------ 94.03 34.87 8.25 33.38 100 298 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5413.18 39.47 54.00 -14.53 29.64 34.63 8.47 33.27 100 298 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5610.00 94.32 ------ ------ 84.42 34.92 8.35 33.37 100 298 AVERAGE

Mode	52	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Partial_RU 484/66_5610MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5729.04 53.27 68.30 -15.03 42.87 35.06 8.69 33.35 100 298 PEAK	Blank

Mode	52	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Partial_RU 484/66_5610MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5397.32 49.07 74.00 -24.93 39.25 34.62 8.45 33.25 174 165 PEAK 2 5465.96 48.43 68.30 -19.87 38.72 34.67 8.40 33.36 174 165 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5610.00 99.76 ------ ------ 89.79 34.94 8.40 33.37 174 165 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5440.22 39.05 54.00 -14.95 29.28 34.65 8.44 33.32 174 165 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5610.00 91.31 ------ ------ 81.41 34.92 8.35 33.37 174 165 AVERAGE

Mode	52	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Partial_RU 484/66_5610MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5729.35 51.21 68.30 -17.09 40.81 35.06 8.69 33.35 174 165 PEAK	Blank

Mode	53	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full_5690MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5432.50 48.72 -25.28 74.00 38.76 34.85 8.43 33.32 100 302 Peak 2 5466.60 46.94 -21.36 68.30 37.05 34.87 8.38 33.36 100 302 Peak 3 5690.00 104.69 ------ ------ 94.53 35.01 8.51 33.36 100 302 Peak 4 5857.65 50.48 -17.82 68.30 39.84 35.12 8.85 33.33 100 302 Peak	Blank
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5459.45 39.51 -14.49 54.00 29.58 34.86 8.43 33.36 100 302 Average 2 5690.00 97.22 ------ ------ 87.06 35.01 8.51 33.36 100 302 Average	Blank

Mode	53	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full_5690MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Over Limit Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5420.40 48.72 -25.28 74.00 38.68 34.83 8.48 33.27 240 165 Peak 2 5467.15 46.83 -21.47 68.30 36.94 34.87 8.38 33.36 240 165 Peak 3 5690.00 100.65 ------ ------ 90.49 35.01 8.51 33.36 240 165 Peak 4 5864.80 49.60 -18.70 68.30 38.96 35.12 8.85 33.33 240 165 Peak	Blank
Avg	 Over Limit Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5414.90 38.86 -15.14 54.00 28.82 34.83 8.48 33.27 240 165 Average 2 5690.00 93.14 ------ ------ 82.98 35.01 8.51 33.36 240 165 Average	Blank

Mode	53	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full_5690MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 11380.00 47.00 -27.00 74.00 55.73 37.75 11.39 57.87 --- --- Peak 2 17070.00 45.57 -22.73 68.30 50.63 40.01 13.14 58.21 --- --- Peak	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 11380.00 46.76 -27.24 74.00 55.49 37.75 11.39 57.87 --- --- Peak 2 17070.00 45.44 -22.86 68.30 50.50 40.01 13.14 58.21 --- --- Peak

Mode	54	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Partial_RU 484/66_5690MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Over Limit Line Freq Level Limit Level Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5421.50 48.23 -25.77 74.00 38.19 34.83 8.48 33.27 100 294 Peak 2 5467.70 46.96 -21.34 68.30 37.07 34.87 8.38 33.36 100 294 Peak 3 5690.00 104.06 ------ ------ 93.90 35.01 8.51 33.36 100 294 Peak 4 5860.95 50.42 -17.88 68.30 39.78 35.12 8.85 33.33 100 294 Peak	Blank
Avg	 Over Limit Line Freq Level Limit Level Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5418.20 39.33 -14.67 54.00 29.29 34.83 8.48 33.27 100 294 Average 2 5690.00 96.14 ------ ------ 85.98 35.01 8.51 33.36 100 294 Average	Blank

Mode	54	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Partial_RU 484/66_5690MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5437.45 48.39 -25.61 74.00 38.43 34.85 8.43 33.32 237 164 Peak 2 5461.65 47.44 -20.86 68.30 37.51 34.86 8.43 33.36 237 164 Peak 3 5690.00 100.17 ------ ------ 90.01 35.01 8.51 33.36 237 164 Peak 4 5851.05 50.15 -18.15 68.30 39.48 35.11 8.89 33.33 237 164 Peak	Blank
Avg	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5433.05 38.79 -15.21 54.00 28.83 34.85 8.43 33.32 237 164 Average 2 5690.00 92.56 ------ ------ 82.40 35.01 8.51 33.36 237 164 Average	Blank

Mode	55	
	LF	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak QP	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 46.49 17.78 -22.22 40.00 32.47 19.62 0.69 35.00 --- --- Peak 2 144.46 23.50 -20.00 43.50 38.44 18.51 1.26 34.71 --- --- Peak 3 304.51 21.77 -24.23 46.00 35.33 19.23 1.81 34.60 --- --- Peak 4 344.28 26.47 -19.53 46.00 39.06 20.09 1.92 34.60 --- --- Peak 5 616.85 26.02 -19.98 46.00 31.81 26.14 2.64 34.57 --- --- Peak 6 778.84 28.20 -17.80 46.00 31.81 27.73 3.00 34.34 --- --- Peak	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 31.94 25.20 -14.80 40.00 41.43 18.01 0.56 34.80 --- --- Peak 2 98.87 23.55 -19.95 43.50 42.53 14.78 1.04 34.80 --- --- Peak 3 141.55 25.69 -17.81 43.50 40.89 18.27 1.25 34.72 --- --- Peak 4 600.36 26.86 -19.14 46.00 32.76 26.09 2.61 34.60 --- --- Peak 5 774.96 28.78 -17.22 46.00 32.42 27.72 2.99 34.35 --- --- Peak 6 948.59 30.22 -15.78 46.00 31.52 29.74 3.26 34.30 --- --- Peak

Mode	56	
	SHF	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg		

Mode	57	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5647.85 51.97 68.30 -16.33 42.02 34.93 8.39 33.37 100 187 PEAK 2 5651.62 52.08 69.50 -17.42 42.11 34.94 8.40 33.37 100 187 PEAK 3 5719.63 66.39 110.70 -44.31 56.05 35.05 8.65 33.36 100 187 PEAK 4 5720.79 64.64 112.59 -47.95 54.29 35.05 8.66 33.36 100 187 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 109.60 ------ ------ 99.11 35.09 8.75 33.35 100 187 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 102.97 ------ ------ 92.48 35.09 8.75 33.35 100 187 AVERAGE

Mode	57	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5635.82 51.02 68.30 -17.28 41.14 34.91 8.34 33.37 324 354 PEAK 2 5650.17 50.43 68.43 -18.00 40.46 34.94 8.40 33.37 324 354 PEAK 3 5718.61 63.79 110.41 -46.62 53.45 35.05 8.65 33.36 324 354 PEAK 4 5720.35 63.23 111.60 -48.37 52.88 35.05 8.66 33.36 324 354 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 108.81 ------ ------ 98.32 35.09 8.75 33.35 324 354 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 102.59 ------ ------ 92.10 35.09 8.75 33.35 324 354 AVERAGE

Mode	57	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11490.00 46.28 74.00 -27.72 54.01 38.58 11.45 57.76 -- -- Peak 2 17235.00 47.54 68.30 -20.76 51.05 41.29 13.17 57.97 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11490.00 45.12 74.00 -28.88 52.85 38.58 11.45 57.76 -- -- Peak 2 17235.00 48.78 68.30 -19.52 52.29 41.29 13.17 57.97 -- -- Peak

Mode	58	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5646.62 51.38 68.30 -16.92 41.44 34.93 8.38 33.37 100 189 PEAK 2 5650.32 48.84 68.54 -19.70 38.87 34.94 8.40 33.37 100 189 PEAK 3 5706.93 54.42 107.14 -52.72 44.14 35.03 8.61 33.36 100 189 PEAK 4 5720.07 53.83 110.95 -57.12 43.48 35.05 8.66 33.36 100 189 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5785.00 110.68 ------ ------ 99.99 35.15 8.88 33.34 100 189 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5785.00 103.91 ------ ------ 93.22 35.15 8.88 33.34 100 189 AVERAGE

Mode	58	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.96 54.27 110.89 -56.62 43.46 35.27 8.87 33.33 100 189 PEAK 2 5869.65 54.34 106.70 -52.36 43.53 35.29 8.85 33.33 100 189 PEAK 3 5923.93 52.58 68.99 -16.41 41.73 35.38 8.79 33.32 100 189 PEAK 4 5933.83 53.10 68.30 -15.20 42.24 35.40 8.78 33.32 100 189 PEAK	Blank

Mode	58	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5647.36 50.70 68.30 -17.60 40.75 34.93 8.39 33.37 400 0 PEAK 2 5650.14 50.48 68.40 -17.92 40.51 34.94 8.40 33.37 400 0 PEAK 3 5701.94 53.70 105.74 -52.04 43.45 35.02 8.59 33.36 400 0 PEAK 4 5720.99 55.76 113.06 -57.30 45.41 35.05 8.66 33.36 400 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5785.00 110.63 ------ ------ 99.94 35.15 8.88 33.34 400 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5785.00 104.07 ------ ------ 93.38 35.15 8.88 33.34 400 0 AVERAGE

Mode	58	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.80 53.54 111.27 -57.73 42.73 35.27 8.87 33.33 400 0 PEAK 2 5873.61 53.41 105.59 -52.18 42.59 35.30 8.85 33.33 400 0 PEAK 3 5924.92 51.49 68.26 -16.77 40.64 35.38 8.79 33.32 400 0 PEAK 4 5933.67 52.29 68.30 -16.01 41.43 35.40 8.78 33.32 400 0 PEAK	Blank

Mode	58	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11570.00 45.90 74.00 -28.10 53.40 38.68 11.49 57.67 -- -- Peak 2 17355.00 47.98 68.30 -20.32 51.24 41.34 13.20 57.80 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11570.00 46.19 74.00 -27.81 53.69 38.68 11.49 57.67 -- -- Peak 2 17355.00 48.62 68.30 -19.68 51.88 41.34 13.20 57.80 -- -- Peak

Mode	59	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5855.00 63.96 110.80 -46.84 53.15 35.27 8.87 33.33 103 95 PEAK 2 5866.63 63.47 107.54 -44.07 52.65 35.29 8.86 33.33 103 95 PEAK 3 5924.50 53.52 68.57 -15.05 42.67 35.38 8.79 33.32 103 95 PEAK 4 5932.50 55.00 68.30 -13.30 44.15 35.39 8.78 33.32 103 95 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 111.40 ------ ------ 100.61 35.22 8.91 33.34 103 95 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 104.42 ------ ------ 93.63 35.22 8.91 33.34 103 95 AVERAGE

Mode	59	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.63 61.48 111.65 -50.17 50.67 35.27 8.87 33.33 395 2 PEAK 2 5872.88 58.89 105.79 -46.90 48.07 35.30 8.85 33.33 395 2 PEAK 3 5924.38 53.09 68.66 -15.57 42.24 35.38 8.79 33.32 395 2 PEAK 4 5947.00 54.05 68.30 -14.25 43.18 35.42 8.76 33.31 395 2 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 109.41 ------ ------ 98.62 35.22 8.91 33.34 395 2 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 103.53 ------ ------ 92.74 35.22 8.91 33.34 395 2 AVERAGE

Mode	59	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11650.00 45.58 74.00 -28.42 52.85 38.78 11.53 57.58 -- -- Peak 2 17475.00 47.57 68.30 -20.73 50.58 41.39 13.23 57.63 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11650.00 46.93 74.00 -27.07 54.20 38.78 11.53 57.58 -- -- Peak 2 17475.00 48.69 68.30 -19.61 51.70 41.39 13.23 57.63 -- -- Peak

Mode	60	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU _5745MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5640.17 52.43 68.30 -15.87 42.52 34.92 8.36 33.37 104 99 PEAK 2 5650.17 51.06 68.43 -17.37 41.09 34.94 8.40 33.37 104 99 PEAK 3 5719.77 64.71 110.74 -46.03 54.37 35.05 8.65 33.36 104 99 PEAK 4 5720.06 63.02 110.94 -47.92 52.67 35.05 8.66 33.36 104 99 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 111.46 ------ ------ 100.97 35.09 8.75 33.35 104 99 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 102.94 ------ ------ 92.48 35.08 8.73 33.35 104 99 AVERAGE

Mode	60	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU _5745MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5621.90 50.72 68.30 -17.58 40.92 34.89 8.29 33.38 350 1 PEAK 2 5650.32 49.62 68.53 -18.91 39.65 34.94 8.40 33.37 350 1 PEAK 3 5703.53 59.03 106.19 -47.16 48.78 35.02 8.59 33.36 350 1 PEAK 4 5720.06 62.77 110.94 -48.17 52.42 35.05 8.66 33.36 350 1 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 110.00 ------ ------ 99.51 35.09 8.75 33.35 350 1 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 102.46 ------ ------ 91.97 35.09 8.75 33.35 350 1 AVERAGE

Mode	60	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU _5745MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11490.00 46.79 74.00 -27.21 54.52 38.58 11.45 57.76 -- -- Peak 2 17235.00 47.88 68.30 -20.42 51.39 41.29 13.17 57.97 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11490.00 45.90 74.00 -28.10 53.63 38.58 11.45 57.76 -- -- Peak 2 17235.00 49.33 68.30 -18.97 52.84 41.29 13.17 57.97 -- -- Peak

Mode	61	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU 26/0_5745MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5647.85 48.99 68.30 -19.31 39.04 34.93 8.39 33.37 400 317 PEAK 2 5650.46 48.01 68.64 -20.63 38.04 34.94 8.40 33.37 400 317 PEAK 3 5701.65 48.76 105.66 -56.90 38.51 35.02 8.59 33.36 400 317 PEAK 4 5720.06 52.11 110.94 -58.83 41.76 35.05 8.66 33.36 400 317 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 109.89 ------ ------ 99.43 35.08 8.73 33.35 400 317 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 97.07 ------ ------ 86.64 35.07 8.71 33.35 400 317 AVERAGE

Mode	61	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU 26/0_5745MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5625.38 49.21 68.30 -19.09 39.37 34.90 8.31 33.37 343 2 PEAK 2 5650.75 48.15 68.86 -20.71 38.18 34.94 8.40 33.37 343 2 PEAK 3 5702.66 49.47 105.95 -56.48 39.22 35.02 8.59 33.36 343 2 PEAK 4 5720.35 54.03 111.60 -57.57 43.68 35.05 8.66 33.36 343 2 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 108.31 ------ ------ 97.88 35.07 8.71 33.35 343 2 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 97.49 ------ ------ 87.06 35.07 8.71 33.35 343 2 AVERAGE

Mode	62	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_ Partial_RU 52/37_5745MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5646.26 50.01 68.30 -18.29 40.07 34.93 8.38 33.37 273 53 PEAK 2 5650.32 48.30 68.53 -20.23 38.33 34.94 8.40 33.37 273 53 PEAK 3 5700.34 50.23 105.30 -55.07 39.99 35.02 8.58 33.36 273 53 PEAK 4 5724.99 67.18 122.18 -55.00 56.81 35.06 8.67 33.36 273 53 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 109.32 ------ ------ 98.89 35.07 8.71 33.35 273 53 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 98.60 ------ ------ 88.14 35.08 8.73 33.35 273 53 AVERAGE

Mode	62	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_ Partial_RU 52/37_5745MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5631.76 48.98 68.30 -19.32 39.11 34.91 8.33 33.37 346 0 PEAK 2 5650.32 48.43 68.53 -20.10 38.46 34.94 8.40 33.37 346 0 PEAK 3 5700.78 50.58 105.42 -54.84 40.34 35.02 8.58 33.36 346 0 PEAK 4 5724.99 70.40 122.18 -51.78 60.03 35.06 8.67 33.36 346 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 106.55 ------ ------ 96.09 35.08 8.73 33.35 346 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 97.64 ------ ------ 87.18 35.08 8.73 33.35 346 0 AVERAGE

Mode	63	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU 106/53_5745MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5609.72 49.98 68.30 -18.32 40.24 34.87 8.25 33.38 330 50 PEAK 2 5650.32 49.59 68.53 -18.94 39.62 34.94 8.40 33.37 330 50 PEAK 3 5705.13 52.62 106.64 -54.02 42.36 35.02 8.60 33.36 330 50 PEAK 4 5724.56 68.06 121.19 -53.13 57.69 35.06 8.67 33.36 330 50 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 109.64 ------ ------ 99.18 35.08 8.73 33.35 330 50 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 97.79 ------ ------ 87.33 35.08 8.73 33.35 330 50 AVERAGE

Mode	63	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU 106/53_5745MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5631.90 49.15 68.30 -19.15 39.28 34.91 8.33 33.37 348 0 PEAK 2 5650.46 49.15 68.64 -19.49 39.18 34.94 8.40 33.37 348 0 PEAK 3 5702.37 51.91 105.86 -53.95 41.66 35.02 8.59 33.36 348 0 PEAK 4 5724.99 68.85 122.18 -53.33 58.48 35.06 8.67 33.36 348 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 108.43 ------ ------ 97.97 35.08 8.73 33.35 348 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5745.00 97.46 ------ ------ 87.00 35.08 8.73 33.35 348 0 AVERAGE

Mode	64	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5648.29 50.38 68.30 -17.92 40.43 34.93 8.39 33.37 329 322 PEAK 2 5650.51 49.19 68.67 -19.48 39.22 34.94 8.40 33.37 329 322 PEAK 3 5701.38 52.31 105.59 -53.28 42.06 35.02 8.59 33.36 329 322 PEAK 4 5720.07 52.79 110.95 -58.16 42.44 35.05 8.66 33.36 329 322 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5785.00 110.81 ------ ------ 100.08 35.16 8.91 33.34 329 322 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5785.00 101.69 ------ ------ 90.96 35.16 8.91 33.34 329 322 AVERAGE

Mode	64	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.80 52.16 111.27 -59.11 41.35 35.27 8.87 33.33 329 322 PEAK 2 5874.43 52.58 105.36 -52.78 41.76 35.30 8.85 33.33 329 322 PEAK 3 5924.26 50.27 68.75 -18.48 39.42 35.38 8.79 33.32 329 322 PEAK 4 5939.61 51.66 68.30 -16.64 40.79 35.41 8.77 33.31 329 322 PEAK	Blank

Mode	64	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5632.93 49.78 68.30 -18.52 39.91 34.91 8.33 33.37 372 29 PEAK 2 5652.36 50.26 70.05 -19.79 40.28 34.94 8.41 33.37 372 29 PEAK 3 5705.64 52.76 106.78 -54.02 42.49 35.03 8.60 33.36 372 29 PEAK 4 5720.07 52.11 110.95 -58.84 41.76 35.05 8.66 33.36 372 29 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5785.00 109.62 ------ ------ 98.93 35.15 8.88 33.34 372 29 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5785.00 101.87 ------ ------ 91.14 35.16 8.91 33.34 372 29 AVERAGE

Mode	64	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak		Blank

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5854.47	52.40	112.02	-59.62	41.59	35.27	8.87	33.33	372	29	PEAK
2	5872.78	51.94	105.82	-53.88	41.12	35.30	8.85	33.33	372	29	PEAK
3	5924.59	51.04	68.50	-17.46	40.19	35.38	8.79	33.32	372	29	PEAK
4	5926.57	52.51	68.30	-15.79	41.66	35.38	8.79	33.32	372	29	PEAK

Mode	64	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11570.00 46.82 74.00 -27.18 54.32 38.68 11.49 57.67 -- -- Peak 2 17355.00 47.07 68.30 -21.23 50.33 41.34 13.20 57.80 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11570.00 47.38 74.00 -26.62 54.88 38.68 11.49 57.67 -- -- Peak 2 17355.00 46.62 68.30 -21.68 49.88 41.34 13.20 57.80 -- -- Peak

Mode	65	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.50 63.37 111.94 -48.57 52.56 35.27 8.87 33.33 200 275 PEAK 2 5872.75 60.02 105.83 -45.81 49.20 35.30 8.85 33.33 200 275 PEAK 3 5925.00 52.33 68.20 -15.87 41.48 35.38 8.79 33.32 200 275 PEAK 4 5932.75 54.73 68.30 -13.57 43.88 35.39 8.78 33.32 200 275 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 109.82 ------ ------ 99.03 35.21 8.92 33.34 200 275 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 103.27 ------ ------ 92.48 35.22 8.91 33.34 200 275 AVERAGE

Mode	65	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.88 58.62 111.08 -52.46 47.81 35.27 8.87 33.33 368 33 PEAK 2 5862.38 57.98 108.73 -50.75 47.17 35.28 8.86 33.33 368 33 PEAK 3 5924.50 52.22 68.57 -16.35 41.37 35.38 8.79 33.32 368 33 PEAK 4 5941.38 53.42 68.30 -14.88 42.55 35.41 8.77 33.31 368 33 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 109.18 ------ ------ 98.38 35.23 8.90 33.33 368 33 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 101.60 ------ ------ 90.81 35.22 8.91 33.34 368 33 AVERAGE

Mode	65	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11650.00 47.24 74.00 -26.76 54.51 38.78 11.53 57.58 -- -- Peak 2 17475.00 46.02 68.30 -22.28 49.03 41.39 13.23 57.63 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11650.00 48.87 74.00 -25.13 56.14 38.78 11.53 57.58 -- -- Peak 2 17475.00 46.69 68.30 -21.61 49.70 41.39 13.23 57.63 -- -- Peak

Mode	66	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU 26/8_5825MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5850.75 61.14 120.49 -59.35 50.33 35.26 8.88 33.33 212 272 PEAK 2 5870.25 53.75 106.53 -52.78 42.94 35.29 8.85 33.33 212 272 PEAK 3 5925.00 49.14 68.20 -19.06 38.29 35.38 8.79 33.32 212 272 PEAK 4 5933.63 51.33 68.30 -16.97 40.47 35.40 8.78 33.32 212 272 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 110.74 ------ ------ 99.94 35.24 8.89 33.33 212 272 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 101.60 ------ ------ 90.80 35.24 8.89 33.33 212 272 AVERAGE

Mode	66	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU 26/8_5825MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.50 50.73 111.94 -61.21 39.92 35.27 8.87 33.33 393 0 PEAK 2 5870.63 51.96 106.42 -54.46 41.15 35.29 8.85 33.33 393 0 PEAK 3 5924.88 49.83 68.29 -18.46 38.98 35.38 8.79 33.32 393 0 PEAK 4 5934.63 50.50 68.30 -17.80 39.63 35.40 8.78 33.31 393 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 106.54 ------ ------ 95.74 35.24 8.89 33.33 393 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 96.31 ------ ------ 85.51 35.24 8.89 33.33 393 0 AVERAGE

Mode	67	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_ Partial_RU 52/40_5825MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5851.63 58.18 118.49 -60.31 47.37 35.26 8.88 33.33 209 269 PEAK 2 5874.13 51.83 105.44 -53.61 41.01 35.30 8.85 33.33 209 269 PEAK 3 5924.75 50.30 68.38 -18.08 39.45 35.38 8.79 33.32 209 269 PEAK 4 5939.38 51.82 68.30 -16.48 40.96 35.40 8.77 33.31 209 269 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 110.17 ------ ------ 99.37 35.23 8.90 33.33 209 269 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 100.55 ------ ------ 89.75 35.23 8.90 33.33 209 269 AVERAGE

Mode	67	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_ Partial_RU 52/40_5825MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5855.00 49.73 110.80 -61.07 38.92 35.27 8.87 33.33 349 0 PEAK 2 5874.25 50.21 105.41 -55.20 39.39 35.30 8.85 33.33 349 0 PEAK 3 5925.00 49.16 68.20 -19.04 38.31 35.38 8.79 33.32 349 0 PEAK 4 5938.75 50.70 68.30 -17.60 39.84 35.40 8.77 33.31 349 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 107.52 ------ ------ 96.72 35.24 8.89 33.33 349 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 96.79 ------ ------ 85.99 35.23 8.90 33.33 349 0 AVERAGE

Mode	68	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU 106/54_5825MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.88 56.16 111.08 -54.92 45.35 35.27 8.87 33.33 204 271 PEAK 2 5872.25 54.94 105.97 -51.03 44.12 35.30 8.85 33.33 204 271 PEAK 3 5924.25 52.18 68.75 -16.57 41.33 35.38 8.79 33.32 204 271 PEAK 4 5930.13 52.79 68.30 -15.51 41.94 35.39 8.78 33.32 204 271 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 111.11 ------ ------ 100.31 35.23 8.90 33.33 204 271 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 100.70 ------ ------ 89.90 35.23 8.90 33.33 204 271 AVERAGE

Mode	68	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU 106/54_5825MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5855.00 52.16 110.80 -58.64 41.35 35.27 8.87 33.33 394 2 PEAK 2 5874.00 52.45 105.48 -53.03 41.63 35.30 8.85 33.33 394 2 PEAK 3 5923.13 50.74 69.58 -18.84 39.89 35.38 8.79 33.32 394 2 PEAK 4 5943.50 51.19 68.30 -17.11 40.32 35.41 8.77 33.31 394 2 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 107.29 ------ ------ 96.49 35.23 8.90 33.33 394 2 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5825.00 97.00 ------ ------ 86.20 35.23 8.90 33.33 394 2 AVERAGE

Mode	69	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5647.28 50.06 68.30 -18.24 40.11 34.93 8.39 33.37 209 274 PEAK 2 5650.69 49.21 68.81 -19.60 39.24 34.94 8.40 33.37 209 274 PEAK 3 5713.31 65.63 108.93 -43.30 55.32 35.04 8.63 33.36 209 274 PEAK 4 5720.13 68.14 111.09 -42.95 57.79 35.05 8.66 33.36 209 274 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5755.00 108.55 ------ ------ 98.06 35.09 8.75 33.35 209 274 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5755.00 100.91 ------ ------ 90.39 35.10 8.77 33.35 209 274 AVERAGE

Mode	69	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.84 53.31 111.17 -57.86 42.50 35.27 8.87 33.33 209 274 PEAK 2 5872.20 54.08 105.98 -51.90 43.26 35.30 8.85 33.33 209 274 PEAK 3 5924.07 52.32 68.89 -16.57 41.47 35.38 8.79 33.32 209 274 PEAK 4 5941.42 52.46 68.30 -15.84 41.59 35.41 8.77 33.31 209 274 PEAK	Blank

Mode	69
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5649.76 50.95 68.30 -17.35 40.99 34.93 8.40 33.37 387 2 PEAK 2 5650.07 49.67 68.35 -18.68 39.70 34.94 8.40 33.37 387 2 PEAK 3 5715.79 63.31 109.62 -46.31 52.99 35.04 8.64 33.36 387 2 PEAK 4 5720.44 64.38 111.79 -47.41 54.03 35.05 8.66 33.36 387 2 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5755.00 107.05 ------ ------ 96.49 35.11 8.80 33.35 387 2 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5755.00 98.56 ------ ------ 88.00 35.11 8.80 33.35 387 2 AVERAGE

Mode	69	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak		Blank

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5854.84	51.19	111.17	-59.98	40.38	35.27	8.87	33.33	387	2	PEAK
2	5873.76	51.67	105.55	-53.88	40.85	35.30	8.85	33.33	387	2	PEAK
3	5923.29	50.97	69.46	-18.49	40.12	35.38	8.79	33.32	387	2	PEAK
4	5948.44	51.50	68.30	-16.80	40.63	35.42	8.76	33.31	387	2	PEAK

Mode	69	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11510.00 48.53 74.00 -25.47 56.21 38.60 11.46 57.74 -- -- Peak 2 17265.00 47.53 68.30 -20.77 50.97 41.31 13.18 57.93 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11510.00 47.56 74.00 -26.44 55.24 38.60 11.46 57.74 -- -- Peak 2 17265.00 46.96 68.30 -21.34 50.40 41.31 13.18 57.93 -- -- Peak

Mode	70	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Partial_RU 242/61_5755MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5641.54 50.33 68.30 -17.97 40.41 34.92 8.37 33.37 206 278 PEAK 2 5651.15 48.64 69.15 -20.51 38.67 34.94 8.40 33.37 206 278 PEAK 3 5706.80 55.28 107.10 -51.82 45.00 35.03 8.61 33.36 206 278 PEAK 4 5721.21 59.71 113.56 -53.85 49.36 35.05 8.66 33.36 206 278 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5755.00 106.12 ------ ------ 95.66 35.08 8.73 33.35 206 278 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5755.00 95.95 ------ ------ 85.49 35.08 8.73 33.35 206 278 AVERAGE

Mode	70	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Partial_RU 242/61_5755MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.84 50.59 111.17 -60.58 39.78 35.27 8.87 33.33 206 278 PEAK 2 5872.98 51.89 105.77 -53.88 41.07 35.30 8.85 33.33 206 278 PEAK 3 5924.85 50.04 68.31 -18.27 39.19 35.38 8.79 33.32 206 278 PEAK 4 5933.43 51.65 68.30 -16.65 40.79 35.40 8.78 33.32 206 278 PEAK	Blank

Mode	70
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Partial_RU 242/61_5755MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5648.36 49.01 68.30 -19.29 39.06 34.93 8.39 33.37 400 7 PEAK 2 5650.07 48.41 68.35 -19.94 38.44 34.94 8.40 33.37 400 7 PEAK 3 5706.95 54.01 107.15 -53.14 43.73 35.03 8.61 33.36 400 7 PEAK 4 5720.28 53.95 111.44 -57.49 43.60 35.05 8.66 33.36 400 7 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5755.00 99.51 ------ ------ 88.99 35.10 8.77 33.35 400 7 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5755.00 89.43 ------ ------ 78.97 35.08 8.73 33.35 400 7 AVERAGE

Mode	70	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Partial_RU 242/61_5755MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.84 48.23 111.17 -62.94 37.42 35.27 8.87 33.33 400 7 PEAK 2 5873.76 50.32 105.55 -55.23 39.50 35.30 8.85 33.33 400 7 PEAK 3 5924.65 50.99 68.46 -17.47 40.14 35.38 8.79 33.32 400 7 PEAK 4 5929.72 50.39 68.30 -17.91 39.54 35.39 8.78 33.32 400 7 PEAK	Blank

Mode	71	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5621.84 49.09 68.30 -19.21 39.29 34.89 8.29 33.38 213 278 PEAK 2 5650.51 49.11 68.67 -19.56 39.14 34.94 8.40 33.37 213 278 PEAK 3 5700.04 52.36 105.21 -52.85 42.12 35.02 8.58 33.36 213 278 PEAK 4 5720.51 55.87 111.96 -56.09 45.52 35.05 8.66 33.36 213 278 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5795.00 108.63 ------ ------ 97.85 35.18 8.94 33.34 213 278 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5795.00 100.97 ------ ------ 90.19 35.18 8.94 33.34 213 278 AVERAGE

Mode	71	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.99 58.90 110.83 -51.93 48.09 35.27 8.87 33.33 213 278 PEAK 2 5870.49 58.10 106.46 -48.36 47.29 35.29 8.85 33.33 213 278 PEAK 3 5924.89 52.40 68.28 -15.88 41.55 35.38 8.79 33.32 213 278 PEAK 4 5937.76 53.76 68.30 -14.54 42.90 35.40 8.77 33.31 213 278 PEAK	Blank

Mode	71
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5610.92 49.19 68.30 -19.11 39.45 34.87 8.25 33.38 400 7 PEAK 2 5650.31 47.75 68.53 -20.78 37.78 34.94 8.40 33.37 400 7 PEAK 3 5707.45 52.76 107.29 -54.53 42.48 35.03 8.61 33.36 400 7 PEAK 4 5720.12 50.98 111.07 -60.09 40.63 35.05 8.66 33.36 400 7 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5795.00 105.12 ------ ------ 94.34 35.18 8.94 33.34 400 7 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5795.00 96.22 ------ ------ 85.44 35.18 8.94 33.34 400 7 AVERAGE

Mode	71	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak		Blank

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5854.99	52.73	110.83	-58.10	41.92	35.27	8.87	33.33	400	7	PEAK
2	5874.98	51.05	105.21	-54.16	40.23	35.30	8.85	33.33	400	7	PEAK
3	5924.89	49.76	68.28	-18.52	38.91	35.38	8.79	33.32	400	7	PEAK
4	5927.99	51.63	68.30	-16.67	40.77	35.39	8.79	33.32	400	7	PEAK

Mode	71	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11590.00 47.82 74.00 -26.18 55.27 38.70 11.50 57.65 -- -- Peak 2 17385.00 45.33 68.30 -22.97 48.53 41.35 13.21 57.76 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11590.00 47.78 74.00 -26.22 55.23 38.70 11.50 57.65 -- -- Peak 2 17385.00 46.99 68.30 -21.31 50.19 41.35 13.21 57.76 -- -- Peak

Mode	72	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Partial_RU 242/62_5795MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5618.14 49.18 68.30 -19.12 39.40 34.88 8.28 33.38 213 278 PEAK 2 5651.29 48.33 69.25 -20.92 38.36 34.94 8.40 33.37 213 278 PEAK 3 5705.50 51.54 106.74 -55.20 41.27 35.03 8.60 33.36 213 278 PEAK 4 5720.32 50.97 111.52 -60.55 40.62 35.05 8.66 33.36 213 278 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5795.00 106.88 ------ ------ 96.10 35.19 8.93 33.34 213 278 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5795.00 96.96 ------ ------ 86.18 35.20 8.92 33.34 213 278 AVERAGE

Mode	72	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Partial_RU 242/62_5795MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.99 53.86 110.83 -56.97 43.05 35.27 8.87 33.33 213 278 PEAK 2 5872.81 54.14 105.81 -51.67 43.32 35.30 8.85 33.33 213 278 PEAK 3 5923.34 50.98 69.42 -18.44 40.13 35.38 8.79 33.32 213 278 PEAK 4 5932.95 51.83 68.30 -16.47 40.98 35.39 8.78 33.32 213 278 PEAK	Blank

Mode	72	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Partial_RU 242/62_5795MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5604.10 48.99 68.30 -19.31 39.28 34.86 8.23 33.38 329 0 PEAK 2 5651.09 48.10 69.11 -21.01 38.13 34.94 8.40 33.37 329 0 PEAK 3 5701.01 49.58 105.48 -55.90 39.33 35.02 8.59 33.36 329 0 PEAK 4 5720.12 48.49 111.07 -62.58 38.14 35.05 8.66 33.36 329 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5795.00 102.69 ------ ------ 91.91 35.18 8.94 33.34 329 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5795.00 93.31 ------ ------ 82.53 35.18 8.94 33.34 329 0 AVERAGE

Mode	72	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Partial_RU 242/62_5795MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.52 50.96 111.89 -60.93 40.15 35.27 8.87 33.33 329 0 PEAK 2 5874.83 50.41 105.25 -54.84 39.59 35.30 8.85 33.33 329 0 PEAK 3 5923.03 51.12 69.65 -18.53 40.27 35.38 8.79 33.32 329 0 PEAK 4 5948.61 51.17 68.30 -17.13 40.30 35.42 8.76 33.31 329 0 PEAK	Blank

Mode	73	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5649.35 54.35 68.30 -13.95 44.40 34.93 8.39 33.37 103 99 PEAK 2 5651.80 54.22 69.63 -15.41 44.25 34.94 8.40 33.37 103 99 PEAK 3 5703.60 63.91 106.21 -42.30 53.65 35.02 8.60 33.36 103 99 PEAK 4 5721.10 63.63 113.31 -49.68 53.28 35.05 8.66 33.36 103 99 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5775.00 104.92 ------ ------ 94.23 35.15 8.88 33.34 103 99 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5775.00 96.07 ------ ------ 85.42 35.14 8.86 33.35 103 99 AVERAGE

Mode	73	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq / Level / Limit Line / Margin / Read Level / Ant Factor / Cable Loss / Preamp Factor / APos / TPos / Remark MHz / dBuV/m / dBuV/m / dB / dBuV / dB/m / dB / dB / cm / deg 1 5854.80 64.40 111.26 -46.86 53.59 35.27 8.87 33.33 103 99 PEAK 2 5865.83 66.39 107.77 -41.38 55.57 35.29 8.86 33.33 103 99 PEAK 3 5924.10 54.33 68.86 -14.53 43.48 35.38 8.79 33.32 103 99 PEAK 4 5939.15 54.13 68.30 -14.17 43.27 35.40 8.77 33.31 103 99 PEAK	Blank

Mode	73
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5644.45 52.81 68.30 -15.49 42.87 34.93 8.38 33.37 329 0 PEAK 2 5651.45 53.18 69.37 -16.19 43.21 34.94 8.40 33.37 329 0 PEAK 3 5706.93 67.57 107.14 -39.57 57.29 35.03 8.61 33.36 329 0 PEAK 4 5720.23 63.50 111.31 -47.81 53.15 35.05 8.66 33.36 329 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5775.00 103.76 ------ ------ 93.17 35.12 8.82 33.35 329 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5775.00 94.49 ------ ------ 83.87 35.13 8.84 33.35 329 0 AVERAGE

Mode	73	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq / Level / Limit Line / Margin / Read Level / Ant Factor / Cable Loss / Preamp Factor / APos / TPos / Remark MHz / dBuV/m / dBuV/m / dB / dBuV / dB/m / dB / dB / cm / deg 1 5854.28 63.27 112.45 -49.18 52.46 35.27 8.87 33.33 329 0 PEAK 2 5864.60 64.19 108.11 -43.92 53.38 35.28 8.86 33.33 329 0 PEAK 3 5924.80 52.27 68.35 -16.08 41.42 35.38 8.79 33.32 329 0 PEAK 4 5929.70 51.93 68.30 -16.37 41.08 35.39 8.78 33.32 329 0 PEAK	Blank

Mode	73	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11550.00 46.98 74.00 -27.02 54.54 38.65 11.48 57.69 -- -- Peak 2 17325.00 45.12 68.30 -23.18 48.44 41.33 13.19 57.84 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11550.00 48.38 74.00 -25.62 55.94 38.65 11.48 57.69 -- -- Peak 2 17325.00 46.44 68.30 -21.86 49.76 41.33 13.19 57.84 -- -- Peak

Mode	74
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU 484/65_5775MHz
ANT	0+1

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5642.53 49.46 68.30 -18.84 39.54 34.92 8.37 33.37 103 99 PEAK 2 5652.15 49.01 69.89 -20.88 39.03 34.94 8.41 33.37 103 99 PEAK 3 5702.20 55.26 105.82 -50.56 45.01 35.02 8.59 33.36 103 99 PEAK 4 5720.05 54.95 110.91 -55.96 44.60 35.05 8.66 33.36 103 99 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5775.00 101.37 ------ ------ 90.85 35.10 8.77 33.35 103 99 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5775.00 91.07 ------ ------ 80.48 35.12 8.82 33.35 103 99 AVERAGE

Mode	74	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU 484/65_5775MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5854.98 53.71 110.86 -57.15 42.90 35.27 8.87 33.33 103 99 PEAK 2 5874.75 52.67 105.27 -52.60 41.85 35.30 8.85 33.33 103 99 PEAK 3 5923.75 49.97 69.12 -19.15 39.12 35.38 8.79 33.32 103 99 PEAK 4 5928.13 49.98 68.30 -18.32 39.12 35.39 8.79 33.32 103 99 PEAK	Blank