Mode	28	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7226.84 50.95 88.20 -37.25 39.86 36.12 8.66 33.69 200 354 PEAK 2 7303.85 50.66 74.00 -23.34 39.42 36.05 8.91 33.72 200 354 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 82.00 ------ ------ 70.70 36.22 8.72 33.64 200 354 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7234.49 40.56 68.20 -27.64 29.45 36.11 8.69 33.69 200 354 AVERAGE 2 7263.05 40.46 54.00 -13.54 29.30 36.09 8.78 33.71 200 354 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 75.35 99.20 -23.85 64.05 36.22 8.72 33.64 200 354 AVERAGE

Mode	28	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 48.54 88.20 -39.66 54.85 39.85 12.73 58.89 149 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 47.98 88.20 -40.22 54.29 39.85 12.73 58.89 149 0 Peak

Mode	29	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 58.31 -29.89 88.20 47.80 35.48 8.68 33.65 105 276 Peak 2 7305.06 41.75 -32.25 74.00 31.09 35.44 8.95 33.73 105 276 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 79.83 -39.37 119.20 69.31 35.48 8.68 33.64 105 276 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 7125.00 47.78 -20.42 68.20 37.27 35.48 8.68 33.65 105 276 Average 7250.49 32.78 -21.22 54.00 22.34 35.45 8.70 33.71 105 276 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 74.37 -24.83 99.20 63.85 35.48 8.68 33.64 105 276 Average

Mode	29	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 57.85 -30.35 88.20 47.34 35.48 8.68 33.65 100 144 Peak 2 7281.47 42.26 -31.74 74.00 31.71 35.44 8.83 33.72 100 144 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 79.66 -39.54 119.20 69.14 35.48 8.68 33.64 100 144 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 49.52 -18.68 68.20 39.01 35.48 8.68 33.65 100 144 Average 2 7316.52 32.62 -21.38 54.00 21.97 35.43 8.95 33.73 100 144 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 74.76 -24.44 99.20 64.24 35.48 8.68 33.64 100 144 Average

Mode	29	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 48.27 88.20 -39.93 54.53 39.88 12.73 58.87 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 48.15 88.20 -40.05 54.41 39.88 12.73 58.87 148 0 Peak

Mode	30	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5917.95 50.96 88.20 -37.24 40.11 35.37 8.80 33.32 362 75 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 92.10 ------ ------ 81.22 35.44 8.75 33.31 362 75 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5918.47 40.71 68.20 -27.49 29.86 35.37 8.80 33.32 362 75 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 83.05 ------ ------ 72.17 35.43 8.76 33.31 362 75 AVERAGE

Mode	30	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5918.34 51.21 88.20 -36.99 40.36 35.37 8.80 33.32 381 312 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 90.82 ------ ------ 79.95 35.42 8.76 33.31 381 312 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5916.91 40.67 68.20 -27.53 29.82 35.37 8.80 33.32 381 312 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 83.35 ------ ------ 72.47 35.43 8.76 33.31 381 312 AVERAGE

Mode	30	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11910.00 49.39 74.00 -24.61 48.69 39.09 11.66 50.05 -- -- Peak 2 17865.00 49.07 74.00 -24.93 46.33 41.55 13.31 52.12 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11910.00 49.54 74.00 -24.46 48.84 39.09 11.66 50.05 -- -- Peak 2 17865.00 49.27 74.00 -24.73 46.53 41.55 13.31 52.12 -- -- Peak

Mode	31	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU_26/0_5955MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5853.73 50.54 88.20 -37.66 39.73 35.27 8.87 33.33 370 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 82.20 ------ ------ 71.33 35.42 8.76 33.31 370 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5918.34 40.49 68.20 -27.71 29.64 35.37 8.80 33.32 370 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 73.15 99.20 -26.05 62.28 35.42 8.76 33.31 370 0 AVERAGE

Mode	31	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU_26/0_5955MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5845.41 50.80 88.20 -37.40 40.00 35.25 8.88 33.33 400 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5955.00 81.81 ------ ------ 70.94 35.42 8.76 33.31 400 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5903.13 40.42 68.20 -27.78 29.58 35.35 8.81 33.32 400 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5955.00 73.16 99.20 -26.04 62.29 35.42 8.76 33.31 400 0 AVERAGE

Mode	32	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU_52/37_5955MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5863.87 50.49 88.20 -37.71 39.68 35.28 8.86 33.33 217 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 84.58 ------ ------ 73.71 35.42 8.76 33.31 217 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5904.82 40.61 68.20 -27.59 29.77 35.35 8.81 33.32 217 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 74.65 99.20 -24.55 63.78 35.42 8.76 33.31 217 0 AVERAGE

Mode	32	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU_52/37_5955MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5907.55 51.86 88.20 -36.34 41.02 35.35 8.81 33.32 400 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 82.34 ------ ------ 71.47 35.42 8.76 33.31 400 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5907.03 40.45 68.20 -27.75 29.61 35.35 8.81 33.32 400 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 73.16 99.20 -26.04 62.29 35.42 8.76 33.31 400 0 AVERAGE

Mode	33	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU_106/53_5955MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5870.24 50.41 88.20 -37.79 39.60 35.29 8.85 33.33 217 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 83.46 ------ ------ 72.59 35.42 8.76 33.31 217 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5904.43 40.46 68.20 -27.74 29.62 35.35 8.81 33.32 217 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 73.48 99.20 -25.72 62.61 35.42 8.76 33.31 217 0 AVERAGE

Mode	33	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU_106/53_5955MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5832.54 51.09 88.20 -37.11 40.29 35.23 8.90 33.33 400 191 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 86.69 ------ ------ 75.82 35.42 8.76 33.31 400 191 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5907.03 40.52 68.20 -27.68 29.68 35.35 8.81 33.32 400 191 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5955.00 76.18 99.20 -23.02 65.31 35.42 8.76 33.31 400 191 AVERAGE

Mode	34	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12390.00 47.36 74.00 -26.64 48.08 39.36 11.78 51.86 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12390.00 48.16 74.00 -25.84 48.88 39.36 11.78 51.86 -- 0 Peak

Mode	35	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12830.00 48.98 88.20 -39.22 49.74 39.47 11.87 52.10 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12830.00 50.44 88.20 -37.76 51.20 39.47 11.87 52.10 -- -- Peak

Mode	36	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5918.76 50.79 88.20 -37.41 39.94 35.37 8.80 33.32 199 309 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5965.00 92.23 ------ ------ 81.35 35.45 8.74 33.31 199 309 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5924.36 41.13 68.20 -27.07 30.28 35.38 8.79 33.32 199 309 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5965.00 84.51 ------ ------ 73.63 35.44 8.75 33.31 199 309 AVERAGE

Mode	36	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5924.20 50.64 88.20 -37.56 39.79 35.38 8.79 33.32 100 142 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5965.00 89.29 ------ ------ 78.41 35.44 8.75 33.31 100 142 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5906.12 40.80 68.20 -27.40 29.96 35.35 8.81 33.32 100 142 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5965.00 82.14 ------ ------ 71.26 35.45 8.74 33.31 100 142 AVERAGE

Mode	36	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11930.00 49.71 74.00 -24.29 48.98 39.12 11.67 50.06 -- -- Peak 2 17895.00 49.15 74.00 -24.85 46.44 41.56 13.32 52.17 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11930.00 48.29 74.00 -25.71 47.56 39.12 11.67 50.06 -- -- Peak 2 17895.00 49.61 74.00 -24.39 46.90 41.56 13.32 52.17 -- -- Peak

Mode	37	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_RU_242/61_5965MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5867.72 51.20 88.20 -37.00 40.38 35.29 8.86 33.33 400 280 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5965.00 82.74 ------ ------ 71.87 35.42 8.76 33.31 400 280 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5853.16 40.51 68.20 -27.69 29.71 35.26 8.87 33.33 400 280 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5965.00 72.15 99.20 -27.05 61.28 35.42 8.76 33.31 400 280 AVERAGE

Mode	37	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_RU_242/61_5965MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5846.76 51.10 88.20 -37.10 40.30 35.25 8.88 33.33 100 142 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5965.00 87.69 ------ ------ 76.81 35.44 8.75 33.31 100 142 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5912.36 40.53 68.20 -27.67 29.69 35.36 8.80 33.32 100 142 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5965.00 78.66 99.20 -20.54 67.78 35.43 8.76 33.31 100 142 AVERAGE

Mode	38	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12410.00 48.57 74.00 -25.43 54.90 39.37 11.79 57.49 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12410.00 48.12 74.00 -25.88 54.45 39.37 11.79 57.49 -- -- Peak

Mode	39	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12810.00 47.92 88.20 -40.28 54.36 39.46 11.87 57.77 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12810.00 48.01 88.20 -40.19 54.45 39.46 11.87 57.77 -- -- Peak

Mode	40	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5897.00 52.01 88.20 -36.19 41.17 35.34 8.82 33.32 205 308 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 94.43 ------ ------ 83.53 35.49 8.71 33.30 205 308 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5924.84 44.17 68.20 -24.03 33.32 35.38 8.79 33.32 205 308 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 85.05 ------ ------ 74.16 35.48 8.72 33.31 205 308 AVERAGE

Mode	40	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5917.48 51.51 88.20 -36.69 40.66 35.37 8.80 33.32 138 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 91.30 ------ ------ 80.31 35.51 8.78 33.30 138 360 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5924.20 42.70 68.20 -25.50 31.85 35.38 8.79 33.32 138 360 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 83.03 ------ ------ 72.14 35.48 8.72 33.31 138 360 AVERAGE

Mode	40	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11970.00 47.44 74.00 -26.56 53.82 39.16 11.69 57.23 -- -- Peak 2 17955.00 50.57 74.00 -23.43 52.62 41.58 13.33 56.96 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11970.00 47.95 74.00 -26.05 54.33 39.16 11.69 57.23 -- -- Peak 2 17955.00 49.52 74.00 -24.48 51.57 41.58 13.33 56.96 -- -- Peak

Mode	41	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_RU_484/65_5985MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5909.96 51.13 88.20 -37.07 40.28 35.36 8.81 33.32 106 325 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 92.55 ------ ------ 81.67 35.43 8.76 33.31 106 325 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5921.96 41.14 68.20 -27.06 30.29 35.38 8.79 33.32 106 325 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 82.83 ------ ------ 71.95 35.45 8.74 33.31 106 325 AVERAGE

Mode	41	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_RU_484/65_5985MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5872.20 50.50 88.20 -37.70 39.68 35.30 8.85 33.33 100 178 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 90.62 ------ ------ 79.75 35.42 8.76 33.31 100 178 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5921.16 41.08 68.20 -27.12 30.23 35.38 8.79 33.32 100 178 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 80.21 ------ ------ 69.33 35.43 8.76 33.31 100 178 AVERAGE

Mode	42	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12450.00 48.60 74.00 -25.40 54.94 39.38 11.79 57.51 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12450.00 48.73 74.00 -25.27 55.07 39.38 11.79 57.51 -- -- Peak

Mode	43	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 48.15 88.20 -40.05 54.58 39.45 11.86 57.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 48.00 88.20 -40.20 54.43 39.45 11.86 57.74 -- -- Peak

Mode	44	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12870.00 47.86 88.20 -40.34 54.32 39.47 11.88 57.81 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12870.00 47.55 88.20 -40.65 54.01 39.47 11.88 57.81 -- -- Peak

Mode	45	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12950.00 49.78 88.20 -38.42 56.25 39.49 11.90 57.86 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12950.00 49.79 88.20 -38.41 56.26 39.49 11.90 57.86 -- -- Peak

Mode	46	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13030.00 47.80 88.20 -40.40 54.30 39.50 11.93 57.93 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13030.00 47.37 88.20 -40.83 53.87 39.50 11.93 57.93 -- -- Peak

Mode	47	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12890.00 47.79 88.20 -40.41 54.25 39.48 11.88 57.82 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12890.00 46.72 88.20 -41.48 53.18 39.48 11.88 57.82 -- -- Peak

Mode	48	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12970.00 47.73 88.20 -40.47 54.22 39.49 11.90 57.88 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12970.00 47.98 88.20 -40.22 54.47 39.49 11.90 57.88 -- -- Peak

Mode	49	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 47.80 88.20 -40.40 54.31 39.50 11.94 57.95 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 47.71 88.20 -40.49 54.22 39.50 11.94 57.95 -- -- Peak

Mode	50	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12930.00 47.74 88.20 -40.46 54.21 39.49 11.89 57.85 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12930.00 47.35 88.20 -40.85 53.82 39.49 11.89 57.85 -- -- Peak

Mode	51	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13010.00 48.35 88.20 -39.85 54.85 39.50 11.91 57.91 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13010.00 48.30 88.20 -39.90 54.80 39.50 11.91 57.91 -- -- Peak

Mode	52	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13070.00 47.60 88.20 -40.60 54.11 39.50 11.96 57.97 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13070.00 48.15 88.20 -40.05 54.66 39.50 11.96 57.97 -- -- Peak

Mode	53	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 47.98 74.00 -26.02 54.58 39.50 12.23 58.33 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 47.86 74.00 -26.14 54.46 39.50 12.23 58.33 -- -- Peak

Mode	54	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13710.00 47.53 88.20 -40.67 54.13 39.58 12.50 58.68 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13710.00 47.40 88.20 -40.80 54.00 39.58 12.50 58.68 -- -- Peak

Mode	55	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 48.76 88.20 -39.44 55.35 39.60 12.53 58.72 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 48.18 88.20 -40.02 54.77 39.60 12.53 58.72 -- -- Peak

Mode	56	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13130.00 48.27 88.20 -39.93 54.80 39.50 12.01 58.04 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13130.00 49.18 88.20 -39.02 55.71 39.50 12.01 58.04 -- -- Peak

Mode	57	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13370.00 47.78 74.00 -26.22 54.37 39.50 12.21 58.30 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13370.00 47.35 74.00 -26.65 53.94 39.50 12.21 58.30 -- -- Peak

Mode	58	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13690.00 48.37 88.20 -39.83 54.96 39.58 12.48 58.65 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13690.00 48.06 88.20 -40.14 54.65 39.58 12.48 58.65 -- -- Peak

Mode	59	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13770.00 48.64 88.20 -39.56 55.22 39.61 12.55 58.74 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13770.00 47.37 88.20 -40.83 53.95 39.61 12.55 58.74 148 0 Peak

Mode	60	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13248.00 47.71 88.20 -40.49 54.27 39.50 12.11 58.17 149 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13248.00 46.45 88.20 -41.75 53.01 39.50 12.11 58.17 149 0 Peak

Mode	61	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13410.00 46.51 88.20 -41.69 53.12 39.50 12.24 58.35 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13410.00 46.86 88.20 -41.34 53.47 39.50 12.24 58.35 148 0 Peak

Mode	62	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13570.00 49.02 88.20 -39.18 55.63 39.53 12.38 58.52 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13570.00 48.77 88.20 -39.43 55.38 39.53 12.38 58.52 148 0 Peak

Mode	63	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13730.00 47.96 88.20 -40.24 54.56 39.59 12.51 58.70 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13730.00 47.72 88.20 -40.48 54.32 39.59 12.51 58.70 148 0 Peak

Mode	64	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13790.00 48.72 88.20 -39.48 55.31 39.61 12.56 58.76 151 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13790.00 47.29 88.20 -40.91 53.87 39.62 12.56 58.76 151 0 Peak

Mode	65	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13990.00 47.00 88.20 -41.20 53.56 39.69 12.73 58.98 152 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13990.00 47.62 88.20 -40.58 54.18 39.69 12.73 58.98 152 0 Peak

Mode	66	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7136.57 50.91 88.20 -37.29 39.71 36.19 8.67 33.66 101 108 PEAK 2 7270.19 51.07 74.00 -22.93 39.90 36.08 8.80 33.71 101 108 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 90.16 ------ ------ 78.87 36.22 8.71 33.64 101 108 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7130.96 41.20 68.20 -27.00 29.99 36.19 8.67 33.65 101 108 AVERAGE 2 7266.87 41.03 54.00 -12.97 29.87 36.08 8.79 33.71 101 108 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 81.79 ------ ------ 70.49 36.22 8.72 33.64 101 108 AVERAGE

Mode	66	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7127.39 51.05 88.20 -37.15 39.82 36.20 8.68 33.65 300 146 PEAK 2 7264.83 50.58 74.00 -23.42 39.42 36.09 8.78 33.71 300 146 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 85.48 ------ ------ 74.18 36.22 8.72 33.64 300 146 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7213.07 41.18 68.20 -27.02 30.12 36.13 8.62 33.69 300 146 AVERAGE 2 7327.31 40.99 54.00 -13.01 29.70 36.04 8.98 33.73 300 146 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 76.65 99.20 -22.55 65.35 36.22 8.72 33.64 300 146 AVERAGE

Mode	66	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 48.64 88.20 -39.56 54.95 39.85 12.73 58.89 151 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 49.20 88.20 -39.00 55.51 39.85 12.73 58.89 151 0 Peak

Mode	67	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_26/8_7095MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7143.20 50.72 88.20 -37.48 39.54 36.18 8.66 33.66 100 109 PEAK 2 7349.49 50.84 74.00 -23.16 39.51 36.02 9.05 33.74 100 109 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 88.77 ------ ------ 77.49 36.21 8.71 33.64 100 109 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7216.38 41.21 68.20 -26.99 30.14 36.13 8.63 33.69 100 109 AVERAGE 2 7258.71 41.00 54.00 -13.00 29.85 36.09 8.76 33.70 100 109 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 80.23 ------ ------ 68.94 36.22 8.71 33.64 100 109 AVERAGE

Mode	67	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_26/8_7095MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7206.18 50.42 88.20 -37.78 39.37 36.13 8.60 33.68 100 84 PEAK 2 7318.13 50.27 74.00 -23.73 39.01 36.04 8.95 33.73 100 84 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 84.70 ------ ------ 73.42 36.21 8.71 33.64 100 84 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7147.28 41.13 68.20 -27.07 29.96 36.18 8.65 33.66 100 84 AVERAGE 2 7269.42 41.12 54.00 -12.88 29.95 36.08 8.80 33.71 100 84 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 75.45 99.20 -23.75 64.16 36.22 8.71 33.64 100 84 AVERAGE

Mode	67	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_26/8_7095MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 48.60 88.20 -39.60 54.91 39.85 12.73 58.89 151 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 48.51 88.20 -39.69 54.82 39.85 12.73 58.89 151 0 Peak

Mode	68	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_52/40_7095MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7150.08 50.60 88.20 -37.60 39.43 36.18 8.65 33.66 100 105 PEAK 2 7280.64 50.35 74.00 -23.65 39.16 36.07 8.83 33.71 100 105 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 87.93 ------ ------ 76.64 36.22 8.71 33.64 100 105 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7137.59 41.18 68.20 -27.02 29.99 36.19 8.66 33.66 100 105 AVERAGE 2 7264.58 40.99 54.00 -13.01 29.83 36.09 8.78 33.71 100 105 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 79.83 99.20 -19.37 68.54 36.22 8.71 33.64 100 105 AVERAGE

Mode	68
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_52/40_7095MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7237.80 50.39 88.20 -37.81 39.28 36.11 8.70 33.70 327 360 PEAK 2 7274.01 49.99 74.00 -24.01 38.81 36.08 8.81 33.71 327 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 79.29 119.20 -39.91 68.00 36.22 8.71 33.64 327 360 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7229.64 41.06 68.20 -27.14 29.97 36.11 8.67 33.69 327 360 AVERAGE 2 7331.39 41.06 54.00 -12.94 29.77 36.03 8.99 33.73 327 360 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 71.07 99.20 -28.13 59.78 36.22 8.71 33.64 327 360 AVERAGE

Mode	69	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_106/54_7095MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7203.12 50.85 88.20 -37.35 39.80 36.14 8.59 33.68 100 166 PEAK 2 7264.07 50.94 74.00 -23.06 39.78 36.09 8.78 33.71 100 166 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 79.29 119.20 -39.91 67.99 36.22 8.72 33.64 100 166 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7213.07 40.55 68.20 -27.65 29.49 36.13 8.62 33.69 100 166 AVERAGE 2 7263.81 40.49 54.00 -13.51 29.33 36.09 8.78 33.71 100 166 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 69.34 99.20 -29.86 58.05 36.22 8.71 33.64 100 166 AVERAGE

Mode	69
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_106/54_7095MHz
ANT	0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7244.18 50.58 88.20 -37.62 39.46 36.10 8.72 33.70 300 352 PEAK 2 7300.53 50.50 74.00 -23.50 39.26 36.06 8.90 33.72 300 352 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 82.81 ------ ------ 71.52 36.22 8.71 33.64 300 352 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7208.48 40.61 68.20 -27.59 29.56 36.13 8.60 33.68 300 352 AVERAGE 2 7265.60 40.42 54.00 -13.58 29.25 36.09 8.79 33.71 300 352 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 72.87 99.20 -26.33 61.58 36.22 8.71 33.64 300 352 AVERAGE

Mode	70	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 61.71 -26.49 88.20 51.20 35.48 8.68 33.65 342 285 Peak 2 7328.20 41.11 -32.89 74.00 30.47 35.43 8.95 33.74 342 285 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 81.06 -38.14 119.20 70.54 35.48 8.68 33.64 342 285 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 47.46 -20.74 68.20 36.95 35.48 8.68 33.65 342 285 Average 2 7301.18 32.23 -21.77 54.00 21.57 35.44 8.95 33.73 342 285 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 75.89 -23.31 99.20 65.37 35.48 8.68 33.64 342 285 Average

Mode	70	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 58.56 -29.64 88.20 48.05 35.48 8.68 33.65 100 171 Peak 2 7250.77 41.48 -32.52 74.00 31.04 35.45 8.70 33.71 100 171 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 78.66 -40.54 119.20 68.14 35.48 8.68 33.64 100 171 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 47.06 -21.14 68.20 36.55 35.48 8.68 33.65 100 171 Average 2 7255.61 32.41 -21.59 54.00 21.97 35.45 8.70 33.71 100 171 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 74.03 -25.17 99.20 63.51 35.48 8.68 33.64 100 171 Average

Mode	70	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 47.64 88.20 -40.56 53.90 39.88 12.73 58.87 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 47.89 88.20 -40.31 54.15 39.88 12.73 58.87 -- -- Peak

Mode	71	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_26/8_7115MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 64.95 -23.25 88.20 54.44 35.48 8.68 33.65 344 253 Peak 2 7262.78 41.87 -32.13 74.00 31.30 35.45 8.83 33.71 344 253 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 80.76 -38.44 119.20 70.24 35.48 8.68 33.64 344 253 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 48.31 -19.89 68.20 37.80 35.48 8.68 33.65 344 253 Average 2 7307.69 32.69 -21.31 54.00 22.03 35.44 8.95 33.73 344 253 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 73.46 -25.74 99.20 62.94 35.48 8.68 33.64 344 253 Average

Mode	71	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_26/8_7115MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 62.69 -25.51 88.20 52.18 35.48 8.68 33.65 110 165 Peak 2 7318.85 42.52 -31.48 74.00 31.87 35.43 8.95 33.73 110 165 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 80.07 -39.13 119.20 69.55 35.48 8.68 33.64 110 165 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 47.93 -20.27 68.20 37.42 35.48 8.68 33.65 110 165 Average 2 7275.14 32.71 -21.29 54.00 22.16 35.44 8.83 33.72 110 165 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 72.38 -26.82 99.20 61.86 35.48 8.68 33.64 110 165 Average

Mode	72	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_52/40_7115MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 60.36 -27.84 88.20 49.85 35.48 8.68 33.65 334 282 Peak 2 7267.68 42.23 -31.77 74.00 31.67 35.44 8.83 33.71 334 282 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 79.97 -39.23 119.20 69.45 35.48 8.68 33.64 334 282 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 45.21 -22.99 68.20 34.70 35.48 8.68 33.65 334 282 Average 2 7330.94 32.32 -21.68 54.00 21.68 35.43 8.95 33.74 334 282 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 71.61 -27.59 99.20 61.09 35.48 8.68 33.64 334 282 Average

Mode	72	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_52/40_7115MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 58.79 -29.41 88.20 48.28 35.48 8.68 33.65 100 177 Peak 2 7265.01 42.08 -31.92 74.00 31.52 35.44 8.83 33.71 100 177 Peak	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 76.39 -42.81 119.20 65.87 35.48 8.68 33.64 100 177 Peak
Avg	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 44.56 -23.64 68.20 34.05 35.48 8.68 33.65 100 177 Average 2 7255.61 32.22 -21.78 54.00 21.78 35.45 8.70 33.71 100 177 Average	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 68.98 -30.22 99.20 58.46 35.48 8.68 33.64 100 177 Average

Mode	73	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_106/54_7115MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 65.19 -23.01 88.20 54.68 35.48 8.68 33.65 318 257 Peak 2 7318.85 42.46 -31.54 74.00 31.81 35.43 8.95 33.73 318 257 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 80.27 -38.93 119.20 69.75 35.48 8.68 33.64 318 257 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 48.85 -19.35 68.20 38.34 35.48 8.68 33.65 318 257 Average 2 7263.05 32.45 -21.55 54.00 21.88 35.45 8.83 33.71 318 257 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 72.90 -26.30 99.20 62.38 35.48 8.68 33.64 318 257 Average

Mode	73	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_106/54_7115MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 63.17 -25.03 88.20 52.66 35.48 8.68 33.65 109 165 Peak 2 7333.98 41.54 -32.46 74.00 30.90 35.43 8.95 33.74 109 165 Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 79.23 -39.97 119.20 68.71 35.48 8.68 33.64 109 165 Peak
Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.00 47.11 -21.09 68.20 36.60 35.48 8.68 33.65 109 165 Average 2 7267.23 32.69 -21.31 54.00 22.13 35.44 8.83 33.71 109 165 Average	 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7115.00 71.60 -27.60 99.20 61.08 35.48 8.68 33.64 109 165 Average

Mode	74	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13850.00 47.23 88.20 -40.97 53.81 39.64 12.61 58.83 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13850.00 48.24 88.20 -39.96 54.82 39.64 12.61 58.83 -- -- Peak

Mode	75	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14010.00 47.23 88.20 -40.97 53.80 39.70 12.73 59.00 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14010.00 48.40 88.20 -39.80 54.97 39.70 12.73 59.00 -- -- Peak

Mode	76	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7212.20 50.86 88.20 -37.34 39.80 36.13 8.62 33.69 112 0 PEAK 2 7299.12 50.85 74.00 -23.15 39.62 36.06 8.89 33.72 112 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7085.00 78.93 119.20 -40.27 67.59 36.23 8.74 33.63 112 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7208.23 40.51 68.20 -27.69 29.46 36.13 8.60 33.68 112 0 AVERAGE 2 7296.74 40.39 54.00 -13.61 29.17 36.06 8.88 33.72 112 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7085.00 70.38 99.20 -28.82 59.04 36.23 8.74 33.63 112 0 AVERAGE

Mode	76	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7196.30 50.64 88.20 -37.56 39.59 36.14 8.59 33.68 100 68 PEAK 2 7284.55 51.09 74.00 -22.91 39.89 36.07 8.85 33.72 100 68 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 86.15 ------ ------ 74.83 36.23 8.73 33.64 100 68 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7142.77 40.58 68.20 -27.62 29.40 36.18 8.66 33.66 100 68 AVERAGE 2 7262.29 40.54 54.00 -13.46 29.39 36.09 8.77 33.71 100 68 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 77.85 99.20 -21.35 66.53 36.23 8.73 33.64 100 68 AVERAGE

Mode	76	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 48.28 88.20 -39.92 54.62 39.83 12.73 58.90 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 47.98 88.20 -40.22 54.32 39.83 12.73 58.90 -- -- Peak

Mode	77	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU_242/62_7085MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7183.85 50.24 88.20 -37.96 39.16 36.15 8.60 33.67 267 360 PEAK 2 7284.28 50.79 74.00 -23.21 39.60 36.07 8.84 33.72 267 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7085.00 83.39 ------ ------ 72.07 36.23 8.73 33.64 267 360 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7213.26 40.58 68.20 -27.62 29.52 36.13 8.62 33.69 267 360 AVERAGE 2 7263.35 40.46 54.00 -13.54 29.30 36.09 8.78 33.71 267 360 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7085.00 73.74 99.20 -25.46 62.45 36.22 8.71 33.64 267 360 AVERAGE