





		77																																																																																																															
Mode		Band Edge																																																																																																															
		U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU_242/62_7085MHz																																																																																																															
ANT		0+1																																																																																																															
Pol.		Vertical					Fundamental																																																																																																										
Peak		Level (dBuV/m) Date: 2023-10-08 PEAK_BE(UNII)_6E Freq 7085 7138 7191 7244 7297 7350 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7193.12</td><td>51.23</td><td>88.20</td><td>-36.97</td><td>40.18</td><td>36.14</td><td>8.59</td><td>33.68</td><td>100</td><td>68</td><td>PEAK</td></tr><tr><td>2</td><td>7255.66</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>38.99</td><td>36.09</td><td>8.75</td><td>33.70</td><td>100</td><td>68</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7193.12	51.23	88.20	-36.97	40.18	36.14	8.59	33.68	100	68	PEAK	2	7255.66	50.13	74.00	-23.87	38.99	36.09	8.75	33.70	100	68	PEAK	Level (dBuV/m) Date: 2023-10-24 PEAK_BE(UNII)_6E Freq 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>83.58</td><td>-----</td><td>-----</td><td>72.29</td><td>36.22</td><td>8.71</td><td>33.64</td><td>100</td><td>68</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	83.58	-----	-----	72.29	36.22	8.71	33.64	100	68	PEAK
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	7193.12	51.23	88.20	-36.97	40.18	36.14	8.59	33.68	100	68	PEAK																																																																																																						
2	7255.66	50.13	74.00	-23.87	38.99	36.09	8.75	33.70	100	68	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	7085.00	83.58	-----	-----	72.29	36.22	8.71	33.64	100	68	PEAK																																																																																																						
Avg		Level (dBuV/m) Date: 2023-10-08 AVG_BE(UNII)_6E Freq 7085 7138 7191 7244 7297 7350 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7148.60</td><td>40.66</td><td>68.20</td><td>-27.54</td><td>29.49</td><td>36.18</td><td>8.65</td><td>33.66</td><td>100</td><td>68</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.16</td><td>40.42</td><td>54.00</td><td>-13.58</td><td>29.28</td><td>36.10</td><td>8.74</td><td>33.70</td><td>100</td><td>68</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7148.60	40.66	68.20	-27.54	29.49	36.18	8.65	33.66	100	68	AVERAGE	2	7251.16	40.42	54.00	-13.58	29.28	36.10	8.74	33.70	100	68	AVERAGE	Level (dBuV/m) Date: 2023-10-08 AVG_BE(UNII)_6E Freq 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>74.20</td><td>99.20</td><td>-25.00</td><td>62.88</td><td>36.23</td><td>8.73</td><td>33.64</td><td>100</td><td>68</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	74.20	99.20	-25.00	62.88	36.23	8.73	33.64	100	68	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	7148.60	40.66	68.20	-27.54	29.49	36.18	8.65	33.66	100	68	AVERAGE																																																																																																						
2	7251.16	40.42	54.00	-13.58	29.28	36.10	8.74	33.70	100	68	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	7085.00	74.20	99.20	-25.00	62.88	36.23	8.73	33.64	100	68	AVERAGE																																																																																																						



Mode	78																																																																																										
	Harmonic																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Horizontal										Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2023-10-08  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>47.80</td><td>88.20</td><td>-40.40</td><td>54.37</td><td>39.65</td><td>12.65</td><td>58.87</td><td>151</td><td>-- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	47.80	88.20	-40.40	54.37	39.65	12.65	58.87	151	-- Peak	Level (dBuV/m) Date: 2023-10-08  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>47.72</td><td>88.20</td><td>-40.48</td><td>54.29</td><td>39.65</td><td>12.65</td><td>58.87</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	47.72	88.20	-40.48	54.29	39.65	12.65	58.87	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13890.00	47.80	88.20	-40.40	54.37	39.65	12.65	58.87	151	-- Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13890.00	47.72	88.20	-40.48	54.29	39.65	12.65	58.87	--	-- Peak																																																																																	





		79																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																												
ANT		0+1																																																																																																												
Pol.	Horizontal										Fundamental																																																																																																			
Peak	Date: 2023-10-08 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7180.35</td><td>51.01</td><td>88.20</td><td>-37.19</td><td>39.92</td><td>36.15</td><td>8.61</td><td>33.67</td><td>278</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7326.60</td><td>49.99</td><td>74.00</td><td>-24.01</td><td>38.70</td><td>36.04</td><td>8.98</td><td>33.73</td><td>278</td><td>0</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7180.35	51.01	88.20	-37.19	39.92	36.15	8.61	33.67	278	0	PEAK	2	7326.60	49.99	74.00	-24.01	38.70	36.04	8.98	33.73	278	0	PEAK	Date: 2023-10-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>85.30</td><td>-----</td><td>-----</td><td>73.82</td><td>36.28</td><td>8.81</td><td>33.61</td><td>278</td><td>0</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7025.00	85.30	-----	-----	73.82	36.28	8.81	33.61	278	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1	7180.35	51.01	88.20	-37.19	39.92	36.15	8.61	33.67	278	0	PEAK																																																																																																			
2	7326.60	49.99	74.00	-24.01	38.70	36.04	8.98	33.73	278	0	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1	7025.00	85.30	-----	-----	73.82	36.28	8.81	33.61	278	0	PEAK																																																																																																			
Avg	Date: 2023-10-08 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7216.75</td><td>41.05</td><td>68.20</td><td>-27.15</td><td>29.99</td><td>36.12</td><td>8.63</td><td>33.69</td><td>278</td><td>0</td><td>AVERAGE</td></tr><tr><td>2</td><td>7328.88</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>29.72</td><td>36.03</td><td>8.99</td><td>33.73</td><td>278</td><td>0</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7216.75	41.05	68.20	-27.15	29.99	36.12	8.63	33.69	278	0	AVERAGE	2	7328.88	41.01	54.00	-12.99	29.72	36.03	8.99	33.73	278	0	AVERAGE	Date: 2023-10-08 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>73.74</td><td>99.20</td><td>-25.46</td><td>62.45</td><td>36.22</td><td>8.71</td><td>33.64</td><td>267</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7085.00	73.74	99.20	-25.46	62.45	36.22	8.71	33.64	267	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1	7216.75	41.05	68.20	-27.15	29.99	36.12	8.63	33.69	278	0	AVERAGE																																																																																																			
2	7328.88	41.01	54.00	-12.99	29.72	36.03	8.99	33.73	278	0	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1	7085.00	73.74	99.20	-25.46	62.45	36.22	8.71	33.64	267	360	AVERAGE																																																																																																			







Mode	79																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Date: 2023-10-08						Date: 2023-10-24																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7232.35</td><td>51.22</td><td>88.20</td><td>-36.98</td><td>40.12</td><td>36.11</td><td>8.68</td><td>33.69</td><td>400</td><td>147</td><td>PEAK</td></tr><tr><td>2</td><td>7341.88</td><td>50.21</td><td>74.00</td><td>-23.79</td><td>38.90</td><td>36.02</td><td>9.03</td><td>33.74</td><td>400</td><td>147</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7232.35	51.22	88.20	-36.98	40.12	36.11	8.68	33.69	400	147	PEAK	2	7341.88	50.21	74.00	-23.79	38.90	36.02	9.03	33.74	400	147	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>82.15</td><td>-----</td><td>-----</td><td>70.69</td><td>36.27</td><td>8.80</td><td>33.61</td><td>400</td><td>147</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7025.00	82.15	-----	-----	70.69	36.27	8.80	33.61	400	147
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	7232.35	51.22	88.20	-36.98	40.12	36.11	8.68	33.69	400	147	PEAK																																																																																									
2	7341.88	50.21	74.00	-23.79	38.90	36.02	9.03	33.74	400	147	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	7025.00	82.15	-----	-----	70.69	36.27	8.80	33.61	400	147	PEAK																																																																																									
Avg	Date: 2023-10-08						Date: 2023-10-08																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7206.35</td><td>41.05</td><td>68.20</td><td>-27.15</td><td>30.00</td><td>36.13</td><td>8.60</td><td>33.68</td><td>400</td><td>147</td><td>AVERAGE</td></tr><tr><td>2</td><td>7260.95</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>29.79</td><td>36.09</td><td>8.77</td><td>33.71</td><td>400</td><td>147</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7206.35	41.05	68.20	-27.15	30.00	36.13	8.60	33.68	400	147	AVERAGE	2	7260.95	40.94	54.00	-13.06	29.79	36.09	8.77	33.71	400	147	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>74.20</td><td>99.20</td><td>-25.00</td><td>62.88</td><td>36.23</td><td>8.73</td><td>33.64</td><td>100</td><td>68</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7085.00	74.20	99.20	-25.00	62.88	36.23	8.73	33.64	100	68
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	7206.35	41.05	68.20	-27.15	30.00	36.13	8.60	33.68	400	147	AVERAGE																																																																																									
2	7260.95	40.94	54.00	-13.06	29.79	36.09	8.77	33.71	400	147	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	7085.00	74.20	99.20	-25.00	62.88	36.23	8.73	33.64	100	68	AVERAGE																																																																																									



Mode	79																																																																																								
	Harmonic																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																								
ANT	0+1																																																																																								
Pol.	Horizontal										Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2023-10-08  PEAK(U-NII_8E) AVG(U-NII_8E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>14050.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>54.07</td><td>39.74</td><td>12.73</td><td>58.97</td><td>--</td><td>-- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	14050.00	47.57	88.20	-40.63	54.07	39.74	12.73	58.97	--	-- Peak	Level (dBuV/m) Date: 2023-10-08  PEAK(U-NII_8E) AVG(U-NII_8E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>14050.00</td><td>47.97</td><td>88.20</td><td>-40.23</td><td>54.47</td><td>39.74</td><td>12.73</td><td>58.97</td><td>--</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	14050.00	47.97	88.20	-40.23	54.47	39.74	12.73	58.97	--	-- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																	
1	14050.00	47.57	88.20	-40.63	54.07	39.74	12.73	58.97	--	-- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																	
1	14050.00	47.97	88.20	-40.23	54.47	39.74	12.73	58.97	--	-- Peak																																																																															



Mode	80																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial_RU_484/66_7025MHz																																																																																		
ANT	0+1																																																																																		
Pol.	Horizontal					Fundamental																																																																													
Peak	 Level (dBuV/m) Date: 2023-10-09 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7225.85</td><td>50.38</td><td>88.20 -37.82</td><td>39.29</td><td>36.12</td><td>8.66</td><td>33.69</td><td>229</td><td>0 PEAK</td></tr><tr><td>2 7333.43</td><td>51.13</td><td>74.00 -22.87</td><td>39.83</td><td>36.03</td><td>9.00</td><td>33.73</td><td>229</td><td>0 PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 7225.85	50.38	88.20 -37.82	39.29	36.12	8.66	33.69	229	0 PEAK	2 7333.43	51.13	74.00 -22.87	39.83	36.03	9.00	33.73	229	0 PEAK	 Level (dBuV/m) Date: 2023-10-09 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>79.01</td><td>119.20 -40.19</td><td>67.63</td><td>36.25</td><td>8.76</td><td>33.63</td><td>229</td><td>0 PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 7025.00	79.01	119.20 -40.19	67.63	36.25	8.76	33.63	229	0 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 7225.85	50.38	88.20 -37.82	39.29	36.12	8.66	33.69	229	0 PEAK																																																																											
2 7333.43	51.13	74.00 -22.87	39.83	36.03	9.00	33.73	229	0 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 7025.00	79.01	119.20 -40.19	67.63	36.25	8.76	33.63	229	0 PEAK																																																																											
Avg	 Level (dBuV/m) Date: 2023-10-09 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7153.05</td><td>41.09</td><td>68.20 -27.11</td><td>29.93</td><td>36.18</td><td>8.64</td><td>33.66</td><td>229</td><td>0 AVERAGE</td></tr><tr><td>2 7250.55</td><td>41.08</td><td>54.00 -12.92</td><td>29.94</td><td>36.10</td><td>8.74</td><td>33.70</td><td>229</td><td>0 AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 7153.05	41.09	68.20 -27.11	29.93	36.18	8.64	33.66	229	0 AVERAGE	2 7250.55	41.08	54.00 -12.92	29.94	36.10	8.74	33.70	229	0 AVERAGE	 Level (dBuV/m) Date: 2023-10-09 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>69.63</td><td>99.20 -29.57</td><td>58.21</td><td>36.26</td><td>8.78</td><td>33.62</td><td>229</td><td>0 AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 7025.00	69.63	99.20 -29.57	58.21	36.26	8.78	33.62	229	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 7153.05	41.09	68.20 -27.11	29.93	36.18	8.64	33.66	229	0 AVERAGE																																																																											
2 7250.55	41.08	54.00 -12.92	29.94	36.10	8.74	33.70	229	0 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 7025.00	69.63	99.20 -29.57	58.21	36.26	8.78	33.62	229	0 AVERAGE																																																																											



Mode	80											
	Band Edge											
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial_RU_484/66_7025MHz											
ANT	0+1											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) Date: 2023-10-08											



Mode	81																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_26/8_7095MHz																																																																																																																																																																																													
ANT	0+1																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																												
Peak QP	Data: 1 Level (dBuV/m) Date: 2023-10-25 Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>34.85</td><td>30.57</td><td>-9.43</td><td>40.00</td><td>45.40</td><td>18.68</td><td>1.29</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>146.40</td><td>23.83</td><td>-19.67</td><td>43.50</td><td>37.56</td><td>18.67</td><td>2.31</td><td>34.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>191.99</td><td>27.75</td><td>-15.75</td><td>43.50</td><td>43.34</td><td>16.46</td><td>2.65</td><td>34.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>304.51</td><td>23.77</td><td>-22.23</td><td>46.00</td><td>35.91</td><td>19.23</td><td>3.23</td><td>34.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>487.84</td><td>22.87</td><td>-23.13</td><td>46.00</td><td>30.76</td><td>23.21</td><td>3.40</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>594.54</td><td>26.93</td><td>-19.07</td><td>46.00</td><td>32.07</td><td>25.87</td><td>3.58</td><td>34.59</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	34.85	30.57	-9.43	40.00	45.40	18.68	1.29	34.80	---	---	Peak	2	146.40	23.83	-19.67	43.50	37.56	18.67	2.31	34.71	---	---	Peak	3	191.99	27.75	-15.75	43.50	43.34	16.46	2.65	34.70	---	---	Peak	4	304.51	23.77	-22.23	46.00	35.91	19.23	3.23	34.60	---	---	Peak	5	487.84	22.87	-23.13	46.00	30.76	23.21	3.40	34.50	---	---	Peak	6	594.54	26.93	-19.07	46.00	32.07	25.87	3.58	34.59	---	---	Peak	Data: 2 Level (dBuV/m) Date: 2023-10-25 Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>34.85</td><td>29.69</td><td>-10.31</td><td>40.00</td><td>44.52</td><td>18.68</td><td>1.29</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>145.43</td><td>23.70</td><td>-19.80</td><td>43.50</td><td>37.52</td><td>18.59</td><td>2.30</td><td>34.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>196.84</td><td>27.72</td><td>-15.78</td><td>43.50</td><td>43.54</td><td>16.17</td><td>2.71</td><td>34.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>311.30</td><td>24.43</td><td>-21.57</td><td>46.00</td><td>36.40</td><td>19.37</td><td>3.26</td><td>34.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>445.16</td><td>22.89</td><td>-23.11</td><td>46.00</td><td>31.32</td><td>22.62</td><td>3.45</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>672.14</td><td>28.93</td><td>-17.07</td><td>46.00</td><td>33.06</td><td>26.63</td><td>3.70</td><td>34.46</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	34.85	29.69	-10.31	40.00	44.52	18.68	1.29	34.80	---	---	Peak	2	145.43	23.70	-19.80	43.50	37.52	18.59	2.30	34.71	---	---	Peak	3	196.84	27.72	-15.78	43.50	43.54	16.17	2.71	34.70	---	---	Peak	4	311.30	24.43	-21.57	46.00	36.40	19.37	3.26	34.60	---	---	Peak	5	445.16	22.89	-23.11	46.00	31.32	22.62	3.45	34.50	---	---	Peak	6	672.14	28.93	-17.07	46.00	33.06	26.63	3.70	34.46	---	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	34.85	30.57	-9.43	40.00	45.40	18.68	1.29	34.80	---	---	Peak																																																																																																																																																																																			
2	146.40	23.83	-19.67	43.50	37.56	18.67	2.31	34.71	---	---	Peak																																																																																																																																																																																			
3	191.99	27.75	-15.75	43.50	43.34	16.46	2.65	34.70	---	---	Peak																																																																																																																																																																																			
4	304.51	23.77	-22.23	46.00	35.91	19.23	3.23	34.60	---	---	Peak																																																																																																																																																																																			
5	487.84	22.87	-23.13	46.00	30.76	23.21	3.40	34.50	---	---	Peak																																																																																																																																																																																			
6	594.54	26.93	-19.07	46.00	32.07	25.87	3.58	34.59	---	---	Peak																																																																																																																																																																																			
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	34.85	29.69	-10.31	40.00	44.52	18.68	1.29	34.80	---	---	Peak																																																																																																																																																																																			
2	145.43	23.70	-19.80	43.50	37.52	18.59	2.30	34.71	---	---	Peak																																																																																																																																																																																			
3	196.84	27.72	-15.78	43.50	43.54	16.17	2.71	34.70	---	---	Peak																																																																																																																																																																																			
4	311.30	24.43	-21.57	46.00	36.40	19.37	3.26	34.60	---	---	Peak																																																																																																																																																																																			
5	445.16	22.89	-23.11	46.00	31.32	22.62	3.45	34.50	---	---	Peak																																																																																																																																																																																			
6	672.14	28.93	-17.07	46.00	33.06	26.63	3.70	34.46	---	---	Peak																																																																																																																																																																																			



Test Results for Co-location mode:

Mode 82 WIFI1 6G (6E) 11ax20 CH01 &11a CH36

802.11ax20 CH01 (Band Edge @ 3m)

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
Co-location		5920.16	52	-36.2	88.2	41.37	35.15	8.8	33.32	192	336	P	H
		5924.97	43.52	-24.68	68.2	32.87	35.16	8.8	33.31	192	336	A	H
	*	5955	104.05	----	----	93.43	35.17	8.76	33.31	192	336	P	H
	*	5955	96.73	----	----	86.11	35.17	8.76	33.31	192	336	A	H
		5921.33	52.01	-36.19	88.2	41.37	35.15	8.8	33.31	254	0	P	V
		5924.97	44.17	-24.03	68.2	33.52	35.16	8.8	33.31	254	0	A	V
	*	5955	105.83	----	----	95.21	35.17	8.76	33.31	254	0	P	V
	*	5955	97.32	----	----	86.7	35.17	8.76	33.31	254	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



11a CH36 (Band Edge @ 3m)

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
Co-location	*	5137.8	56.63	-17.37	74	46.92	34.61	7.91	32.81	209	266	P	H
	*	5149.24	48.11	-5.89	54	38.43	34.62	7.91	32.85	209	266	A	H
		5180	112.82	----	----	103.13	34.65	7.93	32.89	209	266	P	H
		5180	104.65	----	----	94.96	34.65	7.93	32.89	209	266	A	H
	*	5141.96	51.8	-22.2	74	42.12	34.62	7.91	32.85	322	349	P	V
	*	5149.5	43.83	-10.17	54	34.15	34.62	7.91	32.85	322	349	A	V
		5180	107.05	----	----	97.36	34.65	7.93	32.89	322	349	P	V
		5180	99.58	----	----	89.89	34.65	7.93	32.89	322	349	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



(Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
Co-location		10360	47.17	-21.13	68.3	58.09	37.34	10.73	58.99	-	-	P	H
		11910	48.93	-25.07	74	56.43	38.13	11.66	57.29	-	-	P	H
		15540	46.49	-27.51	74	53.77	38.93	12.72	58.93	-	-	P	H
		17865	47.86	-26.14	74	49.71	41.93	13.31	57.09	-	-	P	H
		10360	46.75	-21.55	68.3	57.67	37.34	10.73	58.99	-	-	P	V
		11910	48.02	-25.98	74	55.52	38.13	11.66	57.29	-	-	P	V
		15540	46.89	-27.11	74	54.17	38.93	12.72	58.93	-	-	P	V
		17865	47.24	-26.76	74	49.09	41.93	13.31	57.09	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Plots:

Note: For all plots below, the over limit line signals are Fundamental signal which can be ignored.

Mode 82 WIFI1 6G (6E) 11ax20 CH01 &11a CH36
WIFI1 6G (6E) 11ax20 CH01 (Band Edge @ 3m)

	6GHz 5925~6425MHz Band Edge @ 3m																																																	
	802.11ax20 CH01 &11a CH36																																																	
	Co-location																																																	
	Horizontal	Fundamental																																																
Peak	Data: 1 Level (dBuV/m) Frequency (MHz) 140.0 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5925 5951 5977 6003 6029 6055 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5929.16</td><td>52.00</td><td>-36.20</td><td>88.20</td><td>41.37</td><td>35.15</td><td>8.80</td><td>33.32</td></tr></tbody></table> 192 336 Peak	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	5929.16	52.00	-36.20	88.20	41.37	35.15	8.80	33.32	Data: 3 Level (dBuV/m) Frequency (MHz) 140.0 122.5 105.0 87.5 70.0 52.5 35.0 17.5 6000 6240 6480 6720 6960 7200 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5955.00</td><td>104.05</td><td>-15.15</td><td>119.20</td><td>93.43</td><td>35.17</td><td>8.76</td><td>33.31</td></tr></tbody></table> 192 336 Peak	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	5955.00	104.05	-15.15	119.20	93.43	35.17	8.76	33.31
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																											
5929.16	52.00	-36.20	88.20	41.37	35.15	8.80	33.32																																											
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																											
5955.00	104.05	-15.15	119.20	93.43	35.17	8.76	33.31																																											



Avg.

Date: 2
Level (dBuV/m)

Date: 2023-10-11

1 5924.97 43.52 -24.68 68.28 32.87 35.16 8.88 33.31 192 336 Average

Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg
5924.97	43.52	-24.68	68.28	32.87	35.16	8.88	33.31 192 336 Average

Date: 4
Level (dBuV/m)

Date: 2023-10-11



1 5955.00 96.73 -2.47 99.28 86.11 35.17 8.76 33.31 192 336 Average

Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg
5955.00	96.73	-2.47	99.28	86.11	35.17	8.76	33.31 192 336 Average

	6GHz 5925~6425MHz Band Edge @ 3m																																																
	802.11ax20 CH01 &11a CH36																																																
	Co-location																																																
	Vertical	Fundamental																																															
Peak	Date: 5 Level (dBuV/m) Date: 2023-10-11 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5922.33</td><td>52.81</td><td>-36.19</td><td>88.28</td><td>41.37</td><td>35.15</td><td>8.88</td><td>33.31 254 0 Peak</td></tr></tbody></table> Date: 7 Level (dBuV/m) Date: 2023-10-11 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>5955.00</td><td>105.83</td><td>-13.37</td><td>119.28</td><td>95.21</td><td>35.17</td><td>8.76</td><td>33.31 254 0 Peak</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	5922.33	52.81	-36.19	88.28	41.37	35.15	8.88	33.31 254 0 Peak	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	5955.00	105.83	-13.37	119.28	95.21	35.17	8.76	33.31 254 0 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																										
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																										
5922.33	52.81	-36.19	88.28	41.37	35.15	8.88	33.31 254 0 Peak																																										
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																										
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																										
5955.00	105.83	-13.37	119.28	95.21	35.17	8.76	33.31 254 0 Peak																																										



Avg.





11a CH36 (Band Edge @ 3m)


		5GHz 5150~5250MHz Band Edge @ 3m																																																																										
		802.11ax20 CH01 &11a CH36																																																																										
		Co-location																																																																										
		Horizontal	Fundamental																																																																									
Peak		Date: 1 Level (dBuV/m) Date: 2023-10-11 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal Peak. A red line indicates a limit at 74.00 dBuV/m. A blue line shows the measured signal, peaking at 112.62 dBuV/m at 5138.00 MHz. A red label 'PART 15.407' is present. <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5137.88</td><td>56.63</td><td>-17.37</td><td>74.00</td><td>46.92</td><td>34.61</td><td>7.91</td><td>32.81</td><td>289</td><td>266 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5137.88	56.63	-17.37	74.00	46.92	34.61	7.91	32.81	289	266 Peak	Date: 3 Level (dBuV/m) Date: 2023-10-11 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. A red line indicates a limit at 74.00 dBuV/m. A blue line shows the measured signal, peaking at 112.62 dBuV/m at 5138.00 MHz. A red label 'PART 15.407' is present. <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5138.00</td><td>112.62</td><td>44.52</td><td>68.38</td><td>180.13</td><td>34.65</td><td>7.93</td><td>32.89</td><td>289</td><td>266 Peak</td></tr><tr><td>2</td><td>5180.00</td><td>184.65</td><td>-----</td><td>94.96</td><td>34.65</td><td>7.93</td><td>32.89</td><td>289</td><td>266 Average</td><td></td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5138.00	112.62	44.52	68.38	180.13	34.65	7.93	32.89	289	266 Peak	2	5180.00	184.65	-----	94.96	34.65	7.93	32.89	289	266 Average	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1	5137.88	56.63	-17.37	74.00	46.92	34.61	7.91	32.81	289	266 Peak																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1	5138.00	112.62	44.52	68.38	180.13	34.65	7.93	32.89	289	266 Peak																																																																		
2	5180.00	184.65	-----	94.96	34.65	7.93	32.89	289	266 Average																																																																			
Avg.		Date: 2 Level (dBuV/m) Date: 2023-10-11 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal Average. A red line indicates a limit at 54.00 dBuV/m. A blue line shows the measured signal, peaking at 48.11 dBuV/m at 5149.24 MHz. <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.24</td><td>48.11</td><td>-5.89</td><td>54.00</td><td>38.43</td><td>34.62</td><td>7.91</td><td>32.85</td><td>289</td><td>266 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5149.24	48.11	-5.89	54.00	38.43	34.62	7.91	32.85	289	266 Average																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1	5149.24	48.11	-5.89	54.00	38.43	34.62	7.91	32.85	289	266 Average																																																																		



		5GHz 5150~5250MHz Band Edge @ 3m	
		802.11ax20 CH01 &11a CH36	
		Co-location	
		Vertical	Fundamental
Peak	Date: 4 Level (dBuV/m)		



WIFI1 6G (6E) 11ax20 CH01 &11a CH36 (Harmonic @ 3m)



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting	Duty Factor
0	802.11a	91.23	4.297	0.233	300Hz	0.40
0+1(0)	802.11a	91.20	4.283	0.234	300Hz	0.40
0+1(1)	802.11a	91.20	4.283	0.234	300Hz	0.40

Full RU


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting	Duty Factor
0+1(0)	802.11ax HE20	90.82	4.732	0.211	300Hz	0.42
0+1(1)	802.11ax HE20	90.82	4.732	0.211	300Hz	0.42
0+1(0)	802.11ax HE40	85.84	3.558	0.281	300Hz	0.66
0+1(1)	802.11ax HE40	85.84	3.558	0.281	300Hz	0.66
0+1(0)	802.11ax HE80	75.79	1.746	0.573	1KHz	1.20
0+1(1)	802.11ax HE80	75.63	1.732	0.577	1KHz	1.21

Partial RU


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting	Duty Factor
0+1(0)	802.11ax HE20 26RU0	50.59	0.342	2.924	3KHz	2.96
0+1(1)	802.11ax HE20 26RU0	50.59	0.342	2.924	3KHz	2.96
0+1(0)	802.11ax HE20 52RU37	46.89	0.302	3.311	10KHZ	3.29
0+1(1)	802.11ax HE20 52RU37	47.48	0.302	3.311	10KHZ	3.23
0+1(0)	802.11ax HE20 106RU53	43.97	0.270	3.704	10KHZ	3.57
0+1(1)	802.11ax HE20 106RU53	43.04	0.272	3.676	10KHZ	3.66
0+1(0)	802.11ax HE20 26RU4	51.50	0.344	2.907	3KHz	2.88
0+1(1)	802.11ax HE20 26RU4	50.30	0.340	2.941	3KHz	2.98
0+1(0)	802.11ax HE20 52RU39	47.06	0.304	3.289	10KHZ	3.27
0+1(1)	802.11ax HE20 52RU39	47.48	0.302	3.311	10KHZ	3.23
0+1(0)	802.11ax HE20 26RU8	51.35	0.342	2.924	3KHz	2.89
0+1(1)	802.11ax HE20 26RU8	51.20	0.342	2.924	3KHz	2.91
0+1(0)	802.11ax HE20 52RU40	47.80	0.304	3.289	10KHZ	3.21
0+1(1)	802.11ax HE20 52RU40	47.80	0.304	3.289	10KHZ	3.21
0+1(0)	802.11ax HE20 106RU54	44.12	0.270	3.704	10KHZ	3.55
0+1(1)	802.11ax HE20 106RU54	44.30	0.272	3.676	10KHZ	3.54
0+1(0)	802.11ax HE20 52RU38	49.84	0.304	3.289	10KHZ	3.02
0+1(1)	802.11ax HE20 52RU38	49.84	0.304	3.289	10KHZ	3.02

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting	Duty Factor
0+1(0)	802.11ax HE40 242RU61	41.03	0.238	4.202	10KHZ	3.87
0+1(1)	802.11ax HE40 242RU61	41.24	0.240	4.167	10KHZ	3.85
0+1(0)	802.11ax HE40 242RU62	43.32	0.240	4.167	10KHZ	3.63
0+1(1)	802.11ax HE40 242RU62	43.32	0.240	4.167	10KHZ	3.63
0+1(0)	802.11ax HE80 484RU65	39.47	0.240	4.167	10KHZ	4.04
0+1(1)	802.11ax HE80 484RU65	39.02	0.238	4.202	10KHZ	4.07
0+1(0)	802.11ax HE80 484RU66	39.14	0.238	4.202	10KHZ	4.09
0+1(1)	802.11ax HE80 484RU66	41.96	0.240	4.167	10KHZ	3.77


802.11a - Ant.0



802.11a - Ant.0+1(0)




802.11a - Ant.0+1(1)






Full RU

802.11ax HE20 - Ant.0+1(0)




802.11ax HE20 - Ant.0+1(1)







802.11ax HE40 - Ant.0+1(0)




802.11ax HE40 - Ant.0+1(1)



802.11ax HE80 - Ant.0+1(0)




802.11ax HE80 - Ant.0+1(1)






Partial RU

802.11ax HE20 26RU0- Ant.0+1(0)




802.11ax HE20 26RU0- Ant.0+1(1)






802.11ax HE20 52RU37- Ant.0+1(0)




802.11ax HE20 52RU37- Ant.0+1(1)






802.11ax HE20 106RU53- Ant.0+1(0)




802.11ax HE20 106RU53- Ant.0+1(1)






802.11ax HE20 26RU4- Ant.0+1(0)




802.11ax HE20 26RU4- Ant.0+1(1)






802.11ax HE20 52RU39- Ant.0+1(0)




802.11ax HE20 52RU39- Ant.0+1(1)






802.11ax HE20 26RU8- Ant.0+1(0)




802.11ax HE20 26RU8- Ant.0+1(1)






802.11ax HE20 52RU40- Ant.0+1(0)




802.11ax HE20 52RU40- Ant.0+1(1)






802.11ax HE20 106RU54- Ant.0+1(0)




802.11ax HE20 106RU54- Ant.0+1(1)






802.11ax HE20 52RU38- Ant.0+1(0)




802.11ax HE20 52RU38- Ant.0+1(1)




1:31



802.11ax HE40 242RU61- Ant.0+1(0)




802.11ax HE40 242RU61- Ant.0+1(1)






802.11ax HE40 242RU62- Ant.0+1(0)




802.11ax HE40 242RU62- Ant.0+1(1)






802.11ax HE80 484RU65- Ant.0+1(0)




802.11ax HE80 484RU65- Ant.0+1(1)





802.11ax HE80 484RU66- Ant.0+1(0)



802.11ax HE80 484RU66- Ant.0+1(1)

