











DH5_Ant1_2441_0~Reference





Date: 13.FEB.2023 19:23:20


DH5_Ant1_2441_30~1000





Date: 13.FEB.2023 19:23:25




































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		


Full Spectrum



Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	32.36	56.00	23.64	L1	OFF	20.1
0.150000	42.83	---	66.00	23.17	L1	OFF	20.1
0.183581	---	27.11	54.18	27.07	L1	OFF	20.0
0.183581	38.28	---	64.21	25.93	L1	OFF	20.0
0.218700	---	23.85	52.65	28.81	L1	OFF	20.0
0.218700	35.94	---	62.69	26.75	L1	OFF	20.0
0.252281	---	21.62	51.44	29.82	L1	OFF	19.9
0.252281	31.88	---	61.48	29.60	L1	OFF	19.9
0.517856	---	27.97	46.00	18.03	L1	OFF	19.8
0.517856	34.50	---	56.00	21.50	L1	OFF	19.8
0.573825	---	25.67	46.00	20.33	L1	OFF	19.8
0.573825	32.47	---	56.00	23.53	L1	OFF	19.8

Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		

Full Spectrum



Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	29.27	56.00	26.73	N	OFF	20.2
0.150000	40.21	---	66.00	25.79	N	OFF	20.2
0.185831	---	23.16	54.07	30.92	N	OFF	20.2
0.185831	35.51	---	64.10	28.59	N	OFF	20.2
0.223144	---	21.64	52.48	30.84	N	OFF	20.1
0.223144	35.85	---	62.52	26.67	N	OFF	20.1
0.260456	---	19.52	51.17	31.65	N	OFF	20.1
0.260456	33.46	---	61.21	27.75	N	OFF	20.1
0.297769	---	19.96	50.07	30.11	N	OFF	20.0
0.297769	33.85	---	60.10	26.25	N	OFF	20.0
0.532838	---	17.18	46.00	28.82	N	OFF	19.9
0.532838	28.77	---	56.00	27.23	N	OFF	19.9

Note: Margin (dB) = Peak/Average (dBμV) – Limit (dBμV)



Appendix C. Radiated Spurious Emission

Radiated Spurious Emission Test Modes



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 2	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 3	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 4	2400-2483.5	2	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 5	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 6	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 7	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1Mbps	-	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2384.62	57.56	74.00	-16.44	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	42.30	74.00	-31.70	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	43.86	74.00	-30.14	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2495.40	58.14	74.00	-15.86	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	4960.00	43.36	74.00	-30.64	H	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2334.70	57.06	74.00	-16.94	H	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4804.00	43.47	74.00	-30.53	H	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	43.87	74.00	-30.13	H	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2486.55	57.54	74.00	-16.46	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	4960.00	43.85	74.00	-30.15	H	PEAK	Pass	Harmonic
7	Bluetooth BR_GFSK	78	62.98	32.24	40.00	-7.76	V	Peak	Pass	LF





Mode	1																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.35</td><td>56.96</td><td>74.00</td><td>-17.04</td><td>41.12</td><td>31.97</td><td>8.76</td><td>30.89</td><td>6.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>2</td><td>2387.35</td><td>32.17</td><td>54.00</td><td>-21.83</td><td>16.33</td><td>31.97</td><td>8.76</td><td>30.89</td><td>6.00</td><td>100</td><td>121 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	56.96	74.00	-17.04	41.12	31.97	8.76	30.89	6.00	100	121 PEAK	2	2387.35	32.17	54.00	-21.83	16.33	31.97	8.76	30.89	6.00	100	121 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.61</td><td>-----</td><td>-----</td><td>88.67</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.82</td><td>-----</td><td>-----</td><td>63.88</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>100</td><td>121 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.61	-----	-----	88.67	32.00	8.81	30.87	6.00	100	121 PEAK	2	2402.00	79.82	-----	-----	63.88	32.00	8.81	30.87	6.00	100	121 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2387.35	56.96	74.00	-17.04	41.12	31.97	8.76	30.89	6.00	100	121 PEAK																																																																																																	
2	2387.35	32.17	54.00	-21.83	16.33	31.97	8.76	30.89	6.00	100	121 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2402.00	104.61	-----	-----	88.67	32.00	8.81	30.87	6.00	100	121 PEAK																																																																																																	
2	2402.00	79.82	-----	-----	63.88	32.00	8.81	30.87	6.00	100	121 AVERAGE																																																																																																	





Mode	1																																																											
	Band Edge																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																											
ANT	1																																																											
Pol.	Vertical					Fundamental																																																						
Peak																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2384.62</td><td>57.56</td><td>74.00</td><td>-16.44</td><td>41.73</td><td>31.97</td><td>8.75</td><td>30.89</td><td>64 PEAK</td></tr><tr><td>2</td><td>2384.62</td><td>32.77</td><td>54.00</td><td>-21.23</td><td>16.94</td><td>31.97</td><td>8.75</td><td>30.89</td><td>64 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2384.62	57.56	74.00	-16.44	41.73	31.97	8.75	30.89	64 PEAK	2	2384.62	32.77	54.00	-21.23	16.94	31.97	8.75	30.89	64 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																				
1	2384.62	57.56	74.00	-16.44	41.73	31.97	8.75	30.89	64 PEAK																																																			
2	2384.62	32.77	54.00	-21.23	16.94	31.97	8.75	30.89	64 AVERAGE																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>102.11</td><td>-----</td><td>-----</td><td>86.17</td><td>32.00</td><td>8.81</td><td>30.87</td><td>64 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>77.32</td><td>-----</td><td>-----</td><td>61.38</td><td>32.00</td><td>8.81</td><td>30.87</td><td>64 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2402.00	102.11	-----	-----	86.17	32.00	8.81	30.87	64 PEAK	2	2402.00	77.32	-----	-----	61.38	32.00	8.81	30.87	64 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																				
1	2402.00	102.11	-----	-----	86.17	32.00	8.81	30.87	64 PEAK																																																			
2	2402.00	77.32	-----	-----	61.38	32.00	8.81	30.87	64 AVERAGE																																																			





Mode	1																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><td></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4804.00</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>61.08</td><td>34.10</td><td>12.55</td><td>65.43</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	42.30	74.00	-31.70	61.08	34.10	12.55	65.43	0.00	300	0	PEAK	<table><tr><td></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4804.00</td><td>41.73</td><td>74.00</td><td>-32.27</td><td>60.51</td><td>34.10</td><td>12.55</td><td>65.43</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.73	74.00	-32.27	60.51	34.10	12.55	65.43	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4804.00	42.30	74.00	-31.70	61.08	34.10	12.55	65.43	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4804.00	41.73	74.00	-32.27	60.51	34.10	12.55	65.43	0.00	100	0	PEAK																																																																																								





Mode	2																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal										Vertical																																																																																															
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4882.00</td><td>41.71</td><td>74.00</td><td>-32.29</td><td>60.79</td><td>34.10</td><td>12.26</td><td>65.44</td></tr><tr><td>2</td><td>7323.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>58.57</td><td>35.00</td><td>14.74</td><td>65.25</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4882.00	41.71	74.00	-32.29	60.79	34.10	12.26	65.44	2	7323.00	43.86	74.00	-30.14	58.57	35.00	14.74	65.25	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4882.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>60.30</td><td>34.10</td><td>12.26</td><td>65.44</td></tr><tr><td>2</td><td>7323.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>58.27</td><td>35.00</td><td>14.74</td><td>65.25</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4882.00	41.22	74.00	-32.78	60.30	34.10	12.26	65.44	2	7323.00	43.56	74.00	-30.44	58.27	35.00	14.74	65.25
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4882.00	41.71	74.00	-32.29	60.79	34.10	12.26	65.44																																																																																																		
2	7323.00	43.86	74.00	-30.14	58.57	35.00	14.74	65.25																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4882.00	41.22	74.00	-32.78	60.30	34.10	12.26	65.44																																																																																																		
2	7323.00	43.56	74.00	-30.44	58.27	35.00	14.74	65.25																																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4882.00</td><td>41.71</td><td>74.00</td><td>-32.29</td><td>60.79</td><td>34.10</td><td>12.26</td><td>65.44</td></tr><tr><td>2</td><td>7323.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>58.57</td><td>35.00</td><td>14.74</td><td>65.25</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4882.00	41.71	74.00	-32.29	60.79	34.10	12.26	65.44	2	7323.00	43.86	74.00	-30.14	58.57	35.00	14.74	65.25	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4882.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>60.30</td><td>34.10</td><td>12.26</td><td>65.44</td></tr><tr><td>2</td><td>7323.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>58.27</td><td>35.00</td><td>14.74</td><td>65.25</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4882.00	41.22	74.00	-32.78	60.30	34.10	12.26	65.44	2	7323.00	43.56	74.00	-30.44	58.27	35.00	14.74	65.25	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4882.00	41.71	74.00	-32.29	60.79	34.10	12.26	65.44																																																																																																		
2	7323.00	43.86	74.00	-30.14	58.57	35.00	14.74	65.25																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4882.00	41.22	74.00	-32.78	60.30	34.10	12.26	65.44																																																																																																		
2	7323.00	43.56	74.00	-30.44	58.27	35.00	14.74	65.25																																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4882.00</td><td>41.71</td><td>74.00</td><td>-32.29</td><td>60.79</td><td>34.10</td><td>12.26</td><td>65.44</td></tr><tr><td>2</td><td>7323.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>58.57</td><td>35.00</td><td>14.74</td><td>65.25</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4882.00	41.71	74.00	-32.29	60.79	34.10	12.26	65.44	2	7323.00	43.86	74.00	-30.14	58.57	35.00	14.74	65.25	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4882.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>60.30</td><td>34.10</td><td>12.26</td><td>65.44</td></tr><tr><td>2</td><td>7323.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>58.27</td><td>35.00</td><td>14.74</td><td>65.25</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4882.00	41.22	74.00	-32.78	60.30	34.10	12.26	65.44	2	7323.00	43.56	74.00	-30.44	58.27	35.00	14.74	65.25	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4882.00	41.71	74.00	-32.29	60.79	34.10	12.26	65.44																																																																																																		
2	7323.00	43.86	74.00	-30.14	58.57	35.00	14.74	65.25																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4882.00	41.22	74.00	-32.78	60.30	34.10	12.26	65.44																																																																																																		
2	7323.00	43.56	74.00	-30.44	58.27	35.00	14.74	65.25																																																																																																		




Mode	3																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal								Fundamental																																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2495.40</td><td>58.14</td><td>74.00</td><td>-15.86</td><td>41.52</td><td>32.14</td><td>9.09</td><td>30.61</td></tr><tr><td>2</td><td>2495.40</td><td>33.35</td><td>54.00</td><td>-20.65</td><td>16.73</td><td>32.14</td><td>9.09</td><td>30.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2495.40	58.14	74.00	-15.86	41.52	32.14	9.09	30.61	2	2495.40	33.35	54.00	-20.65	16.73	32.14	9.09	30.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2480.00</td><td>103.21</td><td>-----</td><td>-----</td><td>86.71</td><td>32.12</td><td>9.04</td><td>30.66</td></tr><tr><td>2</td><td>2480.00</td><td>78.42</td><td>-----</td><td>-----</td><td>61.92</td><td>32.12</td><td>9.04</td><td>30.66</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	103.21	-----	-----	86.71	32.12	9.04	30.66	2	2480.00	78.42	-----	-----	61.92	32.12	9.04	30.66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2495.40	58.14	74.00	-15.86	41.52	32.14	9.09	30.61																																																																																																		
2	2495.40	33.35	54.00	-20.65	16.73	32.14	9.09	30.61																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2480.00	103.21	-----	-----	86.71	32.12	9.04	30.66																																																																																																		
2	2480.00	78.42	-----	-----	61.92	32.12	9.04	30.66																																																																																																		





Mode	3																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																															
ANT	1																																																															
Pol.	Vertical																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.61</td><td>57.84</td><td>74.00</td><td>-16.16</td><td>41.27</td><td>32.13</td><td>9.07</td><td>30.63</td><td>6.00</td><td>336</td><td>60 PEAK</td></tr><tr><td>2</td><td>2488.61</td><td>33.05</td><td>54.00</td><td>-20.95</td><td>16.48</td><td>32.13</td><td>9.07</td><td>30.63</td><td>6.00</td><td>336</td><td>60 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.61	57.84	74.00	-16.16	41.27	32.13	9.07	30.63	6.00	336	60 PEAK	2	2488.61	33.05	54.00	-20.95	16.48	32.13	9.07	30.63	6.00	336	60 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2488.61	57.84	74.00	-16.16	41.27	32.13	9.07	30.63	6.00	336	60 PEAK																																																					
2	2488.61	33.05	54.00	-20.95	16.48	32.13	9.07	30.63	6.00	336	60 AVERAGE																																																					
Fundamental																																																																
																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.94</td><td>-----</td><td>-----</td><td>85.44</td><td>32.12</td><td>9.04</td><td>30.66</td><td>6.00</td><td>336</td><td>60 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.15</td><td>-----</td><td>-----</td><td>60.65</td><td>32.12</td><td>9.04</td><td>30.66</td><td>6.00</td><td>336</td><td>60 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.94	-----	-----	85.44	32.12	9.04	30.66	6.00	336	60 PEAK	2	2480.00	77.15	-----	-----	60.65	32.12	9.04	30.66	6.00	336	60 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2480.00	101.94	-----	-----	85.44	32.12	9.04	30.66	6.00	336	60 PEAK																																																					
2	2480.00	77.15	-----	-----	60.65	32.12	9.04	30.66	6.00	336	60 AVERAGE																																																					





Mode	3																																																									
	Harmonic																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																									
ANT	1																																																									
Pol.	Horizontal											Vertical																																														
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>62.44</td><td>34.10</td><td>12.27</td><td>65.45</td></tr><tr><td>2</td><td>7440.00</td><td>42.70</td><td>74.00</td><td>-31.30</td><td>57.31</td><td>35.00</td><td>14.92</td><td>65.33</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	43.36	74.00	-30.64	62.44	34.10	12.27	65.45	2	7440.00	42.70	74.00	-31.30	57.31	35.00	14.92	65.33
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																		
1	4960.00	43.36	74.00	-30.64	62.44	34.10	12.27	65.45																																																		
2	7440.00	42.70	74.00	-31.30	57.31	35.00	14.92	65.33																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>42.03</td><td>74.00</td><td>-31.97</td><td>61.11</td><td>34.10</td><td>12.27</td><td>65.45</td></tr><tr><td>2</td><td>7440.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>57.62</td><td>35.00</td><td>14.92</td><td>65.33</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	42.03	74.00	-31.97	61.11	34.10	12.27	65.45	2	7440.00	43.01	74.00	-30.99	57.62	35.00	14.92	65.33
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																		
1	4960.00	42.03	74.00	-31.97	61.11	34.10	12.27	65.45																																																		
2	7440.00	43.01	74.00	-30.99	57.62	35.00	14.92	65.33																																																		





Mode	4																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																				
ANT	2																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2334.70</td><td>57.06</td><td>74.00</td><td>-16.94</td><td>41.53</td><td>31.86</td><td>8.60</td><td>30.93</td><td>6.00</td><td>100</td><td>290 PEAK</td></tr><tr><td>2</td><td>2334.70</td><td>32.27</td><td>54.00</td><td>-21.73</td><td>16.74</td><td>31.86</td><td>8.60</td><td>30.93</td><td>6.00</td><td>100</td><td>290 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2334.70	57.06	74.00	-16.94	41.53	31.86	8.60	30.93	6.00	100	290 PEAK	2	2334.70	32.27	54.00	-21.73	16.74	31.86	8.60	30.93	6.00	100	290 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.40</td><td>-----</td><td>-----</td><td>83.46</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>100</td><td>290 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>74.61</td><td>-----</td><td>-----</td><td>58.67</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>100</td><td>290 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.40	-----	-----	83.46	32.00	8.81	30.87	6.00	100	290 PEAK	2	2402.00	74.61	-----	-----	58.67	32.00	8.81	30.87	6.00	100	290 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2334.70	57.06	74.00	-16.94	41.53	31.86	8.60	30.93	6.00	100	290 PEAK																																																																																																										
2	2334.70	32.27	54.00	-21.73	16.74	31.86	8.60	30.93	6.00	100	290 AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2402.00	99.40	-----	-----	83.46	32.00	8.81	30.87	6.00	100	290 PEAK																																																																																																										
2	2402.00	74.61	-----	-----	58.67	32.00	8.81	30.87	6.00	100	290 AVERAGE																																																																																																										





Mode	4																																																																																																																															
	Band Edge																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																															
ANT	2																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.66</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>40.83</td><td>31.94</td><td>8.72</td><td>30.90</td><td>6.00</td><td>388</td><td>234 PEAK</td></tr><tr><td>2</td><td>2372.66</td><td>31.80</td><td>54.00</td><td>-22.20</td><td>16.04</td><td>31.94</td><td>8.72</td><td>30.90</td><td>6.00</td><td>388</td><td>234 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2372.66	56.59	74.00	-17.41	40.83	31.94	8.72	30.90	6.00	388	234 PEAK	2	2372.66	31.80	54.00	-22.20	16.04	31.94	8.72	30.90	6.00	388	234 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.60</td><td>-----</td><td>86.66</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>388</td><td>234 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>77.81</td><td>-----</td><td>61.87</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>388</td><td>234 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	102.60	-----	86.66	32.00	8.81	30.87	6.00	388	234 PEAK	2	2402.00	77.81	-----	61.87	32.00	8.81	30.87	6.00	388	234 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	2372.66	56.59	74.00	-17.41	40.83	31.94	8.72	30.90	6.00	388	234 PEAK																																																																																																																					
2	2372.66	31.80	54.00	-22.20	16.04	31.94	8.72	30.90	6.00	388	234 AVERAGE																																																																																																																					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	2402.00	102.60	-----	86.66	32.00	8.81	30.87	6.00	388	234 PEAK																																																																																																																						
2	2402.00	77.81	-----	61.87	32.00	8.81	30.87	6.00	388	234 AVERAGE																																																																																																																						





Mode	4																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><td></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4804.00</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>62.25</td><td>34.10</td><td>12.55</td><td>65.43</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	43.47	74.00	-30.53	62.25	34.10	12.55	65.43	0.00	300	0	PEAK	<table><tr><td></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4804.00</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>60.92</td><td>34.10</td><td>12.55</td><td>65.43</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	42.14	74.00	-31.86	60.92	34.10	12.55	65.43	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4804.00	43.47	74.00	-30.53	62.25	34.10	12.55	65.43	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4804.00	42.14	74.00	-31.86	60.92	34.10	12.55	65.43	0.00	100	0	PEAK																																																																																								





Mode	5																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																					
ANT	2																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>42.95</td><td>74.00</td><td>-31.05</td><td>62.03</td><td>34.10</td><td>12.26</td><td>65.44</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>58.58</td><td>35.00</td><td>14.74</td><td>65.25</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	42.95	74.00	-31.05	62.03	34.10	12.26	65.44	0.00	300	0 PEAK	2	7323.00	43.87	74.00	-30.13	58.58	35.00	14.74	65.25	0.00	300	0 PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4882.00	42.95	74.00	-31.05	62.03	34.10	12.26	65.44	0.00	300	0 PEAK																																																											
2	7323.00	43.87	74.00	-30.13	58.58	35.00	14.74	65.25	0.00	300	0 PEAK																																																											
Vertical																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.87</td><td>74.00</td><td>-33.13</td><td>59.95</td><td>34.10</td><td>12.26</td><td>65.44</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>58.50</td><td>35.00</td><td>14.74</td><td>65.25</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.87	74.00	-33.13	59.95	34.10	12.26	65.44	0.00	100	0 PEAK	2	7323.00	43.79	74.00	-30.21	58.50	35.00	14.74	65.25	0.00	100	0 PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4882.00	40.87	74.00	-33.13	59.95	34.10	12.26	65.44	0.00	100	0 PEAK																																																											
2	7323.00	43.79	74.00	-30.21	58.50	35.00	14.74	65.25	0.00	100	0 PEAK																																																											





Mode	6																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal								Fundamental																																																																																																	
Peak																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>2486.55</td><td>57.54</td><td>74.00</td><td>-16.46</td><td>40.99</td><td>32.13</td><td>9.06</td><td>30.64</td></tr><tr><td>2</td><td>2486.55</td><td>32.75</td><td>54.00</td><td>-21.25</td><td>16.20</td><td>32.13</td><td>9.06</td><td>30.64</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2486.55	57.54	74.00	-16.46	40.99	32.13	9.06	30.64	2	2486.55	32.75	54.00	-21.25	16.20	32.13	9.06	30.64	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.30</td><td>-----</td><td>-----</td><td>82.80</td><td>32.12</td><td>9.04</td><td>30.66</td></tr><tr><td>2</td><td>2480.00</td><td>74.51</td><td>-----</td><td>-----</td><td>58.01</td><td>32.12</td><td>9.04</td><td>30.66</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	99.30	-----	-----	82.80	32.12	9.04	30.66	2	2480.00	74.51	-----	-----	58.01	32.12	9.04	30.66
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2486.55	57.54	74.00	-16.46	40.99	32.13	9.06	30.64																																																																																																		
2	2486.55	32.75	54.00	-21.25	16.20	32.13	9.06	30.64																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2480.00	99.30	-----	-----	82.80	32.12	9.04	30.66																																																																																																		
2	2480.00	74.51	-----	-----	58.01	32.12	9.04	30.66																																																																																																		



Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.70</td><td>57.48</td><td>74.00</td><td>-16.52</td><td>40.85</td><td>32.15</td><td>9.09</td><td>30.61</td><td>6.00</td><td>370</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>2497.70</td><td>32.69</td><td>54.00</td><td>-21.31</td><td>16.06</td><td>32.15</td><td>9.09</td><td>30.61</td><td>6.00</td><td>370</td><td>223</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.70	57.48	74.00	-16.52	40.85	32.15	9.09	30.61	6.00	370	223	PEAK	2	2497.70	32.69	54.00	-21.31	16.06	32.15	9.09	30.61	6.00	370	223	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.01</td><td>-----</td><td>-----</td><td>84.51</td><td>32.12</td><td>9.04</td><td>30.66</td><td>6.00</td><td>370</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.22</td><td>-----</td><td>-----</td><td>59.72</td><td>32.12</td><td>9.04</td><td>30.66</td><td>6.00</td><td>370</td><td>223</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.01	-----	-----	84.51	32.12	9.04	30.66	6.00	370	223	PEAK	2	2480.00	76.22	-----	-----	59.72	32.12	9.04	30.66	6.00	370	223	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2497.70	57.48	74.00	-16.52	40.85	32.15	9.09	30.61	6.00	370	223	PEAK																																																																																																																		
2	2497.70	32.69	54.00	-21.31	16.06	32.15	9.09	30.61	6.00	370	223	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	101.01	-----	-----	84.51	32.12	9.04	30.66	6.00	370	223	PEAK																																																																																																																		
2	2480.00	76.22	-----	-----	59.72	32.12	9.04	30.66	6.00	370	223	AVERAGE																																																																																																																		



Mode	6																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																														
ANT	2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>62.93</td><td>34.10</td><td>12.27</td><td>65.45</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.82</td><td>74.00</td><td>-31.18</td><td>57.43</td><td>35.00</td><td>14.92</td><td>65.33</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	43.85	74.00	-30.15	62.93	34.10	12.27	65.45	0.00	300	0	PEAK	2	7440.00	42.82	74.00	-31.18	57.43	35.00	14.92	65.33	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.50</td><td>74.00</td><td>-31.50</td><td>61.58</td><td>34.10</td><td>12.27</td><td>65.45</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.20</td><td>74.00</td><td>-30.80</td><td>57.81</td><td>35.00</td><td>14.92</td><td>65.33</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	42.50	74.00	-31.50	61.58	34.10	12.27	65.45	0.00	100	0	PEAK	2	7440.00	43.20	74.00	-30.80	57.81	35.00	14.92	65.33	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4960.00	43.85	74.00	-30.15	62.93	34.10	12.27	65.45	0.00	300	0	PEAK																																																																																																																			
2	7440.00	42.82	74.00	-31.18	57.43	35.00	14.92	65.33	0.00	300	0	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	42.50	74.00	-31.50	61.58	34.10	12.27	65.45	0.00	100	0	PEAK																																																																																																																			
2	7440.00	43.20	74.00	-30.80	57.81	35.00	14.92	65.33	0.00	100	0	PEAK																																																																																																																			



Mode	3	
	Emission above 18GHz	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		


Note: For above 18GHz test plots, only the worst case is verified.




Mode Mode	7																																																																																																																																																																	
	Emission below 1GHz																																																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak QP	Site : 03CH08-KS Condition : FCC PART 15C 3m CBL 6111D 59913 HORIZONTAL Project : 2N0304-01 mode : 49 IMEI : #16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>123.12</td><td>27.97</td><td>-15.53</td><td>43.50</td><td>40.28</td><td>17.49</td><td>1.60</td><td>31.40</td><td>--- Peak</td></tr><tr><td>2</td><td>178.41</td><td>26.15</td><td>-17.35</td><td>43.50</td><td>40.86</td><td>14.75</td><td>1.94</td><td>31.40</td><td>--- Peak</td></tr><tr><td>3</td><td>195.87</td><td>25.17</td><td>-18.33</td><td>43.50</td><td>39.82</td><td>14.70</td><td>2.05</td><td>31.40</td><td>--- Peak</td></tr><tr><td>4</td><td>315.18</td><td>22.21</td><td>-23.79</td><td>46.00</td><td>31.52</td><td>19.50</td><td>2.60</td><td>31.41</td><td>--- Peak</td></tr><tr><td>5</td><td>451.95</td><td>25.40</td><td>-20.60</td><td>46.00</td><td>30.98</td><td>22.80</td><td>3.10</td><td>31.48</td><td>--- Peak</td></tr><tr><td>6</td><td>906.88</td><td>31.06</td><td>-14.94</td><td>46.00</td><td>28.05</td><td>29.19</td><td>4.39</td><td>30.57</td><td>--- Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	123.12	27.97	-15.53	43.50	40.28	17.49	1.60	31.40	--- Peak	2	178.41	26.15	-17.35	43.50	40.86	14.75	1.94	31.40	--- Peak	3	195.87	25.17	-18.33	43.50	39.82	14.70	2.05	31.40	--- Peak	4	315.18	22.21	-23.79	46.00	31.52	19.50	2.60	31.41	--- Peak	5	451.95	25.40	-20.60	46.00	30.98	22.80	3.10	31.48	--- Peak	6	906.88	31.06	-14.94	46.00	28.05	29.19	4.39	30.57	--- Peak	Site : 03CH08-KS Condition : FCC PART 15C 3m CBL 6111D 59913 VERTICAL Project : 2N0304-01 mode : 49 IMEI : #16 battery : <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>62.98</td><td>32.24</td><td>-7.76</td><td>40.00</td><td>50.68</td><td>12.01</td><td>0.95</td><td>31.40</td><td>--- Peak</td></tr><tr><td>2</td><td>132.82</td><td>26.02</td><td>-17.48</td><td>43.50</td><td>38.22</td><td>17.54</td><td>1.66</td><td>31.40</td><td>--- Peak</td></tr><tr><td>3</td><td>181.32</td><td>27.38</td><td>-16.12</td><td>43.50</td><td>42.02</td><td>14.80</td><td>1.96</td><td>31.40</td><td>--- Peak</td></tr><tr><td>4</td><td>207.51</td><td>25.48</td><td>-18.02</td><td>43.50</td><td>39.86</td><td>14.91</td><td>2.11</td><td>31.40</td><td>--- Peak</td></tr><tr><td>5</td><td>318.09</td><td>22.32</td><td>-23.68</td><td>46.00</td><td>31.55</td><td>19.57</td><td>2.61</td><td>31.41</td><td>--- Peak</td></tr><tr><td>6</td><td>454.86</td><td>22.35</td><td>-23.65</td><td>46.00</td><td>27.87</td><td>22.86</td><td>3.11</td><td>31.49</td><td>--- Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	62.98	32.24	-7.76	40.00	50.68	12.01	0.95	31.40	--- Peak	2	132.82	26.02	-17.48	43.50	38.22	17.54	1.66	31.40	--- Peak	3	181.32	27.38	-16.12	43.50	42.02	14.80	1.96	31.40	--- Peak	4	207.51	25.48	-18.02	43.50	39.86	14.91	2.11	31.40	--- Peak	5	318.09	22.32	-23.68	46.00	31.55	19.57	2.61	31.41	--- Peak	6	454.86	22.35	-23.65	46.00	27.87	22.86	3.11	31.49	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	123.12	27.97	-15.53	43.50	40.28	17.49	1.60	31.40	--- Peak																																																																																																																																																									
2	178.41	26.15	-17.35	43.50	40.86	14.75	1.94	31.40	--- Peak																																																																																																																																																									
3	195.87	25.17	-18.33	43.50	39.82	14.70	2.05	31.40	--- Peak																																																																																																																																																									
4	315.18	22.21	-23.79	46.00	31.52	19.50	2.60	31.41	--- Peak																																																																																																																																																									
5	451.95	25.40	-20.60	46.00	30.98	22.80	3.10	31.48	--- Peak																																																																																																																																																									
6	906.88	31.06	-14.94	46.00	28.05	29.19	4.39	30.57	--- Peak																																																																																																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	62.98	32.24	-7.76	40.00	50.68	12.01	0.95	31.40	--- Peak																																																																																																																																																									
2	132.82	26.02	-17.48	43.50	38.22	17.54	1.66	31.40	--- Peak																																																																																																																																																									
3	181.32	27.38	-16.12	43.50	42.02	14.80	1.96	31.40	--- Peak																																																																																																																																																									
4	207.51	25.48	-18.02	43.50	39.86	14.91	2.11	31.40	--- Peak																																																																																																																																																									
5	318.09	22.32	-23.68	46.00	31.55	19.57	2.61	31.41	--- Peak																																																																																																																																																									
6	454.86	22.35	-23.65	46.00	27.87	22.86	3.11	31.49	--- Peak																																																																																																																																																									

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.