







11AX20SISO_Ant2_2462_52Tone_RU40



11AX20SISO_Ant2_2462_106Tone_RU54













11AX20SISO_Ant2_2467_52Tone_RU40




11AX20SISO_Ant2_2467_106Tone_RU54












Reference level measurement


Test Result

TestMode	Antenna	Freq(MHz)	Ru Size	Ru Index	Max.Point[MHz]	Result[dBm/100KHZ]
11AX20SISO	Ant1	2412	26Tone	RU0	2404.01	-1.64
			52Tone	RU37	2404.36	-1.00
			106Tone	RU53	2405.75	-0.32
	Ant2	2412	26Tone	RU0	2403.23	-1.13
			52Tone	RU37	2406.01	-0.28
			106Tone	RU53	2403.49	-1.16
	Ant1	2462	26Tone	RU8	2471.12	-3.25
			52Tone	RU40	2470.51	-3.49
			106Tone	RU54	2465.52	-1.59
	Ant2	2462	26Tone	RU8	2470.55	-3.04
			52Tone	RU40	2467.77	-2.96
			106Tone	RU54	2464.61	-2.66
	Ant1	2467	26Tone	RU8	2475.77	-3.38
			52Tone	RU40	2473.99	-3.73
			106Tone	RU54	2470.56	-3.53
	Ant2	2467	26Tone	RU8	2475.77	-5.58
			52Tone	RU40	2475.86	-4.47
			106Tone	RU54	2473.51	-4.46
	Ant1	2472	26Tone	RU8	2479.73	-5.87
			52Tone	RU40	2478.51	-5.96
			106Tone	RU54	2474.26	-6.52
	Ant2	2472	26Tone	RU8	2480.16	-5.86
			52Tone	RU40	2479.55	-6.06
			106Tone	RU54	2479.95	-5.86




Test Graphs








11AX20SISO_Ant2_2412_52Tone_RU37





Date: 25.AUG.2025 09:25:24


11AX20SISO_Ant2_2412_106Tone_RU53





Date: 25.AUG.2025 09:27:17


























Band edge measurements

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Ru Size	Ru Index	RefLevel [dBm /100KHZ]	Result [dBm /100KHZ]	Limit [dBm /100KHZ]	Verdict
11AX20SISO	Ant1	Low	2412	26Tone	RU0	-1.64	-47.48	≤-31.64	PASS
				52Tone	RU37	-1.00	-44.3	≤-31	PASS
				106Tone	RU53	-0.32	-41.78	≤-30.32	PASS
	Ant2	Low	2412	26Tone	RU0	-1.13	-47.43	≤-31.13	PASS
				52Tone	RU37	-0.28	-45.46	≤-30.28	PASS
				106Tone	RU53	-1.16	-42.01	≤-31.16	PASS
	Ant1	High	2462	26Tone	RU8	-3.25	-51.77	≤-33.25	PASS
				52Tone	RU40	-3.49	-51.95	≤-33.49	PASS
				106Tone	RU54	-1.59	-50.22	≤-31.59	PASS
	Ant2	High	2462	26Tone	RU8	-3.04	-51.64	≤-33.04	PASS
				52Tone	RU40	-2.96	-51.93	≤-32.96	PASS
				106Tone	RU54	-2.66	-51.04	≤-32.66	PASS
	Ant1	High	2467	26Tone	RU8	-3.38	-52.42	≤-33.38	PASS
				52Tone	RU40	-3.73	-51.35	≤-33.73	PASS
				106Tone	RU54	-3.53	-49.34	≤-33.53	PASS
	Ant2	High	2467	26Tone	RU8	-5.58	-51.84	≤-35.58	PASS
				52Tone	RU40	-4.47	-52	≤-34.47	PASS
				106Tone	RU54	-4.46	-49.87	≤-34.46	PASS
	Ant1	High	2472	26Tone	RU8	-5.87	-41.78	≤-35.87	PASS
				52Tone	RU40	-5.96	-42.85	≤-35.96	PASS
				106Tone	RU54	-6.52	-41.84	≤-36.52	PASS
	Ant2	High	2472	26Tone	RU8	-5.86	-41.03	≤-35.86	PASS
				52Tone	RU40	-6.06	-42.88	≤-36.06	PASS
				106Tone	RU54	-5.86	-39.78	≤-35.86	PASS




Test Graphs








11AX20SISO_Ant1_Low_2412_106Tone_RU53





11AX20SISO_Ant2_Low_2412_26Tone_RU0






























Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.154500	---	23.67	55.73	32.06	L1	OFF	10.5
0.154500	42.98	---	65.73	22.76	L1	OFF	10.5
0.217162	---	22.73	52.72	29.98	L1	OFF	10.4
0.217162	41.75	---	62.75	21.00	L1	OFF	10.4
0.267206	---	19.37	50.96	31.59	L1	OFF	10.4
0.267206	39.14	---	61.00	21.86	L1	OFF	10.4
0.524606	---	27.90	46.00	18.10	L1	OFF	10.3
0.524606	35.24	---	56.00	20.76	L1	OFF	10.3
0.589519	---	26.65	46.00	19.35	L1	OFF	10.3
0.589519	33.57	---	56.00	22.43	L1	OFF	10.3
1.117106	---	25.68	46.00	20.32	L1	OFF	10.3
1.117106	31.38	---	56.00	24.62	L1	OFF	10.3



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		

Full Spectrum

**Final Result**

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	26.13	55.86	29.74	N	OFF	10.6
0.152250	48.75	---	65.87	17.11	N	OFF	10.6
0.176119	---	20.13	54.55	34.42	N	OFF	10.5
0.176119	47.06	---	64.57	17.51	N	OFF	10.5
0.214912	---	20.47	52.81	32.33	N	OFF	10.4
0.214912	46.93	---	62.84	15.91	N	OFF	10.4
0.254475	---	18.76	51.37	32.61	N	OFF	10.4
0.254475	42.35	---	61.41	19.06	N	OFF	10.4
0.398512	---	14.28	47.74	33.46	N	OFF	10.3
0.398512	29.65	---	57.76	28.11	N	OFF	10.3
0.466388	---	14.10	46.53	32.42	N	OFF	10.3
0.466388	36.22	---	56.53	20.31	N	OFF	10.3



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	1	802.11b	12	2467	1Mbps	-	-
Mode 5	2400-2483.5	1	802.11b	13	2472	1Mbps	-	-
Mode 6	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 7	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 8	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 9	2400-2483.5	1	802.11g	12	2467	6Mbps	-	-
Mode 10	2400-2483.5	1	802.11g	13	2472	6Mbps	-	-
Mode 11	2400-2483.5	1	802.11n HT20	01	2412	MCS0	Full RU	-
Mode 12	2400-2483.5	1	802.11n HT20	06	2437	MCS0	Full RU	-
Mode 13	2400-2483.5	1	802.11n HT20	11	2462	MCS0	Full RU	-
Mode 14	2400-2483.5	1	802.11n HT20	12	2467	MCS0	Full RU	-
Mode 15	2400-2483.5	1	802.11n HT20	13	2472	MCS0	Full RU	-
Mode 16	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 17	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 18	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 19	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	Full RU	-
Mode 20	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	Full RU	-
Mode 21	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 22	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 23	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 24	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 25	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 26	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 27	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	RU26/8	-
Mode 28	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	RU52/40	-
Mode 29	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	RU106/54	-
Mode 30	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	RU26/8	-
Mode 31	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	RU52/40	-
Mode 32	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	RU106/54	-
Mode 33	2400-2483.5	2	802.11b	01	2412	1Mbps	-	-
Mode 34	2400-2483.5	2	802.11b	06	2437	1Mbps	-	-
Mode 35	2400-2483.5	2	802.11b	11	2462	1Mbps	-	-
Mode 36	2400-2483.5	2	802.11b	12	2467	1Mbps	-	-
Mode 37	2400-2483.5	2	802.11b	13	2472	1Mbps	-	-



Mode 38	2400-2483.5	2	802.11g	01	2412	6Mbps	-	-
Mode 39	2400-2483.5	2	802.11g	06	2437	6Mbps	-	-
Mode 40	2400-2483.5	2	802.11g	11	2462	6Mbps	-	-
Mode 41	2400-2483.5	2	802.11g	12	2467	6Mbps	-	-
Mode 42	2400-2483.5	2	802.11g	13	2472	6Mbps	-	-
Mode 43	2400-2483.5	2	802.11n HT20	01	2412	MCS0	Full RU	-
Mode 44	2400-2483.5	2	802.11n HT20	06	2437	MCS0	Full RU	-
Mode 45	2400-2483.5	2	802.11n HT20	11	2462	MCS0	Full RU	-
Mode 46	2400-2483.5	2	802.11n HT20	12	2467	MCS0	Full RU	-
Mode 47	2400-2483.5	2	802.11n HT20	13	2472	MCS0	Full RU	-
Mode 48	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 49	2400-2483.5	2	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 50	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 51	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	Full RU	-
Mode 52	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	Full RU	-
Mode 53	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 54	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 55	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 56	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 57	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 58	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 59	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU26/8	-
Mode 60	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU52/40	-
Mode 61	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU106/54	-
Mode 62	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU26/8	-
Mode 63	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU52/40	-
Mode 64	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU106/54	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2388.26	43.00	54.00	-11.00	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	46.20	74.00	-27.80	H	Peak	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	45.51	54.00	-8.49	H	AVERAGE	Pass	Harmonic
3	802.11b	11	2487.16	43.82	54.00	-10.18	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.50	45.18	74.00	-28.82	H	Peak	Pass	Harmonic
4	802.11b	12	2484.05	47.80	54.00	-6.20	H	AVERAGE	Pass	Band Edge
4	802.11b	12	4935.00	44.73	74.00	-29.27	H	Peak	Pass	Harmonic
5	802.11b	13	2485.75	50.72	54.00	-3.28	H	AVERAGE	Pass	Band Edge
5	802.11b	13	4944.00	43.31	74.00	-30.69	H	Peak	Pass	Harmonic
6	802.11g	01	2389.95	46.08	54.00	-7.92	H	AVERAGE	Pass	Band Edge
6	802.11g	01	4824.00	42.64	74.00	-31.36	H	Peak	Pass	Harmonic
7	802.11g	06	-	-	-	-	-	-	-	Band Edge
7	802.11g	06	7311.00	40.73	74.00	-33.27	H	PEAK	Pass	Harmonic
8	802.11g	11	2483.74	49.83	54.00	-4.17	H	AVERAGE	Pass	Band Edge
8	802.11g	11	7386.00	41.93	74.00	-32.07	V	PEAK	Pass	Harmonic
9	802.11g	12	2484.00	50.49	54.00	-3.51	H	AVERAGE	Pass	Band Edge
9	802.11g	12	7401.00	40.90	74.00	-33.10	V	PEAK	Pass	Harmonic
10	802.11g	13	2484.15	49.26	54.00	-4.74	H	AVERAGE	Pass	Band Edge
10	802.11g	13	7416.00	40.80	74.00	-33.20	H	PEAK	Pass	Harmonic
11	802.11n HT20	01	2389.43	66.97	74.00	-7.03	H	PEAK	Pass	Band Edge
11	802.11n HT20	01	4824.00	39.84	74.00	-34.16	H	PEAK	Pass	Harmonic
12	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	06	7311.00	40.52	74.00	-33.48	H	PEAK	Pass	Harmonic
13	802.11n HT20	11	2483.50	50.71	54.00	-3.29	H	AVERAGE	Pass	Band Edge
13	802.11n HT20	11	7386.00	41.77	74.00	-32.23	V	PEAK	Pass	Harmonic
14	802.11n HT20	12	2484.20	50.52	54.00	-3.48	H	AVERAGE	Pass	Band Edge
14	802.11n HT20	12	7401.00	40.76	74.00	-33.24	V	PEAK	Pass	Harmonic
15	802.11n HT20	13	2483.50	50.52	54.00	-3.48	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	13	7416.00	41.16	74.00	-32.84	H	PEAK	Pass	Harmonic
16	802.11ax HE20	01	2389.95	50.29	54.00	-3.71	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	01	4824.00	41.18	74.00	-32.82	H	PEAK	Pass	Harmonic
17	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	06	7311.00	40.44	74.00	-33.56	V	PEAK	Pass	Harmonic
18	802.11ax HE20	11	2484.22	50.53	54.00	-3.47	H	AVERAGE	Pass	Band Edge
18	802.11ax HE20	11	7386.00	41.39	74.00	-32.61	H	PEAK	Pass	Harmonic
19	802.11ax HE20	12	2483.55	50.95	54.00	-3.05	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	12	7401.00	40.78	74.00	-33.22	V	PEAK	Pass	Harmonic
20	802.11ax HE20	13	2484.55	49.26	54.00	-4.74	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	13	7416.00	41.01	74.00	-32.99	H	PEAK	Pass	Harmonic
21	802.11ax HE20	01	2389.95	45.67	54.00	-8.33	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	01	2389.69	44.62	54.00	-9.38	H	AVERAGE	Pass	Band Edge
22	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic







23	802.11ax HE20	01	2389.82	45.69	54.00	-8.31	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	11	2486.14	47.31	54.00	-6.69	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	11	2484.52	49.12	54.00	-4.88	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	11	2483.50	48.32	54.00	-5.68	H	AVERAGE	Pass	Band Edge
26	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	12	2484.30	48.21	54.00	-5.79	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	12	2483.50	47.66	54.00	-6.34	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	12	2484.15	50.93	54.00	-3.07	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	13	2483.60	50.43	54.00	-3.57	H	AVERAGE	Pass	Band Edge
30	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	13	2483.50	50.74	54.00	-3.26	H	AVERAGE	Pass	Band Edge
31	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	13	2483.50	50.63	54.00	-3.37	H	AVERAGE	Pass	Band Edge
32	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
33	802.11b	01	2386.05	44.00	54.00	-10.00	H	AVERAGE	Pass	Band Edge
33	802.11b	01	4824.00	49.66	54.00	-4.34	H	AVERAGE	Pass	Harmonic
34	802.11b	06	-	-	-	-	-	-	-	Band Edge
34	802.11b	06	4874.00	49.87	54.00	-4.13	H	AVERAGE	Pass	Harmonic
35	802.11b	11	2483.50	44.09	54.00	-9.91	H	AVERAGE	Pass	Band Edge
35	802.11b	11	4924.00	50.55	54.00	-3.45	H	AVERAGE	Pass	Harmonic
36	802.11b	12	2484.00	48.39	54.00	-5.61	H	AVERAGE	Pass	Band Edge
36	802.11b	12	4934.00	50.83	54.00	-3.17	H	AVERAGE	Pass	Harmonic
37	802.11b	13	2485.70	50.94	54.00	-3.06	H	AVERAGE	Pass	Band Edge
37	802.11b	13	4944.00	49.63	54.00	-4.37	H	AVERAGE	Pass	Harmonic
38	802.11g	01	2389.95	46.41	54.00	-7.59	H	AVERAGE	Pass	Band Edge
38	802.11g	01	4824.00	38.89	54.00	-15.11	H	AVERAGE	Pass	Harmonic
39	802.11g	06	-	-	-	-	-	-	-	Band Edge
39	802.11g	06	4872.00	46.00	74.00	-28.00	H	Peak	Pass	Harmonic
40	802.11g	11	2483.56	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
40	802.11g	11	4924.00	43.35	74.00	-30.65	H	PEAK	Pass	Harmonic
41	802.11g	12	2484.50	50.79	54.00	-3.21	H	AVERAGE	Pass	Band Edge
41	802.11g	12	4934.00	42.85	74.00	-31.15	H	PEAK	Pass	Harmonic
42	802.11g	13	2484.30	50.18	54.00	-3.82	H	AVERAGE	Pass	Band Edge
42	802.11g	13	7416.00	41.56	74.00	-32.44	V	PEAK	Pass	Harmonic
43	802.11n HT20	01	2389.82	48.29	54.00	-5.71	H	AVERAGE	Pass	Band Edge
43	802.11n HT20	01	4824.00	39.26	54.00	-14.74	H	AVERAGE	Pass	Harmonic
44	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
44	802.11n HT20	06	7311.00	40.78	74.00	-33.22	V	PEAK	Pass	Harmonic
45	802.11n HT20	11	2483.68	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
45	802.11n HT20	11	4924.00	40.46	54.00	-13.54	H	AVERAGE	Pass	Harmonic







46	802.11n HT20	12	2483.60	50.81	54.00	-3.19	H	AVERAGE	Pass	Band Edge
46	802.11n HT20	12	4934.00	40.95	74.00	-33.05	H	PEAK	Pass	Harmonic
47	802.11n HT20	13	2483.50	50.48	54.00	-3.52	H	AVERAGE	Pass	Band Edge
47	802.11n HT20	13	7416.00	40.70	74.00	-33.30	H	PEAK	Pass	Harmonic
48	802.11ax HE20	01	2389.95	49.58	54.00	-4.42	H	AVERAGE	Pass	Band Edge
48	802.11ax HE20	01	4824.00	39.11	54.00	-14.89	H	AVERAGE	Pass	Harmonic
49	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	06	7311.00	41.02	74.00	-32.98	V	PEAK	Pass	Harmonic
50	802.11ax HE20	11	2484.52	50.55	54.00	-3.45	H	AVERAGE	Pass	Band Edge
50	802.11ax HE20	11	7386.00	41.48	74.00	-32.52	H	PEAK	Pass	Harmonic
51	802.11ax HE20	12	2483.55	50.95	54.00	-3.05	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	12	7401.00	40.36	74.00	-33.64	V	PEAK	Pass	Harmonic
52	802.11ax HE20	13	2483.50	50.59	54.00	-3.41	H	AVERAGE	Pass	Band Edge
52	802.11ax HE20	13	7416.00	40.59	74.00	-33.41	H	PEAK	Pass	Harmonic
53	802.11ax HE20	01	2389.95	45.42	54.00	-8.58	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	01	2389.82	45.03	54.00	-8.97	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	01	2389.82	45.86	54.00	-8.14	H	AVERAGE	Pass	Band Edge
55	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	11	2483.74	46.12	54.00	-7.88	H	AVERAGE	Pass	Band Edge
56	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	11	2483.50	46.55	54.00	-7.45	H	AVERAGE	Pass	Band Edge
57	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	11	2483.68	47.73	54.00	-6.27	H	AVERAGE	Pass	Band Edge
58	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	12	2484.70	46.17	54.00	-7.83	H	AVERAGE	Pass	Band Edge
59	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	12	2483.50	46.90	54.00	-7.10	H	AVERAGE	Pass	Band Edge
60	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	12	2483.50	48.51	54.00	-5.49	H	AVERAGE	Pass	Band Edge
61	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	13	2483.50	50.38	54.00	-3.62	H	AVERAGE	Pass	Band Edge
62	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	13	2483.55	50.20	54.00	-3.80	H	AVERAGE	Pass	Band Edge
63	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
64	802.11ax HE20	13	2483.50	50.37	54.00	-3.63	H	AVERAGE	Pass	Band Edge
64	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic



Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.87</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>43.25</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>141 229 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.87	55.78	74.00	-18.22	43.25	32.25	6.70	32.42	6.00	141 229 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.77</td><td>-----</td><td>-----</td><td>94.10</td><td>32.35</td><td>6.74</td><td>32.42</td><td>6.00</td><td>141 229 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.77	-----	-----	94.10	32.35	6.74	32.42	6.00	141 229 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.87	55.78	74.00	-18.22	43.25	32.25	6.70	32.42	6.00	141 229 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	106.77	-----	-----	94.10	32.35	6.74	32.42	6.00	141 229 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>43.00</td><td>54.00</td><td>-11.00</td><td>30.47</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>141 229 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	43.00	54.00	-11.00	30.47	32.25	6.70	32.42	6.00	141 229 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.57</td><td>-----</td><td>-----</td><td>89.90</td><td>32.35</td><td>6.74</td><td>32.42</td><td>6.00</td><td>141 229 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.57	-----	-----	89.90	32.35	6.74	32.42	6.00	141 229 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.26	43.00	54.00	-11.00	30.47	32.25	6.70	32.42	6.00	141 229 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	102.57	-----	-----	89.90	32.35	6.74	32.42	6.00	141 229 AVERAGE																																																																																									





Mode	1																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11b_CH01_2412MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2341.59</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>43.01</td><td>32.00</td><td>6.64</td><td>32.44</td><td>6.00</td><td>219</td><td>236 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2341.59	55.21	74.00	-18.79	43.01	32.00	6.64	32.44	6.00	219	236 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.03</td><td>-----</td><td>-----</td><td>89.36</td><td>32.35</td><td>6.74</td><td>32.42</td><td>6.00</td><td>219</td><td>236 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.03	-----	-----	89.36	32.35	6.74	32.42	6.00	219	236 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2341.59	55.21	74.00	-18.79	43.01	32.00	6.64	32.44	6.00	219	236 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	102.03	-----	-----	89.36	32.35	6.74	32.42	6.00	219	236 PEAK																																																																																	
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>30.24</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>219</td><td>236 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	42.77	54.00	-11.23	30.24	32.25	6.70	32.42	6.00	219	236 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.52</td><td>-----</td><td>-----</td><td>84.85</td><td>32.35</td><td>6.74</td><td>32.42</td><td>6.00</td><td>219</td><td>236 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.52	-----	-----	84.85	32.35	6.74	32.42	6.00	219	236 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2388.52	42.77	54.00	-11.23	30.24	32.25	6.70	32.42	6.00	219	236 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	97.52	-----	-----	84.85	32.35	6.74	32.42	6.00	219	236 AVERAGE																																																																																	







Mode	1																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>68.70</td><td>34.10</td><td>9.56</td><td>66.16</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	46.20	74.00	-27.80	68.70	34.10	9.56	66.16	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>66.77</td><td>34.10</td><td>9.56</td><td>66.16</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.27	74.00	-29.73	66.77	34.10	9.56	66.16	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4824.00	46.20	74.00	-27.80	68.70	34.10	9.56	66.16	0.00	---	Peak																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4824.00	44.27	74.00	-29.73	66.77	34.10	9.56	66.16	0.00	---	Peak																																																																																										







		2																																																																																			
Mode	Harmonic																																																																																				
	2400-2483.5_802.11b_CH06_2437MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal											Vertical																																																																									
Peak Avg																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>70.50</td><td>34.10</td><td>9.61</td><td>66.17</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>45.51</td><td>54.00</td><td>-8.49</td><td>67.97</td><td>34.10</td><td>9.61</td><td>66.17</td><td>0.00</td><td>258</td><td>233</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>40.81</td><td>74.00</td><td>-33.19</td><td>60.01</td><td>35.62</td><td>11.87</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	48.04	74.00	-25.96	70.50	34.10	9.61	66.17	0.00	258	233	PEAK	2	4874.00	45.51	54.00	-8.49	67.97	34.10	9.61	66.17	0.00	258	233	AVERAGE	3	7311.00	40.81	74.00	-33.19	60.01	35.62	11.87	66.69	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	4874.00	48.04	74.00	-25.96	70.50	34.10	9.61	66.17	0.00	258	233	PEAK																																																																									
2	4874.00	45.51	54.00	-8.49	67.97	34.10	9.61	66.17	0.00	258	233	AVERAGE																																																																									
3	7311.00	40.81	74.00	-33.19	60.01	35.62	11.87	66.69	0.00	---	---	PEAK																																																																									
																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4873.50</td><td>43.10</td><td>74.00</td><td>-30.90</td><td>65.56</td><td>34.10</td><td>9.61</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>40.72</td><td>74.00</td><td>-33.28</td><td>59.92</td><td>35.62</td><td>11.87</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4873.50	43.10	74.00	-30.90	65.56	34.10	9.61	66.17	0.00	---	---	Peak	2	7311.00	40.72	74.00	-33.28	59.92	35.62	11.87	66.69	0.00	---	---	PEAK														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	4873.50	43.10	74.00	-30.90	65.56	34.10	9.61	66.17	0.00	---	---	Peak																																																																									
2	7311.00	40.72	74.00	-33.28	59.92	35.62	11.87	66.69	0.00	---	---	PEAK																																																																									





Mode	3																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.54</td><td>56.99</td><td>74.00</td><td>-17.01</td><td>44.06</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>145 227 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.54	56.99	74.00	-17.01	44.06	32.50	6.84	32.41	6.00	145 227 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2488.54	56.99	74.00	-17.01	44.06	32.50	6.84	32.41	6.00	145 227 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.16</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>30.89</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>145 227 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.16	43.82	54.00	-10.18	30.89	32.50	6.84	32.41	6.00	145 227 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2487.16	43.82	54.00	-10.18	30.89	32.50	6.84	32.41	6.00	145 227 AVERAGE																																													
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.89</td><td>-----</td><td>-----</td><td>93.00</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>145 227 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.89	-----	-----	93.00	32.50	6.80	32.41	6.00	145 227 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	105.89	-----	-----	93.00	32.50	6.80	32.41	6.00	145 227 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>101.37</td><td>-----</td><td>-----</td><td>88.48</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>145 227 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.37	-----	-----	88.48	32.50	6.80	32.41	6.00	145 227 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	101.37	-----	-----	88.48	32.50	6.80	32.41	6.00	145 227 AVERAGE																																													







Mode	3																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.36</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>44.38</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>300 224 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.36	57.31	74.00	-16.69	44.38	32.50	6.84	32.41	6.00	300 224 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.90</td><td>-----</td><td>-----</td><td>88.01</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>300 224 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.90	-----	-----	88.01	32.50	6.80	32.41	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2485.36	57.31	74.00	-16.69	44.38	32.50	6.84	32.41	6.00	300 224 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	100.90	-----	-----	88.01	32.50	6.80	32.41	6.00	300 224 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.04</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>30.36</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>300 224 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.04	43.29	54.00	-10.71	30.36	32.50	6.84	32.41	6.00	300 224 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.37</td><td>-----</td><td>-----</td><td>83.48</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>300 224 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.37	-----	-----	83.48	32.50	6.80	32.41	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2487.04	43.29	54.00	-10.71	30.36	32.50	6.84	32.41	6.00	300 224 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	96.37	-----	-----	83.48	32.50	6.80	32.41	6.00	300 224 AVERAGE																																																																																								







Mode	3																																																																				
	Harmonic																																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.50</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>67.65</td><td>34.05</td><td>9.66</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>40.27</td><td>74.00</td><td>-33.73</td><td>59.33</td><td>35.70</td><td>11.94</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.50	45.18	74.00	-28.82	67.65	34.05	9.66	66.18	0.00	---	---	Peak	2	7386.00	40.27	74.00	-33.73	59.33	35.70	11.94	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4924.50	45.18	74.00	-28.82	67.65	34.05	9.66	66.18	0.00	---	---	Peak																																																									
2	7386.00	40.27	74.00	-33.73	59.33	35.70	11.94	66.70	0.00	---	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.50</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>66.39</td><td>34.05</td><td>9.66</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>40.72</td><td>74.00</td><td>-33.28</td><td>59.78</td><td>35.70</td><td>11.94</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.50	43.92	74.00	-30.08	66.39	34.05	9.66	66.18	0.00	---	---	Peak	2	7386.00	40.72	74.00	-33.28	59.78	35.70	11.94	66.70	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4924.50	43.92	74.00	-30.08	66.39	34.05	9.66	66.18	0.00	---	---	Peak																																																									
2	7386.00	40.72	74.00	-33.28	59.78	35.70	11.94	66.70	0.00	---	---	PEAK																																																									





Mode	4																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>57.62</td><td>74.00</td><td>-16.38</td><td>44.70</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>226 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	57.62	74.00	-16.38	44.70	32.50	6.83	32.41	6.00	100	226 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>104.91</td><td>-----</td><td>-----</td><td>92.01</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>100</td><td>226 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	104.91	-----	-----	92.01	32.50	6.81	32.41	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	57.62	74.00	-16.38	44.70	32.50	6.83	32.41	6.00	100	226 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2467.00	104.91	-----	-----	92.01	32.50	6.81	32.41	6.00	100	226 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.05</td><td>47.80</td><td>54.00</td><td>-6.20</td><td>34.88</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>226 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.05	47.80	54.00	-6.20	34.88	32.50	6.83	32.41	6.00	100	226 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>100.48</td><td>-----</td><td>-----</td><td>87.58</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>100</td><td>226 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	100.48	-----	-----	87.58	32.50	6.81	32.41	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.05	47.80	54.00	-6.20	34.88	32.50	6.83	32.41	6.00	100	226 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2467.00	100.48	-----	-----	87.58	32.50	6.81	32.41	6.00	100	226 AVERAGE																																																																																										







Mode	4																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.25</td><td>56.14</td><td>74.00</td><td>-17.86</td><td>43.21</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>288 225 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.25	56.14	74.00	-17.86	43.21	32.50	6.84	32.41	6.00	288 225 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>100.70</td><td>-----</td><td>-----</td><td>87.00</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>288 225 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	100.70	-----	-----	87.00	32.50	6.81	32.41	6.00	288 225 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.25	56.14	74.00	-17.86	43.21	32.50	6.84	32.41	6.00	288 225 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	100.70	-----	-----	87.00	32.50	6.81	32.41	6.00	288 225 PEAK																																																																																										
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.95</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>31.75</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>288 225 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.95	44.67	54.00	-9.33	31.75	32.50	6.83	32.41	6.00	288 225 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>96.25</td><td>-----</td><td>-----</td><td>83.35</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>288 225 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	96.25	-----	-----	83.35	32.50	6.81	32.41	6.00	288 225 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.95	44.67	54.00	-9.33	31.75	32.50	6.83	32.41	6.00	288 225 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	96.25	-----	-----	83.35	32.50	6.81	32.41	6.00	288 225 AVERAGE																																																																																										



Mode	4																																																																				
	Harmonic																																																																				
	2400-2483.5_802.11b_CH12_2467MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4935.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>67.22</td><td>34.03</td><td>9.67</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>59.78</td><td>35.70</td><td>11.95</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4935.00	44.73	74.00	-29.27	67.22	34.03	9.67	66.19	0.00	---	---	Peak	2	7401.00	40.73	74.00	-33.27	59.78	35.70	11.95	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4935.00	44.73	74.00	-29.27	67.22	34.03	9.67	66.19	0.00	---	---	Peak																																																									
2	7401.00	40.73	74.00	-33.27	59.78	35.70	11.95	66.70	0.00	---	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4933.50</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>66.41</td><td>34.03</td><td>9.67</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>40.63</td><td>74.00</td><td>-33.37</td><td>59.68</td><td>35.70</td><td>11.95</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4933.50	43.92	74.00	-30.08	66.41	34.03	9.67	66.19	0.00	---	---	Peak	2	7401.00	40.63	74.00	-33.37	59.68	35.70	11.95	66.70	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4933.50	43.92	74.00	-30.08	66.41	34.03	9.67	66.19	0.00	---	---	Peak																																																									
2	7401.00	40.63	74.00	-33.37	59.68	35.70	11.95	66.70	0.00	---	---	PEAK																																																									





Mode	5																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.70</td><td>59.32</td><td>74.00</td><td>-14.68</td><td>46.39</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>135 231 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.70	59.32	74.00	-14.68	46.39	32.50	6.84	32.41	6.00	135 231 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>104.82</td><td>-----</td><td>-----</td><td>91.91</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>135 231 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	104.82	-----	-----	91.91	32.50	6.82	32.41	6.00	135 231 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.70	59.32	74.00	-14.68	46.39	32.50	6.84	32.41	6.00	135 231 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	104.82	-----	-----	91.91	32.50	6.82	32.41	6.00	135 231 PEAK																																																																																										
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.75</td><td>50.72</td><td>54.00</td><td>-3.28</td><td>37.79</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>135 231 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.75	50.72	54.00	-3.28	37.79	32.50	6.84	32.41	6.00	135 231 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>100.51</td><td>-----</td><td>-----</td><td>87.60</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>135 231 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	100.51	-----	-----	87.60	32.50	6.82	32.41	6.00	135 231 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.75	50.72	54.00	-3.28	37.79	32.50	6.84	32.41	6.00	135 231 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	100.51	-----	-----	87.60	32.50	6.82	32.41	6.00	135 231 AVERAGE																																																																																										







Mode	5																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.45</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>44.45</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>230</td><td>225 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.45	57.38	74.00	-16.62	44.45	32.50	6.84	32.41	6.00	230	225 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>99.29</td><td>-----</td><td>-----</td><td>86.38</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>230</td><td>225 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	99.29	-----	-----	86.38	32.50	6.82	32.41	6.00	230	225 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2486.45	57.38	74.00	-16.62	44.45	32.50	6.84	32.41	6.00	230	225 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2472.00	99.29	-----	-----	86.38	32.50	6.82	32.41	6.00	230	225 PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.70</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>33.50</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>230</td><td>225 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.70	46.43	54.00	-7.57	33.50	32.50	6.84	32.41	6.00	230	225 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>94.84</td><td>-----</td><td>-----</td><td>81.93</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>230</td><td>225 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	94.84	-----	-----	81.93	32.50	6.82	32.41	6.00	230	225 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2485.70	46.43	54.00	-7.57	33.50	32.50	6.84	32.41	6.00	230	225 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2472.00	94.84	-----	-----	81.93	32.50	6.82	32.41	6.00	230	225 AVERAGE																																																																																											







Mode	5																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>43.31</td><td>74.00</td><td>-30.69</td><td>65.81</td><td>34.01</td><td>9.68</td><td>66.19</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>59.43</td><td>35.73</td><td>11.95</td><td>66.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	43.31	74.00	-30.69	65.81	34.01	9.68	66.19	0.00	---	Peak	2	7416.00	40.41	74.00	-33.59	59.43	35.73	11.95	66.70	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>65.66</td><td>34.01</td><td>9.68</td><td>66.19</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>41.55</td><td>74.00</td><td>-32.45</td><td>60.57</td><td>35.73</td><td>11.95</td><td>66.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	43.16	74.00	-30.84	65.66	34.01	9.68	66.19	0.00	---	Peak	2	7416.00	41.55	74.00	-32.45	60.57	35.73	11.95	66.70	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4944.00	43.31	74.00	-30.69	65.81	34.01	9.68	66.19	0.00	---	Peak																																																																																																															
2	7416.00	40.41	74.00	-33.59	59.43	35.73	11.95	66.70	0.00	---	PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4944.00	43.16	74.00	-30.84	65.66	34.01	9.68	66.19	0.00	---	Peak																																																																																																															
2	7416.00	41.55	74.00	-32.45	60.57	35.73	11.95	66.70	0.00	---	PEAK																																																																																																															



Mode	6																																																							
	Band Edge																																																							
	2400-2483.5_802.11g_CH01_2412MHz																																																							
ANT	1																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.74</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>47.72</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>142</td><td>230 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.74	60.25	74.00	-13.75	47.72	32.25	6.70	32.42	6.00	142	230 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2387.74	60.25	74.00	-13.75	47.72	32.25	6.70	32.42	6.00	142	230 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.03</td><td>-----</td><td>-----</td><td>94.35</td><td>32.36</td><td>6.74</td><td>32.42</td><td>6.00</td><td>142</td><td>230 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.03	-----	-----	94.35	32.36	6.74	32.42	6.00	142	230 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	107.03	-----	-----	94.35	32.36	6.74	32.42	6.00	142	230 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.00</td><td>54.00</td><td>-7.92</td><td>33.53</td><td>32.26</td><td>6.71</td><td>32.42</td><td>6.00</td><td>142</td><td>230 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.00	54.00	-7.92	33.53	32.26	6.71	32.42	6.00	142	230 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.95	46.00	54.00	-7.92	33.53	32.26	6.71	32.42	6.00	142	230 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.00</td><td>-----</td><td>-----</td><td>85.32</td><td>32.36</td><td>6.74</td><td>32.42</td><td>6.00</td><td>142</td><td>230 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.00	-----	-----	85.32	32.36	6.74	32.42	6.00	142	230 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	98.00	-----	-----	85.32	32.36	6.74	32.42	6.00	142	230 AVERAGE																																													



Mode	6																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.09</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>44.79</td><td>32.25</td><td>6.70</td><td>32.43</td><td>6.00</td><td>282 238 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.09	57.31	74.00	-16.69	44.79	32.25	6.70	32.43	6.00	282 238 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.53</td><td>-----</td><td>-----</td><td>90.89</td><td>32.33</td><td>6.73</td><td>32.42</td><td>6.00</td><td>282 238 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.53	-----	-----	90.89	32.33	6.73	32.42	6.00	282 238 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2387.09	57.31	74.00	-16.69	44.79	32.25	6.70	32.43	6.00	282 238 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	103.53	-----	-----	90.89	32.33	6.73	32.42	6.00	282 238 PEAK																																																																																										
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>31.69</td><td>32.26</td><td>6.71</td><td>32.42</td><td>6.00</td><td>282 238 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.24	54.00	-9.76	31.69	32.26	6.71	32.42	6.00	282 238 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>93.37</td><td>-----</td><td>-----</td><td>80.70</td><td>32.35</td><td>6.74</td><td>32.42</td><td>6.00</td><td>282 238 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	93.37	-----	-----	80.70	32.35	6.74	32.42	6.00	282 238 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	44.24	54.00	-9.76	31.69	32.26	6.71	32.42	6.00	282 238 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	93.37	-----	-----	80.70	32.35	6.74	32.42	6.00	282 238 AVERAGE																																																																																										







Mode	6																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.64</td><td>74.00</td><td>-31.36</td><td>65.14</td><td>34.10</td><td>9.56</td><td>66.16</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.64	74.00	-31.36	65.14	34.10	9.56	66.16	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.62</td><td>74.00</td><td>-34.38</td><td>62.12</td><td>34.10</td><td>9.56</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.62	74.00	-34.38	62.12	34.10	9.56	66.16	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4824.00	42.64	74.00	-31.36	65.14	34.10	9.56	66.16	0.00	---	Peak																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4824.00	39.62	74.00	-34.38	62.12	34.10	9.56	66.16	0.00	---	PEAK																																																																																										



Mode	7																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>39.94</td><td>74.00</td><td>-34.06</td><td>62.40</td><td>34.10</td><td>9.61</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>59.93</td><td>35.62</td><td>11.87</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	39.94	74.00	-34.06	62.40	34.10	9.61	66.17	0.00	---	---	PEAK	2	7311.00	40.73	74.00	-33.27	59.93	35.62	11.87	66.69	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>38.55</td><td>74.00</td><td>-35.45</td><td>61.01</td><td>34.10</td><td>9.61</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>59.74</td><td>35.62</td><td>11.87</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	38.55	74.00	-35.45	61.01	34.10	9.61	66.17	0.00	---	---	PEAK	2	7311.00	40.54	74.00	-33.46	59.74	35.62	11.87	66.69	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4874.00	39.94	74.00	-34.06	62.40	34.10	9.61	66.17	0.00	---	---	PEAK																																																																																																																		
2	7311.00	40.73	74.00	-33.27	59.93	35.62	11.87	66.69	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4874.00	38.55	74.00	-35.45	61.01	34.10	9.61	66.17	0.00	---	---	PEAK																																																																																																																		
2	7311.00	40.54	74.00	-33.46	59.74	35.62	11.87	66.69	0.00	---	---	PEAK																																																																																																																		





Mode	8																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>65.14</td><td>74.00</td><td>-8.86</td><td>52.22</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>190</td><td>227</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	65.14	74.00	-8.86	52.22	32.50	6.83	32.41	6.00	190	227	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.11</td><td>-----</td><td>-----</td><td>95.22</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>190</td><td>227</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.11	-----	-----	95.22	32.50	6.80	32.41	6.00	190	227
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	65.14	74.00	-8.86	52.22	32.50	6.83	32.41	6.00	190	227	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	108.11	-----	-----	95.22	32.50	6.80	32.41	6.00	190	227	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>49.83</td><td>54.00</td><td>-4.17</td><td>36.91</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>190</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	49.83	54.00	-4.17	36.91	32.50	6.83	32.41	6.00	190	227	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.27</td><td>-----</td><td>-----</td><td>85.37</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>190</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.27	-----	-----	85.37	32.50	6.81	32.41	6.00	190	227
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.74	49.83	54.00	-4.17	36.91	32.50	6.83	32.41	6.00	190	227	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	98.27	-----	-----	85.37	32.50	6.81	32.41	6.00	190	227	AVERAGE																																																																																							







Mode	8																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>60.37</td><td>74.00</td><td>-13.63</td><td>47.45</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>298</td><td>223 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	60.37	74.00	-13.63	47.45	32.50	6.83	32.41	6.00	298	223 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.16</td><td>-----</td><td>-----</td><td>89.27</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>298</td><td>223 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.16	-----	-----	89.27	32.50	6.80	32.41	6.00	298
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	60.37	74.00	-13.63	47.45	32.50	6.83	32.41	6.00	298	223 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	102.16	-----	-----	89.27	32.50	6.80	32.41	6.00	298	223 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.45</td><td>54.00</td><td>-7.55</td><td>33.53</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>298</td><td>223 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.45	54.00	-7.55	33.53	32.50	6.83	32.41	6.00	298	223 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>92.38</td><td>-----</td><td>-----</td><td>79.49</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>298</td><td>223 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	92.38	-----	-----	79.49	32.50	6.80	32.41	6.00	298
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	46.45	54.00	-7.55	33.53	32.50	6.83	32.41	6.00	298	223 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	92.38	-----	-----	79.49	32.50	6.80	32.41	6.00	298	223 AVERAGE																																																																																									







Mode	8																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>39.42</td><td>74.00</td><td>-34.58</td><td>61.89</td><td>34.05</td><td>9.66</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>40.51</td><td>74.00</td><td>-33.49</td><td>59.57</td><td>35.70</td><td>11.94</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	39.42	74.00	-34.58	61.89	34.05	9.66	66.18	0.00	---	---	PEAK	2	7386.00	40.51	74.00	-33.49	59.57	35.70	11.94	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>61.79</td><td>34.05</td><td>9.66</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.93</td><td>74.00</td><td>-32.07</td><td>60.99</td><td>35.70</td><td>11.94</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	39.32	74.00	-34.68	61.79	34.05	9.66	66.18	0.00	---	---	PEAK	2	7386.00	41.93	74.00	-32.07	60.99	35.70	11.94	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	39.42	74.00	-34.58	61.89	34.05	9.66	66.18	0.00	---	---	PEAK																																																																																																																		
2	7386.00	40.51	74.00	-33.49	59.57	35.70	11.94	66.70	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	39.32	74.00	-34.68	61.79	34.05	9.66	66.18	0.00	---	---	PEAK																																																																																																																		
2	7386.00	41.93	74.00	-32.07	60.99	35.70	11.94	66.70	0.00	---	---	PEAK																																																																																																																		





Mode	9																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.85</td><td>62.62</td><td>74.00</td><td>-11.38</td><td>49.70</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>186</td><td>229 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.85	62.62	74.00	-11.38	49.70	32.50	6.83	32.41	6.00	186	229 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>105.06</td><td>-----</td><td>-----</td><td>92.16</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>186</td><td>229 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	105.06	-----	-----	92.16	32.50	6.81	32.41	6.00	186	229 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.85	62.62	74.00	-11.38	49.70	32.50	6.83	32.41	6.00	186	229 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2467.00	105.06	-----	-----	92.16	32.50	6.81	32.41	6.00	186	229 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>50.49</td><td>54.00</td><td>-3.51</td><td>37.57</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>186</td><td>229 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	50.49	54.00	-3.51	37.57	32.50	6.83	32.41	6.00	186	229 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>95.25</td><td>-----</td><td>-----</td><td>82.35</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>186</td><td>229 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	95.25	-----	-----	82.35	32.50	6.81	32.41	6.00	186	229 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.00	50.49	54.00	-3.51	37.57	32.50	6.83	32.41	6.00	186	229 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2467.00	95.25	-----	-----	82.35	32.50	6.81	32.41	6.00	186	229 AVERAGE																																																																																										







		9																																																					
Mode		Band Edge																																																					
		2400-2483.5_802.11g_CH12_2467MHz																																																					
ANT		1																																																					
Pol.		Vertical					Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.20</td><td>58.62</td><td>74.00</td><td>-15.38</td><td>45.70</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>327</td><td>251 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.20	58.62	74.00	-15.38	45.70	32.50	6.83	32.41	6.00	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.20	58.62	74.00	-15.38	45.70	32.50	6.83	32.41	6.00	327	251 PEAK																																												
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>100.54</td><td>-----</td><td>-----</td><td>87.65</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>327</td><td>251 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	100.54	-----	-----	87.65	32.50	6.80	32.41	6.00	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2467.00	100.54	-----	-----	87.65	32.50	6.80	32.41	6.00	327	251 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.70</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>34.35</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>327</td><td>251 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.70	47.27	54.00	-6.73	34.35	32.50	6.83	32.41	6.00	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.70	47.27	54.00	-6.73	34.35	32.50	6.83	32.41	6.00	327	251 AVERAGE																																												
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>90.42</td><td>-----</td><td>-----</td><td>77.52</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>327</td><td>251 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	90.42	-----	-----	77.52	32.50	6.81	32.41	6.00	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2467.00	90.42	-----	-----	77.52	32.50	6.81	32.41	6.00	327	251 AVERAGE																																												







Mode	9																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>39.29</td><td>74.00</td><td>-34.71</td><td>61.78</td><td>34.03</td><td>9.67</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>40.63</td><td>74.00</td><td>-33.37</td><td>59.68</td><td>35.70</td><td>11.95</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	39.29	74.00	-34.71	61.78	34.03	9.67	66.19	0.00	---	---	PEAK	2	7401.00	40.63	74.00	-33.37	59.68	35.70	11.95	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>39.89</td><td>74.00</td><td>-34.11</td><td>62.38</td><td>34.03</td><td>9.67</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>59.95</td><td>35.70</td><td>11.95</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4934.00	39.89	74.00	-34.11	62.38	34.03	9.67	66.19	0.00	---	---	PEAK	2	7401.00	40.90	74.00	-33.10	59.95	35.70	11.95	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4934.00	39.29	74.00	-34.71	61.78	34.03	9.67	66.19	0.00	---	---	PEAK																																																																																																																			
2	7401.00	40.63	74.00	-33.37	59.68	35.70	11.95	66.70	0.00	---	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4934.00	39.89	74.00	-34.11	62.38	34.03	9.67	66.19	0.00	---	---	PEAK																																																																																																																			
2	7401.00	40.90	74.00	-33.10	59.95	35.70	11.95	66.70	0.00	---	---	PEAK																																																																																																																			



Mode	10																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH13_2472MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.05</td><td>64.09</td><td>74.00</td><td>-9.91</td><td>51.17</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>132 229 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.05	64.09	74.00	-9.91	51.17	32.50	6.83	32.41	6.00	132 229 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.05	64.09	74.00	-9.91	51.17	32.50	6.83	32.41	6.00	132 229 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>101.34</td><td>-----</td><td>-----</td><td>88.44</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>132 229 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	101.34	-----	-----	88.44	32.50	6.81	32.41	6.00	132 229 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2472.00	101.34	-----	-----	88.44	32.50	6.81	32.41	6.00	132 229 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.15</td><td>49.26</td><td>54.00</td><td>-4.74</td><td>36.34</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>132 229 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.15	49.26	54.00	-4.74	36.34	32.50	6.83	32.41	6.00	132 229 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.15	49.26	54.00	-4.74	36.34	32.50	6.83	32.41	6.00	132 229 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>92.11</td><td>-----</td><td>-----</td><td>79.20</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>132 229 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	92.11	-----	-----	79.20	32.50	6.82	32.41	6.00	132 229 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2472.00	92.11	-----	-----	79.20	32.50	6.82	32.41	6.00	132 229 AVERAGE																																													







Mode	10																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.50</td><td>60.21</td><td>74.00</td><td>-13.79</td><td>47.29</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>330</td><td>251 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.50	60.21	74.00	-13.79	47.29	32.50	6.83	32.41	6.00	330	251 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>95.48</td><td>-----</td><td>-----</td><td>82.58</td><td>32.50</td><td>6.81</td><td>32.41</td><td>6.00</td><td>330</td><td>251 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	95.48	-----	-----	82.58	32.50	6.81	32.41	6.00	330	251 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2484.50	60.21	74.00	-13.79	47.29	32.50	6.83	32.41	6.00	330	251 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2472.00	95.48	-----	-----	82.58	32.50	6.81	32.41	6.00	330	251 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.20</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>33.25</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>330</td><td>251 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.20	46.17	54.00	-7.83	33.25	32.50	6.83	32.41	6.00	330	251 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>86.13</td><td>-----</td><td>-----</td><td>73.22</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>330</td><td>251 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	86.13	-----	-----	73.22	32.50	6.82	32.41	6.00	330	251 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2484.20	46.17	54.00	-7.83	33.25	32.50	6.83	32.41	6.00	330	251 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2472.00	86.13	-----	-----	73.22	32.50	6.82	32.41	6.00	330	251 AVERAGE																																																																																											







Mode	10																																																																																																																																		
	Harmonic																																																																																																																																		
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal											Vertical																																																																																																																							
Peak Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>61.43</td><td>34.01</td><td>9.68</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>40.00</td><td>74.00</td><td>-33.20</td><td>59.82</td><td>35.73</td><td>11.95</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4944.00	38.93	74.00	-35.07	61.43	34.01	9.68	66.19	0.00	---	---	PEAK	2	7416.00	40.00	74.00	-33.20	59.82	35.73	11.95	66.70	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>39.34</td><td>74.00</td><td>-34.66</td><td>61.84</td><td>34.01</td><td>9.68</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>40.09</td><td>74.00</td><td>-33.91</td><td>59.11</td><td>35.73</td><td>11.95</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4944.00	39.34	74.00	-34.66	61.84	34.01	9.68	66.19	0.00	---	---	PEAK	2	7416.00	40.09	74.00	-33.91	59.11	35.73	11.95	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4944.00	38.93	74.00	-35.07	61.43	34.01	9.68	66.19	0.00	---	---	PEAK																																																																																																																							
2	7416.00	40.00	74.00	-33.20	59.82	35.73	11.95	66.70	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4944.00	39.34	74.00	-34.66	61.84	34.01	9.68	66.19	0.00	---	---	PEAK																																																																																																																							
2	7416.00	40.09	74.00	-33.91	59.11	35.73	11.95	66.70	0.00	---	---	PEAK																																																																																																																							





Mode	11																																																						
	Band Edge																																																						
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>66.97</td><td>74.00</td><td>-7.03</td><td>54.43</td><td>32.26</td><td>6.70</td><td>32.42</td><td>6.00</td><td>141 226 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	66.97	74.00	-7.03	54.43	32.26	6.70	32.42	6.00	141 226 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.43	66.97	74.00	-7.03	54.43	32.26	6.70	32.42	6.00	141 226 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.18</td><td>-----</td><td>-----</td><td>94.50</td><td>32.36</td><td>6.74</td><td>32.42</td><td>6.00</td><td>141 226 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.18	-----	-----	94.50	32.36	6.74	32.42	6.00	141 226 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	107.18	-----	-----	94.50	32.36	6.74	32.42	6.00	141 226 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.71</td><td>54.00</td><td>-7.29</td><td>34.16</td><td>32.26</td><td>6.71</td><td>32.42</td><td>6.00</td><td>141 226 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.71	54.00	-7.29	34.16	32.26	6.71	32.42	6.00	141 226 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	46.71	54.00	-7.29	34.16	32.26	6.71	32.42	6.00	141 226 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.90</td><td>-----</td><td>-----</td><td>85.22</td><td>32.36</td><td>6.74</td><td>32.42</td><td>6.00</td><td>141 226 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.90	-----	-----	85.22	32.36	6.74	32.42	6.00	141 226 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	97.90	-----	-----	85.22	32.36	6.74	32.42	6.00	141 226 AVERAGE																																													



Mode	11																																																						
	Band Edge																																																						
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																						
ANT	1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>58.48</td><td>74.00</td><td>-15.52</td><td>45.94</td><td>32.26</td><td>6.70</td><td>32.42</td><td>6.00</td><td>284 222 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	58.48	74.00	-15.52	45.94	32.26	6.70	32.42	6.00	284 222 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2388.78	58.48	74.00	-15.52	45.94	32.26	6.70	32.42	6.00	284 222 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.90</td><td>-----</td><td>-----</td><td>89.22</td><td>32.36</td><td>6.74</td><td>32.42</td><td>6.00</td><td>284 222 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.90	-----	-----	89.22	32.36	6.74	32.42	6.00	284 222 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	101.90	-----	-----	89.22	32.36	6.74	32.42	6.00	284 222 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.52</td><td>54.00</td><td>-9.48</td><td>31.97</td><td>32.26</td><td>6.71</td><td>32.42</td><td>6.00</td><td>284 222 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.52	54.00	-9.48	31.97	32.26	6.71	32.42	6.00	284 222 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	44.52	54.00	-9.48	31.97	32.26	6.71	32.42	6.00	284 222 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>92.81</td><td>-----</td><td>-----</td><td>80.14</td><td>32.35</td><td>6.74</td><td>32.42</td><td>6.00</td><td>284 222 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	92.81	-----	-----	80.14	32.35	6.74	32.42	6.00	284 222 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	92.81	-----	-----	80.14	32.35	6.74	32.42	6.00	284 222 AVERAGE																																													



Mode	11																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.84</td><td>74.00</td><td>-34.16</td><td>62.34</td><td>34.10</td><td>9.56</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.84	74.00	-34.16	62.34	34.10	9.56	66.16	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.11</td><td>74.00</td><td>-34.89</td><td>61.61</td><td>34.10</td><td>9.56</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.11	74.00	-34.89	61.61	34.10	9.56	66.16	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4824.00	39.84	74.00	-34.16	62.34	34.10	9.56	66.16	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4824.00	39.11	74.00	-34.89	61.61	34.10	9.56	66.16	0.00	---	PEAK																																																																																											