










Mode	34																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13030.00</td><td>48.83</td><td>88.20</td><td>-39.37</td><td>57.55</td><td>39.74</td><td>17.73</td><td>66.74</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.75</td><td>74.00</td><td>-37.25</td><td>41.13</td><td>38.19</td><td>20.16</td><td>53.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	48.83	88.20	-39.37	57.55	39.74	17.73	66.74	0.55	--	Peak	2	19545.00	36.75	74.00	-37.25	41.13	38.19	20.16	53.19	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13030.00</td><td>50.95</td><td>88.20</td><td>-37.25</td><td>59.67</td><td>39.74</td><td>17.73</td><td>66.74</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.08</td><td>74.00</td><td>-37.92</td><td>40.46</td><td>38.19</td><td>20.16</td><td>53.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	50.95	88.20	-37.25	59.67	39.74	17.73	66.74	0.55	--	Peak	2	19545.00	36.08	74.00	-37.92	40.46	38.19	20.16	53.19	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	48.83	88.20	-39.37	57.55	39.74	17.73	66.74	0.55	--	Peak																																																																																																					
2	19545.00	36.75	74.00	-37.25	41.13	38.19	20.16	53.19	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	50.95	88.20	-37.25	59.67	39.74	17.73	66.74	0.55	--	Peak																																																																																																					
2	19545.00	36.08	74.00	-37.92	40.46	38.19	20.16	53.19	-9.54	--	Peak																																																																																																					




Mode	34	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL




Mode	35																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>49.11</td><td>88.20</td><td>-39.09</td><td>57.87</td><td>39.70</td><td>17.62</td><td>66.61</td><td>0.53</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>35.43</td><td>74.00</td><td>-38.57</td><td>40.10</td><td>38.13</td><td>20.07</td><td>53.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	49.11	88.20	-39.09	57.87	39.70	17.62	66.61	0.53	--	Peak	2	19335.00	35.43	74.00	-38.57	40.10	38.13	20.07	53.33	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>49.36</td><td>88.20</td><td>-38.84</td><td>58.12</td><td>39.70</td><td>17.62</td><td>66.61</td><td>0.53</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>37.81</td><td>74.00</td><td>-36.19</td><td>42.48</td><td>38.13</td><td>20.07</td><td>53.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	49.36	88.20	-38.84	58.12	39.70	17.62	66.61	0.53	--	Peak	2	19335.00	37.81	74.00	-36.19	42.48	38.13	20.07	53.33	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12890.00	49.11	88.20	-39.09	57.87	39.70	17.62	66.61	0.53	--	Peak																																																																																																					
2	19335.00	35.43	74.00	-38.57	40.10	38.13	20.07	53.33	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12890.00	49.36	88.20	-38.84	58.12	39.70	17.62	66.61	0.53	--	Peak																																																																																																					
2	19335.00	37.81	74.00	-36.19	42.48	38.13	20.07	53.33	-9.54	--	Peak																																																																																																					




Mode	35	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	36																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>49.32</td><td>88.20</td><td>-38.88</td><td>57.99</td><td>39.00</td><td>17.68</td><td>66.69</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>36.26</td><td>74.00</td><td>-37.74</td><td>40.73</td><td>38.19</td><td>20.12</td><td>53.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	49.32	88.20	-38.88	57.99	39.00	17.68	66.69	0.54	--	Peak	2	19455.00	36.26	74.00	-37.74	40.73	38.19	20.12	53.24	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>49.68</td><td>88.20</td><td>-38.52</td><td>58.35</td><td>39.00</td><td>17.68</td><td>66.69</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>36.49</td><td>74.00</td><td>-37.51</td><td>40.96</td><td>38.19</td><td>20.12</td><td>53.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	49.68	88.20	-38.52	58.35	39.00	17.68	66.69	0.54	--	Peak	2	19455.00	36.49	74.00	-37.51	40.96	38.19	20.12	53.24	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	49.32	88.20	-38.88	57.99	39.00	17.68	66.69	0.54	--	Peak																																																																																																					
2	19455.00	36.26	74.00	-37.74	40.73	38.19	20.12	53.24	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	49.68	88.20	-38.52	58.35	39.00	17.68	66.69	0.54	--	Peak																																																																																																					
2	19455.00	36.49	74.00	-37.51	40.96	38.19	20.12	53.24	-9.54	--	Peak																																																																																																					




Mode	36	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL




Mode	37																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12930.00</td><td>49.68</td><td>88.20</td><td>-38.52</td><td>58.38</td><td>39.76</td><td>17.65</td><td>66.65</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>36.96</td><td>74.00</td><td>-37.04</td><td>41.41</td><td>38.28</td><td>20.09</td><td>53.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	49.68	88.20	-38.52	58.38	39.76	17.65	66.65	0.54	--	Peak	2	19395.00	36.96	74.00	-37.04	41.41	38.28	20.09	53.28	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12930.00</td><td>49.82</td><td>88.20</td><td>-38.38</td><td>58.52</td><td>39.76</td><td>17.65</td><td>66.65</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>35.91</td><td>74.00</td><td>-38.09</td><td>40.36</td><td>38.28</td><td>20.09</td><td>53.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	49.82	88.20	-38.38	58.52	39.76	17.65	66.65	0.54	--	Peak	2	19395.00	35.91	74.00	-38.09	40.36	38.28	20.09	53.28	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12930.00	49.68	88.20	-38.52	58.38	39.76	17.65	66.65	0.54	--	Peak																																																																																																					
2	19395.00	36.96	74.00	-37.04	41.41	38.28	20.09	53.28	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12930.00	49.82	88.20	-38.38	58.52	39.76	17.65	66.65	0.54	--	Peak																																																																																																					
2	19395.00	35.91	74.00	-38.09	40.36	38.28	20.09	53.28	-9.54	--	Peak																																																																																																					




Mode	37	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	38																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH115_Full RU_6525MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>58.34</td><td>39.70</td><td>17.75</td><td>66.76</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>35.70</td><td>74.00</td><td>-38.30</td><td>40.16</td><td>38.10</td><td>20.17</td><td>53.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	49.58	88.20	-38.62	58.34	39.70	17.75	66.76	0.55	--	Peak	2	19575.00	35.70	74.00	-38.30	40.16	38.10	20.17	53.19	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>48.69</td><td>88.20</td><td>-39.51</td><td>57.45</td><td>39.70</td><td>17.75</td><td>66.76</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>36.71</td><td>74.00</td><td>-37.29</td><td>41.17</td><td>38.10</td><td>20.17</td><td>53.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	48.69	88.20	-39.51	57.45	39.70	17.75	66.76	0.55	--	Peak	2	19575.00	36.71	74.00	-37.29	41.17	38.10	20.17	53.19	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	49.58	88.20	-38.62	58.34	39.70	17.75	66.76	0.55	--	Peak																																																																																																					
2	19575.00	35.70	74.00	-38.30	40.16	38.10	20.17	53.19	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	48.69	88.20	-39.51	57.45	39.70	17.75	66.76	0.55	--	Peak																																																																																																					
2	19575.00	36.71	74.00	-37.29	41.17	38.10	20.17	53.19	-9.54	--	Peak																																																																																																					




Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	39																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH119_Full RU_6545MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>49.04</td><td>88.20</td><td>-39.16</td><td>57.88</td><td>39.62</td><td>17.78</td><td>66.79</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19635.00</td><td>36.11</td><td>74.00</td><td>-37.89</td><td>40.55</td><td>38.07</td><td>20.20</td><td>53.17</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	49.04	88.20	-39.16	57.88	39.62	17.78	66.79	0.55	--	Peak	2	19635.00	36.11	74.00	-37.89	40.55	38.07	20.20	53.17	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>48.46</td><td>88.20</td><td>-39.74</td><td>57.30</td><td>39.62</td><td>17.78</td><td>66.79</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19635.00</td><td>35.82</td><td>74.00</td><td>-38.18</td><td>40.26</td><td>38.07</td><td>20.20</td><td>53.17</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	48.46	88.20	-39.74	57.30	39.62	17.78	66.79	0.55	--	Peak	2	19635.00	35.82	74.00	-38.18	40.26	38.07	20.20	53.17	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13090.00	49.04	88.20	-39.16	57.88	39.62	17.78	66.79	0.55	--	Peak																																																																																																					
2	19635.00	36.11	74.00	-37.89	40.55	38.07	20.20	53.17	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13090.00	48.46	88.20	-39.74	57.30	39.62	17.78	66.79	0.55	--	Peak																																																																																																					
2	19635.00	35.82	74.00	-38.18	40.26	38.07	20.20	53.17	-9.54	--	Peak																																																																																																					




Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH119_Full RU_6545MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	40																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE160_CH111_Full RU_6505MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13010.00</td><td>48.70</td><td>88.20</td><td>-39.50</td><td>57.38</td><td>39.78</td><td>17.72</td><td>66.73</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>35.86</td><td>74.00</td><td>-38.14</td><td>40.32</td><td>38.13</td><td>20.15</td><td>53.20</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	48.70	88.20	-39.50	57.38	39.78	17.72	66.73	0.55	--	Peak	2	19515.00	35.86	74.00	-38.14	40.32	38.13	20.15	53.20	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13010.00</td><td>49.11</td><td>88.20</td><td>-39.09</td><td>57.79</td><td>39.78</td><td>17.72</td><td>66.73</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>41.73</td><td>38.13</td><td>20.15</td><td>53.20</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	49.11	88.20	-39.09	57.79	39.78	17.72	66.73	0.55	--	Peak	2	19515.00	37.27	74.00	-36.73	41.73	38.13	20.15	53.20	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13010.00	48.70	88.20	-39.50	57.38	39.78	17.72	66.73	0.55	--	Peak																																																																																																					
2	19515.00	35.86	74.00	-38.14	40.32	38.13	20.15	53.20	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13010.00	49.11	88.20	-39.09	57.79	39.78	17.72	66.73	0.55	--	Peak																																																																																																					
2	19515.00	37.27	74.00	-36.73	41.73	38.13	20.15	53.20	-9.54	--	Peak																																																																																																					




Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH111_Full RU_6505MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL




Mode	41																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>49.89</td><td>88.20</td><td>-38.31</td><td>58.68</td><td>39.66</td><td>17.77</td><td>66.77</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>35.85</td><td>74.00</td><td>-38.15</td><td>40.37</td><td>38.01</td><td>20.19</td><td>53.18</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	49.89	88.20	-38.31	58.68	39.66	17.77	66.77	0.55	--	Peak	2	19605.00	35.85	74.00	-38.15	40.37	38.01	20.19	53.18	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>49.74</td><td>88.20</td><td>-38.46</td><td>58.53</td><td>39.66</td><td>17.77</td><td>66.77</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>36.02</td><td>74.00</td><td>-37.98</td><td>40.54</td><td>38.01</td><td>20.19</td><td>53.18</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	49.74	88.20	-38.46	58.53	39.66	17.77	66.77	0.55	--	Peak	2	19605.00	36.02	74.00	-37.98	40.54	38.01	20.19	53.18	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	49.89	88.20	-38.31	58.68	39.66	17.77	66.77	0.55	--	Peak																																																																																																					
2	19605.00	35.85	74.00	-38.15	40.37	38.01	20.19	53.18	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	49.74	88.20	-38.46	58.53	39.66	17.77	66.77	0.55	--	Peak																																																																																																					
2	19605.00	36.02	74.00	-37.98	40.54	38.01	20.19	53.18	-9.54	--	Peak																																																																																																					




Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL



Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL




Mode	42																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>56.24</td><td>40.10</td><td>18.03</td><td>67.01</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20005.00</td><td>35.68</td><td>74.00</td><td>-38.32</td><td>39.87</td><td>38.00</td><td>20.40</td><td>53.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.94	74.00	-26.06	56.24	40.10	18.03	67.01	0.58	--	Peak	2	20005.00	35.68	74.00	-38.32	39.87	38.00	20.40	53.05	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>55.53</td><td>40.10</td><td>18.03</td><td>67.01</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20005.00</td><td>35.81</td><td>74.00</td><td>-38.19</td><td>40.00</td><td>38.00</td><td>20.40</td><td>53.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.23	74.00	-26.77	55.53	40.10	18.03	67.01	0.58	--	Peak	2	20005.00	35.81	74.00	-38.19	40.00	38.00	20.40	53.05	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13390.00	47.94	74.00	-26.06	56.24	40.10	18.03	67.01	0.58	--	Peak																																																																																																					
2	20005.00	35.68	74.00	-38.32	39.87	38.00	20.40	53.05	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13390.00	47.23	74.00	-26.77	55.53	40.10	18.03	67.01	0.58	--	Peak																																																																																																					
2	20005.00	35.81	74.00	-38.19	40.00	38.00	20.40	53.05	-9.54	--	Peak																																																																																																					




Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	43																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.57</td><td>88.20</td><td>-38.63</td><td>57.28</td><td>40.40</td><td>18.29</td><td>67.01</td><td>0.61</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>35.58</td><td>74.00</td><td>-38.42</td><td>39.16</td><td>38.11</td><td>20.64</td><td>52.79</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	49.57	88.20	-38.63	57.28	40.40	18.29	67.01	0.61	--	Peak	2	20565.00	35.58	74.00	-38.42	39.16	38.11	20.64	52.79	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.51</td><td>88.20</td><td>-38.69</td><td>57.22</td><td>40.40</td><td>18.29</td><td>67.01</td><td>0.61</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.10</td><td>74.00</td><td>-36.90</td><td>40.68</td><td>38.11</td><td>20.64</td><td>52.79</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	49.51	88.20	-38.69	57.22	40.40	18.29	67.01	0.61	--	Peak	2	20565.00	37.10	74.00	-36.90	40.68	38.11	20.64	52.79	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13710.00	49.57	88.20	-38.63	57.28	40.40	18.29	67.01	0.61	--	Peak																																																																																																					
2	20565.00	35.58	74.00	-38.42	39.16	38.11	20.64	52.79	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13710.00	49.51	88.20	-38.69	57.22	40.40	18.29	67.01	0.61	--	Peak																																																																																																					
2	20565.00	37.10	74.00	-36.90	40.68	38.11	20.64	52.79	-9.54	--	Peak																																																																																																					




Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	44																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>49.65</td><td>88.20</td><td>-38.55</td><td>58.43</td><td>39.66</td><td>17.82</td><td>66.82</td><td>0.56</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>36.05</td><td>74.00</td><td>-37.95</td><td>40.42</td><td>38.10</td><td>20.23</td><td>53.16</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	49.65	88.20	-38.55	58.43	39.66	17.82	66.82	0.56	--	Peak	2	19695.00	36.05	74.00	-37.95	40.42	38.10	20.23	53.16	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>49.48</td><td>88.20</td><td>-38.72</td><td>58.26</td><td>39.66</td><td>17.82</td><td>66.82</td><td>0.56</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>36.22</td><td>74.00</td><td>-37.78</td><td>40.59</td><td>38.10</td><td>20.23</td><td>53.16</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	49.48	88.20	-38.72	58.26	39.66	17.82	66.82	0.56	--	Peak	2	19695.00	36.22	74.00	-37.78	40.59	38.10	20.23	53.16	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13130.00	49.65	88.20	-38.55	58.43	39.66	17.82	66.82	0.56	--	Peak																																																																																																					
2	19695.00	36.05	74.00	-37.95	40.42	38.10	20.23	53.16	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13130.00	49.48	88.20	-38.72	58.26	39.66	17.82	66.82	0.56	--	Peak																																																																																																					
2	19695.00	36.22	74.00	-37.78	40.59	38.10	20.23	53.16	-9.54	--	Peak																																																																																																					




Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	45																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13370.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>56.21</td><td>40.10</td><td>18.01</td><td>66.99</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20055.00</td><td>36.15</td><td>74.00</td><td>-37.85</td><td>40.37</td><td>38.00</td><td>20.39</td><td>53.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.91	74.00	-26.09	56.21	40.10	18.01	66.99	0.58	--	Peak	2	20055.00	36.15	74.00	-37.85	40.37	38.00	20.39	53.07	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13370.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>56.23</td><td>40.10</td><td>18.01</td><td>66.99</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20055.00</td><td>35.46</td><td>74.00</td><td>-38.54</td><td>39.68</td><td>38.00</td><td>20.39</td><td>53.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.93	74.00	-26.07	56.23	40.10	18.01	66.99	0.58	--	Peak	2	20055.00	35.46	74.00	-38.54	39.68	38.00	20.39	53.07	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13370.00	47.91	74.00	-26.09	56.21	40.10	18.01	66.99	0.58	--	Peak																																																																																																					
2	20055.00	36.15	74.00	-37.85	40.37	38.00	20.39	53.07	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13370.00	47.93	74.00	-26.07	56.23	40.10	18.01	66.99	0.58	--	Peak																																																																																																					
2	20055.00	35.46	74.00	-38.54	39.68	38.00	20.39	53.07	-9.54	--	Peak																																																																																																					




Mode	45	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	46																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>49.91</td><td>88.20</td><td>-38.29</td><td>57.66</td><td>40.38</td><td>18.28</td><td>67.02</td><td>0.61</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>37.50</td><td>74.00</td><td>-36.50</td><td>41.09</td><td>38.11</td><td>20.63</td><td>52.79</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	49.91	88.20	-38.29	57.66	40.38	18.28	67.02	0.61	--	Peak	2	20535.00	37.50	74.00	-36.50	41.09	38.11	20.63	52.79	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>50.12</td><td>88.20</td><td>-38.08</td><td>57.87</td><td>40.38</td><td>18.28</td><td>67.02</td><td>0.61</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>35.63</td><td>74.00</td><td>-38.37</td><td>39.22</td><td>38.11</td><td>20.63</td><td>52.79</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	50.12	88.20	-38.08	57.87	40.38	18.28	67.02	0.61	--	Peak	2	20535.00	35.63	74.00	-38.37	39.22	38.11	20.63	52.79	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13690.00	49.91	88.20	-38.29	57.66	40.38	18.28	67.02	0.61	--	Peak																																																																																																					
2	20535.00	37.50	74.00	-36.50	41.09	38.11	20.63	52.79	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13690.00	50.12	88.20	-38.08	57.87	40.38	18.28	67.02	0.61	--	Peak																																																																																																					
2	20535.00	35.63	74.00	-38.37	39.22	38.11	20.63	52.79	-9.54	--	Peak																																																																																																					




Mode	46	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL




Mode	47																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>56.51</td><td>39.80</td><td>17.91</td><td>66.90</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19875.00</td><td>34.99</td><td>74.00</td><td>-39.01</td><td>39.39</td><td>37.95</td><td>20.31</td><td>53.12</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	47.89	74.00	-26.11	56.51	39.80	17.91	66.90	0.57	--	Peak	2	19875.00	34.99	74.00	-39.01	39.39	37.95	20.31	53.12	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>56.15</td><td>39.80</td><td>17.91</td><td>66.90</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19875.00</td><td>36.84</td><td>74.00</td><td>-37.16</td><td>41.24</td><td>37.95</td><td>20.31</td><td>53.12</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	47.53	74.00	-26.47	56.15	39.80	17.91	66.90	0.57	--	Peak	2	19875.00	36.84	74.00	-37.16	41.24	37.95	20.31	53.12	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13250.00	47.89	74.00	-26.11	56.51	39.80	17.91	66.90	0.57	--	Peak																																																																																																					
2	19875.00	34.99	74.00	-39.01	39.39	37.95	20.31	53.12	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13250.00	47.53	74.00	-26.47	56.15	39.80	17.91	66.90	0.57	--	Peak																																																																																																					
2	19875.00	36.84	74.00	-37.16	41.24	37.95	20.31	53.12	-9.54	--	Peak																																																																																																					




Mode	47	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	48																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>49.52</td><td>88.20</td><td>-38.68</td><td>57.75</td><td>40.16</td><td>18.05</td><td>67.02</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>35.53</td><td>74.00</td><td>-38.47</td><td>39.68</td><td>38.00</td><td>20.42</td><td>53.03</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	49.52	88.20	-38.68	57.75	40.16	18.05	67.02	0.58	--	Peak	2	20115.00	35.53	74.00	-38.47	39.68	38.00	20.42	53.03	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>48.38</td><td>88.20</td><td>-39.82</td><td>56.61</td><td>40.16</td><td>18.05</td><td>67.02</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>36.26</td><td>74.00</td><td>-37.74</td><td>40.41</td><td>38.00</td><td>20.42</td><td>53.03</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	48.38	88.20	-39.82	56.61	40.16	18.05	67.02	0.58	--	Peak	2	20115.00	36.26	74.00	-37.74	40.41	38.00	20.42	53.03	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	49.52	88.20	-38.68	57.75	40.16	18.05	67.02	0.58	--	Peak																																																																																																					
2	20115.00	35.53	74.00	-38.47	39.68	38.00	20.42	53.03	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	48.38	88.20	-39.82	56.61	40.16	18.05	67.02	0.58	--	Peak																																																																																																					
2	20115.00	36.26	74.00	-37.74	40.41	38.00	20.42	53.03	-9.54	--	Peak																																																																																																					




Mode	48	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	49																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>50.06</td><td>88.20</td><td>-38.14</td><td>57.72</td><td>40.62</td><td>18.18</td><td>67.06</td><td>0.60</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>36.10</td><td>74.00</td><td>-37.90</td><td>39.81</td><td>38.18</td><td>20.54</td><td>52.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	50.06	88.20	-38.14	57.72	40.62	18.18	67.06	0.60	--	Peak	2	20355.00	36.10	74.00	-37.90	39.81	38.18	20.54	52.89	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>49.59</td><td>88.20</td><td>-38.61</td><td>57.25</td><td>40.62</td><td>18.18</td><td>67.06</td><td>0.60</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>37.77</td><td>74.00</td><td>-36.23</td><td>41.48</td><td>38.18</td><td>20.54</td><td>52.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	49.59	88.20	-38.61	57.25	40.62	18.18	67.06	0.60	--	Peak	2	20355.00	37.77	74.00	-36.23	41.48	38.18	20.54	52.89	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13570.00	50.06	88.20	-38.14	57.72	40.62	18.18	67.06	0.60	--	Peak																																																																																																					
2	20355.00	36.10	74.00	-37.90	39.81	38.18	20.54	52.89	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13570.00	49.59	88.20	-38.61	57.25	40.62	18.18	67.06	0.60	--	Peak																																																																																																					
2	20355.00	37.77	74.00	-36.23	41.48	38.18	20.54	52.89	-9.54	--	Peak																																																																																																					




Mode	49	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	50																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UUNI)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13330.00</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>59.33</td><td>40.02</td><td>17.98</td><td>66.96</td><td>0.58</td><td>100 252 PEAK</td></tr><tr><td>2 13330.00</td><td>41.85</td><td>54.00</td><td>-12.15</td><td>50.23</td><td>40.02</td><td>17.98</td><td>66.96</td><td>0.58</td><td>100 252 Average</td></tr><tr><td>3 19995.00</td><td>35.76</td><td>74.00</td><td>-38.24</td><td>40.04</td><td>38.00</td><td>20.36</td><td>53.10</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13330.00	50.95	74.00	-23.05	59.33	40.02	17.98	66.96	0.58	100 252 PEAK	2 13330.00	41.85	54.00	-12.15	50.23	40.02	17.98	66.96	0.58	100 252 Average	3 19995.00	35.76	74.00	-38.24	40.04	38.00	20.36	53.10	-9.54	-- -- Peak	 Site : 03CH12-HY Condition: PEAK(UUNI)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13330.00</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>59.22</td><td>40.02</td><td>17.98</td><td>66.96</td><td>0.58</td><td>103 358 PEAK</td></tr><tr><td>2 13330.00</td><td>41.74</td><td>54.00</td><td>-12.26</td><td>50.12</td><td>40.02</td><td>17.98</td><td>66.96</td><td>0.58</td><td>103 358 Average</td></tr><tr><td>3 19995.00</td><td>35.60</td><td>74.00</td><td>-38.40</td><td>39.88</td><td>38.00</td><td>20.36</td><td>53.10</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13330.00	50.84	74.00	-23.16	59.22	40.02	17.98	66.96	0.58	103 358 PEAK	2 13330.00	41.74	54.00	-12.26	50.12	40.02	17.98	66.96	0.58	103 358 Average	3 19995.00	35.60	74.00	-38.40	39.88	38.00	20.36	53.10	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 13330.00	50.95	74.00	-23.05	59.33	40.02	17.98	66.96	0.58	100 252 PEAK																																																																																																																	
2 13330.00	41.85	54.00	-12.15	50.23	40.02	17.98	66.96	0.58	100 252 Average																																																																																																																	
3 19995.00	35.76	74.00	-38.24	40.04	38.00	20.36	53.10	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 13330.00	50.84	74.00	-23.16	59.22	40.02	17.98	66.96	0.58	103 358 PEAK																																																																																																																	
2 13330.00	41.74	54.00	-12.26	50.12	40.02	17.98	66.96	0.58	103 358 Average																																																																																																																	
3 19995.00	35.60	74.00	-38.40	39.88	38.00	20.36	53.10	-9.54	-- -- Peak																																																																																																																	




Mode	50	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL




Mode	51																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH185_Full RU_6875MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13750.00</td><td>50.44</td><td>88.20</td><td>-37.76</td><td>58.08</td><td>40.40</td><td>18.33</td><td>66.99</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20625.00</td><td>36.08</td><td>74.00</td><td>-37.92</td><td>39.78</td><td>37.95</td><td>20.67</td><td>52.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	50.44	88.20	-37.76	58.08	40.40	18.33	66.99	0.62	--	PEAK	2	20625.00	36.08	74.00	-37.92	39.78	37.95	20.67	52.78	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13750.00</td><td>49.95</td><td>88.20</td><td>-38.25</td><td>57.59</td><td>40.40</td><td>18.33</td><td>66.99</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20625.00</td><td>36.05</td><td>74.00</td><td>-37.95</td><td>39.75</td><td>37.95</td><td>20.67</td><td>52.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	49.95	88.20	-38.25	57.59	40.40	18.33	66.99	0.62	--	PEAK	2	20625.00	36.05	74.00	-37.95	39.75	37.95	20.67	52.78	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13750.00	50.44	88.20	-37.76	58.08	40.40	18.33	66.99	0.62	--	PEAK																																																																																																					
2	20625.00	36.08	74.00	-37.92	39.78	37.95	20.67	52.78	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13750.00	49.95	88.20	-38.25	57.59	40.40	18.33	66.99	0.62	--	PEAK																																																																																																					
2	20625.00	36.05	74.00	-37.95	39.75	37.95	20.67	52.78	-9.54	--	Peak																																																																																																					




Mode	51	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	52																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH187_Full RU_6885MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>58.36</td><td>40.36</td><td>18.34</td><td>66.99</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20655.00</td><td>35.78</td><td>74.00</td><td>-38.22</td><td>39.38</td><td>38.02</td><td>20.69</td><td>52.77</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	50.69	88.20	-37.51	58.36	40.36	18.34	66.99	0.62	--	PEAK	2	20655.00	35.78	74.00	-38.22	39.38	38.02	20.69	52.77	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>50.86</td><td>88.20</td><td>-37.34</td><td>58.53</td><td>40.36</td><td>18.34</td><td>66.99</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20655.00</td><td>35.07</td><td>74.00</td><td>-38.93</td><td>38.67</td><td>38.02</td><td>20.69</td><td>52.77</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	50.86	88.20	-37.34	58.53	40.36	18.34	66.99	0.62	--	PEAK	2	20655.00	35.07	74.00	-38.93	38.67	38.02	20.69	52.77	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	50.69	88.20	-37.51	58.36	40.36	18.34	66.99	0.62	--	PEAK																																																																																																					
2	20655.00	35.78	74.00	-38.22	39.38	38.02	20.69	52.77	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	50.86	88.20	-37.34	58.53	40.36	18.34	66.99	0.62	--	PEAK																																																																																																					
2	20655.00	35.07	74.00	-38.93	38.67	38.02	20.69	52.77	-9.54	--	Peak																																																																																																					




Mode	52	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	53																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13730.00</td><td>51.04</td><td>88.20</td><td>-37.16</td><td>58.72</td><td>40.40</td><td>18.31</td><td>67.00</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20595.00</td><td>36.45</td><td>74.00</td><td>-37.55</td><td>40.18</td><td>37.93</td><td>20.66</td><td>52.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	51.04	88.20	-37.16	58.72	40.40	18.31	67.00	0.61	--	PEAK	2	20595.00	36.45	74.00	-37.55	40.18	37.93	20.66	52.78	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13730.00</td><td>51.00</td><td>88.20</td><td>-37.12</td><td>58.76</td><td>40.40</td><td>18.31</td><td>67.00</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20595.00</td><td>35.30</td><td>74.00</td><td>-38.70</td><td>39.03</td><td>37.93</td><td>20.66</td><td>52.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	51.00	88.20	-37.12	58.76	40.40	18.31	67.00	0.61	--	PEAK	2	20595.00	35.30	74.00	-38.70	39.03	37.93	20.66	52.78	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	51.04	88.20	-37.16	58.72	40.40	18.31	67.00	0.61	--	PEAK																																																																																																					
2	20595.00	36.45	74.00	-37.55	40.18	37.93	20.66	52.78	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	51.00	88.20	-37.12	58.76	40.40	18.31	67.00	0.61	--	PEAK																																																																																																					
2	20595.00	35.30	74.00	-38.70	39.03	37.93	20.66	52.78	-9.54	--	Peak																																																																																																					




Mode	53	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	54																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13650.00</td><td>50.68</td><td>88.20</td><td>-37.52</td><td>58.56</td><td>40.30</td><td>18.24</td><td>67.03</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20475.00</td><td>35.93</td><td>74.00</td><td>-38.07</td><td>39.68</td><td>38.00</td><td>20.60</td><td>52.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	50.68	88.20	-37.52	58.56	40.30	18.24	67.03	0.61	--	PEAK	2	20475.00	35.93	74.00	-38.07	39.68	38.00	20.60	52.81	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13650.00</td><td>51.14</td><td>88.20</td><td>-37.06</td><td>59.02</td><td>40.30</td><td>18.24</td><td>67.03</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20475.00</td><td>35.79</td><td>74.00</td><td>-38.21</td><td>39.54</td><td>38.00</td><td>20.60</td><td>52.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	51.14	88.20	-37.06	59.02	40.30	18.24	67.03	0.61	--	PEAK	2	20475.00	35.79	74.00	-38.21	39.54	38.00	20.60	52.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13650.00	50.68	88.20	-37.52	58.56	40.30	18.24	67.03	0.61	--	PEAK																																																																																																					
2	20475.00	35.93	74.00	-38.07	39.68	38.00	20.60	52.81	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13650.00	51.14	88.20	-37.06	59.02	40.30	18.24	67.03	0.61	--	PEAK																																																																																																					
2	20475.00	35.79	74.00	-38.21	39.54	38.00	20.60	52.81	-9.54	--	Peak																																																																																																					




Mode	54	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	55																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>49.65</td><td>88.20</td><td>-38.55</td><td>57.33</td><td>40.32</td><td>18.36</td><td>66.98</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20685.00</td><td>36.66</td><td>74.00</td><td>-37.34</td><td>40.12</td><td>38.14</td><td>20.70</td><td>52.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	49.65	88.20	-38.55	57.33	40.32	18.36	66.98	0.62	--	PEAK	2	20685.00	36.66	74.00	-37.34	40.12	38.14	20.70	52.76	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>50.25</td><td>88.20</td><td>-37.95</td><td>57.93</td><td>40.32</td><td>18.36</td><td>66.98</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20685.00</td><td>35.78</td><td>74.00</td><td>-38.22</td><td>39.24</td><td>38.14</td><td>20.70</td><td>52.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	50.25	88.20	-37.95	57.93	40.32	18.36	66.98	0.62	--	PEAK	2	20685.00	35.78	74.00	-38.22	39.24	38.14	20.70	52.76	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	49.65	88.20	-38.55	57.33	40.32	18.36	66.98	0.62	--	PEAK																																																																																																					
2	20685.00	36.66	74.00	-37.34	40.12	38.14	20.70	52.76	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	50.25	88.20	-37.95	57.93	40.32	18.36	66.98	0.62	--	PEAK																																																																																																					
2	20685.00	35.78	74.00	-38.22	39.24	38.14	20.70	52.76	-9.54	--	Peak																																																																																																					




Mode	55	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL




Mode	56																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>51.36</td><td>88.20</td><td>-36.84</td><td>58.42</td><td>40.68</td><td>18.52</td><td>66.90</td><td>0.64</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20905.00</td><td>37.41</td><td>74.00</td><td>-36.59</td><td>40.47</td><td>38.33</td><td>20.85</td><td>52.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	51.36	88.20	-36.84	58.42	40.68	18.52	66.90	0.64	--	PEAK	2	20905.00	37.41	74.00	-36.59	40.47	38.33	20.85	52.70	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>57.75</td><td>40.68</td><td>18.52</td><td>66.90</td><td>0.64</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20905.00</td><td>37.02</td><td>74.00</td><td>-36.98</td><td>40.08</td><td>38.33</td><td>20.85</td><td>52.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	50.69	88.20	-37.51	57.75	40.68	18.52	66.90	0.64	--	PEAK	2	20905.00	37.02	74.00	-36.98	40.08	38.33	20.85	52.70	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13990.00	51.36	88.20	-36.84	58.42	40.68	18.52	66.90	0.64	--	PEAK																																																																																																					
2	20905.00	37.41	74.00	-36.59	40.47	38.33	20.85	52.70	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13990.00	50.69	88.20	-37.51	57.75	40.68	18.52	66.90	0.64	--	PEAK																																																																																																					
2	20905.00	37.02	74.00	-36.98	40.08	38.33	20.85	52.70	-9.54	--	Peak																																																																																																					




Mode	56	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL





Mode	57																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7187.03</td><td>58.00</td><td>88.20 -30.20</td><td>43.28</td><td>36.95</td><td>12.02</td><td>34.25</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7187.03	58.00	88.20 -30.20	43.28	36.95	12.02	34.25	0.00	100	196	PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>92.94</td><td>-----</td><td>78.69</td><td>36.57</td><td>11.92</td><td>34.24</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	92.94	-----	78.69	36.57	11.92	34.24	0.00	100	196	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7187.03	58.00	88.20 -30.20	43.28	36.95	12.02	34.25	0.00	100	196	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7095.00	92.94	-----	78.69	36.57	11.92	34.24	0.00	100	196	PEAK																																																																																					
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7231.67</td><td>48.61</td><td>68.20 -19.59</td><td>33.70</td><td>37.13</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100</td><td>196</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7231.67	48.61	68.20 -19.59	33.70	37.13	12.04	34.26	0.00	100	196	AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>84.93</td><td>-----</td><td>70.68</td><td>36.57</td><td>11.92</td><td>34.24</td><td>0.00</td><td>100</td><td>196</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	84.93	-----	70.68	36.57	11.92	34.24	0.00	100	196	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7231.67	48.61	68.20 -19.59	33.70	37.13	12.04	34.26	0.00	100	196	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7095.00	84.93	-----	70.68	36.57	11.92	34.24	0.00	100	196	AVERAGE																																																																																					







Mode	57																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7204.55</td><td>57.78</td><td>88.20</td><td>-30.42</td><td>42.98</td><td>37.02</td><td>12.03</td><td>34.25</td><td>0.00</td><td>100 240 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7204.55	57.78	88.20	-30.42	42.98	37.02	12.03	34.25	0.00	100 240 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>100.57</td><td>-----</td><td>-----</td><td>86.32</td><td>36.57</td><td>11.92</td><td>34.24</td><td>0.00</td><td>100 240 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7095.00	100.57	-----	-----	86.32	36.57	11.92	34.24	0.00	100 240 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7204.55	57.78	88.20	-30.42	42.98	37.02	12.03	34.25	0.00	100 240 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7095.00	100.57	-----	-----	86.32	36.57	11.92	34.24	0.00	100 240 PEAK																																																																																	
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7224.85</td><td>48.78</td><td>68.20</td><td>-19.42</td><td>33.90</td><td>37.10</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100 240 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7224.85	48.78	68.20	-19.42	33.90	37.10	12.04	34.26	0.00	100 240 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>92.32</td><td>-----</td><td>-----</td><td>78.07</td><td>36.57</td><td>11.92</td><td>34.24</td><td>0.00</td><td>100 240 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7095.00	92.32	-----	-----	78.07	36.57	11.92	34.24	0.00	100 240 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7224.85	48.78	68.20	-19.42	33.90	37.10	12.04	34.26	0.00	100 240 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7095.00	92.32	-----	-----	78.07	36.57	11.92	34.24	0.00	100 240 AVERAGE																																																																																	




Mode	57																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>51.18</td><td>88.20</td><td>-37.02</td><td>57.62</td><td>40.98</td><td>18.63</td><td>66.67</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21285.00</td><td>36.41</td><td>74.00</td><td>-37.59</td><td>39.54</td><td>38.17</td><td>21.05</td><td>52.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	51.18	88.20	-37.02	57.62	40.98	18.63	66.67	0.62	--	PEAK	2	21285.00	36.41	74.00	-37.59	39.54	38.17	21.05	52.81	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>51.35</td><td>88.20</td><td>-36.85</td><td>57.79</td><td>40.98</td><td>18.63</td><td>66.67</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21285.00</td><td>35.40</td><td>74.00</td><td>-38.60</td><td>38.53</td><td>38.17</td><td>21.05</td><td>52.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	51.35	88.20	-36.85	57.79	40.98	18.63	66.67	0.62	--	PEAK	2	21285.00	35.40	74.00	-38.60	38.53	38.17	21.05	52.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14190.00	51.18	88.20	-37.02	57.62	40.98	18.63	66.67	0.62	--	PEAK																																																																																																					
2	21285.00	36.41	74.00	-37.59	39.54	38.17	21.05	52.81	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14190.00	51.35	88.20	-36.85	57.79	40.98	18.63	66.67	0.62	--	PEAK																																																																																																					
2	21285.00	35.40	74.00	-38.60	38.53	38.17	21.05	52.81	-9.54	--	Peak																																																																																																					




Mode	57	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL



Mode	58																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_26/8RU_7095MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal					Fundamental																																																																																												
Peak	Level (dBuV/m)  PEAK_BE(UNII)_6E 709071217152718372147245 Frequency (MHz) Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7227.49</td><td>57.58</td><td>88.20</td><td>-30.62</td><td>42.69</td><td>37.11</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100</td><td>302</td><td>PEAK</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7227.49	57.58	88.20	-30.62	42.69	37.11	12.04	34.26	0.00	100	302	PEAK	Level (dBuV/m)  PEAK(UNII)_6E 100022403480472059607200 Frequency (MHz) Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>102.93</td><td>-----</td><td>-----</td><td>88.61</td><td>36.63</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>302</td><td>PEAK</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7095.00	102.93	-----	-----	88.61	36.63	11.93	34.24	0.00	100	302	PEAK
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																						
1	7227.49	57.58	88.20	-30.62	42.69	37.11	12.04	34.26	0.00	100	302	PEAK																																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																						
1	7095.00	102.93	-----	-----	88.61	36.63	11.93	34.24	0.00	100	302	PEAK																																																																																						
Avg	Level (dBuV/m)  AVG_BE(UNII)_6E 709071217152718372147245 Frequency (MHz) Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7248.97</td><td>48.49</td><td>68.20</td><td>-19.71</td><td>33.54</td><td>37.16</td><td>12.05</td><td>34.26</td><td>0.00</td><td>100</td><td>302</td><td>AVERAGE</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7248.97	48.49	68.20	-19.71	33.54	37.16	12.05	34.26	0.00	100	302	AVERAGE	Level (dBuV/m)  AVG(UNII)_6E 100022403480472059607200 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>95.06</td><td>-----</td><td>-----</td><td>80.77</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>302</td><td>AVERAGE</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7095.00	95.06	-----	-----	80.77	36.60	11.93	34.24	0.00	100	302	AVERAGE
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																						
1	7248.97	48.49	68.20	-19.71	33.54	37.16	12.05	34.26	0.00	100	302	AVERAGE																																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																						
1	7095.00	95.06	-----	-----	80.77	36.60	11.93	34.24	0.00	100	302	AVERAGE																																																																																						







Mode	58																																																		
	Band Edge																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_26/8RU_7095MHz																																																		
ANT	2																																																		
Pol.	Vertical						Fundamental																																												
Peak																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																												
Avg																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																												
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7177.27</td><td>57.66</td><td>88.20</td><td>-30.54</td><td>42.99</td><td>36.91</td><td>12.01</td><td>34.25</td><td>0.00</td><td>100</td><td>254</td><td>PEAK</td></tr></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7177.27	57.66	88.20	-30.54	42.99	36.91	12.01	34.25	0.00	100	254	PEAK
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																							
1	7177.27	57.66	88.20	-30.54	42.99	36.91	12.01	34.25	0.00	100	254	PEAK																																							
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>109.37</td><td>-----</td><td>-----</td><td>95.00</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>254</td><td>PEAK</td></tr></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7095.00	109.37	-----	-----	95.00	36.60	11.93	34.24	0.00	100	254	PEAK
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																							
1	7095.00	109.37	-----	-----	95.00	36.60	11.93	34.24	0.00	100	254	PEAK																																							
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7195.87</td><td>48.59</td><td>68.20</td><td>-19.61</td><td>33.83</td><td>36.98</td><td>12.03</td><td>34.25</td><td>0.00</td><td>100</td><td>254</td><td>AVERAGE</td></tr></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7195.87	48.59	68.20	-19.61	33.83	36.98	12.03	34.25	0.00	100	254	AVERAGE
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																							
1	7195.87	48.59	68.20	-19.61	33.83	36.98	12.03	34.25	0.00	100	254	AVERAGE																																							
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>102.25</td><td>-----</td><td>-----</td><td>87.96</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>254</td><td>AVERAGE</td></tr></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7095.00	102.25	-----	-----	87.96	36.60	11.93	34.24	0.00	100	254	AVERAGE
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																							
1	7095.00	102.25	-----	-----	87.96	36.60	11.93	34.24	0.00	100	254	AVERAGE																																							







Mode	59																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_52/40RU_7095MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal					Fundamental																																																																				
Peak	Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>cm</th><th>deg</th><th>Remark</th><th colspan="3" rowspan="2"></th></tr><tr><td>1 7127.36 58.81 88.20 -30.19 43.60 36.71 11.95 34.25 0.00 100 303 PEAK</td><td colspan="7"></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	cm	deg	Remark				1 7127.36 58.81 88.20 -30.19 43.60 36.71 11.95 34.25 0.00 100 303 PEAK								Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>cm</th><th>deg</th><th>Remark</th><th colspan="3" rowspan="2"></th></tr><tr><td>1 7095.00 99.97 ----- 85.68 36.60 11.93 34.24 0.00 100 303 PEAK</td><td colspan="7"></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	cm	deg	Remark				1 7095.00 99.97 ----- 85.68 36.60 11.93 34.24 0.00 100 303 PEAK							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	cm	deg	Remark																																																																						
1 7127.36 58.81 88.20 -30.19 43.60 36.71 11.95 34.25 0.00 100 303 PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	cm	deg	Remark																																																																						
1 7095.00 99.97 ----- 85.68 36.60 11.93 34.24 0.00 100 303 PEAK																																																																										
Avg	Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>cm</th><th>deg</th><th>Remark</th><th colspan="3" rowspan="2"></th></tr><tr><td>1 7240.20 48.65 68.20 -19.55 33.70 37.16 12.05 34.26 0.00 100 303 AVERAGE</td><td colspan="7"></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	cm	deg	Remark				1 7240.20 48.65 68.20 -19.55 33.70 37.16 12.05 34.26 0.00 100 303 AVERAGE								Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>cm</th><th>deg</th><th>Remark</th><th colspan="3" rowspan="2"></th></tr><tr><td>1 7095.00 92.08 ----- 77.79 36.60 11.93 34.24 0.00 100 303 AVERAGE</td><td colspan="7"></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	cm	deg	Remark				1 7095.00 92.08 ----- 77.79 36.60 11.93 34.24 0.00 100 303 AVERAGE							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	cm	deg	Remark																																																																						
1 7240.20 48.65 68.20 -19.55 33.70 37.16 12.05 34.26 0.00 100 303 AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	cm	deg	Remark																																																																						
1 7095.00 92.08 ----- 77.79 36.60 11.93 34.24 0.00 100 303 AVERAGE																																																																										







Mode	59																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_52/40RU_7095MHz																																																																																								
ANT	2																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7220.20</td><td>57.53</td><td>88.20 -30.67</td><td>42.67</td><td>37.00</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100</td><td>258 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7220.20	57.53	88.20 -30.67	42.67	37.00	12.04	34.26	0.00	100	258 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>100.38</td><td>-----</td><td>94.09</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>258 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7095.00	100.38	-----	94.09	36.60	11.93	34.24	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7220.20	57.53	88.20 -30.67	42.67	37.00	12.04	34.26	0.00	100	258 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7095.00	100.38	-----	94.09	36.60	11.93	34.24	0.00	100	258 PEAK																																																																																
Avg																																																																																									
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7210.75</td><td>48.73</td><td>68.20 -19.47</td><td>33.92</td><td>37.04</td><td>12.03</td><td>34.26</td><td>0.00</td><td>100</td><td>258 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7210.75	48.73	68.20 -19.47	33.92	37.04	12.03	34.26	0.00	100	258 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>100.54</td><td>-----</td><td>86.25</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>258 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7095.00	100.54	-----	86.25	36.60	11.93	34.24	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7210.75	48.73	68.20 -19.47	33.92	37.04	12.03	34.26	0.00	100	258 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7095.00	100.54	-----	86.25	36.60	11.93	34.24	0.00	100	258 AVERAGE																																																																																





Mode	60																																																																																							
	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_106/54RU_7095MHz																																																																																							
ANT	2																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7155.57</td><td>58.49</td><td>88.20</td><td>-29.71</td><td>43.94</td><td>36.82</td><td>11.98</td><td>34.25</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7155.57	58.49	88.20	-29.71	43.94	36.82	11.98	34.25	0.00	100	303	PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>96.88</td><td>-----</td><td>-----</td><td>82.59</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7095.00	96.88	-----	-----	82.59	36.60	11.93	34.24	0.00	100	303	PEAK
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7155.57	58.49	88.20	-29.71	43.94	36.82	11.98	34.25	0.00	100	303	PEAK																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7095.00	96.88	-----	-----	82.59	36.60	11.93	34.24	0.00	100	303	PEAK																																																																												
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7230.28</td><td>48.88</td><td>68.20</td><td>-19.32</td><td>33.98</td><td>37.12</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7230.28	48.88	68.20	-19.32	33.98	37.12	12.04	34.26	0.00	100	303	AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.14</td><td>-----</td><td>-----</td><td>74.85</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7095.00	89.14	-----	-----	74.85	36.60	11.93	34.24	0.00	100	303	AVERAGE
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7230.28	48.88	68.20	-19.32	33.98	37.12	12.04	34.26	0.00	100	303	AVERAGE																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7095.00	89.14	-----	-----	74.85	36.60	11.93	34.24	0.00	100	303	AVERAGE																																																																												







Mode	60																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_106/54RU_7095MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7185.02</td><td>57.30</td><td>88.20 -30.90</td><td>42.60</td><td>36.94</td><td>12.01</td><td>34.25</td><td>0.00</td><td>100</td><td>256 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 7185.02	57.30	88.20 -30.90	42.60	36.94	12.01	34.25	0.00	100	256 PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>105.41</td><td>-----</td><td>91.12</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>256 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 7095.00	105.41	-----	91.12	36.60	11.93	34.24	0.00	100	256 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 7185.02	57.30	88.20 -30.90	42.60	36.94	12.01	34.25	0.00	100	256 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 7095.00	105.41	-----	91.12	36.60	11.93	34.24	0.00	100	256 PEAK																																																																																	
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7241.59</td><td>48.59</td><td>68.20 -19.61</td><td>33.63</td><td>37.17</td><td>12.05</td><td>34.26</td><td>0.00</td><td>100</td><td>256 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 7241.59	48.59	68.20 -19.61	33.63	37.17	12.05	34.26	0.00	100	256 AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>97.39</td><td>-----</td><td>83.14</td><td>36.57</td><td>11.92</td><td>34.24</td><td>0.00</td><td>100</td><td>256 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 7095.00	97.39	-----	83.14	36.57	11.92	34.24	0.00	100	256 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 7241.59	48.59	68.20 -19.61	33.63	37.17	12.05	34.26	0.00	100	256 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 7095.00	97.39	-----	83.14	36.57	11.92	34.24	0.00	100	256 AVERAGE																																																																																	




Mode	61																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>49.93</td><td>88.20</td><td>-38.27</td><td>57.45</td><td>40.40</td><td>18.41</td><td>66.96</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20775.00</td><td>36.67</td><td>74.00</td><td>-37.33</td><td>39.95</td><td>38.25</td><td>20.75</td><td>52.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	49.93	88.20	-38.27	57.45	40.40	18.41	66.96	0.63	--	PEAK	2	20775.00	36.67	74.00	-37.33	39.95	38.25	20.75	52.74	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>50.51</td><td>88.20</td><td>-37.69</td><td>58.03</td><td>40.40</td><td>18.41</td><td>66.96</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20775.00</td><td>35.21</td><td>74.00</td><td>-38.79</td><td>38.49</td><td>38.25</td><td>20.75</td><td>52.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	50.51	88.20	-37.69	58.03	40.40	18.41	66.96	0.63	--	PEAK	2	20775.00	35.21	74.00	-38.79	38.49	38.25	20.75	52.74	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13850.00	49.93	88.20	-38.27	57.45	40.40	18.41	66.96	0.63	--	PEAK																																																																																																					
2	20775.00	36.67	74.00	-37.33	39.95	38.25	20.75	52.74	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13850.00	50.51	88.20	-37.69	58.03	40.40	18.41	66.96	0.63	--	PEAK																																																																																																					
2	20775.00	35.21	74.00	-38.79	38.49	38.25	20.75	52.74	-9.54	--	Peak																																																																																																					




Mode	61	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg





Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL




Mode	62																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14010.00</td><td>51.52</td><td>88.20</td><td>-36.68</td><td>58.53</td><td>40.70</td><td>18.54</td><td>66.89</td><td>0.64</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21015.00</td><td>37.06</td><td>74.00</td><td>-36.94</td><td>40.14</td><td>38.30</td><td>20.87</td><td>52.71</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14010.00	51.52	88.20	-36.68	58.53	40.70	18.54	66.89	0.64	--	PEAK	2	21015.00	37.06	74.00	-36.94	40.14	38.30	20.87	52.71	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14010.00</td><td>51.10</td><td>88.20</td><td>-37.10</td><td>58.11</td><td>40.70</td><td>18.54</td><td>66.89</td><td>0.64</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21015.00</td><td>36.46</td><td>74.00</td><td>-37.54</td><td>39.54</td><td>38.30</td><td>20.87</td><td>52.71</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14010.00	51.10	88.20	-37.10	58.11	40.70	18.54	66.89	0.64	--	PEAK	2	21015.00	36.46	74.00	-37.54	39.54	38.30	20.87	52.71	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14010.00	51.52	88.20	-36.68	58.53	40.70	18.54	66.89	0.64	--	PEAK																																																																																																					
2	21015.00	37.06	74.00	-36.94	40.14	38.30	20.87	52.71	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14010.00	51.10	88.20	-37.10	58.11	40.70	18.54	66.89	0.64	--	PEAK																																																																																																					
2	21015.00	36.46	74.00	-37.54	39.54	38.30	20.87	52.71	-9.54	--	Peak																																																																																																					




Mode	62	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL





Mode	63																																																																																													
	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																													
ANT	2																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7217.00</td><td>57.31</td><td>88.20 -30.89</td><td>42.46</td><td>37.07</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7217.00	57.31	88.20 -30.89	42.46	37.07	12.04	34.26	0.00	100	196	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>92.49</td><td>-----</td><td>78.33</td><td>36.49</td><td>11.91</td><td>34.24</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7085.00	92.49	-----	78.33	36.49	11.91	34.24	0.00	100	196
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7217.00	57.31	88.20 -30.89	42.46	37.07	12.04	34.26	0.00	100	196	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7085.00	92.49	-----	78.33	36.49	11.91	34.24	0.00	100	196	PEAK																																																																																				
Avg																																																																																														
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7236.36</td><td>48.70</td><td>68.20 -19.50</td><td>33.76</td><td>37.15</td><td>12.05</td><td>34.26</td><td>0.00</td><td>100</td><td>196</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7236.36	48.70	68.20 -19.50	33.76	37.15	12.05	34.26	0.00	100	196	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>84.87</td><td>-----</td><td>70.71</td><td>36.49</td><td>11.91</td><td>34.24</td><td>0.00</td><td>100</td><td>196</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7085.00	84.87	-----	70.71	36.49	11.91	34.24	0.00	100	196
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7236.36	48.70	68.20 -19.50	33.76	37.15	12.05	34.26	0.00	100	196	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7085.00	84.87	-----	70.71	36.49	11.91	34.24	0.00	100	196	AVERAGE																																																																																				







Mode	63																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.92</td><td>57.91</td><td>88.20</td><td>-30.29</td><td>43.46</td><td>36.74</td><td>11.96</td><td>34.25</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7134.92	57.91	88.20	-30.29	43.46	36.74	11.96	34.25	0.00	100	256	PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>100.10</td><td>-----</td><td>-----</td><td>85.90</td><td>36.53</td><td>11.91</td><td>34.24</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	100.10	-----	-----	85.90	36.53	11.91	34.24	0.00	100	256	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7134.92	57.91	88.20	-30.29	43.46	36.74	11.96	34.25	0.00	100	256	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7085.00	100.10	-----	-----	85.90	36.53	11.91	34.24	0.00	100	256	PEAK																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7232.84</td><td>48.85</td><td>68.20</td><td>-19.35</td><td>33.94</td><td>37.13</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7232.84	48.85	68.20	-19.35	33.94	37.13	12.04	34.26	0.00	100	256	AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>92.32</td><td>-----</td><td>-----</td><td>78.16</td><td>36.49</td><td>11.91</td><td>34.24</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	92.32	-----	-----	78.16	36.49	11.91	34.24	0.00	100	256	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7232.84	48.85	68.20	-19.35	33.94	37.13	12.04	34.26	0.00	100	256	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7085.00	92.32	-----	-----	78.16	36.49	11.91	34.24	0.00	100	256	AVERAGE																																																																																								




Mode	63																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14170.00</td><td>50.90</td><td>88.20</td><td>-37.30</td><td>57.41</td><td>40.94</td><td>18.62</td><td>66.69</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21255.00</td><td>36.71</td><td>74.00</td><td>-37.29</td><td>39.91</td><td>38.11</td><td>21.03</td><td>52.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	50.90	88.20	-37.30	57.41	40.94	18.62	66.69	0.62	--	PEAK	2	21255.00	36.71	74.00	-37.29	39.91	38.11	21.03	52.00	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14170.00</td><td>51.32</td><td>88.20</td><td>-36.88</td><td>57.83</td><td>40.94</td><td>18.62</td><td>66.69</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21255.00</td><td>35.65</td><td>74.00</td><td>-38.35</td><td>38.85</td><td>38.11</td><td>21.03</td><td>52.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	51.32	88.20	-36.88	57.83	40.94	18.62	66.69	0.62	--	PEAK	2	21255.00	35.65	74.00	-38.35	38.85	38.11	21.03	52.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14170.00	50.90	88.20	-37.30	57.41	40.94	18.62	66.69	0.62	--	PEAK																																																																																																					
2	21255.00	36.71	74.00	-37.29	39.91	38.11	21.03	52.00	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14170.00	51.32	88.20	-36.88	57.83	40.94	18.62	66.69	0.62	--	PEAK																																																																																																					
2	21255.00	35.65	74.00	-38.35	38.85	38.11	21.03	52.00	-9.54	--	Peak																																																																																																					




Mode	63	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg



Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL







Mode	64																																																																																													
	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_242/62RU_7085MHz																																																																																													
ANT	2																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91280-92114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7147.56</td><td>57.29</td><td>88.20 -30.91</td><td>42.78</td><td>36.79</td><td>11.97</td><td>34.25</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7147.56	57.29	88.20 -30.91	42.78	36.79	11.97	34.25	0.00	100	304	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91280-92114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>96.60</td><td>-----</td><td>82.31</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7085.00	96.60	-----	82.31	36.60	11.93	34.24	0.00	100	304	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7147.56	57.29	88.20 -30.91	42.78	36.79	11.97	34.25	0.00	100	304	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7085.00	96.60	-----	82.31	36.60	11.93	34.24	0.00	100	304	PEAK																																																																																				
Avg	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91280-92114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7240.52</td><td>48.99</td><td>68.20 -19.21</td><td>34.04</td><td>37.16</td><td>12.05</td><td>34.26</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7240.52	48.99	68.20 -19.21	34.04	37.16	12.05	34.26	0.00	100	304	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>88.77</td><td>-----</td><td>74.52</td><td>36.57</td><td>11.92</td><td>34.24</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7085.00	88.77	-----	74.52	36.57	11.92	34.24	0.00	100	304	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7240.52	48.99	68.20 -19.21	34.04	37.16	12.05	34.26	0.00	100	304	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7085.00	88.77	-----	74.52	36.57	11.92	34.24	0.00	100	304	AVERAGE																																																																																				



Mode	64																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_242/62RU_7085MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7224.20</td><td>58.06</td><td>88.20</td><td>-30.14</td><td>43.18</td><td>37.10</td><td>12.04</td><td>34.26</td><td>0.00</td><td>103</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7224.20	58.06	88.20	-30.14	43.18	37.10	12.04	34.26	0.00	103	257	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>106.68</td><td>-----</td><td>-----</td><td>92.43</td><td>36.57</td><td>11.92</td><td>34.24</td><td>0.00</td><td>103</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	106.68	-----	-----	92.43	36.57	11.92	34.24	0.00	103	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7224.20	58.06	88.20	-30.14	43.18	37.10	12.04	34.26	0.00	103	257	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7085.00	106.68	-----	-----	92.43	36.57	11.92	34.24	0.00	103	257	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7226.28</td><td>48.86</td><td>68.20</td><td>-19.34</td><td>33.97</td><td>37.11</td><td>12.04</td><td>34.26</td><td>0.00</td><td>103</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7226.28	48.86	68.20	-19.34	33.97	37.11	12.04	34.26	0.00	103	257	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>96.48</td><td>-----</td><td>-----</td><td>82.19</td><td>36.60</td><td>11.93</td><td>34.24</td><td>0.00</td><td>103</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	96.48	-----	-----	82.19	36.60	11.93	34.24	0.00	103	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7226.28	48.86	68.20	-19.34	33.97	37.11	12.04	34.26	0.00	103	257	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7085.00	96.48	-----	-----	82.19	36.60	11.93	34.24	0.00	103	257	AVERAGE																																																																																							





Mode	65																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7141.50</td><td>57.41</td><td>88.20</td><td>-30.79</td><td>42.92</td><td>36.77</td><td>11.97</td><td>34.25</td><td>0.00</td><td>100</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7141.50	57.41	88.20	-30.79	42.92	36.77	11.97	34.25	0.00	100	199	PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6945.00</td><td>96.66</td><td>-----</td><td>-----</td><td>83.11</td><td>36.02</td><td>11.75</td><td>34.22</td><td>0.00</td><td>100</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6945.00	96.66	-----	-----	83.11	36.02	11.75	34.22	0.00	100	199	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7141.50	57.41	88.20	-30.79	42.92	36.77	11.97	34.25	0.00	100	199	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6945.00	96.66	-----	-----	83.11	36.02	11.75	34.22	0.00	100	199	PEAK																																																																																								
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7225.20</td><td>49.05</td><td>68.20</td><td>-19.15</td><td>34.17</td><td>37.10</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7225.20	49.05	68.20	-19.15	34.17	37.10	12.04	34.26	0.00	100	199	AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6945.00</td><td>86.71</td><td>-----</td><td>-----</td><td>73.19</td><td>36.01</td><td>11.73</td><td>34.22</td><td>0.00</td><td>100</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6945.00	86.71	-----	-----	73.19	36.01	11.73	34.22	0.00	100	199	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7225.20	49.05	68.20	-19.15	34.17	37.10	12.04	34.26	0.00	100	199	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6945.00	86.71	-----	-----	73.19	36.01	11.73	34.22	0.00	100	199	AVERAGE																																																																																								







Mode	65																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																	
ANT	2																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7227.60 56.82 88.20 -31.38</td><td>41.93</td><td>37.11</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100</td><td>255</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 7227.60 56.82 88.20 -31.38	41.93	37.11	12.04	34.26	0.00	100	255	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6945.00 101.65 -----</td><td>88.13</td><td>36.01</td><td>11.73</td><td>34.22</td><td>0.00</td><td>100</td><td>255</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 6945.00 101.65 -----	88.13	36.01	11.73	34.22	0.00	100	255	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																										
1 7227.60 56.82 88.20 -31.38	41.93	37.11	12.04	34.26	0.00	100	255	PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																										
1 6945.00 101.65 -----	88.13	36.01	11.73	34.22	0.00	100	255	PEAK																																																																										
Avg	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7155.00 49.00 68.20 -19.20</td><td>34.45</td><td>36.82</td><td>11.98</td><td>34.25</td><td>0.00</td><td>100</td><td>255</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 7155.00 49.00 68.20 -19.20	34.45	36.82	11.98	34.25	0.00	100	255	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6945.00 94.02 -----</td><td>80.50</td><td>36.01</td><td>11.73</td><td>34.22</td><td>0.00</td><td>100</td><td>255</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 6945.00 94.02 -----	80.50	36.01	11.73	34.22	0.00	100	255	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																										
1 7155.00 49.00 68.20 -19.20	34.45	36.82	11.98	34.25	0.00	100	255	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																										
1 6945.00 94.02 -----	80.50	36.01	11.73	34.22	0.00	100	255	AVERAGE																																																																										




Mode	65																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>51.44</td><td>88.20</td><td>-36.76</td><td>58.75</td><td>40.56</td><td>18.44</td><td>66.94</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20835.00</td><td>36.73</td><td>74.00</td><td>-37.27</td><td>39.95</td><td>38.27</td><td>20.78</td><td>52.73</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	51.44	88.20	-36.76	58.75	40.56	18.44	66.94	0.63	--	PEAK	2	20835.00	36.73	74.00	-37.27	39.95	38.27	20.78	52.73	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>50.64</td><td>88.20</td><td>-37.56</td><td>57.95</td><td>40.56</td><td>18.44</td><td>66.94</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20835.00</td><td>36.41</td><td>74.00</td><td>-37.59</td><td>39.63</td><td>38.27</td><td>20.78</td><td>52.73</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	50.64	88.20	-37.56	57.95	40.56	18.44	66.94	0.63	--	PEAK	2	20835.00	36.41	74.00	-37.59	39.63	38.27	20.78	52.73	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13890.00	51.44	88.20	-36.76	58.75	40.56	18.44	66.94	0.63	--	PEAK																																																																																																					
2	20835.00	36.73	74.00	-37.27	39.95	38.27	20.78	52.73	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13890.00	50.64	88.20	-37.56	57.95	40.56	18.44	66.94	0.63	--	PEAK																																																																																																					
2	20835.00	36.41	74.00	-37.59	39.63	38.27	20.78	52.73	-9.54	--	Peak																																																																																																					




Mode	65	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg



Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 HORIZONTAL



Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m 88HA9170_1223_240622 VERTICAL





		66																																																																																						
Mode	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																							
ANT	2																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7205.62</td><td>57.82</td><td>88.20</td><td>-30.38</td><td>43.02</td><td>37.02</td><td>12.03</td><td>34.25</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor								MHz dBuV/m dB dB dB dB dB dB dB cm deg										1	7205.62	57.82	88.20	-30.38	43.02	37.02	12.03	34.25	0.00	100	196	PEAK	Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7025.00</td><td>94.03</td><td>-----</td><td>-----</td><td>80.18</td><td>36.23</td><td>11.85</td><td>34.23</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor								MHz dBuV/m dB dB dB dB dB dB dB cm deg										1	7025.00	94.03	-----	-----	80.18	36.23	11.85	34.23	0.00	100	196	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																																								
1	7205.62	57.82	88.20	-30.38	43.02	37.02	12.03	34.25	0.00	100	196	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																																								
1	7025.00	94.03	-----	-----	80.18	36.23	11.85	34.23	0.00	100	196	PEAK																																																																												
Avg	Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7200.12</td><td>49.17</td><td>68.20</td><td>-19.03</td><td>34.39</td><td>37.00</td><td>12.03</td><td>34.25</td><td>0.00</td><td>100</td><td>196</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor								MHz dBuV/m dB dB dB dB dB dB dB cm deg										1	7200.12	49.17	68.20	-19.03	34.39	37.00	12.03	34.25	0.00	100	196	AVERAGE	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7025.00</td><td>85.12</td><td>-----</td><td>-----</td><td>71.29</td><td>36.21</td><td>11.85</td><td>34.23</td><td>0.00</td><td>100</td><td>196</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor								MHz dBuV/m dB dB dB dB dB dB dB cm deg										1	7025.00	85.12	-----	-----	71.29	36.21	11.85	34.23	0.00	100	196	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																																								
1	7200.12	49.17	68.20	-19.03	34.39	37.00	12.03	34.25	0.00	100	196	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																																								
1	7025.00	85.12	-----	-----	71.29	36.21	11.85	34.23	0.00	100	196	AVERAGE																																																																												







Mode	66																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7218.60</td><td>58.02</td><td>88.20</td><td>-30.18</td><td>43.17</td><td>37.07</td><td>12.04</td><td>34.26</td><td>0.00</td><td>100 243 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7218.60	58.02	88.20	-30.18	43.17	37.07	12.04	34.26	0.00	100 243 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>100.71</td><td>-----</td><td>86.86</td><td>36.23</td><td>11.85</td><td>34.23</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	100.71	-----	86.86	36.23	11.85	34.23	0.00	100	243 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7218.60	58.02	88.20	-30.18	43.17	37.07	12.04	34.26	0.00	100 243 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7025.00	100.71	-----	86.86	36.23	11.85	34.23	0.00	100	243 PEAK																																																																																	
Avg	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7193.08</td><td>49.04</td><td>68.20</td><td>-19.16</td><td>34.30</td><td>36.97</td><td>12.02</td><td>34.25</td><td>0.00</td><td>100 243 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7193.08	49.04	68.20	-19.16	34.30	36.97	12.02	34.25	0.00	100 243 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>93.25</td><td>-----</td><td>79.42</td><td>36.21</td><td>11.85</td><td>34.23</td><td>0.00</td><td>100</td><td>243 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	93.25	-----	79.42	36.21	11.85	34.23	0.00	100	243 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7193.08	49.04	68.20	-19.16	34.30	36.97	12.02	34.25	0.00	100 243 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7025.00	93.25	-----	79.42	36.21	11.85	34.23	0.00	100	243 AVERAGE																																																																																	




Mode	66																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>51.85</td><td>88.20</td><td>-36.35</td><td>58.00</td><td>40.70</td><td>18.56</td><td>66.84</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21075.00</td><td>37.66</td><td>74.00</td><td>-36.34</td><td>40.82</td><td>38.20</td><td>20.91</td><td>52.73</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14050.00	51.85	88.20	-36.35	58.00	40.70	18.56	66.84	0.63	--	PEAK	2	21075.00	37.66	74.00	-36.34	40.82	38.20	20.91	52.73	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>51.71</td><td>88.20</td><td>-36.49</td><td>58.66</td><td>40.70</td><td>18.56</td><td>66.84</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21075.00</td><td>37.13</td><td>74.00</td><td>-36.87</td><td>40.29</td><td>38.20</td><td>20.91</td><td>52.73</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14050.00	51.71	88.20	-36.49	58.66	40.70	18.56	66.84	0.63	--	PEAK	2	21075.00	37.13	74.00	-36.87	40.29	38.20	20.91	52.73	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14050.00	51.85	88.20	-36.35	58.00	40.70	18.56	66.84	0.63	--	PEAK																																																																																																					
2	21075.00	37.66	74.00	-36.34	40.82	38.20	20.91	52.73	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14050.00	51.71	88.20	-36.49	58.66	40.70	18.56	66.84	0.63	--	PEAK																																																																																																					
2	21075.00	37.13	74.00	-36.87	40.29	38.20	20.91	52.73	-9.54	--	Peak																																																																																																					




Mode	66	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL



38.6G
~40G
Avg







Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 HORIZONTAL



Site : 03CH12-HY
Condition: AVG(UNII)_6E 1m BBHA9170_1223_240622 VERTICAL



		67																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-8 6.875-7.125_802.11ax HE80_CH215_Partial_484/66RU_7025MHz																																																																																																					
ANT	2																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7175.26</td><td>57.57</td><td>88.20</td><td>-30.63</td><td>42.92</td><td>36.90</td><td>12.00</td><td>34.25</td><td>0.00</td><td>200</td><td>322 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7175.26	57.57	88.20	-30.63	42.92	36.90	12.00	34.25	0.00	200	322 PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>95.15</td><td>-----</td><td>-----</td><td>81.12</td><td>36.38</td><td>11.89</td><td>34.24</td><td>0.00</td><td>200</td><td>322 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	95.15	-----	-----	81.12	36.38	11.89	34.24	0.00	200	322 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7175.26	57.57	88.20	-30.63	42.92	36.90	12.00	34.25	0.00	200	322 PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7025.00	95.15	-----	-----	81.12	36.38	11.89	34.24	0.00	200	322 PEAK																																																																																											
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7203.64</td><td>48.77</td><td>68.20</td><td>-19.43</td><td>33.98</td><td>37.01</td><td>12.03</td><td>34.25</td><td>0.00</td><td>200</td><td>322 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7203.64	48.77	68.20	-19.43	33.98	37.01	12.03	34.25	0.00	200	322 AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>88.04</td><td>-----</td><td>-----</td><td>74.01</td><td>36.38</td><td>11.89</td><td>34.24</td><td>0.00</td><td>200</td><td>322 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	88.04	-----	-----	74.01	36.38	11.89	34.24	0.00	200	322 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7203.64	48.77	68.20	-19.43	33.98	37.01	12.03	34.25	0.00	200	322 AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7025.00	88.04	-----	-----	74.01	36.38	11.89	34.24	0.00	200	322 AVERAGE																																																																																											