



Spot Check Evaluation

APPLICANT : Amazon.com Services LLC
EQUIPMENT : Digital Media Receiver
MODEL NAME : E78T24
FCC ID : 2A4DH-7824
STANDARD : 47 CFR Part 15 Subpart C §15.247
47 CFR Part 15 Subpart C §15.249
47 CFR Part 15 Subpart E §15.407
TEST DATE(S) : Feb. 20, 2025 ~ Jun. 20, 2025

We, Sporton International Inc. (Kunshan), would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

This report contains data that were produced under subcontract by Sporton International Inc. (Shenzhen)

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Kunshan), the test report shall not be reproduced except in full.

Jason Jia

Approved by: Jason Jia



Sporton International Inc. (Kunshan)

**No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300
People's Republic of China**



TABLE OF CONTENTS

REVISION HISTORY	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Applicant	5
1.2 Product Feature of Equipment Under Test.....	5
1.3 Modification of EUT	5
1.4 Testing Site	6
1.5 Test Software.....	6
1.6 Applicable Standards.....	7
2 RE-USE OF MEASURED DATA.....	8
2.1 Introduction Section	8
2.2 Model Difference Information	8
2.3 Reference detail Section:	9
2.4 Spot Check Verification Data Section.....	10
3 TEST CONFIGURATION OF EQUIPMENT UNDER TEST.....	14
3.1 Connection Diagram of Test System.....	14
3.2 EUT Operation Test Setup	14
3.3 Radiated Band Edges and Spurious Emission Measurement	15
4 LIST OF MEASURING EQUIPMENT.....	19
5 MEASUREMENT UNCERTAINTY	21
APPENDIX A. RADIATED SPURIOUS EMISSION	
APPENDIX B. DUTY CYCLE PLOTS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
4O1117-02A	Rev. 01	Initial issue of report	Apr. 15, 2025
4O1117-02A	Rev. 02	1. Updated the version number of KDB 484596 D01 on Page 7/813 2. Added report number "FR4O1102-01" for 6XD on Page 9 3. Updated relevant RSE test data for Low Power Wideband Radio in WLAN 5G in Appendix A and duty cycle correction factor on Page B14. This report is an updated version, replacing the report issued on Apr. 15, 2025.	Jun. 23, 2025



SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.3	15.247(d) 15.407(b) 15.249(a)	Radiated Band Edges and Radiated Spurious Emission	15.209(a) & 15.247(d) 15.407(b) & 15.209(a) 15.249(a) 15.249(a)(d)	Pass	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty"

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.



1 General Description

1.1 Applicant

Amazon.com Services LLC

410 Terry Avenue N Seattle, WA 98109-5210 United States

1.2 Product Feature of Equipment Under Test

Product Feature	
Equipment	Digital Media Receiver
Model Name	E78T24
FCC ID	2A4DH-7824
Antenna Type	FPC Antenna
Antenna Gain	BT/Zigbee: 2.8 dBi WLAN 2.4GHz: 3.9 dBi WLAN 5GHz: <5180 MHz ~ 5240 MHz>: 3.2 dBi <5260 MHz ~ 5320 MHz>: 3.6 dBi <5500 MHz ~ 5720 MHz>: 3.8 dBi <5745 MHz ~ 5825 MHz>: 3.8 dBi Low Power Wideband Radio in WLAN 5G: 3.8 dBi WLAN 6GHz: <5925 MHz ~ 6425 MHz >: 3.8 dBi <6425 MHz ~ 6525 MHz >: 3.8 dBi <6525 MHz ~ 6875 MHz >: 3.5 dBi <6875 MHz ~ 7125 MHz >: 3.5 dBi
SN Code	Conducted/Conduction/DFS/CBP: G0G428015072009W Radiation: For Part 15C/15E-WLAN 5G /Low Power Wideband Radio in WLAN 5G G0G428015072009Q For 15E-WLAN 6G G0G428015072008B

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.3 Modification of EUT

No modifications are made to the EUT during all test items.

1.4 Testing Site

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

Test Firm	Sporton International Inc. (Kunshan)		
Test Site Location	No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	CO01-KS 03CH06-KS TH01-KS DFS01-KS	CN1257	314309

Sporton International Inc. (ShenZhen) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.01.

Test Firm	Sporton International Inc. (ShenZhen)		
Test Site Location	101, 1st Floor, Block B, Building 1, No. 2, Tengfeng 4th Road, Fenghuang Community, Fuyong Street, Baoan District, Shenzhen City, Guangdong Province 518103 People's Republic of China TEL: +86-755-86066985		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	03CH03-SZ	CN1256	421272

Test data subcontracted: Radiated test case in this report.

1.5 Test Software

Item	Site	Manufacturer	Name	Version
1.	TH01-KS	Tonscend	JS1120-3 test system China_210602	3.3.10
2.	03CH06-KS	AUDIX	E3	210616
3.	DFS01-KS	Sporton	Test Tools	1.0
4.	CO01-KS	AUDIX	E3	6.2009-8-24
5.	03CH03-SZ	AUDIX	E3	6.2009-8-24



1.6 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ FCC KDB 484596 D01 Referencing Test Data v03
- ♦ 47 CFR Part 15 Subpart C §15.247
- ♦ 47 CFR Part 15 Subpart C §15.249
- ♦ 47 CFR Part 15 Subpart E §15.407
- ♦ ANSI C63.10-2013

Remark: All test items were verified and recorded according to the standards and without any deviation during the test.



2 Re-use of Measured Data

2.1 Introduction Section

This application re-uses data collected on a similar device. The subject device of this application (Model: E78T24, FCC ID: 2A4DH-7824) is electrically identical to the reference device (Model: MD6NE4, FCC ID: 2A4DH-6274) for the portions of the circuitry corresponding to the data being re-used, following the FCC KDB 484596 D01 Referencing Test Data v03.

ECR Data Referencing Inquiry has been approved by FCC, and the data referencing and spot check test plan includes RF/EMC, the details are presented in section 2.3 of this report.

The criteria set in section 3 of KDB 484596 D01 v03 is followed to determine whether the data referencing is justified.

The applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID: 2A4DH-7824 .

2.2 Model Difference Information

All the details of similarity and difference between FCC ID: 2A4DH-6274 and FCC ID: 2A4DH-7824 can be found in the confidential documents (2A4DH-7824 Operational Description of Product Equality Declaration).



2.3 Reference detail Section:

Rule Part	Equipment Class	Frequency Band (MHz)	Reference FCC ID (Parent)	Reference on test	Reference Title	FCC ID Filling (Variant)	Test on the variant	Data Referencing (Y/N)
15C	DSS (BR/EDR)	2400~2483.5	2A4DH-6274	Full test	FR4O1117-01A	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
	DTS (BLE)	2400~2483.5	2A4DH-6274	Full test	FR4O1117-01B	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
	DTS (WLAN)	2400~2483.5	2A4DH-6274	Full test	FR4O1117-01C	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
	DTS (Zigbee)	2400~2483.5	2A4DH-6274	Full test	FR4O1117-01D	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
	DXX (Low Power Wideband Radio in Wi-Fi 5GHz)	5725~5875	2A4DH-6274	Full test	FR4O1117-01F	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
15E	U-NII	5180~5240	2A4DH-6274	Full test	FR4O1117-01E	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
		5260~5320	2A4DH-6274	Full test	FR4O1117-01E FZ4O1117-01	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
		5500~5720	2A4DH-6274	Full test	FR4O1117-01E FZ4O1117-01	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
		5745~5825	2A4DH-6274	Full test	FR4O1117-01E	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE
	6XD	5925~7125	2A4DH-6274	Full test	FR4O1117-01G FR4O1102-01	2A4DH-7824	Spot check, Full test on RSE	Y, All test items except for RSE

Y: Pointer to spot-check exhibit; N: Pointer to full test exhibit

2.4 Spot Check Verification Data Section

All test items test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

All test procedures follow the related section of parent report.

Spot-check measurements, while being always compliant with the applicable rule part(s) for the test under consideration, show a deviation d_{dB} from the reference data no larger than 3 dB:

$$d_{dB} = |V_{dB} - R_{dB}| \leq 3 \text{ dB} \quad (1)$$

V_{dB} , the variant spot-check level

R_{dB} , the corresponding measurement level for the reference model

An alternative to the limit of eq. (1) is available, and is based on considering how far the reference data R_{dB} is from the compliance threshold C_{dB} (also expressed in dB), for the particular test under consideration. In this case, if $M_{dB} = |C_{dB} - R_{dB}|$ is the margin in dB from the compliance limit, a spot check may be considered acceptable when the deviation d_{dB} from the reference data satisfies the following condition:

$$d_{dB} = |V_{dB} - R_{dB}| \leq (3 + M_{dB}/20) \text{ dB}, \text{ for } 0 \leq M_{dB} \leq 60 \text{ dB} \quad (2)$$

$$d_{dB} = |V_{dB} - R_{dB}| = 6 \text{ dB}, \text{ for } M_{dB} > 60 \text{ dB}$$

where “| |” is the absolute value of the measured quantity.

When using the option in eq. (2), d_{dB} increases linearly from 3 dB to 6 dB.



Summary for spot check for each rule entry and technology is listed as below:

Mode	Test Item	2A4DH-6274 Parent Worst mode Test Result	2A4DH-7824 Variant Check Test Result	Deviation (dB)	Deviation Limit (dB)
BT 1Mbps (CH00)	Number of Channels	79	79	0	3
	Hopping Channel Separation	1.009	1.157	0.148	3
	Dwell Time of Each Channel	0.31	0.31	0	3
	20dB Bandwidth	0.86	0.86	0	3
	99% Bandwidth	0.755	0.755	0	3
	Conducted Band Edges	-48.24	-49.88	1.64	3
	Conducted Spurious Emission	-44.11	-43.95	0.16	3
BT	AC Conducted Emission	13.73	14.21	0.48	3
BLE 1Mbps (CH39)	6dB Bandwidth	0.70	0.70	0	3
	99% Bandwidth	1.035	1.035	0	3
	Power Spectral Density	-0.24	0.31	0.55	3
	Conducted Band Edges	-46.96	-49.34	2.38	3
	Conducted Spurious Emission	-43.36	-43.82	0.46	3
BLE	AC Conducted Emission	13.73	14.21	0.48	3
Zigbee 2Mbps (CH39)	6dB Bandwidth	1.32	1.34	0.02	3
	99% Bandwidth	2.126	2.126	0	3
	Power Spectral Density	-2.58	-1.92	0.66	3
	Conducted Band Edges	-45.6	-45.78	0.18	3
	Conducted Spurious Emission	-43.62	-44.91	1.29	3
Zigbee	AC Conducted Emission	14.73	14.19	0.54	3
WIFI 2.4G (802.11b CH01)	6dB Bandwidth	8.00	8.04	0.04	3
	99% Bandwidth	12.228	12.707	0.479	3
	Power Spectral Density	-9.26	-9.41	0.15	3
	Conducted Band Edges	-33.02	-35.9	2.88	3
	Conducted Spurious Emission	-44.13	-43.37	0.76	3
WIFI 2.4G	AC Conducted Emission	13.73	14.21	0.48	3
WIFI 5G (802.11a CH157)	26dB Bandwidth	23.34	25.11	1.77	3
	99% Bandwidth	17.181	17.352	0.171	3
	Power Spectral Density	6.91	6.80	0.11	3
WIFI 5G (802.11ax HE160 CH114)	DFS	0.777226	0.819227	0.042001	3
WIFI 5G	AC Conducted Emission	14.99	14.25	0.74	3
Low Power Wideband Radio in Wi-Fi 5GHz (5800MHz)	20dB Bandwidth	141.73	141.87	0.14	3
	99% Bandwidth	129.471	129.790	0.319	3
	AC Conducted Emission	15.17	14.29	0.88	3
WIFI 6G UNII-5 (802.11ax HE160 CH15 6025MHz)-6XD	26dB Emission Bandwidth	161.72	161.98	0.26	3
	99% Occupied Bandwidth	155.886	156.19	0.304	3
	Fundamental Maximum EIRP	17.42	17.33	0.09	3
	Fundamental Power Spectral Density	-1.54	-1.69	0.15	3
	In-Band Emissions	-49.31	-48.72	0.59	3
WIFI 6G UNII-7 (802.11ax HE160 CH143 6665MHz)-6XD	Contention Based Protocol	-63.64	-63.77	0.13	3
WIFI 6G	AC Conducted Emission	15.08	14.29	0.79	3



Test Item	Mode	2A4DH-6274 Parent Worst mode Test Result	2A4DH-7824 Variant Check Test Result	Deviation (dB)	Deviation Limit (dB)
Conducted Power (dBm)	BT BR/EDR	14.19	14.62	0.43	3
	BLE 1Mbps	14.54	14.51	0.03	3
	BLE 2Mbps	14.52	14.36	0.16	3
	Zigbee	13.39	13.87	0.48	3
	11b, 2.4GHz	14.66	15.04	0.38	3
	11g, 2.4GHz	15.67	15.35	0.32	3
	11n HT20, 2.4GHz	14.79	15.27	0.48	3
	11ax HE20, 2.4GHz	15.01	15.38	0.37	3
	11a, 5.2GHz	19.83	19.73	0.10	3
	11a, 5.3GHz	20.33	20.18	0.15	3
	11a, 5.5GHz	20.39	20.30	0.09	3
	11a, 5.8GHz	20.06	19.98	0.08	3
	11n HT20, 5.2GHz	18.72	18.65	0.07	3
	11n HT20, 5.3GHz	19.42	19.21	0.21	3
	11n HT20, 5.5GHz	19.28	19.16	0.12	3
	11n HT20, 5.8GHz	18.85	18.77	0.08	3
	11ac VHT20, 5.2GHz	18.79	18.76	0.03	3
	11ac VHT20, 5.3GHz	19.45	19.30	0.15	3
	11ac VHT20, 5.5GHz	19.35	19.24	0.11	3
	11ac VHT20, 5.8GHz	18.89	18.84	0.05	3
	11ax HE20, 5.2GHz	18.90	18.86	0.04	3
	11ax HE20, 5.3GHz	19.61	19.45	0.16	3
	11ax HE20, 5.5GHz	19.46	19.39	0.07	3
	11ax HE20, 5.8GHz	19.04	18.95	0.09	3
	11n HT40, 5.2GHz	18.82	18.50	0.32	3
	11n HT40, 5.3GHz	18.76	18.57	0.19	3
	11n HT40, 5.5GHz	19.38	19.17	0.21	3
	11n HT40, 5.8GHz	18.94	18.80	0.14	3
	11ac VHT40, 5.2GHz	18.85	18.59	0.26	3
	11ac VHT40, 5.3GHz	18.81	18.66	0.15	3
	11ac VHT40, 5.5GHz	19.42	19.30	0.12	3
	11ac VHT40, 5.8GHz	19.02	18.87	0.15	3
	11ax HE40, 5.2GHz	19.00	18.81	0.19	3
	11ax HE40, 5.3GHz	18.96	18.86	0.10	3
	11ax HE40, 5.5GHz	19.59	19.46	0.13	3
	11ax HE40, 5.8GHz	19.20	19.08	0.12	3
	11ac VHT80, 5.2GHz	14.58	14.41	0.17	3
	11ac VHT80, 5.3GHz	15.85	15.69	0.16	3
	11ac VHT80, 5.5GHz	19.37	19.12	0.25	3
	11ac VHT80, 5.8GHz	18.69	18.58	0.11	3
	11ax HE80, 5.2GHz	14.77	14.57	0.20	3
	11ax HE80, 5.3GHz	15.94	15.87	0.07	3
	11ax HE80, 5.5GHz	19.55	19.31	0.24	3
	11ax HE80, 5.8GHz	18.86	18.71	0.15	3
	11ac VHT160, 5.2GHz	13.47	13.41	0.06	3
	11ac VHT160, 5.3GHz	12.93	12.86	0.07	3
	11ax HE160, 5.2GHz	13.69	13.47	0.22	3
	11ax HE160, 5.3GHz	13.17	13.05	0.12	3
	6XD 11A B5	5.17	5.14	0.03	3
	6XD 11A B6	5.36	5.31	0.05	3
	6XD 11A B7	5.76	5.65	0.11	3

6XD 11AXB8	5.73	5.58	0.15	3
6XD 11AX20 B5	5.34	5.27	0.07	3
6XD 11AX20 B6	5.89	5.82	0.07	3
6XD 11AX20 B7	6.37	6.31	0.06	3
6XD 11AX20 B8	5.77	5.72	0.05	3
6XD 11AX40 B5	8.23	8.16	0.07	3
6XD 11AX40 B6	8.42	8.28	0.14	3
6XD 11AX40 B7	9.27	9.21	0.06	3
6XD 11AX40 B8	8.68	8.59	0.09	3
6XD 11AX80 B5	10.92	10.86	0.06	3
6XD 11AX80 B6	11.49	11.43	0.06	3
6XD 11AX80 B7	11.65	11.57	0.08	3
6XD 11AX80 B8	11.25	11.18	0.07	3
6XD 11AX160 B5	13.52	13.47	0.05	3
6XD 11AX160 B6	13.50	13.36	0.14	3
6XD 11AX160 B7	13.64	13.47	0.17	3
6XD 11AX160 B8	13.28	13.11	0.17	3

Conclusion:

All test items test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

Based on the spot check test result, the test data from the original model is representative for the variant model. All spot check test data are shown within expected level compliant to limit line.

We are using power and ERP/EIRP measurements from the original parent model reports to list on the grant.


We confirm that the test data referencing policy of FCC KDB 484596 D01 Referencing Test Data v03 has been followed and the test data as referenced from the parent model report represents compliance with new FCC ID.

3 Test Configuration of Equipment Under Test

The EUT has been associated with peripherals and configuration operated in a manner tended to maximize its emission characteristics in a typical application. Frequency range investigated: radiation (9 kHz to the 10th harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower). For radiated measurement, pre-scanned in three orthogonal panels, X, Y, Z. The worst cases were recorded in this report. Final RSE test modes are considering the modulation and worse data rates refer to Appendix A.

3.1 Connection Diagram of Test System

Radiated Emission:



3.2 EUT Operation Test Setup

For RF function, the engineering test program was provided and enabled to make EUT continuous transmit.

3.3 Radiated Band Edges and Spurious Emission Measurement

3.3.1 Limit of Radiated Band Edges and Spurious Emission

Emissions which fall in the restricted bands must also comply with the limits as below.

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

3.3.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

1. The testing follows ANSI C63.10-2013 clause 11.11 & 11.12
2. The EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level.
3. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
4. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
5. Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level
6. For testing below 1GHz, if the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then peak values of EUT will be reported, otherwise, the emissions will be repeated one by one using the CISPR quasi-peak method and reported.
7. For testing above 1GHz, the emission level of the EUT in peak mode was 20dB lower than average limit (that means the emission level in average mode also complies with the limit in average mode), then peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
8. Use the following spectrum analyzer settings:
 - (1) Span shall wide enough to fully capture the emission being measured;

- (2) Set RBW=100 kHz for $f < 1$ GHz; VBW $\geq$ RBW; Sweep = auto; Detector function = peak;
Trace = max hold;

- (3) Set RBW = 1 MHz, VBW= 3MHz for $f \geq 1$ GHz for peak measurement.

For average measurement:


- VBW = 10 Hz, when duty cycle is no less than 98 percent.
- VBW $\geq 1/T$, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

For Low Power Wideband Radio in Wi-Fi 5GHz average measurement: use duty cycle correction factor method per 15.35(c).


- Use an RF detector and oscilloscope to measure the duty cycle of the EUT in normal working status.
- Duty cycle = On time/100 milliseconds
- On time = $N_1 \cdot L_1 + N_2 \cdot L_2 + \dots + N_{n-1} \cdot L_{n-1} + N_n \cdot L_n$.
- Where N_1 is number of type 1 pulses, L_1 is length of type 1 pulses, etc.
- Average Emission Level = Peak Emission Level + Duty cycle correction factor
- Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level

3.3.3 Test Setup


For radiated emissions below 30MHz



For radiated emissions from 30MHz to 1GHz



For radiated emissions above 1GHz



3.3.4 Test Results of Radiated Spurious Emissions (9 kHz ~ 30 MHz)

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.



3.3.5 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix A.

3.3.6 Test Result of Radiated Spurious Emission (30MHz ~ 10th Harmonic)

Please refer to Appendix A.

3.3.7 Duty Cycle

Please refer to Appendix B.



4 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Oct. 10, 2024	Mar. 18, 2025	Oct. 09, 2025	Conducted (TH01-KS)
Pulse Power Sensor	Anritsu	MA2411B	0917070	300MHz~40GHz	Jan. 02, 2025	Mar. 18, 2025	Jan. 01, 2026	Conducted (TH01-KS)
Power Meter	Anritsu	ML2495A	1005002	50MHz Bandwidth	Jan. 02, 2025	Mar. 18, 2025	Jan. 01, 2026	Conducted (TH01-KS)
RF Detector	Mini-Circuits	ZX47-64LN	R2190802125	N/A	Oct. 22, 2024	Mar. 18, 2025	Oct. 21, 2025	Conducted (TH01-KS)
OSCILLOSCOPE	NI	USB-5133	1CA35B3	N/A	May 10, 2024	Mar. 18, 2025	May 09, 2025	Conducted (TH01-KS)
EMI Test Receiver	Keysight	N9038A	MY57290157	3Hz~8.5GHz; Max 30dBm	Feb. 22, 2025	Mar. 23, 2025~Jun. 20, 2025	Feb. 21, 2026	Radiation (03CH06-KS)
EXA Spectrum Analyzer	Keysight	N9010B	MY57471084	10Hz~44GHz	Jul. 04, 2024	Mar. 23, 2025~Jun. 20, 2025	Jul. 03, 2025	Radiation (03CH06-KS)
Loop Antenna	R&S	HFH2-Z2E	101125	9kHz~30MHz	Sep. 08, 2024	Mar. 23, 2025~Jun. 20, 2025	Sep. 07, 2025	Radiation (03CH06-KS)
Bilog Antenna	TeseQ	CBL6111D	59913	30MHz~1GHz	Sep. 03, 2024	Mar. 23, 2025~Jun. 20, 2025	Sep. 02, 2025	Radiation (03CH06-KS)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00218652	1GHz~18GHz	Apr. 11, 2024	Mar. 23, 2025~Jun. 20, 2025	Apr. 10, 2025	Radiation (03CH06-KS)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00218652	1GHz~18GHz	Apr. 10, 2025		Apr. 09, 2026	Radiation (03CH06-KS)
SHF-EHF Horn	Com-power	AH-840	101116	18GHz~40GHz	Oct. 22, 2024	Mar. 23, 2025~Jun. 20, 2025	Oct. 21, 2025	Radiation (03CH06-KS)
Amplifier	SONOMA	310N	380827	9KHz ~1GHZ	Jul. 04, 2024	Mar. 23, 2025~Jun. 20, 2025	Jul. 03, 2025	Radiation (03CH06-KS)
Amplifier	EM	EM18G40GA	060728	18~40GHz	Jan. 03, 2025	Mar. 23, 2025~Jun. 20, 2025	Jan. 02, 2026	Radiation (03CH06-KS)
high gain Amplifier	EM	EM01G18GA	060845	1Ghz~18Ghz	Jan. 03, 2025	Mar. 23, 2025~Jun. 20, 2025	Jan. 02, 2026	Radiation (03CH06-KS)
Amplifier	Keysight	83017A	MY57280119	500MHz~26.5GHz	Oct. 09, 2024	Mar. 23, 2025~Jun. 20, 2025	Oct. 08, 2025	Radiation (03CH06-KS)
AC Power Source	Chroma	61601	F104090004	N/A	NCR	Mar. 23, 2025~Jun. 20, 2025	NCR	Radiation (03CH06-KS)
Turn Table	ChamPro	EM 1000-T	060762-T	0~360 degree	NCR	Mar. 23, 2025~Jun. 20, 2025	NCR	Radiation (03CH06-KS)
Antenna Mast	ChamPro	EM 1000-A	060762-A	1 m~4 m	NCR	Mar. 23, 2025~Jun. 20, 2025	NCR	Radiation (03CH06-KS)
EMI Test Receiver&SA	KEYSIGHT	N9038A	MY54450083	20Hz~8.4GHz	Apr. 09, 2024	Mar. 15, 2025	Apr. 08, 2025	Radiation (03CH03-SZ)
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY55150246	10Hz~44GHz;	Apr. 09, 2024	Mar. 15, 2025	Apr. 08, 2025	Radiation (03CH03-SZ)
Loop Antenna	R&S	HFH2-Z2E	101141	9kHz~30MHz	Dec. 28, 2024	Mar. 15, 2025	Dec. 27, 2025	Radiation (03CH03-SZ)
Bilog Antenna	TeseQ	CBL6112D	35408	30MHz~2GHz	Aug. 20, 2023	Mar. 15, 2025	Aug. 19, 2025	Radiation (03CH03-SZ)
Double Ridge Horn Antenna	SCHWARZBECK	BBHA9120D	9120D-1355	1GHz~18GHz	Apr. 09, 2024	Mar. 15, 2025	Apr. 08, 2025	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 03, 2024	Mar. 15, 2025	Jul. 02, 2025	Radiation (03CH03-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz~40GHz	Apr. 09, 2024	Mar. 15, 2025	Apr. 08, 2025	Radiation (03CH03-SZ)
Amplifier	Burgeon	BPA-530	102211	0.01Hz~3000MHz	Oct. 18, 2024	Mar. 15, 2025	Oct. 17, 2025	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	AMF-7D-00101800-30-10P-R	1943528	1GHz~18GHz	Oct. 14, 2024	Mar. 15, 2025	Oct. 13, 2025	Radiation (03CH03-SZ)
Amplifier	Agilent Technologies	83017A	MY39501302	500MHz~26.5GHz	Dec. 27, 2023	Mar. 15, 2025	Dec. 26, 2024	Radiation (03CH03-SZ)
AC Power Source	Chroma	61601	616010002729	N/A	Oct. 18, 2024	Mar. 15, 2025	Oct. 17, 2025	Radiation (03CH03-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Mar. 15, 2025	NCR	Radiation



								(03CH03-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Mar. 15, 2025	NCR	Radiation (03CH03-SZ)
EMI Receiver	R&S	ESCI7	100768	9kHz~7GHz;	Apr. 18, 2024	Mar. 11, 2025	Apr. 17, 2025	Conduction (CO01-KS)
AC LISN (for auxiliary equipment)	MessTec	AN3016	060103	9kHz~30MHz	Aug. 20, 2024	Mar. 11, 2025	Aug. 19, 2025	Conduction (CO01-KS)
AC LISN	MessTec	AN3016	060105	9kHz~30MHz	Apr. 18, 2024	Mar. 11, 2025	Apr. 17, 2025	Conduction (CO01-KS)
AC Power Source	Chroma	61602	ABP00000 0811	AC 0V~300V, 45Hz~1000Hz	Oct. 09, 2024	Mar. 11, 2025	Oct. 08, 2025	Conduction (CO01-KS)
Signal Analyzer	R&S	FSV7	101472	10Hz~7GHz	Jan. 02, 2025	Feb. 20, 2025	Jan. 01, 2026	Conducted (DFS01-KS)
MXG-B RF Vector Signal Genertor	Keysight	5182B /5182BX07	MY562004 17 /MY59360 210	9kHz~7.2GHz	Apr. 17, 2024	Feb. 20, 2025	Apr. 16, 2025	Conducted (DFS01-KS)
Combiner	MTJ Cooperation	MTJ7112	N/A	0.4-6GHz	NCR	Feb. 20, 2025	NCR	Conducted (DFS01-KS)
Signal Analyzer	R&S	FSV7	101472	10Hz~7GHz	Jan. 02, 2025	Apr. 08, 2025	Jan. 01, 2026	CBP (DFS01-KS)
MXG-B RF Vector Signal Genertor	Keysight	5182B /5182BX07	MY562004 17 /MY59360 210	9kHz~7.2GHz	Apr. 17, 2024	Apr. 08, 2025	Apr. 16, 2025	CBP (DFS01-KS)
Combiner	MTJ Cooperation	MTJ7112	N/A	0.4-6GHz	NCR	Apr. 08, 2025	NCR	CBP (DFS01-KS)

NCR: No Calibration Required.

5 Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Spurious Emission & Bandedge	±2.22 dB
Occupied Channel Bandwidth	±0.1 %
Conducted Power	±0.50 dB
Conducted Power Spectral Density	±0.90 dB
Frequency	±0.04ppm

Uncertainty of Conducted Measurement (DFS)

Test Item	Uncertainty
Conducted Generated signal Levels	±0.56 dB
Conducted Time	0.38%

Uncertainty of AC Conducted Emission Measurement (0.15 MHz ~ 30 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.84 dB
---	---------

03CH6-KS

Uncertainty of Radiated Emission Measurement (9 KHz ~ 30 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.30 dB
---	---------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	6.06 dB
---	---------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	5.18 dB
---	---------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	5.38 dB
---	---------



03CH03-SZ

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.0 dB
--	--------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.9 dB
--	--------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.0 dB
--	--------

-THE END-



Appendix A. Radiated Spurious Emission Test Data

Test Engineer :	Levi Zhao	Relative Humidity :	41-42%
		Temperature :	22-23℃

Radiated Spurious Emission Test Modes

For Zigbee

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Zigbee	11	2405	250k	-	-
Mode 2	2400-2483.5	1	Zigbee	19	2445	250k	-	-
Mode 3	2400-2483.5	1	Zigbee	26	2480	250k	-	-

For Bluetooth

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 4	2400-2483.5	1	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 5	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 6	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	-	-	-

For BLE

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 7	2400-2483.5	1	Bluetooth-LE_GSFK	0	2402	1Mbps	-	-
Mode 8	2400-2483.5	1	Bluetooth-LE_GSFK	19	2440	1Mbps	-	-
Mode 9	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	1Mbps	-	-
Mode 10	2400-2483.5	1	Bluetooth-LE_GSFK	0	2402	2Mbps	-	-
Mode 11	2400-2483.5	1	Bluetooth-LE_GSFK	19	2440	2Mbps	-	-
Mode 12	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-



For WLAN 2.4G

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 13	2400-2483.5	2	802.11b	01	2412	1Mbps	-	-
Mode 14	2400-2483.5	2	802.11b	06	2437	1Mbps	-	-
Mode 15	2400-2483.5	2	802.11b	11	2462	1Mbps	-	-
Mode 16	2400-2483.5	2	802.11b	12	2467	1Mbps	-	-
Mode 17	2400-2483.5	2	802.11b	13	2472	1Mbps	-	-
Mode 18	2400-2483.5	2	802.11g	01	2412	6Mbps	-	-
Mode 19	2400-2483.5	2	802.11g	06	2437	6Mbps	-	-
Mode 20	2400-2483.5	2	802.11g	11	2462	6Mbps	-	-
Mode 21	2400-2483.5	2	802.11g	12	2467	6Mbps	-	-
Mode 22	2400-2483.5	2	802.11g	13	2472	6Mbps	-	-
Mode 23	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 24	2400-2483.5	2	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 25	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 26	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	Full RU	-
Mode 27	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	Full RU	-
Mode 28	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 29	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 30	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 31	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 32	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 33	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 34	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU26/8	-
Mode 35	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU52/40	-
Mode 36	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU106/54	-
Mode 37	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU26/8	-
Mode 38	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU52/40	-
Mode 39	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU106/54	-

For Co-location

Mode	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 40	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	1Mbps	-	-
	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	-	-
Mode 41	2400-2483.5	1	Zigbee	26	2480	250k	-	-
	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	-	-
Mode 42	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	1Mbps	-	-
	Low Power Wideband Radio in Wi-Fi 5GHz TX	2	FMCW	Middle	5800	-	-	-
Mode 43	2400-2483.5	1	Zigbee	26	2480	250k	-	-
	Low Power Wideband Radio in Wi-Fi 5GHz TX	2	FMCW	Middle	5800	-	-	-

Summary of each worse mode

For Zigbee

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Zigbee	11	2386.96	39.92	54.00	-14.08	H	AVERAGE	Pass	Band Edge
1	Zigbee	11	4810.00	40.18	74.00	-33.82	V	PEAK	Pass	Harmonic
2	Zigbee	19	-	-	-	-	-	-	-	Band Edge
2	Zigbee	19	7335.00	46.79	74.00	-27.21	H	PEAK	Pass	Harmonic
3	Zigbee	26	2483.62	70.73	74.00	-3.27	H	PEAK	Pass	Band Edge
3	Zigbee	26	7440.00	43.68	74.00	-30.32	H	PEAK	Pass	Harmonic

For Bluetooth

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
4	Bluetooth BR_GFSK	0	2385.79	50.33	74.00	-23.67	V	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	0	4804.00	39.41	74.00	-34.59	V	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	43.37	74.00	-30.63	H	Peak	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2484.37	52.98	74.00	-21.02	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	42.72	74.00	-31.28	H	PEAK	Pass	Harmonic

For BLE

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
7	Bluetooth-LE_GSKF	0	2389.95	38.06	54.00	-15.94	H	AVERAGE	Pass	Band Edge
7	Bluetooth-LE_GSKF	0	4804.00	40.42	74.00	-33.58	H	PEAK	Pass	Harmonic
8	Bluetooth-LE_GSKF	19	-	-	-	-	-	-	-	Band Edge
8	Bluetooth-LE_GSKF	19	7320.00	42.31	74.00	-31.69	V	PEAK	Pass	Harmonic
9	Bluetooth-LE_GSKF	39	2483.80	43.53	54.00	-10.47	H	AVERAGE	Pass	Band Edge
9	Bluetooth-LE_GSKF	39	7440.00	42.26	74.00	-31.74	V	PEAK	Pass	Harmonic
10	Bluetooth-LE_GSKF	0	2388.91	39.69	54.00	-14.31	H	AVERAGE	Pass	Band Edge
10	Bluetooth-LE_GSKF	0	4804.00	39.72	74.00	-34.28	H	PEAK	Pass	Harmonic
11	Bluetooth-LE_GSKF	19	-	-	-	-	-	-	-	Band Edge
11	Bluetooth-LE_GSKF	19	7320.00	42.57	74.00	-31.43	H	PEAK	Pass	Harmonic
12	Bluetooth-LE_GSKF	39	2483.50	50.40	54.00	-3.60	H	AVERAGE	Pass	Band Edge
12	Bluetooth-LE_GSKF	39	7440.00	42.09	74.00	-31.91	H	PEAK	Pass	Harmonic



For WLAN 2.4G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
13	802.11b	01	2386.31	43.82	54.00	-10.18	V	AVERAGE	Pass	Band Edge
13	802.11b	01	4824.00	45.56	74.00	-28.44	H	Peak	Pass	Harmonic
14	802.11b	06	-	-	-	-	-	-	-	Band Edge
14	802.11b	06	4874.00	44.91	74.00	-29.09	H	PEAK	Pass	Harmonic
15	802.11b	11	2483.50	47.00	54.00	-7.00	V	AVERAGE	Pass	Band Edge
15	802.11b	11	7386.00	46.35	74.00	-27.65	H	PEAK	Pass	Harmonic
16	802.11b	12	2483.50	48.11	54.00	-5.89	V	AVERAGE	Pass	Band Edge
16	802.11b	12	7401.00	46.54	74.00	-27.46	V	PEAK	Pass	Harmonic
17	802.11b	13	2483.75	50.25	54.00	-3.75	V	AVERAGE	Pass	Band Edge
17	802.11b	13	7416.00	42.23	74.00	-31.77	H	PEAK	Pass	Harmonic
18	802.11g	01	2389.95	46.67	54.00	-7.33	V	AVERAGE	Pass	Band Edge
18	802.11g	01	4824.00	40.18	74.00	-33.82	H	PEAK	Pass	Harmonic
19	802.11g	06	-	-	-	-	-	-	-	Band Edge
19	802.11g	06	7311.00	47.53	74.00	-26.47	H	PEAK	Pass	Harmonic
20	802.11g	11	2483.50	49.83	54.00	-4.17	V	AVERAGE	Pass	Band Edge
20	802.11g	11	7386.00	42.94	74.00	-31.06	H	PEAK	Pass	Harmonic
21	802.11g	12	2486.15	50.38	54.00	-3.62	V	AVERAGE	Pass	Band Edge
21	802.11g	12	7401.00	42.54	74.00	-31.46	H	PEAK	Pass	Harmonic
22	802.11g	13	2484.10	50.58	54.00	-3.42	V	AVERAGE	Pass	Band Edge
22	802.11g	13	7416.00	43.00	74.00	-31.00	H	PEAK	Pass	Harmonic
23	802.11ax HE20	01	2388.91	46.19	54.00	-7.81	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	01	4824.00	40.14	74.00	-33.86	V	PEAK	Pass	Harmonic
24	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	06	7311.00	44.79	74.00	-29.21	H	PEAK	Pass	Harmonic
25	802.11ax HE20	11	2483.50	50.81	54.00	-3.19	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	11	7386.00	43.50	74.00	-30.50	V	PEAK	Pass	Harmonic
26	802.11ax HE20	12	2486.20	50.65	54.00	-3.35	V	AVERAGE	Pass	Band Edge
26	802.11ax HE20	12	7401.00	42.49	74.00	-31.51	H	PEAK	Pass	Harmonic
27	802.11ax HE20	13	2483.50	50.88	54.00	-3.12	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	13	7416.00	43.21	74.00	-30.79	H	PEAK	Pass	Harmonic
28	802.11ax HE20	01	2387.09	40.00	54.00	-14.00	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	01	2388.78	40.04	54.00	-13.96	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	01	2389.95	42.97	54.00	-11.03	V	AVERAGE	Pass	Band Edge
30	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	11	2488.18	41.73	54.00	-12.27	V	AVERAGE	Pass	Band Edge
31	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	11	2485.06	42.41	54.00	-11.59	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic







33	802.11ax HE20	11	2483.98	47.69	54.00	-6.31	H	AVERAGE	Pass	Band Edge
33	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
34	802.11ax HE20	12	2484.05	42.67	54.00	-11.33	V	AVERAGE	Pass	Band Edge
34	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE20	12	2483.75	42.93	54.00	-11.07	V	AVERAGE	Pass	Band Edge
35	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
36	802.11ax HE20	12	2483.50	46.36	54.00	-7.64	V	AVERAGE	Pass	Band Edge
36	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
37	802.11ax HE20	13	2483.50	50.64	54.00	-3.36	V	AVERAGE	Pass	Band Edge
37	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
38	802.11ax HE20	13	2483.55	50.56	54.00	-3.44	V	AVERAGE	Pass	Band Edge
38	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
39	802.11ax HE20	13	2483.65	49.66	54.00	-4.34	V	AVERAGE	Pass	Band Edge
39	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic

For Co-location





Mode	Modulation	Ch./BW	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
40	Bluetooth-LE_GSKF	39	2483.74	46.49	54.00	-7.51	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	39.64	74	-34.36	V	PEAK	Pass	Harmonic
	802.11ax HE20	11	2483.56	46.26	54.00	-7.74	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	42.04	74.00	-31.96	H	PEAK	Pass	Harmonic
41	Bluetooth-LE_GSKF	26	2496.34	51.00	54.00	-3.00	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	26	7440.00	41.38	74.00	-32.62	V	PEAK	Pass	Harmonic
	802.11ax HE20	11	2483.50	47.56	54.00	-6.44	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	42.00	74.00	-32.00	H	PEAK	Pass	Harmonic
42	Bluetooth-LE_GSKF	39	2483.92	45.28	54.00	-8.72	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	42.49	74.00	-31.51	H	PEAK	Pass	Harmonic
	Low Power Wideband Radio in Wi-Fi 5GHz	Mid	5800	106.62	114.00	-7.38	V	PEAK	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	Mid	5800	87.58	94.00	-6.42	V	AVERAGE	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	Mid	11600.00	46.15	74.00	-27.85	H	PEAK	Pass	Harmonic
43	Zigbee	26	2483.50	46.94	54.00	-7.06	H	AVERAGE	Pass	Band Edge
	Zigbee	26	7440.00	42.69	74.00	-31.31	V	PEAK	Pass	Harmonic
	Low Power Wideband Radio in Wi-Fi 5GHz	Mid	5800	107.56	114.00	-6.44	V	PEAK	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	Mid	5800	88.52	94.00	-5.48	V	AVERAGE	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	Mid	11600.00	46.74	74.00	-27.26	V	PEAK	Pass	Harmonic





For Zigbee

Mode	1																																																																																																					
Mode	Band Edge																																																																																																					
Mode	2400-2483.5_Zigbee_CH11_2405MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.76</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>43.41</td><td>31.99</td><td>7.07</td><td>37.06</td><td>6.00</td><td>126</td><td>346</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.76	51.41	74.00	-22.59	43.41	31.99	7.07	37.06	6.00	126	346	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>114.19</td><td>-----</td><td>-----</td><td>105.78</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>126</td><td>346</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2405.00	114.19	-----	-----	105.78	32.31	7.13	37.03	6.00	126	346	PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2368.76	51.41	74.00	-22.59	43.41	31.99	7.07	37.06	6.00	126	346	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2405.00	114.19	-----	-----	105.78	32.31	7.13	37.03	6.00	126	346	PEAK																																																																																										
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>39.92</td><td>54.00</td><td>-14.08</td><td>31.70</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>126</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.96	39.92	54.00	-14.08	31.70	32.17	7.10	37.05	6.00	126	346	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>111.55</td><td>-----</td><td>-----</td><td>103.14</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>126</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2405.00	111.55	-----	-----	103.14	32.31	7.13	37.03	6.00	126	346	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2386.96	39.92	54.00	-14.08	31.70	32.17	7.10	37.05	6.00	126	346	AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2405.00	111.55	-----	-----	103.14	32.31	7.13	37.03	6.00	126	346	AVERAGE																																																																																										





Mode	1																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Zigbee_CH11_2405MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.31</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>43.00</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>325 332 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	51.21	74.00	-22.79	43.00	32.16	7.10	37.05	6.00	325 332 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>111.71</td><td>-----</td><td>-----</td><td>103.30</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>325 332 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	111.71	-----	-----	103.30	32.31	7.13	37.03	6.00	325 332 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2386.31	51.21	74.00	-22.79	43.00	32.16	7.10	37.05	6.00	325 332 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2405.00	111.71	-----	-----	103.30	32.31	7.13	37.03	6.00	325 332 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.65</td><td>39.91</td><td>54.00</td><td>-14.09</td><td>31.67</td><td>32.19</td><td>7.10</td><td>37.05</td><td>6.00</td><td>325 332 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	39.91	54.00	-14.09	31.67	32.19	7.10	37.05	6.00	325 332 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>109.17</td><td>-----</td><td>-----</td><td>100.76</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>325 332 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	109.17	-----	-----	100.76	32.31	7.13	37.03	6.00	325 332 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2388.65	39.91	54.00	-14.09	31.67	32.19	7.10	37.05	6.00	325 332 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2405.00	109.17	-----	-----	100.76	32.31	7.13	37.03	6.00	325 332 AVERAGE																																																																																







Mode	1																																																												
	Harmonic																																																												
	2400-2483.5_Zigbee_CH11_2405MHz																																																												
ANT	1																																																												
Pol.	Horizontal						Vertical																																																						
Peak Avg																																																													
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4810.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>61.05</td><td>34.08</td><td>10.21</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	39.86	74.00	-34.14	61.05	34.08	10.21	65.48	0.00	---	---	PEAK	<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4810.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>61.37</td><td>34.08</td><td>10.21</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	40.18	74.00	-33.82	61.37	34.08	10.21	65.48	0.00	---	---	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	4810.00	39.86	74.00	-34.14	61.05	34.08	10.21	65.48	0.00	---	---	PEAK																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	4810.00	40.18	74.00	-33.82	61.37	34.08	10.21	65.48	0.00	---	---	PEAK																																																	







Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Zigbee_CH19_2445MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4890.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>66.37</td><td>34.16</td><td>10.31</td><td>65.54</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7335.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>64.66</td><td>35.77</td><td>12.72</td><td>66.36</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4890.00	45.30	74.00	-28.70	66.37	34.16	10.31	65.54	0.00	---	PEAK	2	7335.00	46.79	74.00	-27.21	64.66	35.77	12.72	66.36	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4890.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>64.09</td><td>34.16</td><td>10.31</td><td>65.54</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7335.00</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>61.06</td><td>35.77</td><td>12.72</td><td>66.36</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4890.00	43.82	74.00	-30.18	64.09	34.16	10.31	65.54	0.00	---	PEAK	2	7335.00	43.19	74.00	-30.81	61.06	35.77	12.72	66.36	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4890.00	45.30	74.00	-28.70	66.37	34.16	10.31	65.54	0.00	---	PEAK																																																																																																																			
2	7335.00	46.79	74.00	-27.21	64.66	35.77	12.72	66.36	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4890.00	43.82	74.00	-30.18	64.09	34.16	10.31	65.54	0.00	---	PEAK																																																																																																																			
2	7335.00	43.19	74.00	-30.81	61.06	35.77	12.72	66.36	0.00	---	PEAK																																																																																																																			





Mode	3																																																						
	Band Edge																																																						
	2400-2483.5_Zigbee_CH26_2480MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.62</td><td>70.73</td><td>74.00</td><td>-3.27</td><td>57.63</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>127</td><td>233 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.62	70.73	74.00	-3.27	57.63	32.60	6.73	32.23	6.00	127	233 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2483.62	70.73	74.00	-3.27	57.63	32.60	6.73	32.23	6.00	127	233 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>112.00</td><td>-----</td><td>-----</td><td>99.00</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>127</td><td>233 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	112.00	-----	-----	99.00	32.58	6.73	32.23	6.00	127	233 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2480.00	112.00	-----	-----	99.00	32.58	6.73	32.23	6.00	127	233 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.50</td><td>50.38</td><td>54.00</td><td>-3.62</td><td>37.28</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>127</td><td>233 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.50	50.38	54.00	-3.62	37.28	32.60	6.73	32.23	6.00	127	233 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2483.50	50.38	54.00	-3.62	37.28	32.60	6.73	32.23	6.00	127	233 AVERAGE																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>108.38</td><td>-----</td><td>-----</td><td>95.30</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>127</td><td>233 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	108.38	-----	-----	95.30	32.58	6.73	32.23	6.00	127	233 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2480.00	108.38	-----	-----	95.30	32.58	6.73	32.23	6.00	127	233 AVERAGE																																													





Mode	3																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>68.43</td><td>74.00</td><td>-5.57</td><td>55.33</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>101 230 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	68.43	74.00	-5.57	55.33	32.60	6.73	32.23	6.00	101 230 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>110.36</td><td>-----</td><td>-----</td><td>97.28</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>101 230 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	110.36	-----	-----	97.28	32.58	6.73	32.23	6.00	101 230 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.56	68.43	74.00	-5.57	55.33	32.60	6.73	32.23	6.00	101 230 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	110.36	-----	-----	97.28	32.58	6.73	32.23	6.00	101 230 PEAK																																																																																
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>35.34</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>101 230 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.44	54.00	-5.56	35.34	32.60	6.73	32.23	6.00	101 230 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.78</td><td>-----</td><td>-----</td><td>94.70</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>101 230 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.78	-----	-----	94.70	32.58	6.73	32.23	6.00	101 230 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	48.44	54.00	-5.56	35.34	32.60	6.73	32.23	6.00	101 230 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	107.78	-----	-----	94.70	32.58	6.73	32.23	6.00	101 230 AVERAGE																																																																																



Mode	3																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.34</td><td>74.00</td><td>-33.66</td><td>61.31</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.68</td><td>74.00</td><td>-30.32</td><td>61.73</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.34	74.00	-33.66	61.31	34.22	10.40	65.59	0.00	---	PEAK	2	7440.00	43.68	74.00	-30.32	61.73	35.00	12.78	66.63	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.61</td><td>74.00</td><td>-33.39</td><td>61.58</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.93</td><td>74.00</td><td>-31.07</td><td>60.98</td><td>35.80</td><td>12.78</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.61	74.00	-33.39	61.58	34.22	10.40	65.59	0.00	---	PEAK	2	7440.00	42.93	74.00	-31.07	60.98	35.80	12.78	66.63	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.34	74.00	-33.66	61.31	34.22	10.40	65.59	0.00	---	PEAK																																																																																																																			
2	7440.00	43.68	74.00	-30.32	61.73	35.00	12.78	66.63	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.61	74.00	-33.39	61.58	34.22	10.40	65.59	0.00	---	PEAK																																																																																																																			
2	7440.00	42.93	74.00	-31.07	60.98	35.80	12.78	66.63	0.00	---	PEAK																																																																																																																			





Mode	3	
	18G-25G	
	2400-2483.5_Zigbee_CH26_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	3																																																																																																																																																																																															
	30-1G																																																																																																																																																																																															
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																																																																																																															
ANT	1																																																																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																																																																									
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks labeled 1 through 6. A red line indicates the limit, and a red label 'Part 15C' is present. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>135.73</td><td>22.51</td><td>43.50</td><td>-20.99</td><td>35.31</td><td>17.49</td><td>1.77</td><td>32.06</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>234.67</td><td>32.51</td><td>46.00</td><td>-13.49</td><td>45.49</td><td>16.59</td><td>2.34</td><td>31.91</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>347.19</td><td>24.10</td><td>46.00</td><td>-21.90</td><td>33.11</td><td>20.15</td><td>2.84</td><td>32.00</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>624.61</td><td>26.15</td><td>46.00</td><td>-19.85</td><td>28.18</td><td>26.20</td><td>3.82</td><td>32.05</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>853.53</td><td>29.77</td><td>46.00</td><td>-16.23</td><td>27.12</td><td>29.69</td><td>4.44</td><td>31.48</td><td>--</td><td>-- Peak</td></tr><tr><td>6</td><td>961.20</td><td>30.92</td><td>54.00</td><td>-23.08</td><td>26.11</td><td>30.68</td><td>4.71</td><td>30.58</td><td>--</td><td>-- Peak</td></tr></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	135.73	22.51	43.50	-20.99	35.31	17.49	1.77	32.06	--	-- Peak	2	234.67	32.51	46.00	-13.49	45.49	16.59	2.34	31.91	--	-- Peak	3	347.19	24.10	46.00	-21.90	33.11	20.15	2.84	32.00	--	-- Peak	4	624.61	26.15	46.00	-19.85	28.18	26.20	3.82	32.05	--	-- Peak	5	853.53	29.77	46.00	-16.23	27.12	29.69	4.44	31.48	--	-- Peak	6	961.20	30.92	54.00	-23.08	26.11	30.68	4.71	30.58	--	-- Peak	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks labeled 1 through 6. A red line indicates the limit, and a red label 'Part 15C' is present. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>42.61</td><td>32.92</td><td>40.00</td><td>-7.08</td><td>45.95</td><td>18.16</td><td>1.00</td><td>32.19</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>81.41</td><td>28.58</td><td>40.00</td><td>-11.42</td><td>45.62</td><td>13.55</td><td>1.38</td><td>31.97</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>128.94</td><td>27.64</td><td>43.50</td><td>-15.86</td><td>40.43</td><td>17.55</td><td>1.72</td><td>32.06</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>190.05</td><td>27.56</td><td>43.50</td><td>-15.94</td><td>42.85</td><td>14.70</td><td>2.09</td><td>32.08</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>224.00</td><td>33.39</td><td>46.00</td><td>-12.61</td><td>47.62</td><td>15.46</td><td>2.28</td><td>31.97</td><td>--</td><td>-- Peak</td></tr><tr><td>6</td><td>238.55</td><td>34.78</td><td>46.00</td><td>-11.22</td><td>47.25</td><td>17.06</td><td>2.36</td><td>31.89</td><td>--</td><td>-- Peak</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	42.61	32.92	40.00	-7.08	45.95	18.16	1.00	32.19	--	-- Peak	2	81.41	28.58	40.00	-11.42	45.62	13.55	1.38	31.97	--	-- Peak	3	128.94	27.64	43.50	-15.86	40.43	17.55	1.72	32.06	--	-- Peak	4	190.05	27.56	43.50	-15.94	42.85	14.70	2.09	32.08	--	-- Peak	5	224.00	33.39	46.00	-12.61	47.62	15.46	2.28	31.97	--	-- Peak	6	238.55	34.78	46.00	-11.22	47.25	17.06	2.36	31.89	--	-- Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	135.73	22.51	43.50	-20.99	35.31	17.49	1.77	32.06	--	-- Peak																																																																																																																																																																																						
2	234.67	32.51	46.00	-13.49	45.49	16.59	2.34	31.91	--	-- Peak																																																																																																																																																																																						
3	347.19	24.10	46.00	-21.90	33.11	20.15	2.84	32.00	--	-- Peak																																																																																																																																																																																						
4	624.61	26.15	46.00	-19.85	28.18	26.20	3.82	32.05	--	-- Peak																																																																																																																																																																																						
5	853.53	29.77	46.00	-16.23	27.12	29.69	4.44	31.48	--	-- Peak																																																																																																																																																																																						
6	961.20	30.92	54.00	-23.08	26.11	30.68	4.71	30.58	--	-- Peak																																																																																																																																																																																						
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	42.61	32.92	40.00	-7.08	45.95	18.16	1.00	32.19	--	-- Peak																																																																																																																																																																																						
2	81.41	28.58	40.00	-11.42	45.62	13.55	1.38	31.97	--	-- Peak																																																																																																																																																																																						
3	128.94	27.64	43.50	-15.86	40.43	17.55	1.72	32.06	--	-- Peak																																																																																																																																																																																						
4	190.05	27.56	43.50	-15.94	42.85	14.70	2.09	32.08	--	-- Peak																																																																																																																																																																																						
5	224.00	33.39	46.00	-12.61	47.62	15.46	2.28	31.97	--	-- Peak																																																																																																																																																																																						
6	238.55	34.78	46.00	-11.22	47.25	17.06	2.36	31.89	--	-- Peak																																																																																																																																																																																						





For Bluetooth

Mode	4																																																																		
	Band Edge																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																		
ANT	1																																																																		
Pol.	Horizontal																																																																		
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.89</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>40.81</td><td>32.12</td><td>7.09</td><td>37.05</td><td>6.00</td><td>107</td><td>340 PEAK</td></tr><tr><td>2</td><td>2381.89</td><td>24.18</td><td>54.00</td><td>-29.82</td><td>16.02</td><td>32.12</td><td>7.09</td><td>37.05</td><td>6.00</td><td>107</td><td>340 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.89	48.97	74.00	-25.03	40.81	32.12	7.09	37.05	6.00	107	340 PEAK	2	2381.89	24.18	54.00	-29.82	16.02	32.12	7.09	37.05	6.00	107	340 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2381.89	48.97	74.00	-25.03	40.81	32.12	7.09	37.05	6.00	107	340 PEAK																																																								
2	2381.89	24.18	54.00	-29.82	16.02	32.12	7.09	37.05	6.00	107	340 AVERAGE																																																								
Fundamental																																																																			
																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>111.28</td><td>-----</td><td>-----</td><td>102.90</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>107</td><td>340 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>86.49</td><td>-----</td><td>-----</td><td>78.11</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>107</td><td>340 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	111.28	-----	-----	102.90	32.30	7.12	37.04	6.00	107	340 PEAK	2	2402.00	86.49	-----	-----	78.11	32.30	7.12	37.04	6.00	107	340 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2402.00	111.28	-----	-----	102.90	32.30	7.12	37.04	6.00	107	340 PEAK																																																								
2	2402.00	86.49	-----	-----	78.11	32.30	7.12	37.04	6.00	107	340 AVERAGE																																																								





Mode	4																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.79</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>42.12</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>283 PEAK</td></tr><tr><td>2</td><td>2385.79</td><td>25.54</td><td>54.00</td><td>-28.46</td><td>17.33</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>283 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.79	50.33	74.00	-23.67	42.12	32.16	7.10	37.05	6.00	100	283 PEAK	2	2385.79	25.54	54.00	-28.46	17.33	32.16	7.10	37.05	6.00	100	283 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.56</td><td>-----</td><td>-----</td><td>98.18</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>100</td><td>283 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.77</td><td>-----</td><td>-----</td><td>73.39</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>100</td><td>283 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.56	-----	-----	98.18	32.30	7.12	37.04	6.00	100	283 PEAK	2	2402.00	81.77	-----	-----	73.39	32.30	7.12	37.04	6.00	100	283 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2385.79	50.33	74.00	-23.67	42.12	32.16	7.10	37.05	6.00	100	283 PEAK																																																																																																																		
2	2385.79	25.54	54.00	-28.46	17.33	32.16	7.10	37.05	6.00	100	283 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	106.56	-----	-----	98.18	32.30	7.12	37.04	6.00	100	283 PEAK																																																																																																																		
2	2402.00	81.77	-----	-----	73.39	32.30	7.12	37.04	6.00	100	283 AVERAGE																																																																																																																		





Mode	4																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>60.51</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.31	74.00	-34.69	60.51	34.08	10.20	65.48	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>60.61</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.41	74.00	-34.59	60.61	34.08	10.20	65.48	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	39.31	74.00	-34.69	60.51	34.08	10.20	65.48	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	39.41	74.00	-34.59	60.61	34.08	10.20	65.48	0.00	---	---	PEAK																																																																																														





Mode	5																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.91</td><td>74.00</td><td>-34.09</td><td>60.99</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>7323.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>61.23</td><td>35.75</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.91	74.00	-34.09	60.99	34.15	10.30	65.53	0.00	--- Peak	2	7323.00	43.37	74.00	-30.63	61.23	35.75	12.72	66.33	0.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>61.12</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>7323.00</td><td>42.93</td><td>74.00</td><td>-31.07</td><td>60.79</td><td>35.75</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.04	74.00	-33.96	61.12	34.15	10.30	65.53	0.00	--- Peak	2	7323.00	42.93	74.00	-31.07	60.79	35.75	12.72	66.33	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4882.00	39.91	74.00	-34.09	60.99	34.15	10.30	65.53	0.00	--- Peak																																																																																																																
2	7323.00	43.37	74.00	-30.63	61.23	35.75	12.72	66.33	0.00	--- Peak																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4882.00	40.04	74.00	-33.96	61.12	34.15	10.30	65.53	0.00	--- Peak																																																																																																																
2	7323.00	42.93	74.00	-31.07	60.79	35.75	12.72	66.33	0.00	--- Peak																																																																																																																





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.37</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>44.10</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>117</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>2484.37</td><td>28.19</td><td>54.00</td><td>-25.81</td><td>19.31</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>117</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.37	52.98	74.00	-21.02	44.10	32.47	7.26	36.85	6.00	117	345	PEAK	2	2484.37	28.19	54.00	-25.81	19.31	32.47	7.26	36.85	6.00	117	345	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>113.47</td><td>-----</td><td>-----</td><td>104.62</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>117</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>88.68</td><td>-----</td><td>-----</td><td>79.83</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>117</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	113.47	-----	-----	104.62	32.46	7.25	36.86	6.00	117	345	PEAK	2	2480.00	88.68	-----	-----	79.83	32.46	7.25	36.86	6.00	117	345	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2484.37	52.98	74.00	-21.02	44.10	32.47	7.26	36.85	6.00	117	345	PEAK																																																																																																																		
2	2484.37	28.19	54.00	-25.81	19.31	32.47	7.26	36.85	6.00	117	345	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	113.47	-----	-----	104.62	32.46	7.25	36.86	6.00	117	345	PEAK																																																																																																																		
2	2480.00	88.68	-----	-----	79.83	32.46	7.25	36.86	6.00	117	345	AVERAGE																																																																																																																		





Mode	6																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>41.44</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>137</td><td>301 PEAK</td></tr><tr><td>2</td><td>2483.66</td><td>25.53</td><td>54.00</td><td>-28.47</td><td>16.65</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>137</td><td>301 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	50.32	74.00	-23.68	41.44	32.47	7.26	36.85	6.00	137	301 PEAK	2	2483.66	25.53	54.00	-28.47	16.65	32.47	7.26	36.85	6.00	137	301 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.02</td><td>-----</td><td>-----</td><td>100.17</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>137</td><td>301 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.23</td><td>-----</td><td>-----</td><td>75.38</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>137</td><td>301 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.02	-----	-----	100.17	32.46	7.25	36.86	6.00	137	301 PEAK	2	2480.00	84.23	-----	-----	75.38	32.46	7.25	36.86	6.00	137	301 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.66	50.32	74.00	-23.68	41.44	32.47	7.26	36.85	6.00	137	301 PEAK																																																																																																																		
2	2483.66	25.53	54.00	-28.47	16.65	32.47	7.26	36.85	6.00	137	301 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	109.02	-----	-----	100.17	32.46	7.25	36.86	6.00	137	301 PEAK																																																																																																																		
2	2480.00	84.23	-----	-----	75.38	32.46	7.25	36.86	6.00	137	301 AVERAGE																																																																																																																		





Mode	6																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>61.21</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.72</td><td>74.00</td><td>-31.28</td><td>60.77</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.24	74.00	-33.76	61.21	34.22	10.40	65.59	0.00	---	PEAK	2	7440.00	42.72	74.00	-31.28	60.77	35.00	12.78	66.63	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.23</td><td>74.00</td><td>-33.77</td><td>61.20</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.61</td><td>74.00</td><td>-32.39</td><td>59.66</td><td>35.80</td><td>12.78</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.23	74.00	-33.77	61.20	34.22	10.40	65.59	0.00	---	PEAK	2	7440.00	41.61	74.00	-32.39	59.66	35.80	12.78	66.63	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.24	74.00	-33.76	61.21	34.22	10.40	65.59	0.00	---	PEAK																																																																																																																			
2	7440.00	42.72	74.00	-31.28	60.77	35.00	12.78	66.63	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.23	74.00	-33.77	61.20	34.22	10.40	65.59	0.00	---	PEAK																																																																																																																			
2	7440.00	41.61	74.00	-32.39	59.66	35.80	12.78	66.63	0.00	---	PEAK																																																																																																																			







Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	6																																																																																																																																																																																																											
	30-1G																																																																																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																											
ANT	1																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>69.77</td><td>23.08</td><td>40.00</td><td>-16.92</td><td>41.62</td><td>12.17</td><td>1.28</td><td>31.99</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>135.73</td><td>25.71</td><td>43.50</td><td>-17.79</td><td>38.51</td><td>17.49</td><td>1.77</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>237.58</td><td>34.24</td><td>46.00</td><td>-11.76</td><td>46.83</td><td>16.94</td><td>2.36</td><td>31.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>355.92</td><td>24.52</td><td>46.00</td><td>-21.48</td><td>33.25</td><td>20.40</td><td>2.87</td><td>32.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>609.09</td><td>26.36</td><td>46.00</td><td>-19.64</td><td>28.82</td><td>25.74</td><td>3.77</td><td>31.97</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>955.38</td><td>30.53</td><td>46.00</td><td>-15.47</td><td>25.95</td><td>30.54</td><td>4.70</td><td>30.66</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table> <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>42.61</td><td>34.76</td><td>40.00</td><td>-5.24</td><td>47.79</td><td>18.16</td><td>1.00</td><td>32.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>140.58</td><td>30.75</td><td>43.50</td><td>-12.75</td><td>43.58</td><td>17.43</td><td>1.80</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>240.49</td><td>34.06</td><td>46.00</td><td>-11.94</td><td>46.28</td><td>17.29</td><td>2.37</td><td>31.88</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>352.04</td><td>22.52</td><td>46.00</td><td>-23.48</td><td>31.37</td><td>20.28</td><td>2.86</td><td>31.99</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>586.78</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>28.61</td><td>25.58</td><td>3.69</td><td>32.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>641.10</td><td>26.33</td><td>46.00</td><td>-19.67</td><td>28.34</td><td>26.26</td><td>3.87</td><td>32.14</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	69.77	23.08	40.00	-16.92	41.62	12.17	1.28	31.99	--	--	Peak	2	135.73	25.71	43.50	-17.79	38.51	17.49	1.77	32.06	--	--	Peak	3	237.58	34.24	46.00	-11.76	46.83	16.94	2.36	31.89	--	--	Peak	4	355.92	24.52	46.00	-21.48	33.25	20.40	2.87	32.00	--	--	Peak	5	609.09	26.36	46.00	-19.64	28.82	25.74	3.77	31.97	--	--	Peak	6	955.38	30.53	46.00	-15.47	25.95	30.54	4.70	30.66	--	--	Peak		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	42.61	34.76	40.00	-5.24	47.79	18.16	1.00	32.19	--	--	Peak	2	140.58	30.75	43.50	-12.75	43.58	17.43	1.80	32.06	--	--	Peak	3	240.49	34.06	46.00	-11.94	46.28	17.29	2.37	31.88	--	--	Peak	4	352.04	22.52	46.00	-23.48	31.37	20.28	2.86	31.99	--	--	Peak	5	586.78	25.81	46.00	-20.19	28.61	25.58	3.69	32.07	--	--	Peak	6	641.10	26.33	46.00	-19.67	28.34	26.26	3.87	32.14	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	69.77	23.08	40.00	-16.92	41.62	12.17	1.28	31.99	--	--	Peak																																																																																																																																																																																																	
2	135.73	25.71	43.50	-17.79	38.51	17.49	1.77	32.06	--	--	Peak																																																																																																																																																																																																	
3	237.58	34.24	46.00	-11.76	46.83	16.94	2.36	31.89	--	--	Peak																																																																																																																																																																																																	
4	355.92	24.52	46.00	-21.48	33.25	20.40	2.87	32.00	--	--	Peak																																																																																																																																																																																																	
5	609.09	26.36	46.00	-19.64	28.82	25.74	3.77	31.97	--	--	Peak																																																																																																																																																																																																	
6	955.38	30.53	46.00	-15.47	25.95	30.54	4.70	30.66	--	--	Peak																																																																																																																																																																																																	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	42.61	34.76	40.00	-5.24	47.79	18.16	1.00	32.19	--	--	Peak																																																																																																																																																																																																	
2	140.58	30.75	43.50	-12.75	43.58	17.43	1.80	32.06	--	--	Peak																																																																																																																																																																																																	
3	240.49	34.06	46.00	-11.94	46.28	17.29	2.37	31.88	--	--	Peak																																																																																																																																																																																																	
4	352.04	22.52	46.00	-23.48	31.37	20.28	2.86	31.99	--	--	Peak																																																																																																																																																																																																	
5	586.78	25.81	46.00	-20.19	28.61	25.58	3.69	32.07	--	--	Peak																																																																																																																																																																																																	
6	641.10	26.33	46.00	-19.67	28.34	26.26	3.87	32.14	--	--	Peak																																																																																																																																																																																																	





For BLE

Mode	7																																																											
Mode	Band Edge																																																											
Mode	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																											
ANT	1																																																											
Pol.	Horizontal						Fundamental																																																					
Peak																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2376.69</td><td>49.64</td><td>74.00</td><td>-24.36</td><td>41.53</td><td>32.07</td><td>7.09</td><td>37.05</td><td>6.00</td><td>108</td><td>345 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2376.69	49.64	74.00	-24.36	41.53	32.07	7.09	37.05	6.00	108	345 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	2376.69	49.64	74.00	-24.36	41.53	32.07	7.09	37.05	6.00	108	345 PEAK																																																	
Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.95</td><td>38.06</td><td>54.00</td><td>-15.94</td><td>29.80</td><td>32.20</td><td>7.11</td><td>37.05</td><td>6.00</td><td>108</td><td>345 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.95	38.06	54.00	-15.94	29.80	32.20	7.11	37.05	6.00	108	345 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	2389.95	38.06	54.00	-15.94	29.80	32.20	7.11	37.05	6.00	108	345 AVERAGE																																																	
Fundamental																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>110.54</td><td>-----</td><td>-----</td><td>102.16</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>108</td><td>345 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	110.54	-----	-----	102.16	32.30	7.12	37.04	6.00	108	345 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	2402.00	110.54	-----	-----	102.16	32.30	7.12	37.04	6.00	108	345 PEAK																																																	
Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>109.23</td><td>-----</td><td>-----</td><td>100.85</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>108</td><td>345 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	109.23	-----	-----	100.85	32.30	7.12	37.04	6.00	108	345 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	2402.00	109.23	-----	-----	100.85	32.30	7.12	37.04	6.00	108	345 AVERAGE																																																	





Mode	7																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.98</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>40.98</td><td>31.98</td><td>7.07</td><td>37.06</td><td>6.00</td><td>346 345 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2367.98	48.97	74.00	-25.03	40.98	31.98	7.07	37.06	6.00	346 345 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.71</td><td>-----</td><td>-----</td><td>97.33</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>346 345 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.71	-----	-----	97.33	32.30	7.12	37.04	6.00	346 345 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2367.98	48.97	74.00	-25.03	40.98	31.98	7.07	37.06	6.00	346 345 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	105.71	-----	-----	97.33	32.30	7.12	37.04	6.00	346 345 PEAK																																																																																
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>37.59</td><td>54.00</td><td>-16.41</td><td>29.35</td><td>32.19</td><td>7.10</td><td>37.05</td><td>6.00</td><td>346 345 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	37.59	54.00	-16.41	29.35	32.19	7.10	37.05	6.00	346 345 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.31</td><td>-----</td><td>-----</td><td>95.93</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>346 345 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.31	-----	-----	95.93	32.30	7.12	37.04	6.00	346 345 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2388.78	37.59	54.00	-16.41	29.35	32.19	7.10	37.05	6.00	346 345 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	104.31	-----	-----	95.93	32.30	7.12	37.04	6.00	346 345 AVERAGE																																																																																







Mode	7																																																																																	
	Harmonic																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>61.62</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	4804.00	40.42	74.00	-33.58	61.62	34.08	10.20	65.48	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>61.01</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	4804.00	39.81	74.00	-34.19	61.01	34.08	10.20	65.48	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	4804.00	40.42	74.00	-33.58	61.62	34.08	10.20	65.48	0.00	---	---	PEAK																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	4804.00	39.81	74.00	-34.19	61.01	34.08	10.20	65.48	0.00	---	---	PEAK																																																																						
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>61.62</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	40.42	74.00	-33.58	61.62	34.08	10.20	65.48	0.00	---	---	PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>61.01</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.81	74.00	-34.19	61.01	34.08	10.20	65.48	0.00	---	---	PEAK																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	4804.00	40.42	74.00	-33.58	61.62	34.08	10.20	65.48	0.00	---	---	PEAK																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	4804.00	39.81	74.00	-34.19	61.01	34.08	10.20	65.48	0.00	---	---	PEAK																																																																						







Mode	8																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal										Vertical																																																																																																																		
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.56</td><td>74.00</td><td>-33.44</td><td>61.64</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.16</td><td>74.00</td><td>-31.84</td><td>60.02</td><td>35.74</td><td>12.72</td><td>66.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.56	74.00	-33.44	61.64	34.15	10.30	65.53	0.00	---	PEAK	2	7320.00	42.16	74.00	-31.84	60.02	35.74	12.72	66.32	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.02</td><td>74.00</td><td>-33.98</td><td>61.10</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.31</td><td>74.00</td><td>-31.69</td><td>60.17</td><td>35.74</td><td>12.72</td><td>66.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.02	74.00	-33.98	61.10	34.15	10.30	65.53	0.00	---	PEAK	2	7320.00	42.31	74.00	-31.69	60.17	35.74	12.72	66.32	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4880.00	40.56	74.00	-33.44	61.64	34.15	10.30	65.53	0.00	---	PEAK																																																																																																																		
2	7320.00	42.16	74.00	-31.84	60.02	35.74	12.72	66.32	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4880.00	40.02	74.00	-33.98	61.10	34.15	10.30	65.53	0.00	---	PEAK																																																																																																																		
2	7320.00	42.31	74.00	-31.69	60.17	35.74	12.72	66.32	0.00	---	PEAK																																																																																																																		





Mode	9																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>44.45</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>119 344 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	53.33	74.00	-20.67	44.45	32.47	7.26	36.85	6.00	119 344 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>113.03</td><td>-----</td><td>-----</td><td>104.18</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>119 344 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	113.03	-----	-----	104.18	32.46	7.25	36.86	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2485.00	53.33	74.00	-20.67	44.45	32.47	7.26	36.85	6.00	119 344 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	113.03	-----	-----	104.18	32.46	7.25	36.86	6.00	119 344 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.00</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>34.65</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>119 344 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.00	43.53	54.00	-10.47	34.65	32.47	7.26	36.85	6.00	119 344 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>112.17</td><td>-----</td><td>-----</td><td>103.32</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>119 344 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	112.17	-----	-----	103.32	32.46	7.25	36.86	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.00	43.53	54.00	-10.47	34.65	32.47	7.26	36.85	6.00	119 344 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	112.17	-----	-----	103.32	32.46	7.25	36.86	6.00	119 344 AVERAGE																																																																																								







Mode	9																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.62</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>44.41</td><td>32.49</td><td>7.28</td><td>36.82</td><td>6.00</td><td>303 320 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.62	53.36	74.00	-20.64	44.41	32.49	7.28	36.82	6.00	303 320 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.28</td><td>-----</td><td>-----</td><td>100.43</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>303 320 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.28	-----	-----	100.43	32.46	7.25	36.86	6.00	303 320 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2495.62	53.36	74.00	-20.64	44.41	32.49	7.28	36.82	6.00	303 320 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	109.28	-----	-----	100.43	32.46	7.25	36.86	6.00	303 320 PEAK																																																																																
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>42.17</td><td>54.00</td><td>-11.83</td><td>33.29</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>303 320 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	42.17	54.00	-11.83	33.29	32.47	7.26	36.85	6.00	303 320 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.32</td><td>-----</td><td>-----</td><td>99.47</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>303 320 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.32	-----	-----	99.47	32.46	7.25	36.86	6.00	303 320 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	42.17	54.00	-11.83	33.29	32.47	7.26	36.85	6.00	303 320 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	108.32	-----	-----	99.47	32.46	7.25	36.86	6.00	303 320 AVERAGE																																																																																







Mode	9																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.67</td><td>74.00</td><td>-33.33</td><td>61.64</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.07</td><td>74.00</td><td>-31.93</td><td>60.12</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.67	74.00	-33.33	61.64	34.22	10.40	65.59	0.00	---	PEAK	2	7440.00	42.07	74.00	-31.93	60.12	35.00	12.78	66.63	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.36</td><td>74.00</td><td>-32.64</td><td>62.33</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>60.31</td><td>35.80</td><td>12.78</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.36	74.00	-32.64	62.33	34.22	10.40	65.59	0.00	---	PEAK	2	7440.00	42.26	74.00	-31.74	60.31	35.80	12.78	66.63	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.67	74.00	-33.33	61.64	34.22	10.40	65.59	0.00	---	PEAK																																																																																																																			
2	7440.00	42.07	74.00	-31.93	60.12	35.00	12.78	66.63	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.36	74.00	-32.64	62.33	34.22	10.40	65.59	0.00	---	PEAK																																																																																																																			
2	7440.00	42.26	74.00	-31.74	60.31	35.80	12.78	66.63	0.00	---	PEAK																																																																																																																			





Mode	10																																																																																																
	Band Edge																																																																																																
	2400-2483.5 Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.37</td><td>50.83</td><td>74.00</td><td>-23.17</td><td>42.84</td><td>31.98</td><td>7.07</td><td>37.06</td><td>6.00</td><td>128 346 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.37	50.83	74.00	-23.17	42.84	31.98	7.07	37.06	6.00	128 346 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>109.40</td><td>-----</td><td>-----</td><td>101.02</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>128 346 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	109.40	-----	-----	101.02	32.30	7.12	37.04	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2368.37	50.83	74.00	-23.17	42.84	31.98	7.07	37.06	6.00	128 346 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	109.40	-----	-----	101.02	32.30	7.12	37.04	6.00	128 346 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>39.69</td><td>54.00</td><td>-14.31</td><td>31.45</td><td>32.19</td><td>7.10</td><td>37.05</td><td>6.00</td><td>128 346 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	39.69	54.00	-14.31	31.45	32.19	7.10	37.05	6.00	128 346 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.79</td><td>-----</td><td>-----</td><td>98.41</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>128 346 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.79	-----	-----	98.41	32.30	7.12	37.04	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2388.91	39.69	54.00	-14.31	31.45	32.19	7.10	37.05	6.00	128 346 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	106.79	-----	-----	98.41	32.30	7.12	37.04	6.00	128 346 AVERAGE																																																																																							



Mode	10																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2377.21</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>43.45</td><td>32.07</td><td>7.09</td><td>37.05</td><td>6.00</td><td>325</td><td>330 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2377.21	51.56	74.00	-22.44	43.45	32.07	7.09	37.05	6.00	325	330 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>107.85</td><td>-----</td><td>-----</td><td>99.47</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>325</td><td>330 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	107.85	-----	-----	99.47	32.30	7.12	37.04	6.00	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2377.21	51.56	74.00	-22.44	43.45	32.07	7.09	37.05	6.00	325	330 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2402.00	107.85	-----	-----	99.47	32.30	7.12	37.04	6.00	325	330 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2385.92</td><td>39.61</td><td>54.00</td><td>-14.39</td><td>31.40</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>325</td><td>330 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2385.92	39.61	54.00	-14.39	31.40	32.16	7.10	37.05	6.00	325	330 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>105.33</td><td>-----</td><td>-----</td><td>96.95</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>325</td><td>330 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	105.33	-----	-----	96.95	32.30	7.12	37.04	6.00	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2385.92	39.61	54.00	-14.39	31.40	32.16	7.10	37.05	6.00	325	330 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2402.00	105.33	-----	-----	96.95	32.30	7.12	37.04	6.00	325	330 AVERAGE																																																																																																												







Mode	10																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.72</td><td>74.00</td><td>-34.28</td><td>60.92</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.72	74.00	-34.28	60.92	34.08	10.20	65.48	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>60.52</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.32	74.00	-34.68	60.52	34.08	10.20	65.48	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	39.72	74.00	-34.28	60.92	34.08	10.20	65.48	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	39.32	74.00	-34.68	60.52	34.08	10.20	65.48	0.00	---	---	PEAK																																																																																													







Mode	11																																																																			
	Harmonic																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.23</td><td>74.00</td><td>-33.77</td><td>61.31</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>60.43</td><td>35.74</td><td>12.72</td><td>66.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.23	74.00	-33.77	61.31	34.15	10.30	65.53	0.00	---	PEAK	2	7320.00	42.57	74.00	-31.43	60.43	35.74	12.72	66.32	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4880.00	40.23	74.00	-33.77	61.31	34.15	10.30	65.53	0.00	---	PEAK																																																									
2	7320.00	42.57	74.00	-31.43	60.43	35.74	12.72	66.32	0.00	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.93</td><td>74.00</td><td>-34.07</td><td>61.01</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.35</td><td>74.00</td><td>-31.65</td><td>60.21</td><td>35.74</td><td>12.72</td><td>66.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.93	74.00	-34.07	61.01	34.15	10.30	65.53	0.00	---	PEAK	2	7320.00	42.35	74.00	-31.65	60.21	35.74	12.72	66.32	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4880.00	39.93	74.00	-34.07	61.01	34.15	10.30	65.53	0.00	---	PEAK																																																									
2	7320.00	42.35	74.00	-31.65	60.21	35.74	12.72	66.32	0.00	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.93</td><td>74.00</td><td>-34.07</td><td>61.01</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.35</td><td>74.00</td><td>-31.65</td><td>60.21</td><td>35.74</td><td>12.72</td><td>66.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.93	74.00	-34.07	61.01	34.15	10.30	65.53	0.00	---	PEAK	2	7320.00	42.35	74.00	-31.65	60.21	35.74	12.72	66.32	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4880.00	39.93	74.00	-34.07	61.01	34.15	10.30	65.53	0.00	---	PEAK																																																									
2	7320.00	42.35	74.00	-31.65	60.21	35.74	12.72	66.32	0.00	---	PEAK																																																									





Mode	12																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>59.87</td><td>74.00</td><td>-14.13</td><td>50.99</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>101 350 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	59.87	74.00	-14.13	50.99	32.47	7.26	36.85	6.00	101 350 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>112.44</td><td>-----</td><td>-----</td><td>103.59</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>101 350 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	112.44	-----	-----	103.59	32.46	7.25	36.86	6.00	101 350 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	59.87	74.00	-14.13	50.99	32.47	7.26	36.85	6.00	101 350 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	112.44	-----	-----	103.59	32.46	7.25	36.86	6.00	101 350 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.40</td><td>54.00</td><td>-3.60</td><td>41.52</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>101 350 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.40	54.00	-3.60	41.52	32.47	7.26	36.85	6.00	101 350 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>110.02</td><td>-----</td><td>-----</td><td>101.17</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>101 350 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	110.02	-----	-----	101.17	32.46	7.25	36.86	6.00	101 350 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	50.40	54.00	-3.60	41.52	32.47	7.26	36.85	6.00	101 350 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	110.02	-----	-----	101.17	32.46	7.25	36.86	6.00	101 350 AVERAGE																																																																																									



Mode	12																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>56.47</td><td>74.00</td><td>-17.53</td><td>47.59</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>303 328 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	56.47	74.00	-17.53	47.59	32.47	7.26	36.85	6.00	303 328 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.95</td><td>-----</td><td>-----</td><td>100.10</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>303 328 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.95	-----	-----	100.10	32.46	7.25	36.86	6.00	303 328 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	56.47	74.00	-17.53	47.59	32.47	7.26	36.85	6.00	303 328 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	108.95	-----	-----	100.10	32.46	7.25	36.86	6.00	303 328 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.01</td><td>54.00</td><td>-7.99</td><td>37.13</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>303 328 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.01	54.00	-7.99	37.13	32.47	7.26	36.85	6.00	303 328 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.43</td><td>-----</td><td>-----</td><td>97.58</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>303 328 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.43	-----	-----	97.58	32.46	7.25	36.86	6.00	303 328 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	46.01	54.00	-7.99	37.13	32.47	7.26	36.85	6.00	303 328 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	106.43	-----	-----	97.58	32.46	7.25	36.86	6.00	303 328 AVERAGE																																																																																									



Mode	12																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>62.71</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>60.14</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.74	74.00	-32.26	62.71	34.22	10.40	65.59	0.00	---	PEAK	2	7440.00	42.09	74.00	-31.91	60.14	35.00	12.78	66.63	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>61.36</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.26</td><td>74.00</td><td>-32.74</td><td>59.31</td><td>35.80</td><td>12.78</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.39	74.00	-33.61	61.36	34.22	10.40	65.59	0.00	---	PEAK	2	7440.00	41.26	74.00	-32.74	59.31	35.80	12.78	66.63	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.74	74.00	-32.26	62.71	34.22	10.40	65.59	0.00	---	PEAK																																																																																																																			
2	7440.00	42.09	74.00	-31.91	60.14	35.00	12.78	66.63	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.39	74.00	-33.61	61.36	34.22	10.40	65.59	0.00	---	PEAK																																																																																																																			
2	7440.00	41.26	74.00	-32.74	59.31	35.80	12.78	66.63	0.00	---	PEAK																																																																																																																			



Mode	12	
	18G-25G	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	Horizontal Peak Average Spectrum Plot. The y-axis is Level (dBuV/m) from 0 to 130. The x-axis is Frequency (MHz) from 18000 to 25000. A blue line shows the measured signal level, which is relatively flat around 48.8 dBuV/m. Two red horizontal lines indicate FCC Part 15C limits: one at 81.3 dBuV/m and another at 65.0 dBuV/m. The measured signal is well below both limits.	Vertical Peak Average Spectrum Plot. The y-axis is Level (dBuV/m) from 0 to 130. The x-axis is Frequency (MHz) from 18000 to 25000. A blue line shows the measured signal level, which is relatively flat around 48.8 dBuV/m. Two red horizontal lines indicate FCC Part 15C limits: one at 81.3 dBuV/m and another at 65.0 dBuV/m. The measured signal is well below both limits.




Mode	12																																																																																																		
	30-1G																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal																																																																																																		
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks labeled 1 through 6. A red line indicates the limit, and a red label 'Part 15C' is present. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>72.68</td><td>21.55</td><td>40.00</td><td>-18.45</td><td>39.66</td><td>12.57</td><td>1.30</td><td>31.98</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>134.76</td><td>22.38</td><td>43.50</td><td>-21.12</td><td>35.18</td><td>17.50</td><td>1.76</td><td>32.06</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>181.32</td><td>24.66</td><td>43.50</td><td>-18.84</td><td>39.89</td><td>14.00</td><td>2.05</td><td>32.08</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>239.52</td><td>34.94</td><td>46.00</td><td>-11.06</td><td>47.28</td><td>17.17</td><td>2.37</td><td>31.88</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>692.51</td><td>25.25</td><td>46.00</td><td>-20.75</td><td>27.23</td><td>26.40</td><td>4.02</td><td>32.40</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>855.47</td><td>29.26</td><td>46.00</td><td>-16.74</td><td>26.59</td><td>29.70</td><td>4.44</td><td>31.47</td><td>--</td><td>Peak</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	72.68	21.55	40.00	-18.45	39.66	12.57	1.30	31.98	--	Peak	2	134.76	22.38	43.50	-21.12	35.18	17.50	1.76	32.06	--	Peak	3	181.32	24.66	43.50	-18.84	39.89	14.00	2.05	32.08	--	Peak	4	239.52	34.94	46.00	-11.06	47.28	17.17	2.37	31.88	--	Peak	5	692.51	25.25	46.00	-20.75	27.23	26.40	4.02	32.40	--	Peak	6	855.47	29.26	46.00	-16.74	26.59	29.70	4.44	31.47	--	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	72.68	21.55	40.00	-18.45	39.66	12.57	1.30	31.98	--	Peak																																																																																									
2	134.76	22.38	43.50	-21.12	35.18	17.50	1.76	32.06	--	Peak																																																																																									
3	181.32	24.66	43.50	-18.84	39.89	14.00	2.05	32.08	--	Peak																																																																																									
4	239.52	34.94	46.00	-11.06	47.28	17.17	2.37	31.88	--	Peak																																																																																									
5	692.51	25.25	46.00	-20.75	27.23	26.40	4.02	32.40	--	Peak																																																																																									
6	855.47	29.26	46.00	-16.74	26.59	29.70	4.44	31.47	--	Peak																																																																																									
Peak	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks labeled 1 through 6. A red line indicates the limit, and a red label 'Part 15C' is present. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>42.61</td><td>35.14</td><td>40.00</td><td>-4.86</td><td>48.17</td><td>18.16</td><td>1.00</td><td>32.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>133.79</td><td>30.29</td><td>43.50</td><td>-13.21</td><td>43.08</td><td>17.51</td><td>1.76</td><td>32.06</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>238.55</td><td>36.24</td><td>46.00</td><td>-9.76</td><td>48.71</td><td>17.06</td><td>2.36</td><td>31.89</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>357.86</td><td>22.72</td><td>46.00</td><td>-23.28</td><td>31.38</td><td>20.46</td><td>2.88</td><td>32.00</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>747.80</td><td>27.21</td><td>46.00</td><td>-18.79</td><td>26.72</td><td>28.10</td><td>4.16</td><td>31.77</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>867.11</td><td>28.65</td><td>46.00</td><td>-17.35</td><td>26.23</td><td>29.41</td><td>4.47</td><td>31.46</td><td>--</td><td>Peak</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	42.61	35.14	40.00	-4.86	48.17	18.16	1.00	32.19	--	Peak	2	133.79	30.29	43.50	-13.21	43.08	17.51	1.76	32.06	--	Peak	3	238.55	36.24	46.00	-9.76	48.71	17.06	2.36	31.89	--	Peak	4	357.86	22.72	46.00	-23.28	31.38	20.46	2.88	32.00	--	Peak	5	747.80	27.21	46.00	-18.79	26.72	28.10	4.16	31.77	--	Peak	6	867.11	28.65	46.00	-17.35	26.23	29.41	4.47	31.46	--	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	42.61	35.14	40.00	-4.86	48.17	18.16	1.00	32.19	--	Peak																																																																																									
2	133.79	30.29	43.50	-13.21	43.08	17.51	1.76	32.06	--	Peak																																																																																									
3	238.55	36.24	46.00	-9.76	48.71	17.06	2.36	31.89	--	Peak																																																																																									
4	357.86	22.72	46.00	-23.28	31.38	20.46	2.88	32.00	--	Peak																																																																																									
5	747.80	27.21	46.00	-18.79	26.72	28.10	4.16	31.77	--	Peak																																																																																									
6	867.11	28.65	46.00	-17.35	26.23	29.41	4.47	31.46	--	Peak																																																																																									

For WLAN 2.4G


Mode	13	
	Band Edge	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	2	
Pol.	Horizontal	Fundamental



Peak




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2382.93	53.90	74.00	-20.10	45.73	32.13	7.09	37.05	6.00	104 110 PEAK




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2412.00	111.41	-----	-----	102.96	32.32	7.14	37.01	6.00	104 110 PEAK

Avg







	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2381.63	42.79	54.00	-11.21	34.63	32.12	7.09	37.05	6.00	104 110 AVERAGE





	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2412.00	106.91	-----	-----	98.46	32.32	7.14	37.01	6.00	104 110 AVERAGE





Mode	13																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.92</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>46.23</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>295 147 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.92	54.44	74.00	-19.56	46.23	32.16	7.10	37.05	6.00	295 147 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>113.70</td><td>-----</td><td>-----</td><td>105.25</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>295 147 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.70	-----	-----	105.25	32.32	7.14	37.01	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2385.92	54.44	74.00	-19.56	46.23	32.16	7.10	37.05	6.00	295 147 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	113.70	-----	-----	105.25	32.32	7.14	37.01	6.00	295 147 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.31</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>35.61</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>295 147 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	43.82	54.00	-10.18	35.61	32.16	7.10	37.05	6.00	295 147 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.35</td><td>-----</td><td>-----</td><td>100.90</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>295 147 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.35	-----	-----	100.90	32.32	7.14	37.01	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.31	43.82	54.00	-10.18	35.61	32.16	7.10	37.05	6.00	295 147 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	109.35	-----	-----	100.90	32.32	7.14	37.01	6.00	295 147 AVERAGE																																																																																								







Mode	13																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																								
ANT	2																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>66.72</td><td>34.10</td><td>10.23</td><td>65.49</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>7236.00</td><td>46.32</td><td>85.65</td><td>-39.33</td><td>64.01</td><td>35.70</td><td>12.71</td><td>66.10</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	45.56	74.00	-28.44	66.72	34.10	10.23	65.49	0.00	--- Peak	2	7236.00	46.32	85.65	-39.33	64.01	35.70	12.71	66.10	0.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>65.32</td><td>34.10</td><td>10.23</td><td>65.49</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>7237.00</td><td>48.50</td><td>87.44</td><td>-38.94</td><td>66.19</td><td>35.70</td><td>12.71</td><td>66.10</td><td>0.00</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	44.16	74.00	-29.84	65.32	34.10	10.23	65.49	0.00	--- Peak	2	7237.00	48.50	87.44	-38.94	66.19	35.70	12.71	66.10	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4824.00	45.56	74.00	-28.44	66.72	34.10	10.23	65.49	0.00	--- Peak																																																																																																															
2	7236.00	46.32	85.65	-39.33	64.01	35.70	12.71	66.10	0.00	--- Peak																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4824.00	44.16	74.00	-29.84	65.32	34.10	10.23	65.49	0.00	--- Peak																																																																																																															
2	7237.00	48.50	87.44	-38.94	66.19	35.70	12.71	66.10	0.00	--- Peak																																																																																																															







Mode	14																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>66.01</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>61.87</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.91	74.00	-29.09	66.01	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	44.02	74.00	-29.98	61.87	35.72	12.72	66.29	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4874.00	44.91	74.00	-29.09	66.01	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	44.02	74.00	-29.98	61.87	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.10</td><td>74.00</td><td>-32.90</td><td>62.20</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.13</td><td>74.00</td><td>-30.87</td><td>60.98</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.10	74.00	-32.90	62.20	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	43.13	74.00	-30.87	60.98	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4874.00	41.10	74.00	-32.90	62.20	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	43.13	74.00	-30.87	60.98	35.72	12.72	66.29	0.00	--- PEAK																																																								




Mode	15																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.70</td><td>55.29</td><td>74.00</td><td>-18.71</td><td>46.39</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>106</td><td>62 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.70	55.29	74.00	-18.71	46.39	32.48	7.26	36.84	6.00	106	62 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.39</td><td>-----</td><td>-----</td><td>102.63</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>106</td><td>62 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.39	-----	-----	102.63	32.43	7.22	36.89	6.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.70	55.29	74.00	-18.71	46.39	32.48	7.26	36.84	6.00	106	62 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	111.39	-----	-----	102.63	32.43	7.22	36.89	6.00	106	62 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>45.08</td><td>54.00</td><td>-8.92</td><td>36.20</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>106</td><td>62 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.08	54.00	-8.92	36.20	32.47	7.26	36.85	6.00	106	62 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.10</td><td>-----</td><td>-----</td><td>98.36</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>106</td><td>62 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.10	-----	-----	98.36	32.42	7.22	36.90	6.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	45.08	54.00	-8.92	36.20	32.47	7.26	36.85	6.00	106	62 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	107.10	-----	-----	98.36	32.42	7.22	36.90	6.00	106	62 AVERAGE																																																																																								







Mode	15																																																								
	Band Edge																																																								
	2400-2483.5_802.11b_CH11_2462MHz																																																								
ANT	2																																																								
Pol.	Vertical																																																								
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.00</td><td>56.37</td><td>74.00</td><td>-17.63</td><td>47.47</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>379</td><td>350 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.00	56.37	74.00	-17.63	47.47	32.48	7.26	36.84	6.00	379	350 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2488.00	56.37	74.00	-17.63	47.47	32.48	7.26	36.84	6.00	379	350 PEAK																																														
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.42</td><td>-----</td><td>-----</td><td>104.68</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>379</td><td>350 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	113.42	-----	-----	104.68	32.42	7.22	36.90	6.00	379	350 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	113.42	-----	-----	104.68	32.42	7.22	36.90	6.00	379	350 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>38.12</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>379</td><td>350 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	47.00	54.00	-7.00	38.12	32.47	7.26	36.85	6.00	379	350 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2483.50	47.00	54.00	-7.00	38.12	32.47	7.26	36.85	6.00	379	350 AVERAGE																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.15</td><td>-----</td><td>-----</td><td>100.41</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>379</td><td>350 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	109.15	-----	-----	100.41	32.42	7.22	36.90	6.00	379	350 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	109.15	-----	-----	100.41	32.42	7.22	36.90	6.00	379	350 AVERAGE																																														







Mode	15																																																																				
	Harmonic																																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																																				
ANT	2																																																																				
Pol.	Horizontal																																																																				
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>61.64</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>64.31</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.62	74.00	-33.38	61.64	34.19	10.35	65.56	0.00	---	PEAK	2	7386.00	46.35	74.00	-27.65	64.31	35.00	12.73	66.49	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	40.62	74.00	-33.38	61.64	34.19	10.35	65.56	0.00	---	PEAK																																																										
2	7386.00	46.35	74.00	-27.65	64.31	35.00	12.73	66.49	0.00	---	PEAK																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>61.64</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>64.31</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.62	74.00	-33.38	61.64	34.19	10.35	65.56	0.00	---	PEAK	2	7386.00	46.35	74.00	-27.65	64.31	35.00	12.73	66.49	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	40.62	74.00	-33.38	61.64	34.19	10.35	65.56	0.00	---	PEAK																																																										
2	7386.00	46.35	74.00	-27.65	64.31	35.00	12.73	66.49	0.00	---	PEAK																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>61.64</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>64.31</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.62	74.00	-33.38	61.64	34.19	10.35	65.56	0.00	---	PEAK	2	7386.00	46.35	74.00	-27.65	64.31	35.00	12.73	66.49	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	40.62	74.00	-33.38	61.64	34.19	10.35	65.56	0.00	---	PEAK																																																										
2	7386.00	46.35	74.00	-27.65	64.31	35.00	12.73	66.49	0.00	---	PEAK																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>63.28</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>64.29</td><td>35.80</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	42.26	74.00	-31.74	63.28	34.19	10.35	65.56	0.00	---	PEAK	2	7386.00	46.33	74.00	-27.67	64.29	35.80	12.73	66.49	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	42.26	74.00	-31.74	63.28	34.19	10.35	65.56	0.00	---	PEAK																																																										
2	7386.00	46.33	74.00	-27.67	64.29	35.80	12.73	66.49	0.00	---	PEAK																																																										





Mode	16																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.55</td><td>56.56</td><td>74.00</td><td>-17.44</td><td>47.66</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>105 62 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.55	56.56	74.00	-17.44	47.66	32.48	7.26	36.84	6.00	105 62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>112.24</td><td>-----</td><td>-----</td><td>103.47</td><td>32.43</td><td>7.23</td><td>36.89</td><td>6.00</td><td>105 62 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	112.24	-----	-----	103.47	32.43	7.23	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2487.55	56.56	74.00	-17.44	47.66	32.48	7.26	36.84	6.00	105 62 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.00	112.24	-----	-----	103.47	32.43	7.23	36.89	6.00	105 62 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>37.05</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>105 62 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.93	54.00	-8.07	37.05	32.47	7.26	36.85	6.00	105 62 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>107.97</td><td>-----</td><td>-----</td><td>99.18</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>105 62 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	107.97	-----	-----	99.18	32.44	7.23	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	45.93	54.00	-8.07	37.05	32.47	7.26	36.85	6.00	105 62 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.00	107.97	-----	-----	99.18	32.44	7.23	36.88	6.00	105 62 AVERAGE																																																																																								







Mode	16																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>57.81</td><td>74.00</td><td>-16.19</td><td>48.93</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>375 351 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	57.81	74.00	-16.19	48.93	32.47	7.26	36.85	6.00	375 351 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>113.62</td><td>-----</td><td>-----</td><td>104.85</td><td>32.43</td><td>7.23</td><td>36.89</td><td>6.00</td><td>375 351 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	113.62	-----	-----	104.85	32.43	7.23	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.55	57.81	74.00	-16.19	48.93	32.47	7.26	36.85	6.00	375 351 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	113.62	-----	-----	104.85	32.43	7.23	36.89	6.00	375 351 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.11</td><td>54.00</td><td>-5.89</td><td>39.23</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>375 351 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.11	54.00	-5.89	39.23	32.47	7.26	36.85	6.00	375 351 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>109.33</td><td>-----</td><td>-----</td><td>100.54</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>375 351 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	109.33	-----	-----	100.54	32.44	7.23	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	48.11	54.00	-5.89	39.23	32.47	7.26	36.85	6.00	375 351 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	109.33	-----	-----	100.54	32.44	7.23	36.88	6.00	375 351 AVERAGE																																																																																									







Mode	16																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11b_CH12_2467MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>62.17</td><td>34.20</td><td>10.37</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>64.24</td><td>35.00</td><td>12.73</td><td>66.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	41.17	74.00	-32.83	62.17	34.20	10.37	65.57	0.00	---	PEAK	2	7401.00	46.24	74.00	-27.76	64.24	35.00	12.73	66.53	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4934.00	41.17	74.00	-32.83	62.17	34.20	10.37	65.57	0.00	---	PEAK																																																									
2	7401.00	46.24	74.00	-27.76	64.24	35.00	12.73	66.53	0.00	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>61.41</td><td>34.20</td><td>10.37</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>64.54</td><td>35.80</td><td>12.73</td><td>66.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	40.41	74.00	-33.59	61.41	34.20	10.37	65.57	0.00	---	PEAK	2	7401.00	46.54	74.00	-27.46	64.54	35.80	12.73	66.53	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4934.00	40.41	74.00	-33.59	61.41	34.20	10.37	65.57	0.00	---	PEAK																																																									
2	7401.00	46.54	74.00	-27.46	64.54	35.80	12.73	66.53	0.00	---	PEAK																																																									





Mode	17																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.55</td><td>56.63</td><td>74.00</td><td>-17.37</td><td>47.75</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>103</td><td>61 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	56.63	74.00	-17.37	47.75	32.47	7.26	36.85	6.00	103	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>104.19</td><td>-----</td><td>-----</td><td>95.39</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>103</td><td>61 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	104.19	-----	-----	95.39	32.44	7.24	36.88	6.00	103	61 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.55	56.63	74.00	-17.37	47.75	32.47	7.26	36.85	6.00	103	61 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2472.00	104.19	-----	-----	95.39	32.44	7.24	36.88	6.00	103	61 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.75</td><td>48.09</td><td>54.00</td><td>-5.91</td><td>39.21</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>103</td><td>61 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.75	48.09	54.00	-5.91	39.21	32.47	7.26	36.85	6.00	103	61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>99.74</td><td>-----</td><td>-----</td><td>90.94</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>103</td><td>61 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	99.74	-----	-----	90.94	32.44	7.24	36.88	6.00	103	61 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.75	48.09	54.00	-5.91	39.21	32.47	7.26	36.85	6.00	103	61 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2472.00	99.74	-----	-----	90.94	32.44	7.24	36.88	6.00	103	61 AVERAGE																																																																																										







Mode	17																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH13_2472MHz																																																						
ANT	2																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.95</td><td>58.48</td><td>74.00</td><td>-15.52</td><td>49.60</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>375 350 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.95	58.48	74.00	-15.52	49.60	32.47	7.26	36.85	6.00	375 350 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.95	58.48	74.00	-15.52	49.60	32.47	7.26	36.85	6.00	375 350 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>106.04</td><td>-----</td><td>-----</td><td>97.24</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>375 350 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	106.04	-----	-----	97.24	32.44	7.24	36.88	6.00	375 350 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2472.00	106.04	-----	-----	97.24	32.44	7.24	36.88	6.00	375 350 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.75</td><td>50.25</td><td>54.00</td><td>-3.75</td><td>41.37</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>375 350 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.75	50.25	54.00	-3.75	41.37	32.47	7.26	36.85	6.00	375 350 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.75	50.25	54.00	-3.75	41.37	32.47	7.26	36.85	6.00	375 350 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>101.68</td><td>-----</td><td>-----</td><td>92.88</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>375 350 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	101.68	-----	-----	92.88	32.44	7.24	36.88	6.00	375 350 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2472.00	101.68	-----	-----	92.88	32.44	7.24	36.88	6.00	375 350 AVERAGE																																													







Mode	17																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																																								
ANT	2																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>60.76</td><td>34.21</td><td>10.38</td><td>65.58</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>60.25</td><td>35.00</td><td>12.75</td><td>66.57</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	39.77	74.00	-34.23	60.76	34.21	10.38	65.58	0.00	--- PEAK	2	7416.00	42.23	74.00	-31.77	60.25	35.00	12.75	66.57	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.57</td><td>74.00</td><td>-33.43</td><td>61.56</td><td>34.21</td><td>10.38</td><td>65.58</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>41.77</td><td>74.00</td><td>-32.23</td><td>59.79</td><td>35.80</td><td>12.75</td><td>66.57</td><td>0.00</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.57	74.00	-33.43	61.56	34.21	10.38	65.58	0.00	--- PEAK	2	7416.00	41.77	74.00	-32.23	59.79	35.80	12.75	66.57	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4944.00	39.77	74.00	-34.23	60.76	34.21	10.38	65.58	0.00	--- PEAK																																																																																																															
2	7416.00	42.23	74.00	-31.77	60.25	35.00	12.75	66.57	0.00	--- PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4944.00	40.57	74.00	-33.43	61.56	34.21	10.38	65.58	0.00	--- PEAK																																																																																																															
2	7416.00	41.77	74.00	-32.23	59.79	35.80	12.75	66.57	0.00	--- PEAK																																																																																																															





Mode	18																																																							
	Band Edge																																																							
	2400-2483.5_802.11g_CH01_2412MHz																																																							
ANT	2																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>57.87</td><td>74.00</td><td>-16.13</td><td>49.62</td><td>32.20</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>112 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	57.87	74.00	-16.13	49.62	32.20	7.10	37.05	6.00	100	112 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.56	57.87	74.00	-16.13	49.62	32.20	7.10	37.05	6.00	100	112 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.89</td><td>-----</td><td>-----</td><td>100.45</td><td>32.32</td><td>7.14</td><td>37.02</td><td>6.00</td><td>100</td><td>112 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.89	-----	-----	100.45	32.32	7.14	37.02	6.00	100	112 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	108.89	-----	-----	100.45	32.32	7.14	37.02	6.00	100	112 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>37.66</td><td>32.20</td><td>7.11</td><td>37.05</td><td>6.00</td><td>100</td><td>112 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	45.92	54.00	-8.08	37.66	32.20	7.11	37.05	6.00	100	112 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.95	45.92	54.00	-8.08	37.66	32.20	7.11	37.05	6.00	100	112 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.72</td><td>-----</td><td>-----</td><td>91.27</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>100</td><td>112 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.72	-----	-----	91.27	32.32	7.14	37.01	6.00	100	112 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	99.72	-----	-----	91.27	32.32	7.14	37.01	6.00	100	112 AVERAGE																																													




Mode	18																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH01_2412MHz																																																						
ANT	2																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>61.46</td><td>74.00</td><td>-12.54</td><td>53.20</td><td>32.20</td><td>7.11</td><td>37.05</td><td>6.00</td><td>296 148 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	61.46	74.00	-12.54	53.20	32.20	7.11	37.05	6.00	296 148 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.69	61.46	74.00	-12.54	53.20	32.20	7.11	37.05	6.00	296 148 PEAK																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>112.04</td><td>-----</td><td>-----</td><td>103.58</td><td>32.33</td><td>7.14</td><td>37.01</td><td>6.00</td><td>296 148 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.04	-----	-----	103.58	32.33	7.14	37.01	6.00	296 148 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	112.04	-----	-----	103.58	32.33	7.14	37.01	6.00	296 148 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>38.41</td><td>32.20</td><td>7.11</td><td>37.05</td><td>6.00</td><td>296 148 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.67	54.00	-7.33	38.41	32.20	7.11	37.05	6.00	296 148 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	46.67	54.00	-7.33	38.41	32.20	7.11	37.05	6.00	296 148 AVERAGE																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.74</td><td>-----</td><td>-----</td><td>94.29</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>296 148 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.74	-----	-----	94.29	32.32	7.14	37.01	6.00	296 148 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	102.74	-----	-----	94.29	32.32	7.14	37.01	6.00	296 148 AVERAGE																																													







Mode	18																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>61.34</td><td>34.10</td><td>10.23</td><td>65.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.18	74.00	-33.82	61.34	34.10	10.23	65.49	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.87</td><td>74.00</td><td>-34.13</td><td>61.03</td><td>34.10</td><td>10.23</td><td>65.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	39.87	74.00	-34.13	61.03	34.10	10.23	65.49	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4824.00	40.18	74.00	-33.82	61.34	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4824.00	39.87	74.00	-34.13	61.03	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																														







Mode	19																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.95</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>65.38</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK	2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4874.00	40.85	74.00	-33.15	61.95	34.14	10.29	65.53	0.00	--- PEAK																																																								
2	7311.00	47.53	74.00	-26.47	65.38	35.72	12.72	66.29	0.00	--- PEAK																																																								
<table><tr><th></</th></tr></table>											</																																																							
</																																																																		





Mode	20																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.74</td><td>61.61</td><td>74.00</td><td>-12.39</td><td>52.73</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>104 60 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	61.61	74.00	-12.39	52.73	32.47	7.26	36.85	6.00	104 60 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>109.98</td><td>-----</td><td>-----</td><td>101.22</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>104 60 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.98	-----	-----	101.22	32.43	7.22	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.74	61.61	74.00	-12.39	52.73	32.47	7.26	36.85	6.00	104 60 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	109.98	-----	-----	101.22	32.43	7.22	36.89	6.00	104 60 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>38.75</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>104 60 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.63	54.00	-6.37	38.75	32.47	7.26	36.85	6.00	104 60 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.98</td><td>-----</td><td>-----</td><td>92.22</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>104 60 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.98	-----	-----	92.22	32.43	7.22	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.50	47.63	54.00	-6.37	38.75	32.47	7.26	36.85	6.00	104 60 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	100.98	-----	-----	92.22	32.43	7.22	36.89	6.00	104 60 AVERAGE																																																																																							







Mode	20																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>64.22</td><td>74.00</td><td>-9.78</td><td>55.34</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>377 349 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	64.22	74.00	-9.78	55.34	32.47	7.26	36.85	6.00	377 349 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>112.35</td><td>-----</td><td>-----</td><td>103.59</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>377 349 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.35	-----	-----	103.59	32.43	7.22	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	64.22	74.00	-9.78	55.34	32.47	7.26	36.85	6.00	377 349 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	112.35	-----	-----	103.59	32.43	7.22	36.89	6.00	377 349 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.83</td><td>54.00</td><td>-4.17</td><td>40.95</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>377 349 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.83	54.00	-4.17	40.95	32.47	7.26	36.85	6.00	377 349 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.21</td><td>-----</td><td>-----</td><td>94.47</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>377 349 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.21	-----	-----	94.47	32.42	7.22	36.90	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	49.83	54.00	-4.17	40.95	32.47	7.26	36.85	6.00	377 349 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	103.21	-----	-----	94.47	32.42	7.22	36.90	6.00	377 349 AVERAGE																																																																																								







Mode	20																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.40</td><td>74.00</td><td>-33.60</td><td>61.42</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>60.90</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.40	74.00	-33.60	61.42	34.19	10.35	65.56	0.00	---	PEAK	2	7386.00	42.94	74.00	-31.06	60.90	35.00	12.73	66.49	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	40.40	74.00	-33.60	61.42	34.19	10.35	65.56	0.00	---	PEAK																																																									
2	7386.00	42.94	74.00	-31.06	60.90	35.00	12.73	66.49	0.00	---	PEAK																																																									
Vertical																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.45</td><td>74.00</td><td>-33.55</td><td>61.47</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>60.75</td><td>35.80</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.45	74.00	-33.55	61.47	34.19	10.35	65.56	0.00	---	PEAK	2	7386.00	42.79	74.00	-31.21	60.75	35.80	12.73	66.49	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	40.45	74.00	-33.55	61.47	34.19	10.35	65.56	0.00	---	PEAK																																																									
2	7386.00	42.79	74.00	-31.21	60.75	35.80	12.73	66.49	0.00	---	PEAK																																																									





Mode	21																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.10</td><td>62.09</td><td>74.00</td><td>-11.91</td><td>53.20</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>105 61 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.10	62.09	74.00	-11.91	53.20	32.47	7.26	36.84	6.00	105 61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>109.64</td><td>-----</td><td>-----</td><td>100.85</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>105 61 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	109.64	-----	-----	100.85	32.44	7.23	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2487.10	62.09	74.00	-11.91	53.20	32.47	7.26	36.84	6.00	105 61 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2467.00	109.64	-----	-----	100.85	32.44	7.23	36.88	6.00	105 61 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.90</td><td>47.82</td><td>54.00</td><td>-6.18</td><td>38.93</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>105 61 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.90	47.82	54.00	-6.18	38.93	32.47	7.26	36.84	6.00	105 61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>100.58</td><td>-----</td><td>-----</td><td>91.79</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>105 61 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	100.58	-----	-----	91.79	32.44	7.23	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2485.90	47.82	54.00	-6.18	38.93	32.47	7.26	36.84	6.00	105 61 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2467.00	100.58	-----	-----	91.79	32.44	7.23	36.88	6.00	105 61 AVERAGE																																																																																							







		21																																																				
Mode		Band Edge																																																				
		2400-2483.5_802.11g_CH12_2467MHz																																																				
ANT		2																																																				
Pol.		Vertical					Fundamental																																															
Peak																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.85</td><td>63.75</td><td>74.00</td><td>-10.25</td><td>54.86</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>377 350 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.85	63.75	74.00	-10.25	54.86	32.47	7.26	36.84	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2486.85	63.75	74.00	-10.25	54.86	32.47	7.26	36.84	6.00	377 350 PEAK																																												
Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.15</td><td>50.38</td><td>54.00</td><td>-3.62</td><td>41.49</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>377 350 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.15	50.38	54.00	-3.62	41.49	32.47	7.26	36.84	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2486.15	50.38	54.00	-3.62	41.49	32.47	7.26	36.84	6.00	377 350 AVERAGE																																												
Peak																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>110.88</td><td>-----</td><td>-----</td><td>102.11</td><td>32.43</td><td>7.23</td><td>36.89</td><td>6.00</td><td>377 350 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	110.88	-----	-----	102.11	32.43	7.23	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2467.00	110.88	-----	-----	102.11	32.43	7.23	36.89	6.00	377 350 PEAK																																												
Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>101.87</td><td>-----</td><td>-----</td><td>93.08</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>377 350 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	101.87	-----	-----	93.08	32.44	7.23	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2467.00	101.87	-----	-----	93.08	32.44	7.23	36.88	6.00	377 350 AVERAGE																																												







Mode	21																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11g_CH12_2467MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>40.19</td><td>74.00</td><td>-33.81</td><td>61.19</td><td>34.20</td><td>10.37</td><td>65.57</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>60.54</td><td>35.00</td><td>12.73</td><td>66.53</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	40.19	74.00	-33.81	61.19	34.20	10.37	65.57	0.00	--- PEAK	2	7401.00	42.54	74.00	-31.46	60.54	35.00	12.73	66.53	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4934.00	40.19	74.00	-33.81	61.19	34.20	10.37	65.57	0.00	--- PEAK																																																								
2	7401.00	42.54	74.00	-31.46	60.54	35.00	12.73	66.53	0.00	--- PEAK																																																								
Pol.	Vertical																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>60.95</td><td>34.20</td><td>10.37</td><td>65.57</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>60.21</td><td>35.80</td><td>12.73</td><td>66.53</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	39.95	74.00	-34.05	60.95	34.20	10.37	65.57	0.00	--- PEAK	2	7401.00	42.21	74.00	-31.79	60.21	35.80	12.73	66.53	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4934.00	39.95	74.00	-34.05	60.95	34.20	10.37	65.57	0.00	--- PEAK																																																								
2	7401.00	42.21	74.00	-31.79	60.21	35.80	12.73	66.53	0.00	--- PEAK																																																								




Mode	22																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.10</td><td>58.46</td><td>74.00</td><td>-15.54</td><td>49.58</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>104 62 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	58.46	74.00	-15.54	49.58	32.47	7.26	36.85	6.00	104 62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>99.66</td><td>-----</td><td>-----</td><td>90.86</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>104 62 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	99.66	-----	-----	90.86	32.44	7.24	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.10	58.46	74.00	-15.54	49.58	32.47	7.26	36.85	6.00	104 62 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2472.00	99.66	-----	-----	90.86	32.44	7.24	36.88	6.00	104 62 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.20</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>39.24</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>104 62 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.20	48.12	54.00	-5.88	39.24	32.47	7.26	36.85	6.00	104 62 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>90.87</td><td>-----</td><td>-----</td><td>82.07</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>104 62 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	90.87	-----	-----	82.07	32.44	7.24	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.20	48.12	54.00	-5.88	39.24	32.47	7.26	36.85	6.00	104 62 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2472.00	90.87	-----	-----	82.07	32.44	7.24	36.88	6.00	104 62 AVERAGE																																																																																							



Mode	22																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.05</td><td>60.35</td><td>74.00</td><td>-13.65</td><td>51.47</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>374 350 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.05	60.35	74.00	-13.65	51.47	32.47	7.26	36.85	6.00	374 350 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>101.87</td><td>-----</td><td>-----</td><td>93.05</td><td>32.45</td><td>7.24</td><td>36.87</td><td>6.00</td><td>374 350 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	101.87	-----	-----	93.05	32.45	7.24	36.87	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.05	60.35	74.00	-13.65	51.47	32.47	7.26	36.85	6.00	374 350 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	101.87	-----	-----	93.05	32.45	7.24	36.87	6.00	374 350 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.10</td><td>50.58</td><td>54.00</td><td>-3.42</td><td>41.70</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>374 350 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	50.58	54.00	-3.42	41.70	32.47	7.26	36.85	6.00	374 350 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>92.79</td><td>-----</td><td>-----</td><td>83.99</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>374 350 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	92.79	-----	-----	83.99	32.44	7.24	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.10	50.58	54.00	-3.42	41.70	32.47	7.26	36.85	6.00	374 350 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	92.79	-----	-----	83.99	32.44	7.24	36.88	6.00	374 350 AVERAGE																																																																																								



Mode	22																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11g_CH13_2472MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.58</td><td>74.00</td><td>-33.42</td><td>61.57</td><td>34.21</td><td>10.38</td><td>65.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>61.02</td><td>35.00</td><td>12.75</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.58	74.00	-33.42	61.57	34.21	10.38	65.58	0.00	---	PEAK	2	7416.00	43.00	74.00	-31.00	61.02	35.00	12.75	66.57	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4944.00	40.58	74.00	-33.42	61.57	34.21	10.38	65.58	0.00	---	PEAK																																																									
2	7416.00	43.00	74.00	-31.00	61.02	35.00	12.75	66.57	0.00	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>61.77</td><td>34.21</td><td>10.38</td><td>65.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>59.81</td><td>35.80</td><td>12.75</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.78	74.00	-33.22	61.77	34.21	10.38	65.58	0.00	---	PEAK	2	7416.00	41.79	74.00	-32.21	59.81	35.80	12.75	66.57	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4944.00	40.78	74.00	-33.22	61.77	34.21	10.38	65.58	0.00	---	PEAK																																																									
2	7416.00	41.79	74.00	-32.21	59.81	35.80	12.75	66.57	0.00	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.58</td><td>74.00</td><td>-33.42</td><td>61.57</td><td>34.21</td><td>10.38</td><td>65.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>61.02</td><td>35.00</td><td>12.75</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.58	74.00	-33.42	61.57	34.21	10.38	65.58	0.00	---	PEAK	2	7416.00	43.00	74.00	-31.00	61.02	35.00	12.75	66.57	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4944.00	40.58	74.00	-33.42	61.57	34.21	10.38	65.58	0.00	---	PEAK																																																									
2	7416.00	43.00	74.00	-31.00	61.02	35.00	12.75	66.57	0.00	---	PEAK																																																									



Mode	23										
	Band Edge										
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz										
ANT	2										
Pol.	Horizontal										
Peak	Fundamental										
	Horizontal										
	Fundamental										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										





Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										



Peak	Horizontal										
	Fundamental										
	Horizontal										
Avg	Horizontal										
	Fundamental										
	Horizontal										

Peak	Horizontal										
	Fundamental										
	Horizontal										





Mode	23																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>63.28</td><td>74.00</td><td>-10.72</td><td>55.04</td><td>32.19</td><td>7.10</td><td>37.05</td><td>6.00</td><td>297 151 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.91	63.28	74.00	-10.72	55.04	32.19	7.10	37.05	6.00	297 151 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>111.13</td><td>-----</td><td>-----</td><td>102.68</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>297 151 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	111.13	-----	-----	102.68	32.32	7.14	37.01	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2388.91	63.28	74.00	-10.72	55.04	32.19	7.10	37.05	6.00	297 151 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2412.00	111.13	-----	-----	102.68	32.32	7.14	37.01	6.00	297 151 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>37.95</td><td>32.19</td><td>7.10</td><td>37.05</td><td>6.00</td><td>297 151 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.91	46.19	54.00	-7.81	37.95	32.19	7.10	37.05	6.00	297 151 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.07</td><td>-----</td><td>-----</td><td>92.62</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>297 151 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	101.07	-----	-----	92.62	32.32	7.14	37.01	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2388.91	46.19	54.00	-7.81	37.95	32.19	7.10	37.05	6.00	297 151 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2412.00	101.07	-----	-----	92.62	32.32	7.14	37.01	6.00	297 151 AVERAGE																																																																																								







Mode	23																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>61.20</td><td>34.10</td><td>10.23</td><td>65.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.04	74.00	-33.96	61.20	34.10	10.23	65.49	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>61.30</td><td>34.10</td><td>10.23</td><td>65.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.14	74.00	-33.86	61.30	34.10	10.23	65.49	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4824.00	40.04	74.00	-33.96	61.20	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4824.00	40.14	74.00	-33.86	61.30	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																													







Mode	24																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																																																												
ANT	2																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.26</td><td>74.00</td><td>-32.74</td><td>62.36</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>62.64</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.26	74.00	-32.74	62.36	34.14	10.29	65.53	0.00	---	PEAK	2	7311.00	44.79	74.00	-29.21	62.64	35.72	12.72	66.29	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>39.69</td><td>74.00</td><td>-34.31</td><td>60.79</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>62.25</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	39.69	74.00	-34.31	60.79	34.14	10.29	65.53	0.00	---	PEAK	2	7311.00	44.40	74.00	-29.60	62.25	35.72	12.72	66.29	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4874.00	41.26	74.00	-32.74	62.36	34.14	10.29	65.53	0.00	---	PEAK																																																																																																																		
2	7311.00	44.79	74.00	-29.21	62.64	35.72	12.72	66.29	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4874.00	39.69	74.00	-34.31	60.79	34.14	10.29	65.53	0.00	---	PEAK																																																																																																																		
2	7311.00	44.40	74.00	-29.60	62.25	35.72	12.72	66.29	0.00	---	PEAK																																																																																																																		





		25																																																																																												
Mode		Band Edge																																																																																												
		2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																												
ANT		2																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	58.21	74.00	-15.79	49.33	32.47	7.26	36.85	6.00	105	61 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.99</td><td>-----</td><td>-----</td><td>101.25</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>105</td><td>61 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.99	-----	-----	101.25	32.42	7.22	36.90	6.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2483.62	58.21	74.00	-15.79	49.33	32.47	7.26	36.85	6.00	105	61 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2462.00	109.99	-----	-----	101.25	32.42	7.22	36.90	6.00	105	61 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.56	54.00	-7.44	37.68	32.47	7.26	36.85	6.00	105	61 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.66</td><td>-----</td><td>-----</td><td>91.92</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>105</td><td>61 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.66	-----	-----	91.92	32.42	7.22	36.90	6.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2483.50	46.56	54.00	-7.44	37.68	32.47	7.26	36.85	6.00	105	61 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2462.00	100.66	-----	-----	91.92	32.42	7.22	36.90	6.00	105	61 AVERAGE																																																																																			







Mode	25																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.86</td><td>64.35</td><td>74.00</td><td>-9.65</td><td>55.47</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>376 347 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	64.35	74.00	-9.65	55.47	32.47	7.26	36.85	6.00	376 347 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>115.17</td><td>-----</td><td>-----</td><td>106.41</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>376 347 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	115.17	-----	-----	106.41	32.43	7.22	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.86	64.35	74.00	-9.65	55.47	32.47	7.26	36.85	6.00	376 347 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	115.17	-----	-----	106.41	32.43	7.22	36.89	6.00	376 347 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>41.93</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>376 347 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.81	54.00	-3.19	41.93	32.47	7.26	36.85	6.00	376 347 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>103.23</td><td>-----</td><td>-----</td><td>94.49</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>376 347 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.23	-----	-----	94.49	32.42	7.22	36.90	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	50.81	54.00	-3.19	41.93	32.47	7.26	36.85	6.00	376 347 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	103.23	-----	-----	94.49	32.42	7.22	36.90	6.00	376 347 AVERAGE																																																																																								







Mode	25																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>61.07</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.32</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.05	74.00	-33.95	61.07	34.19	10.35	65.56	0.00	---	PEAK	2	7386.00	43.36	74.00	-30.64	61.32	35.00	12.73	66.49	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.36</td><td>74.00</td><td>-33.64</td><td>61.38</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.50</td><td>74.00</td><td>-30.50</td><td>61.46</td><td>35.80</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.36	74.00	-33.64	61.38	34.19	10.35	65.56	0.00	---	PEAK	2	7386.00	43.50	74.00	-30.50	61.46	35.80	12.73	66.49	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	40.05	74.00	-33.95	61.07	34.19	10.35	65.56	0.00	---	PEAK																																																																																																																			
2	7386.00	43.36	74.00	-30.64	61.32	35.00	12.73	66.49	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	40.36	74.00	-33.64	61.38	34.19	10.35	65.56	0.00	---	PEAK																																																																																																																			
2	7386.00	43.50	74.00	-30.50	61.46	35.80	12.73	66.49	0.00	---	PEAK																																																																																																																			





Mode	26																																																						
	Band Edge																																																						
	2400-2483.5_802.11ax HE20_CH12_Full RU_2467MHz																																																						
ANT	2																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.05</td><td>62.52</td><td>74.00</td><td>-11.48</td><td>53.62</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>104 62 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.05	62.52	74.00	-11.48	53.62	32.48	7.26	36.84	6.00	104 62 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2488.05	62.52	74.00	-11.48	53.62	32.48	7.26	36.84	6.00	104 62 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>109.57</td><td>-----</td><td>-----</td><td>100.78</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>104 62 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	109.57	-----	-----	100.78	32.44	7.23	36.88	6.00	104 62 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2467.00	109.57	-----	-----	100.78	32.44	7.23	36.88	6.00	104 62 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.15</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>39.57</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>104 62 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.15	48.46	54.00	-5.54	39.57	32.47	7.26	36.84	6.00	104 62 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2487.15	48.46	54.00	-5.54	39.57	32.47	7.26	36.84	6.00	104 62 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>99.57</td><td>-----</td><td>-----</td><td>90.78</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>104 62 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	99.57	-----	-----	90.78	32.44	7.23	36.88	6.00	104 62 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2467.00	99.57	-----	-----	90.78	32.44	7.23	36.88	6.00	104 62 AVERAGE																																													







Mode	26																																																						
	Band Edge																																																						
	2400-2483.5_802.11ax HE20_CH12_Full RU_2467MHz																																																						
ANT	2																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2486.85</td><td>65.50</td><td>74.00</td><td>-8.50</td><td>56.61</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>376</td><td>351 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2486.85	65.50	74.00	-8.50	56.61	32.47	7.26	36.84	6.00	376	351 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2486.85	65.50	74.00	-8.50	56.61	32.47	7.26	36.84	6.00	376	351 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2467.00</td><td>110.48</td><td>-----</td><td>-----</td><td>101.69</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>376</td><td>351 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2467.00	110.48	-----	-----	101.69	32.44	7.23	36.88	6.00	376	351 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2467.00	110.48	-----	-----	101.69	32.44	7.23	36.88	6.00	376	351 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2486.20</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>41.76</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>376</td><td>351 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2486.20	50.65	54.00	-3.35	41.76	32.47	7.26	36.84	6.00	376	351 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2486.20	50.65	54.00	-3.35	41.76	32.47	7.26	36.84	6.00	376	351 AVERAGE																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2467.00</td><td>101.07</td><td>-----</td><td>-----</td><td>92.28</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>376</td><td>351 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2467.00	101.07	-----	-----	92.28	32.44	7.23	36.88	6.00	376	351 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2467.00	101.07	-----	-----	92.28	32.44	7.23	36.88	6.00	376	351 AVERAGE																																													







Mode	26																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11ax HE20_CH12_Full RU_2467MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>61.24</td><td>34.20</td><td>10.37</td><td>65.57</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>60.49</td><td>35.00</td><td>12.73</td><td>66.53</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	40.24	74.00	-33.76	61.24	34.20	10.37	65.57	0.00	--- PEAK	2	7401.00	42.49	74.00	-31.51	60.49	35.00	12.73	66.53	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4934.00	40.24	74.00	-33.76	61.24	34.20	10.37	65.57	0.00	--- PEAK																																																								
2	7401.00	42.49	74.00	-31.51	60.49	35.00	12.73	66.53	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>40.66</td><td>74.00</td><td>-33.34</td><td>61.66</td><td>34.20</td><td>10.37</td><td>65.57</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>42.39</td><td>74.00</td><td>-31.61</td><td>60.39</td><td>35.80</td><td>12.73</td><td>66.53</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	40.66	74.00	-33.34	61.66	34.20	10.37	65.57	0.00	--- PEAK	2	7401.00	42.39	74.00	-31.61	60.39	35.80	12.73	66.53	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4934.00	40.66	74.00	-33.34	61.66	34.20	10.37	65.57	0.00	--- PEAK																																																								
2	7401.00	42.39	74.00	-31.61	60.39	35.80	12.73	66.53	0.00	--- PEAK																																																								





Mode	27																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11ax HE20_CH13_Full RU_2472MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.65</td><td>61.32</td><td>74.00</td><td>-12.68</td><td>52.44</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>101</td><td>61 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.65	61.32	74.00	-12.68	52.44	32.47	7.26	36.85	6.00	101	61 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>102.94</td><td>-----</td><td>-----</td><td>94.15</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>101</td><td>61 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	102.94	-----	-----	94.15	32.44	7.23	36.88	6.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.65	61.32	74.00	-12.68	52.44	32.47	7.26	36.85	6.00	101	61 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2472.00	102.94	-----	-----	94.15	32.44	7.23	36.88	6.00	101	61 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.04</td><td>54.00</td><td>-4.96</td><td>40.16</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>101</td><td>61 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.04	54.00	-4.96	40.16	32.47	7.26	36.85	6.00	101	61 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>92.51</td><td>-----</td><td>-----</td><td>83.71</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>101</td><td>61 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	92.51	-----	-----	83.71	32.44	7.24	36.88	6.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	49.04	54.00	-4.96	40.16	32.47	7.26	36.85	6.00	101	61 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2472.00	92.51	-----	-----	83.71	32.44	7.24	36.88	6.00	101	61 AVERAGE																																																																																										







		27																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH13_Full RU_2472MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>66.54</td><td>74.00</td><td>-7.46</td><td>57.66</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>376 350 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	66.54	74.00	-7.46	57.66	32.47	7.26	36.85	6.00	376 350 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>106.40</td><td>-----</td><td>-----</td><td>97.60</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>376 350 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	106.40	-----	-----	97.60	32.44	7.24	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	66.54	74.00	-7.46	57.66	32.47	7.26	36.85	6.00	376 350 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	106.40	-----	-----	97.60	32.44	7.24	36.88	6.00	376 350 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.88</td><td>54.00</td><td>-3.12</td><td>42.00</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>376 350 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.88	54.00	-3.12	42.00	32.47	7.26	36.85	6.00	376 350 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>94.50</td><td>-----</td><td>-----</td><td>85.70</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>376 350 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	94.50	-----	-----	85.70	32.44	7.24	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	50.88	54.00	-3.12	42.00	32.47	7.26	36.85	6.00	376 350 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	94.50	-----	-----	85.70	32.44	7.24	36.88	6.00	376 350 AVERAGE																																																																																								







Mode	27																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_802.11ax HE20_CH13_Full RU_2472MHz																																																																																																																												
ANT	2																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>60.73</td><td>34.21</td><td>10.38</td><td>65.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>43.21</td><td>74.00</td><td>-30.79</td><td>61.23</td><td>35.00</td><td>12.75</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	39.74	74.00	-34.26	60.73	34.21	10.38	65.58	0.00	---	PEAK	2	7416.00	43.21	74.00	-30.79	61.23	35.00	12.75	66.57	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.22</td><td>74.00</td><td>-33.78</td><td>61.21</td><td>34.21</td><td>10.38</td><td>65.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>42.19</td><td>74.00</td><td>-31.81</td><td>60.21</td><td>35.80</td><td>12.75</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.22	74.00	-33.78	61.21	34.21	10.38	65.58	0.00	---	PEAK	2	7416.00	42.19	74.00	-31.81	60.21	35.80	12.75	66.57	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4944.00	39.74	74.00	-34.26	60.73	34.21	10.38	65.58	0.00	---	PEAK																																																																																																																		
2	7416.00	43.21	74.00	-30.79	61.23	35.00	12.75	66.57	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4944.00	40.22	74.00	-33.78	61.21	34.21	10.38	65.58	0.00	---	PEAK																																																																																																																		
2	7416.00	42.19	74.00	-31.81	60.21	35.80	12.75	66.57	0.00	---	PEAK																																																																																																																		







Mode	28																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_RU26/0_2412MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2320.40</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>42.30</td><td>31.50</td><td>7.00</td><td>37.08</td><td>6.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2320.40	49.72	74.00	-24.28	42.30	31.50	7.00	37.08	6.00	100	112 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.17</td><td>-----</td><td>-----</td><td>97.76</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.17	-----	-----	97.76	32.31	7.13	37.03	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2320.40	49.72	74.00	-24.28	42.30	31.50	7.00	37.08	6.00	100	112 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	106.17	-----	-----	97.76	32.31	7.13	37.03	6.00	100	112 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.35</td><td>39.35</td><td>54.00</td><td>-14.65</td><td>31.13</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	39.35	54.00	-14.65	31.13	32.17	7.10	37.05	6.00	100	112 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>97.09</td><td>-----</td><td>-----</td><td>88.68</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.09	-----	-----	88.68	32.31	7.13	37.03	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2387.35	39.35	54.00	-14.65	31.13	32.17	7.10	37.05	6.00	100	112 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	97.09	-----	-----	88.68	32.31	7.13	37.03	6.00	100	112 AVERAGE																																																																																									







Mode	28																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11ax HE20_CH01_RU26/0_2412MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2379.42</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>42.24</td><td>32.09</td><td>7.09</td><td>37.05</td><td>6.00</td><td>357 20 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.42	50.37	74.00	-23.63	42.24	32.09	7.09	37.05	6.00	357 20 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>110.70</td><td>-----</td><td>-----</td><td>102.29</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>357 20 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.70	-----	-----	102.29	32.31	7.13	37.03	6.00	357 20 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2379.42	50.37	74.00	-23.63	42.24	32.09	7.09	37.05	6.00	357 20 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	110.70	-----	-----	102.29	32.31	7.13	37.03	6.00	357 20 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.09</td><td>40.00</td><td>54.00</td><td>-14.00</td><td>31.78</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>357 20 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.09	40.00	54.00	-14.00	31.78	32.17	7.10	37.05	6.00	357 20 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>100.53</td><td>-----</td><td>-----</td><td>92.12</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>357 20 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.53	-----	-----	92.12	32.31	7.13	37.03	6.00	357 20 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2387.09	40.00	54.00	-14.00	31.78	32.17	7.10	37.05	6.00	357 20 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	100.53	-----	-----	92.12	32.31	7.13	37.03	6.00	357 20 AVERAGE																																																																																







Mode	29																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11ax HE20_CH01_RU52/37_2412MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.03</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>46.05</td><td>32.09</td><td>7.09</td><td>37.05</td><td>6.00</td><td>100</td><td>113 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.03	54.18	74.00	-19.82	46.05	32.09	7.09	37.05	6.00	100	113 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.56</td><td>-----</td><td>-----</td><td>99.15</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>100</td><td>113 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.56	-----	-----	99.15	32.31	7.13	37.03	6.00	100	113 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2379.03	54.18	74.00	-19.82	46.05	32.09	7.09	37.05	6.00	100	113 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	107.56	-----	-----	99.15	32.31	7.13	37.03	6.00	100	113 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.35</td><td>39.91</td><td>54.00</td><td>-14.09</td><td>31.69</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>113 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	39.91	54.00	-14.09	31.69	32.17	7.10	37.05	6.00	100	113 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.87</td><td>-----</td><td>-----</td><td>88.46</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>100</td><td>113 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.87	-----	-----	88.46	32.31	7.13	37.03	6.00	100	113 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2387.35	39.91	54.00	-14.09	31.69	32.17	7.10	37.05	6.00	100	113 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	96.87	-----	-----	88.46	32.31	7.13	37.03	6.00	100	113 AVERAGE																																																																																										







		29																																																																																										
Mode		Band Edge																																																																																										
		2400-2483.5_802.11ax HE20_CH01_RU52/37_2412MHz																																																																																										
ANT		2																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2374.35	55.27	74.00	-18.73	47.20	32.04	7.08	37.05	6.00	23 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.13</td><td>-----</td><td>-----</td><td>101.72</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>23 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.13	-----	-----	101.72	32.31	7.13	37.03	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2374.35	55.27	74.00	-18.73	47.20	32.04	7.08	37.05	6.00	23 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	110.13	-----	-----	101.72	32.31	7.13	37.03	6.00	23 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	40.04	54.00	-13.96	31.80	32.19	7.10	37.05	6.00	23 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>100.14</td><td>-----</td><td>-----</td><td>91.73</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>23 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.14	-----	-----	91.73	32.31	7.13	37.03	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2388.78	40.04	54.00	-13.96	31.80	32.19	7.10	37.05	6.00	23 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	100.14	-----	-----	91.73	32.31	7.13	37.03	6.00	23 AVERAGE																																																																																		



Mode	30																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11ax HE20_CH01_RU106/53_2412MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>52.27</td><td>74.00</td><td>-21.73</td><td>44.03</td><td>32.19</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	52.27	74.00	-21.73	44.03	32.19	7.10	37.05	6.00	100	112 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.03</td><td>-----</td><td>-----</td><td>98.60</td><td>32.32</td><td>7.13</td><td>37.02</td><td>6.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.03	-----	-----	98.60	32.32	7.13	37.02	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2388.91	52.27	74.00	-21.73	44.03	32.19	7.10	37.05	6.00	100	112 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	107.03	-----	-----	98.60	32.32	7.13	37.02	6.00	100	112 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>41.47</td><td>54.00</td><td>-12.53</td><td>33.23</td><td>32.19</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	41.47	54.00	-12.53	33.23	32.19	7.10	37.05	6.00	100	112 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>97.18</td><td>-----</td><td>-----</td><td>88.77</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.18	-----	-----	88.77	32.31	7.13	37.03	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.43	41.47	54.00	-12.53	33.23	32.19	7.10	37.05	6.00	100	112 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	97.18	-----	-----	88.77	32.31	7.13	37.03	6.00	100	112 AVERAGE																																																																																										







Mode	30																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH01_RU106/53_2412MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.39</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>44.61</td><td>32.18</td><td>7.10</td><td>37.05</td><td>6.00</td><td>359</td><td>22 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2388.39	52.84	74.00	-21.16	44.61	32.18	7.10	37.05	6.00	359	22 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>110.36</td><td>-----</td><td>-----</td><td>101.93</td><td>32.32</td><td>7.13</td><td>37.02</td><td>6.00</td><td>359</td><td>22 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	110.36	-----	-----	101.93	32.32	7.13	37.02	6.00	359
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2388.39	52.84	74.00	-21.16	44.61	32.18	7.10	37.05	6.00	359	22 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2412.00	110.36	-----	-----	101.93	32.32	7.13	37.02	6.00	359	22 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>34.71</td><td>32.20</td><td>7.11</td><td>37.05</td><td>6.00</td><td>359</td><td>22 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	42.97	54.00	-11.03	34.71	32.20	7.11	37.05	6.00	359	22 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>100.44</td><td>-----</td><td>-----</td><td>92.03</td><td>32.31</td><td>7.13</td><td>37.03</td><td>6.00</td><td>359</td><td>22 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	100.44	-----	-----	92.03	32.31	7.13	37.03	6.00	359
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2389.95	42.97	54.00	-11.03	34.71	32.20	7.11	37.05	6.00	359	22 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2412.00	100.44	-----	-----	92.03	32.31	7.13	37.03	6.00	359	22 AVERAGE																																																																																								







		31																																																																																																	
Mode		Band Edge																																																																																																	
		2400-2483.5_802.11ax HE20_CH11_RU26/8_2462MHz																																																																																																	
ANT		2																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.64	52.32	74.00	-21.68	43.40	32.48	7.27	36.83	6.00	100	63 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.08	-----	-----	101.28	32.44	7.24	36.88	6.00	100	63 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2490.64	52.32	74.00	-21.68	43.40	32.48	7.27	36.83	6.00	100	63 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	110.08	-----	-----	101.28	32.44	7.24	36.88	6.00	100	63 PEAK																																																																																								
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.62	41.31	54.00	-12.69	32.42	32.47	7.26	36.84	6.00	100	63 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.67	-----	-----	91.88	32.44	7.23	36.88	6.00	100	63 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.62	41.31	54.00	-12.69	32.42	32.47	7.26	36.84	6.00	100	63 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	100.67	-----	-----	91.88	32.44	7.23	36.88	6.00	100	63 AVERAGE																																																																																								







Mode	31																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH11_RU26/8_2462MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.58</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>43.77</td><td>32.48</td><td>7.27</td><td>36.83</td><td>6.00</td><td>377 353 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.58	52.69	74.00	-21.31	43.77	32.48	7.27	36.83	6.00	377 353 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.38</td><td>-----</td><td>-----</td><td>102.58</td><td>32.44</td><td>7.24</td><td>36.88</td><td>6.00</td><td>377 353 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.38	-----	-----	102.58	32.44	7.24	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2490.58	52.69	74.00	-21.31	43.77	32.48	7.27	36.83	6.00	377 353 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	111.38	-----	-----	102.58	32.44	7.24	36.88	6.00	377 353 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.18</td><td>41.73</td><td>54.00</td><td>-12.27</td><td>32.83</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>377 353 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.18	41.73	54.00	-12.27	32.83	32.48	7.26	36.84	6.00	377 353 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.94</td><td>-----</td><td>-----</td><td>93.15</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>377 353 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.94	-----	-----	93.15	32.44	7.23	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2488.18	41.73	54.00	-12.27	32.83	32.48	7.26	36.84	6.00	377 353 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	101.94	-----	-----	93.15	32.44	7.23	36.88	6.00	377 353 AVERAGE																																																																																								



Mode	32																																																																	
	Band Edge																																																																	
	2400-2483.5_802.11ax HE20_CH11_RU52/40_2462MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.66</td><td>52.78</td><td>74.00</td><td>-21.22</td><td>43.84</td><td>32.49</td><td>7.27</td><td>36.82</td><td>6.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>62 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.66	52.78	74.00	-21.22	43.84	32.49	7.27	36.82	6.00	100											62 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2494.66	52.78	74.00	-21.22	43.84	32.49	7.27	36.82	6.00	100																																																								
										62 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.74</td><td>-----</td><td>-----</td><td>100.95</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>62 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.74	-----	-----	100.95	32.44	7.23	36.88	6.00	100											62 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2462.00	109.74	-----	-----	100.95	32.44	7.23	36.88	6.00	100																																																								
										62 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.64</td><td>41.91</td><td>54.00</td><td>-12.09</td><td>33.01</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>62 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.64	41.91	54.00	-12.09	33.01	32.48	7.26	36.84	6.00	100											62 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2487.64	41.91	54.00	-12.09	33.01	32.48	7.26	36.84	6.00	100																																																								
										62 AVERAGE																																																								
AVERAGE																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.78</td><td>-----</td><td>-----</td><td>90.99</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>62 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.78	-----	-----	90.99	32.44	7.23	36.88	6.00	100											62 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2462.00	99.78	-----	-----	90.99	32.44	7.23	36.88	6.00	100																																																								
										62 AVERAGE																																																								



Mode	32																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH11_RU52/40_2462MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.80</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>44.51</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>382 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.80	53.40	74.00	-20.60	44.51	32.47	7.26	36.84	6.00	382 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>110.84</td><td>-----</td><td>-----</td><td>102.05</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>382 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.84	-----	-----	102.05	32.44	7.23	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2486.80	53.40	74.00	-20.60	44.51	32.47	7.26	36.84	6.00	382 360 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	110.84	-----	-----	102.05	32.44	7.23	36.88	6.00	382 360 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.06</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>33.53</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>382 360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.06	42.41	54.00	-11.59	33.53	32.47	7.26	36.85	6.00	382 360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>101.09</td><td>-----</td><td>-----</td><td>92.30</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>382 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.09	-----	-----	92.30	32.44	7.23	36.88	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2485.06	42.41	54.00	-11.59	33.53	32.47	7.26	36.85	6.00	382 360 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	101.09	-----	-----	92.30	32.44	7.23	36.88	6.00	382 360 AVERAGE																																																																																								