Mode	29	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5753.40 55.80 68.20 -12.40 42.74 34.60 10.37 31.91 0.00 100 227 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.50 ------ ------ 90.36 34.60 10.33 31.79 0.00 100 227 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 95.43 ------ ------ 82.30 34.60 10.33 31.80 0.00 100 227 AVERAGE

Mode	29	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5752.12 56.38 68.20 -11.82 43.32 34.60 10.37 31.91 0.00 100 275 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 111.21 ------ ------ 98.08 34.60 10.33 31.80 0.00 100 275 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.32 ------ ------ 90.19 34.60 10.33 31.80 0.00 100 275 AVERAGE

Mode	30	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.48 55.85 68.20 -12.35 42.78 34.60 10.36 31.89 0.00 100 227 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 102.50 ------ ------ 89.36 34.60 10.33 31.79 0.00 100 227 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 95.09 ------ ------ 81.95 34.60 10.33 31.79 0.00 100 227 AVERAGE

Mode	30	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5737.48 56.79 68.20 -11.41 43.71 34.60 10.35 31.87 0.00 100 275 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 111.54 ------ ------ 98.40 34.60 10.33 31.79 0.00 100 275 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 102.72 ------ ------ 89.59 34.60 10.33 31.80 0.00 100 275 AVERAGE

Mode	31	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.76 55.01 74.00 -18.99 42.91 34.20 9.79 31.89 0.00 244 271 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 102.41 ------ ------ 90.27 34.20 9.81 31.87 0.00 244 271 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.92 45.96 54.00 -8.04 33.86 34.20 9.79 31.89 0.00 244 271 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 94.05 ------ ------ 81.90 34.20 9.82 31.87 0.00 244 271 AVERAGE

Mode	31	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5454.06 53.51 74.00 -20.49 40.43 34.79 10.02 31.73 0.00 244 271 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5394.66 43.89 54.00 -10.11 31.02 34.69 9.94 31.76 0.00 244 271 AVERAGE	Blank

Mode	31	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5143.20 57.84 74.00 -16.16 45.76 34.19 9.78 31.89 0.00 162 321 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5190.00 106.32 ------ ------ 94.16 34.20 9.83 31.87 0.00 162 321 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5149.60 48.17 54.00 -5.83 36.07 34.20 9.79 31.89 0.00 162 321 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5190.00 98.32 ------ ------ 86.17 34.20 9.82 31.87 0.00 162 321 AVERAGE

Mode	31	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5373.60 53.04 74.00 -20.96 40.24 34.65 9.92 31.77 0.00 162 321 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.84 44.14 54.00 -9.86 31.33 34.65 9.93 31.77 0.00 162 321 AVERAGE	Blank

Mode	31	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 45.89 68.20 -22.31 59.70 37.47 14.14 65.42 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 45.96 68.20 -22.24 59.73 37.49 14.15 65.41 0.00 --- --- PEAK

Mode	32	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10460.00 47.13 68.20 -21.07 60.68 37.60 14.19 65.34 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10460.00 46.78 68.20 -21.42 60.33 37.60 14.19 65.34 0.00 --- --- PEAK

Mode	33	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10540.00 46.45 68.20 -21.75 59.62 37.80 14.26 65.23 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10540.00 46.53 68.20 -21.67 59.75 37.77 14.25 65.24 0.00 --- --- PEAK

Mode	34	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5112.64 54.52 74.00 -19.48 42.55 34.13 9.75 31.91 0.00 262 271 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 103.49 ------ ------ 90.87 34.53 9.89 31.80 0.00 262 271 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5148.16 44.84 54.00 -9.16 32.74 34.20 9.79 31.89 0.00 262 271 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 94.60 ------ ------ 82.00 34.52 9.89 31.81 0.00 262 271 AVERAGE

Mode	34	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.00 55.11 74.00 -18.89 42.37 34.61 9.91 31.78 0.00 262 271 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.30 44.84 54.00 -9.16 32.11 34.60 9.91 31.78 0.00 262 271 AVERAGE	Blank

Mode	34	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5112.80 54.61 74.00 -19.39 42.64 34.13 9.75 31.91 0.00 103 269 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 107.11 ------ ------ 94.51 34.52 9.89 31.81 0.00 103 269 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5121.76 44.86 54.00 -9.14 32.87 34.14 9.76 31.91 0.00 103 269 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 99.02 ------ ------ 86.40 34.53 9.89 31.80 0.00 103 269 AVERAGE

Mode	34	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.60 62.12 74.00 -11.88 49.39 34.60 9.91 31.78 0.00 103 269 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.20 49.43 54.00 -4.57 36.70 34.60 9.91 31.78 0.00 103 269 AVERAGE	Blank

Mode	34	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 46.01 74.00 -27.99 58.96 37.88 14.31 65.14 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 45.91 74.00 -28.09 58.86 37.88 14.31 65.14 0.00 --- --- PEAK

Mode	35	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5397.84 53.76 74.00 -20.24 40.88 34.70 9.94 31.76 0.00 106 273 PEAK 2 5465.04 53.21 68.20 -14.99 40.13 34.77 10.03 31.72 0.00 106 273 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 100.77 ------ ------ 87.68 34.69 10.10 31.70 0.00 106 273 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5454.32 44.13 54.00 -9.87 31.05 34.79 10.02 31.73 0.00 106 273 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 92.48 ------ ------ 79.39 34.69 10.10 31.70 0.00 106 273 AVERAGE

Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5756.52 55.56 68.20 -12.64 42.51 34.60 10.37 31.92 0.00 106 273 PEAK	Blank

Mode	35	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5356.56 54.67 74.00 -19.33 41.93 34.61 9.91 31.78 0.00 105 281 PEAK 2 5469.52 54.47 68.20 -13.73 41.39 34.76 10.04 31.72 0.00 105 281 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 107.04 ------ ------ 93.95 34.68 10.11 31.70 0.00 105 281 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.76 45.39 54.00 -8.61 32.31 34.78 10.03 31.73 0.00 105 281 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 98.41 ------ ------ 85.32 34.69 10.10 31.70 0.00 105 281 AVERAGE

Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5746.52 55.08 68.20 -13.12 42.01 34.60 10.36 31.89 0.00 105 281 PEAK	Blank

Mode	35	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.79 74.00 -27.21 58.88 38.00 14.58 64.67 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.18 74.00 -27.82 58.27 38.00 14.58 64.67 0.00 --- --- PEAK

Mode	36	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 47.02 74.00 -26.98 58.97 38.00 14.63 64.58 0.00 300 360 PEAK 2 11100.00 36.98 54.00 -17.02 48.91 38.00 14.64 64.57 0.00 300 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 46.68 74.00 -27.32 58.63 38.00 14.63 64.58 0.00 --- --- PEAK

Mode	37	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5408.88 56.02 74.00 -17.98 43.10 34.72 9.95 31.75 0.00 100 239 PEAK 2 5466.64 52.62 68.20 -15.58 39.53 34.77 10.04 31.72 0.00 100 239 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 103.28 ------ ------ 90.09 34.60 10.30 31.71 0.00 100 239 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5433.84 43.80 54.00 -10.20 30.78 34.77 9.99 31.74 0.00 100 239 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 93.05 ------ ------ 79.85 34.60 10.30 31.70 0.00 100 239 AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5735.32 58.52 68.20 -9.68 45.44 34.60 10.35 31.87 0.00 100 239 PEAK	Blank

Mode	37	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5432.08 53.75 74.00 -20.25 40.75 34.76 9.98 31.74 0.00 100 270 PEAK 2 5469.84 53.21 68.20 -14.99 40.13 34.76 10.04 31.72 0.00 100 270 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 109.42 ------ ------ 96.24 34.60 10.31 31.73 0.00 100 270 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.56 44.16 54.00 -9.84 31.08 34.79 10.02 31.73 0.00 100 270 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 101.05 ------ ------ 87.85 34.60 10.30 31.70 0.00 100 270 AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.92 63.26 68.20 -4.94 50.15 34.60 10.35 31.84 0.00 100 270 PEAK	Blank

Mode	37	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 47.53 74.00 -26.47 58.99 38.04 14.80 64.30 0.00 300 360 PEAK 2 11340.00 37.72 54.00 -16.28 49.15 38.05 14.81 64.29 0.00 300 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 46.50 74.00 -27.50 57.96 38.04 14.80 64.30 0.00 --- --- PEAK

Mode	38	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5114.40 55.78 74.00 -18.22 43.80 34.13 9.76 31.91 0.00 349 270 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 93.52 ------ ------ 81.32 34.22 9.84 31.86 0.00 349 270 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5145.76 46.76 54.00 -7.24 34.68 34.19 9.78 31.89 0.00 349 270 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5212.00 84.72 68.20 16.52 72.52 34.22 9.84 31.86 0.00 349 270 Average

Mode	38	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5377.14 53.01 74.00 -20.99 40.20 34.65 9.93 31.77 0.00 349 270 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5377.68 44.38 54.00 -9.62 31.56 34.66 9.93 31.77 0.00 349 270 AVERAGE	Blank

Mode	38	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5146.88 57.60 74.00 -16.40 45.52 34.19 9.78 31.89 0.00 182 321 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5210.00 103.77 ------ ------ 91.54 34.24 9.84 31.85 0.00 182 321 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5149.92 50.21 54.00 -3.79 38.11 34.20 9.79 31.89 0.00 182 321 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5210.00 94.75 ------ ------ 82.55 34.22 9.84 31.86 0.00 182 321 AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5385.96 53.68 74.00 -20.32 40.84 34.67 9.93 31.76 0.00 182 321 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.48 44.45 54.00 -9.55 31.72 34.60 9.91 31.78 0.00 182 321 AVERAGE	Blank

Mode	38	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10420.00 46.72 68.20 -21.48 60.31 37.58 14.18 65.35 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10420.00 45.82 68.20 -22.38 59.48 37.54 14.17 65.37 0.00 --- --- PEAK

Mode	39	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5119.68 56.11 74.00 -17.89 44.12 34.14 9.76 31.91 0.00 100 275 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 96.34 ------ ------ 83.76 34.50 9.89 31.81 0.00 100 275 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5131.52 45.41 54.00 -8.59 33.38 34.16 9.77 31.90 0.00 100 275 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 88.28 ------ ------ 75.73 34.48 9.88 31.81 0.00 100 275 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.80 54.37 74.00 -19.63 41.63 34.61 9.91 31.78 0.00 100 275 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.10 47.26 54.00 -6.74 34.53 34.60 9.91 31.78 0.00 100 275 AVERAGE	Blank

Mode	39	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5117.44 55.96 74.00 -18.04 43.98 34.13 9.76 31.91 0.00 100 244 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 102.70 ------ ------ 90.15 34.48 9.88 31.81 0.00 100 244 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5145.44 45.66 54.00 -8.34 33.58 34.19 9.78 31.89 0.00 100 244 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 94.27 ------ ------ 81.72 34.48 9.88 31.81 0.00 100 244 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.20 58.91 74.00 -15.09 46.18 34.60 9.91 31.78 0.00 100 244 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.30 50.57 54.00 -3.43 37.84 34.60 9.91 31.78 0.00 100 244 AVERAGE	Blank

Mode	39	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 45.38 68.20 -22.82 58.40 37.88 14.28 65.18 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 45.15 68.20 -23.05 58.19 37.87 14.28 65.19 0.00 --- --- PEAK

Mode	40	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.96 53.60 74.00 -20.40 40.52 34.80 10.01 31.73 0.00 100 274 PEAK 2 5470.00 53.97 68.20 -14.23 40.89 34.76 10.04 31.72 0.00 100 274 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 95.73 ------ ------ 82.65 34.65 10.12 31.69 0.00 100 274 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.52 45.94 54.00 -8.06 32.87 34.78 10.02 31.73 0.00 100 274 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 86.90 ------ ------ 73.82 34.64 10.13 31.69 0.00 100 274 AVERAGE

Mode	40	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5737.56 55.03 68.20 -13.17 41.95 34.60 10.35 31.87 0.00 100 274 PEAK	Blank

Mode	40	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5437.68 56.23 74.00 -17.77 43.20 34.78 9.99 31.74 0.00 102 276 PEAK 2 5465.52 57.93 68.20 -10.27 44.85 34.77 10.03 31.72 0.00 102 276 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5530.00 104.50 ------ ------ 91.41 34.62 10.15 31.68 0.00 102 276 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5457.52 50.47 54.00 -3.53 37.40 34.78 10.02 31.73 0.00 102 276 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5530.00 94.68 ------ ------ 81.60 34.64 10.13 31.69 0.00 102 276 AVERAGE

Mode	40	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5731.56 54.60 68.20 -13.60 41.51 34.60 10.35 31.86 0.00 102 276 PEAK	Blank

Mode	40	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11060.00 46.55 74.00 -27.45 58.57 38.00 14.61 64.63 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11060.00 46.26 74.00 -27.74 58.28 38.00 14.61 64.63 0.00 --- --- PEAK

Mode	41	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.88 53.84 74.00 -20.16 40.76 34.79 10.02 31.73 0.00 100 228 PEAK 2 5463.60 53.64 68.20 -14.56 40.56 34.77 10.03 31.72 0.00 100 228 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 98.44 ------ ------ 85.22 34.60 10.26 31.64 0.00 100 228 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.52 45.40 54.00 -8.60 32.33 34.78 10.02 31.73 0.00 100 228 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 89.81 ------ ------ 76.61 34.60 10.25 31.65 0.00 100 228 AVERAGE

Mode	41	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.52 56.81 68.20 -11.39 43.70 34.60 10.35 31.84 0.00 100 228 PEAK	Blank

Mode	41	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.28 55.89 74.00 -18.11 42.81 34.78 10.03 31.73 0.00 100 272 PEAK 2 5465.20 57.25 68.20 -10.95 44.17 34.77 10.03 31.72 0.00 100 272 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 107.42 ------ ------ 94.22 34.60 10.25 31.65 0.00 100 272 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.32 48.63 54.00 -5.37 35.56 34.78 10.02 31.73 0.00 100 272 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 97.44 ------ ------ 84.22 34.60 10.26 31.64 0.00 100 272 AVERAGE

Mode	41	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5750.12 62.15 68.20 -6.05 49.09 34.60 10.36 31.90 0.00 100 272 PEAK	Blank

Mode	41	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 46.65 74.00 -27.35 58.37 38.00 14.72 64.44 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 47.12 74.00 -26.88 58.84 38.00 14.72 64.44 0.00 --- --- PEAK

Mode	42	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5092.75 56.21 74.00 -17.79 44.30 34.09 9.74 31.92 0.00 100 261 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 92.73 ------ ------ 80.50 34.24 9.84 31.85 0.00 100 261 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5127.75 47.71 54.00 -6.29 35.68 34.16 9.77 31.90 0.00 100 261 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 83.29 ------ ------ 71.03 34.26 9.85 31.85 0.00 100 261 AVERAGE

Mode	42	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5353.32 54.06 74.00 -19.94 41.32 34.61 9.91 31.78 0.00 100 261 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5357.52 45.77 54.00 -8.23 33.01 34.62 9.92 31.78 0.00 100 261 AVERAGE	Blank

Mode	42	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5140.75 58.59 74.00 -15.41 46.53 34.18 9.78 31.90 0.00 100 268 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5250.00 98.56 ------ ------ 86.21 34.32 9.86 31.83 0.00 100 268 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5127.75 50.82 54.00 -3.18 38.79 34.16 9.77 31.90 0.00 100 268 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5250.00 90.15 ------ ------ 77.78 34.34 9.86 31.83 0.00 100 268 AVERAGE

Mode	42	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5386.71 58.26 74.00 -15.74 45.42 34.67 9.93 31.76 0.00 100 268 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5387.76 50.98 54.00 -3.02 38.13 34.68 9.93 31.76 0.00 100 268 AVERAGE	Blank

Mode	42	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10500.00 46.23 68.20 -21.97 59.63 37.68 14.22 65.30 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10500.00 45.76 68.20 -22.44 59.33 37.59 14.19 65.35 0.00 --- --- PEAK

Mode	43	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5442.18 55.56 74.00 -18.44 42.52 34.78 10.00 31.74 0.00 100 265 PEAK 2 5464.40 53.76 68.20 -14.44 40.68 34.77 10.03 31.72 0.00 100 265 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 91.69 ------ ------ 78.51 34.60 10.23 31.65 0.00 100 265 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5447.68 47.13 54.00 -6.87 34.05 34.80 10.01 31.73 0.00 100 265 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 82.90 ------ ------ 69.78 34.60 10.19 31.67 0.00 100 265 AVERAGE

Mode	43	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5744.72 55.29 68.20 -12.91 42.22 34.60 10.36 31.89 0.00 100 265 PEAK	Blank

Mode	43	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5453.62 57.31 74.00 -16.69 44.23 34.79 10.02 31.73 0.00 100 271 PEAK 2 5464.62 57.36 68.20 -10.84 44.28 34.77 10.03 31.72 0.00 100 271 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5570.00 98.52 ------ ------ 85.43 34.60 10.17 31.68 0.00 100 271 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5447.68 50.69 54.00 -3.31 37.61 34.80 10.01 31.73 0.00 100 271 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5570.00 91.32 ------ ------ 78.19 34.60 10.20 31.67 0.00 100 271 AVERAGE

Mode	43	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.64 57.76 68.20 -10.44 44.71 34.60 10.37 31.92 0.00 100 271 PEAK	Blank

Mode	43	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11140.00 46.27 74.00 -27.73 58.14 38.00 14.66 64.53 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11140.00 46.85 74.00 -27.15 58.72 38.00 14.66 64.53 0.00 --- --- PEAK

Mode	44	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_RU242/61_5190MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5110.24 55.42 74.00 -18.58 43.46 34.12 9.75 31.91 0.00 279 265 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5190.00 104.12 ------ ------ 91.99 34.20 9.81 31.88 0.00 279 265 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5149.28 46.08 54.00 -7.92 33.98 34.20 9.79 31.89 0.00 279 265 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5190.00 94.69 ------ ------ 82.57 34.20 9.80 31.88 0.00 279 265 AVERAGE

Mode	44	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_RU242/61_5190MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.28 54.09 74.00 -19.91 41.01 34.80 10.01 31.73 0.00 279 265 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5442.72 44.23 54.00 -9.77 31.17 34.79 10.00 31.73 0.00 279 265 AVERAGE	Blank

Mode	44	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_RU242/61_5190MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5133.92 55.23 74.00 -18.77 43.19 34.17 9.77 31.90 0.00 102 324 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 107.15 ------ ------ 95.03 34.20 9.80 31.88 0.00 102 324 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5148.80 49.63 54.00 -4.37 37.53 34.20 9.79 31.89 0.00 102 324 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 98.61 ------ ------ 86.46 34.20 9.82 31.87 0.00 102 324 AVERAGE

Mode	44	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_RU242/61_5190MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5447.85 53.58 74.00 -20.42 40.50 34.80 10.01 31.73 0.00 102 324 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.49 44.21 54.00 -9.79 31.13 34.79 10.02 31.73 0.00 102 324 AVERAGE	Blank

Mode	45	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_RU242/62_5310MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5144.32 55.08 74.00 -18.92 43.00 34.19 9.78 31.89 0.00 266 270 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 103.83 ------ ------ 91.19 34.54 9.90 31.80 0.00 266 270 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5103.68 44.99 54.00 -9.01 33.04 34.11 9.75 31.91 0.00 266 270 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 94.71 ------ ------ 82.09 34.53 9.89 31.80 0.00 266 270 AVERAGE

Mode	45	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_RU242/62_5310MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5398.30 54.26 74.00 -19.74 41.38 34.70 9.94 31.76 0.00 266 270 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.60 45.17 54.00 -8.83 32.44 34.60 9.91 31.78 0.00 266 270 AVERAGE	Blank

Mode	45	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_RU242/62_5310MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5102.72 54.75 74.00 -19.25 42.81 34.11 9.75 31.92 0.00 100 326 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 107.45 ------ ------ 94.81 34.54 9.90 31.80 0.00 100 326 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5146.24 45.14 54.00 -8.86 33.06 34.19 9.78 31.89 0.00 100 326 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 98.32 ------ ------ 85.67 34.55 9.90 31.80 0.00 100 326 AVERAGE

Mode	45	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_RU242/62_5310MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.60 54.49 74.00 -19.51 41.68 34.65 9.93 31.77 0.00 100 326 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.80 48.38 54.00 -5.62 35.65 34.60 9.91 31.78 0.00 100 326 AVERAGE	Blank

Mode	46	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5454.64 54.57 74.00 -19.43 41.49 34.79 10.02 31.73 0.00 100 275 PEAK 2 5466.00 53.53 68.20 -14.67 40.44 34.77 10.04 31.72 0.00 100 275 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 99.62 ------ ------ 86.54 34.71 10.08 31.71 0.00 100 275 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.40 44.05 54.00 -9.95 30.96 34.80 10.02 31.73 0.00 100 275 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 91.19 ------ ------ 78.10 34.69 10.10 31.70 0.00 100 275 AVERAGE

Mode	46	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5756.52 55.49 68.20 -12.71 42.44 34.60 10.37 31.92 0.00 100 275 PEAK	Blank

Mode	46	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.16 54.96 74.00 -19.04 42.22 34.61 9.91 31.78 0.00 100 272 PEAK 2 5462.96 53.52 68.20 -14.68 40.44 34.77 10.03 31.72 0.00 100 272 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 106.80 ------ ------ 93.71 34.69 10.10 31.70 0.00 100 272 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5430.64 44.53 54.00 -9.47 31.53 34.76 9.98 31.74 0.00 100 272 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 97.05 ------ ------ 83.97 34.71 10.08 31.71 0.00 100 272 AVERAGE

Mode	46	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5761.08 56.58 68.20 -11.62 43.54 34.60 10.37 31.93 0.00 100 272 PEAK	Blank

Mode	47	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5399.28 53.96 74.00 -20.04 41.08 34.70 9.94 31.76 0.00 112 279 PEAK 2 5465.68 52.32 68.20 -15.88 39.23 34.77 10.04 31.72 0.00 112 279 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 102.56 ------ ------ 89.38 34.60 10.31 31.73 0.00 112 279 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5395.76 44.15 54.00 -9.85 31.28 34.69 9.94 31.76 0.00 112 279 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 93.23 ------ ------ 80.05 34.60 10.31 31.73 0.00 112 279 AVERAGE

Mode	47	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5756.28 55.15 68.20 -13.05 42.10 34.60 10.37 31.92 0.00 112 279 PEAK	Blank

Mode	47	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5385.68 53.91 74.00 -20.09 41.08 34.67 9.93 31.77 0.00 100 275 PEAK 2 5463.92 52.70 68.20 -15.50 39.62 34.77 10.03 31.72 0.00 100 275 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 109.61 ------ ------ 96.43 34.60 10.31 31.73 0.00 100 275 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.40 44.34 54.00 -9.66 31.26 34.80 10.01 31.73 0.00 100 275 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 100.54 ------ ------ 87.36 34.60 10.31 31.73 0.00 100 275 AVERAGE

Mode	47	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5736.76 55.81 68.20 -12.39 42.73 34.60 10.35 31.87 0.00 100 275 PEAK	Blank

Mode	48	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_RU484/65_5210MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5110.08 55.72 74.00 -18.28 43.76 34.12 9.75 31.91 0.00 277 265 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5210.00 98.09 ------ ------ 85.97 34.20 9.80 31.88 0.00 277 265 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5145.92 45.12 54.00 -8.88 33.04 34.19 9.78 31.89 0.00 277 265 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5210.00 89.25 ------ ------ 77.13 34.20 9.80 31.88 0.00 277 265 AVERAGE

Mode	48	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_RU484/65_5210MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5394.60 54.07 74.00 -19.93 41.20 34.69 9.94 31.76 0.00 277 265 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5384.16 44.10 54.00 -9.90 31.27 34.67 9.93 31.77 0.00 277 265 AVERAGE	Blank

Mode	48	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_RU484/65_5210MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5132.96 55.69 74.00 -18.31 43.65 34.17 9.77 31.90 0.00 103 326 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5210.00 102.37 ------ ------ 90.21 34.20 9.83 31.87 0.00 103 326 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5137.12 45.85 54.00 -8.15 33.80 34.17 9.78 31.90 0.00 103 326 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5210.00 93.34 ------ ------ 81.21 34.20 9.81 31.88 0.00 103 326 AVERAGE

Mode	48	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_RU484/65_5210MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5371.38 53.09 74.00 -20.91 40.30 34.64 9.92 31.77 0.00 103 326 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5367.42 44.23 54.00 -9.77 31.45 34.63 9.92 31.77 0.00 103 326 AVERAGE	Blank

Mode	49	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_RU484/66_5290MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5130.24 54.79 74.00 -19.21 42.76 34.16 9.77 31.90 0.00 265 270 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5290.00 99.30 ------ ------ 86.70 34.52 9.89 31.81 0.00 265 270 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5132.48 45.06 54.00 -8.94 33.03 34.16 9.77 31.90 0.00 265 270 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5290.00 90.02 ------ ------ 77.40 34.53 9.89 31.80 0.00 265 270 AVERAGE

Mode	49	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_RU484/66_5290MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.70 54.11 74.00 -19.89 41.37 34.61 9.91 31.78 0.00 265 270 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.20 44.95 54.00 -9.05 32.21 34.61 9.91 31.78 0.00 265 270 AVERAGE	Blank

Mode	49	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_RU484/66_5290MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5137.60 54.55 74.00 -19.45 42.49 34.18 9.78 31.90 0.00 100 325 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 103.32 ------ ------ 90.68 34.54 9.90 31.80 0.00 100 325 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5121.76 45.36 54.00 -8.64 33.37 34.14 9.76 31.91 0.00 100 325 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 94.13 ------ ------ 81.48 34.55 9.90 31.80 0.00 100 325 AVERAGE

Mode	49	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_RU484/66_5290MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5357.60 56.65 74.00 -17.35 43.89 34.62 9.92 31.78 0.00 100 325 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5379.30 46.83 54.00 -7.17 34.01 34.66 9.93 31.77 0.00 100 325 AVERAGE	Blank

Mode	50	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5447.44 53.95 74.00 -20.05 40.88 34.79 10.01 31.73 0.00 100 277 PEAK 2 5460.88 52.98 68.20 -15.22 39.90 34.78 10.03 31.73 0.00 100 277 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 95.71 ------ ------ 82.63 34.66 10.11 31.69 0.00 100 277 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.32 44.48 54.00 -9.52 31.41 34.78 10.02 31.73 0.00 100 277 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 87.27 ------ ------ 74.19 34.71 10.08 31.71 0.00 100 277 AVERAGE

Mode	50	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5759.64 55.50 68.20 -12.70 42.46 34.60 10.37 31.93 0.00 100 277 PEAK	Blank

Mode	50	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5409.52 55.13 74.00 -18.87 42.21 34.72 9.95 31.75 0.00 100 274 PEAK 2 5464.08 55.23 68.20 -12.97 42.15 34.77 10.03 31.72 0.00 100 274 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 102.21 ------ ------ 89.13 34.65 10.12 31.69 0.00 100 274 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.76 44.99 54.00 -9.01 31.91 34.78 10.03 31.73 0.00 100 274 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 93.02 ------ ------ 79.93 34.68 10.11 31.70 0.00 100 274 AVERAGE

Mode	50	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5731.64 55.21 68.20 -12.99 42.12 34.60 10.35 31.86 0.00 100 274 PEAK	Blank

Mode	51	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5379.92 53.81 74.00 -20.19 40.99 34.66 9.93 31.77 0.00 100 279 PEAK 2 5469.20 52.99 68.20 -15.21 39.91 34.76 10.04 31.72 0.00 100 279 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 97.47 ------ ------ 84.24 34.60 10.28 31.65 0.00 100 279 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5441.04 44.24 54.00 -9.76 31.20 34.78 10.00 31.74 0.00 100 279 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 88.44 ------ ------ 75.21 34.60 10.28 31.65 0.00 100 279 AVERAGE

Mode	51	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5734.60 55.66 68.20 -12.54 42.57 34.60 10.35 31.86 0.00 100 279 PEAK	Blank

Mode	51	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5358.16 53.76 74.00 -20.24 41.00 34.62 9.92 31.78 0.00 100 275 PEAK 2 5469.20 52.33 68.20 -15.87 39.25 34.76 10.04 31.72 0.00 100 275 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 104.15 ------ ------ 90.91 34.60 10.28 31.64 0.00 100 275 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.12 44.47 54.00 -9.53 31.74 34.60 9.91 31.78 0.00 100 275 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 95.57 ------ ------ 82.33 34.60 10.28 31.64 0.00 100 275 AVERAGE

Mode	51	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5738.84 56.17 68.20 -12.03 43.08 34.60 10.36 31.87 0.00 100 275 PEAK	Blank

Mode	52	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_RU996/67_5250MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5123.50 55.67 74.00 -18.33 43.66 34.15 9.76 31.90 0.00 276 265 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 95.73 ------ ------ 83.60 34.20 9.81 31.88 0.00 276 265 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5114.75 46.17 54.00 -7.83 34.19 34.13 9.76 31.91 0.00 276 265 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 86.67 ------ ------ 74.50 34.20 9.83 31.86 0.00 276 265 AVERAGE

Mode	52	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_RU996/67_5250MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5358.57 54.36 74.00 -19.64 41.60 34.62 9.92 31.78 0.00 276 265 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5384.19 44.27 54.00 -9.73 31.44 34.67 9.93 31.77 0.00 276 265 AVERAGE	Blank

Mode	52	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_RU996/67_5250MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5142.50 57.40 74.00 -16.60 45.32 34.19 9.78 31.89 0.00 198 325 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 99.36 ------ ------ 87.19 34.20 9.83 31.86 0.00 198 325 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.25 47.89 54.00 -6.11 35.79 34.20 9.79 31.89 0.00 198 325 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 90.11 ------ ------ 77.97 34.20 9.81 31.87 0.00 198 325 AVERAGE

Mode	52	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_RU996/67_5250MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5417.58 53.78 74.00 -20.22 40.83 34.74 9.96 31.75 0.00 198 325 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.80 44.75 54.00 -9.25 32.02 34.60 9.91 31.78 0.00 198 325 AVERAGE	Blank

Mode	53	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_RU996/67_5570MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5362.54 53.92 74.00 -20.08 41.15 34.63 9.92 31.78 0.00 100 276 PEAK 2 5464.62 53.40 68.20 -14.80 40.32 34.77 10.03 31.72 0.00 100 276 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 95.02 ------ ------ 81.90 34.60 10.19 31.67 0.00 100 276 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5435.14 44.45 54.00 -9.55 31.43 34.77 9.99 31.74 0.00 100 276 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 84.07 ------ ------ 70.98 34.69 10.10 31.70 0.00 100 276 AVERAGE

Mode	53	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_RU996/67_5570MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5742.19 54.80 68.20 -13.40 41.72 34.60 10.36 31.88 0.00 100 276 PEAK	Blank

Mode	53	
Mode	Band Edge - L	
Mode	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_RU996/67_5570MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.96 55.18 74.00 -18.82 42.10 34.79 10.02 31.73 0.00 100 274 PEAK 2 5469.68 53.45 68.20 -14.75 40.37 34.76 10.04 31.72 0.00 100 274 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 102.36 ------ ------ 89.28 34.66 10.11 31.69 0.00 100 274 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5451.86 45.28 54.00 -8.72 32.20 34.80 10.01 31.73 0.00 100 274 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 90.85 ------ ------ 77.73 34.60 10.19 31.67 0.00 100 274 AVERAGE

Mode	53	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_RU996/67_5570MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5735.36 55.49 68.20 -12.71 42.41 34.60 10.35 31.87 0.00 100 274 PEAK	Blank

Mode	42	
	18G-40G	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full_5250MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

Mode	42	
	30-1G	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full_5250MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak		

Horizontal:

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	131.85	23.15	43.50	-20.35	35.94	17.53	1.74	32.06	--	--	Peak
2	224.00	29.77	46.00	-16.23	44.00	15.46	2.28	31.97	--	--	Peak
3	234.67	32.43	46.00	-13.57	45.41	16.59	2.34	31.91	--	--	Peak
4	352.04	24.05	46.00	-21.95	32.90	20.28	2.86	31.99	--	--	Peak
5	599.39	26.11	46.00	-19.89	28.66	25.65	3.73	31.93	--	--	Peak
6	884.57	29.52	46.00	-16.48	27.49	28.97	4.51	31.45	--	--	Peak

Vertical:

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	43.58	32.08	40.00	-7.92	45.61	17.64	1.01	32.18	--	--	Peak
2	131.85	27.45	43.50	-16.05	40.24	17.53	1.74	32.06	--	--	Peak
3	237.58	35.02	46.00	-10.98	47.61	16.94	2.36	31.89	--	--	Peak
4	359.80	23.44	46.00	-22.56	32.04	20.52	2.89	32.01	--	--	Peak
5	476.20	21.89	46.00	-24.11	27.25	23.51	3.33	32.20	--	--	Peak
6	844.80	27.25	46.00	-18.75	25.02	29.33	4.41	31.51	--	--	Peak

Mode	54	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5644.80 54.22 68.20 -13.98 40.98 34.60 10.28 31.64 0.00 117 244 PEAK 2 5650.40 51.45 68.50 -17.05 38.23 34.60 10.28 31.66 0.00 117 244 PEAK 3 5717.60 58.65 110.23 -51.58 45.53 34.60 10.34 31.82 0.00 117 244 PEAK 4 5721.60 64.49 114.55 -50.06 51.38 34.60 10.34 31.83 0.00 117 244 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 106.37 ------ ------ 93.30 34.60 10.36 31.89 0.00 117 244 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 97.82 ------ ------ 84.75 34.60 10.36 31.89 0.00 117 244 AVERAGE

Mode	54	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5621.60 53.97 68.20 -14.23 40.75 34.60 10.26 31.64 0.00 100 278 PEAK 2 5651.60 54.51 69.39 -14.88 41.28 34.60 10.29 31.66 0.00 100 278 PEAK 3 5720.00 71.69 110.90 -39.21 58.58 34.60 10.34 31.83 0.00 100 278 PEAK 4 5722.80 73.46 117.29 -43.83 60.35 34.60 10.34 31.83 0.00 100 278 Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 113.06 ------ ------ 99.99 34.60 10.36 31.89 0.00 100 278 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 105.09 ------ ------ 92.02 34.60 10.36 31.89 0.00 100 278 AVERAGE

Mode	54	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 54.32 74.00 -19.68 65.34 38.19 14.91 64.12 0.00 100 324 PEAK 2 11490.00 42.51 54.00 -11.49 53.53 38.19 14.91 64.12 0.00 100 324 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 51.89 74.00 -22.11 62.91 38.19 14.91 64.12 0.00 300 360 PEAK 2 11490.00 40.62 54.00 -13.38 51.64 38.19 14.91 64.12 0.00 300 360 AVERAGE

Mode	55	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 56.82 74.00 -17.18 67.81 38.27 14.97 64.23 0.00 210 282 PEAK 2 11570.00 44.41 54.00 -9.59 55.40 38.27 14.97 64.23 0.00 210 282 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 48.74 74.00 -25.26 59.73 38.27 14.97 64.23 0.00 100 360 PEAK 2 11570.00 37.19 54.00 -16.81 48.18 38.27 14.96 64.22 0.00 100 360 AVERAGE

Mode	56	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 58.21 112.27 -54.06 45.20 34.72 10.45 32.16 0.00 300 251 PEAK 2 5855.20 60.00 110.84 -50.84 46.99 34.72 10.45 32.16 0.00 300 251 PEAK 3 5924.80 51.89 68.35 -16.46 38.48 35.05 10.52 32.16 0.00 300 251 PEAK 4 5981.60 54.61 68.20 -13.59 40.88 35.33 10.57 32.17 0.00 300 251 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 103.96 ------ ------ 90.97 34.66 10.43 32.10 0.00 300 251 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 96.29 ------ ------ 83.29 34.65 10.43 32.08 0.00 300 251 AVERAGE

Mode	56	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.00 63.78 113.18 -49.40 50.77 34.72 10.45 32.16 0.00 185 251 PEAK 2 5874.80 55.90 105.36 -49.46 42.79 34.80 10.47 32.16 0.00 185 251 PEAK 3 5922.80 53.01 69.83 -16.82 39.62 35.04 10.51 32.16 0.00 185 251 PEAK 4 5943.60 55.78 68.20 -12.42 42.26 35.16 10.53 32.17 0.00 185 251 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 112.71 ------ ------ 99.71 34.65 10.43 32.08 0.00 185 251 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 105.23 ------ ------ 92.23 34.65 10.43 32.08 0.00 185 251 AVERAGE

Mode	56	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.04 74.00 -26.96 58.03 38.35 15.02 64.36 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 50.97 74.00 -23.03 61.96 38.35 15.02 64.36 0.00 286 0 PEAK 2 11650.00 39.64 54.00 -14.36 50.63 38.35 15.02 64.36 0.00 286 0 AVERAGE

Mode	57	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5616.00 54.10 68.20 -14.10 40.88 34.60 10.26 31.64 0.00 100 242 PEAK 2 5650.00 50.21 68.20 -17.99 36.98 34.60 10.28 31.65 0.00 100 242 PEAK 3 5717.20 64.87 110.12 -45.25 51.75 34.60 10.34 31.82 0.00 100 242 PEAK 4 5721.60 66.30 114.55 -48.25 53.19 34.60 10.34 31.83 0.00 100 242 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 106.47 ------ ------ 93.40 34.60 10.36 31.89 0.00 100 242 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 96.42 ------ ------ 83.35 34.60 10.36 31.89 0.00 100 242 AVERAGE

Mode	57	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5607.60 53.92 68.20 -14.28 40.72 34.60 10.25 31.65 0.00 100 279 PEAK 2 5650.00 52.07 68.20 -16.13 38.84 34.60 10.28 31.65 0.00 100 279 PEAK 3 5719.60 72.88 110.79 -37.91 59.77 34.60 10.34 31.83 0.00 100 279 PEAK 4 5720.00 68.98 110.90 -41.92 55.87 34.60 10.34 31.83 0.00 100 279 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 112.50 ------ ------ 99.43 34.60 10.36 31.89 0.00 100 279 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 104.02 ------ ------ 90.95 34.60 10.36 31.89 0.00 100 279 AVERAGE

Mode	57	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 53.69 74.00 -20.31 64.71 38.19 14.91 64.12 0.00 100 325 PEAK 2 11490.00 42.45 54.00 -11.55 53.47 38.19 14.91 64.12 0.00 100 325 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 51.85 74.00 -22.15 62.87 38.19 14.91 64.12 0.00 300 360 PEAK 2 11490.00 40.69 54.00 -13.31 51.71 38.19 14.91 64.12 0.00 300 360 AVERAGE

Mode	58	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.19 74.00 -27.81 57.18 38.27 14.97 64.23 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 50.84 74.00 -23.16 61.83 38.27 14.97 64.23 0.00 300 360 PEAK 2 11570.00 40.48 54.00 -13.52 51.47 38.27 14.97 64.23 0.00 300 360 AVERAGE

Mode	59	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5853.20 57.40 115.00 -57.60 44.40 34.71 10.45 32.16 0.00 307 250 PEAK 2 5858.40 58.54 109.95 -51.41 45.51 34.73 10.46 32.16 0.00 307 250 PEAK 3 5924.00 53.31 68.94 -15.63 39.92 35.04 10.51 32.16 0.00 307 250 PEAK 4 5943.20 56.34 68.20 -11.86 42.82 35.16 10.53 32.17 0.00 307 250 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 103.86 ------ ------ 90.87 34.66 10.43 32.10 0.00 307 250 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 96.05 ------ ------ 83.05 34.65 10.43 32.08 0.00 307 250 AVERAGE

Mode	59	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5853.60 64.10 114.09 -49.99 51.10 34.71 10.45 32.16 0.00 100 250 PEAK 2 5862.40 60.33 108.83 -48.50 47.28 34.75 10.46 32.16 0.00 100 250 PEAK 3 5923.60 53.34 69.23 -15.89 39.95 35.04 10.51 32.16 0.00 100 250 PEAK 4 5938.00 55.24 68.20 -12.96 41.74 35.13 10.53 32.16 0.00 100 250 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 110.82 ------ ------ 97.83 34.66 10.43 32.10 0.00 100 250 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 103.16 ------ ------ 90.16 34.65 10.43 32.08 0.00 100 250 AVERAGE

Mode	59	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 46.37 74.00 -27.63 57.36 38.35 15.02 64.36 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 52.53 74.00 -21.47 63.52 38.35 15.02 64.36 0.00 300 360 PEAK 2 11650.00 39.69 54.00 -14.31 50.68 38.35 15.02 64.36 0.00 300 360 AVERAGE