










Mode	60																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																														
ANT	2																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.72</td><td>54.26</td><td>68.20</td><td>-13.94</td><td>41.02</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>52.78</td><td>68.48</td><td>-15.70</td><td>39.56</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>73.42</td><td>110.67</td><td>-37.25</td><td>60.31</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>68.97</td><td>111.54</td><td>-42.57</td><td>55.86</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.72	54.26	68.20	-13.94	41.02	34.60	10.27	31.63	0.00	119	246	PEAK	2	5650.38	52.78	68.48	-15.70	39.56	34.60	10.28	31.66	0.00	119	246	PEAK	3	5719.20	73.42	110.67	-37.25	60.31	34.60	10.34	31.83	0.00	119	246	PEAK	4	5720.28	68.97	111.54	-42.57	55.86	34.60	10.34	31.83	0.00	119	246	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.94</td><td>-----</td><td>-----</td><td>89.89</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	102.94	-----	-----	89.89	34.60	10.37	31.92	0.00	119	246	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5634.72	54.26	68.20	-13.94	41.02	34.60	10.27	31.63	0.00	119	246	PEAK																																																																																																																																			
2	5650.38	52.78	68.48	-15.70	39.56	34.60	10.28	31.66	0.00	119	246	PEAK																																																																																																																																			
3	5719.20	73.42	110.67	-37.25	60.31	34.60	10.34	31.83	0.00	119	246	PEAK																																																																																																																																			
4	5720.28	68.97	111.54	-42.57	55.86	34.60	10.34	31.83	0.00	119	246	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	102.94	-----	-----	89.89	34.60	10.37	31.92	0.00	119	246	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.75</td><td>-----</td><td>-----</td><td>80.69</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>119</td><td>246</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.75	-----	-----	80.69	34.60	10.37	31.91	0.00	119	246	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	93.75	-----	-----	80.69	34.60	10.37	31.91	0.00	119	246	AVERAGE																																																																																																																																			




Mode	60																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																															
ANT	2																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>52.59</td><td>111.26</td><td>-58.67</td><td>39.58</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>54.89</td><td>106.08</td><td>-51.19</td><td>41.79</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>52.90</td><td>68.75</td><td>-15.85</td><td>39.50</td><td>35.05</td><td>10.51</td><td>32.16</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr><tr><td>4</td><td>5935.57</td><td>54.83</td><td>68.20</td><td>-13.37</td><td>41.36</td><td>35.11</td><td>10.52</td><td>32.16</td><td>0.00</td><td>119</td><td>246</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	52.59	111.26	-58.67	39.58	34.72	10.45	32.16	0.00	119	246	PEAK	2	5872.20	54.89	106.08	-51.19	41.79	34.79	10.47	32.16	0.00	119	246	PEAK	3	5924.26	52.90	68.75	-15.85	39.50	35.05	10.51	32.16	0.00	119	246	PEAK	4	5935.57	54.83	68.20	-13.37	41.36	35.11	10.52	32.16	0.00	119	246	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.84	52.59	111.26	-58.67	39.58	34.72	10.45	32.16	0.00	119	246	PEAK																																																																																				
2	5872.20	54.89	106.08	-51.19	41.79	34.79	10.47	32.16	0.00	119	246	PEAK																																																																																				
3	5924.26	52.90	68.75	-15.85	39.50	35.05	10.51	32.16	0.00	119	246	PEAK																																																																																				
4	5935.57	54.83	68.20	-13.37	41.36	35.11	10.52	32.16	0.00	119	246	PEAK																																																																																				





Mode	60																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																								
ANT	2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.67</td><td>56.69</td><td>68.20</td><td>-11.51</td><td>43.47</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>54.58</td><td>68.48</td><td>-13.90</td><td>41.36</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>81.47</td><td>110.67</td><td>-29.20</td><td>68.36</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>73.64</td><td>112.60</td><td>-38.96</td><td>60.53</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.67	56.69	68.20	-11.51	43.47	34.60	10.26	31.64	0.00	100	278 PEAK	2	5650.38	54.58	68.48	-13.90	41.36	34.60	10.28	31.66	0.00	100	278 PEAK	3	5719.20	81.47	110.67	-29.20	68.36	34.60	10.34	31.83	0.00	100	278 PEAK	4	5720.75	73.64	112.60	-38.96	60.53	34.60	10.34	31.83	0.00	100	278 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.66</td><td>-----</td><td>-----</td><td>96.61</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	109.66	-----	-----	96.61	34.60	10.37	31.92	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5617.67	56.69	68.20	-11.51	43.47	34.60	10.26	31.64	0.00	100	278 PEAK																																																																																																																														
2	5650.38	54.58	68.48	-13.90	41.36	34.60	10.28	31.66	0.00	100	278 PEAK																																																																																																																														
3	5719.20	81.47	110.67	-29.20	68.36	34.60	10.34	31.83	0.00	100	278 PEAK																																																																																																																														
4	5720.75	73.64	112.60	-38.96	60.53	34.60	10.34	31.83	0.00	100	278 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	109.66	-----	-----	96.61	34.60	10.37	31.92	0.00	100	278 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.86</td><td>-----</td><td>-----</td><td>87.81</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>100</td><td>278 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	100.86	-----	-----	87.81	34.60	10.37	31.92	0.00	100	278 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	100.86	-----	-----	87.81	34.60	10.37	31.92	0.00	100	278 AVERAGE																																																																																																																														






Mode	60																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																															
ANT	2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>55.04</td><td>111.71</td><td>-56.67</td><td>42.03</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>55.12</td><td>105.48</td><td>-50.36</td><td>42.01</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>54.34</td><td>68.31</td><td>-13.97</td><td>40.93</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>4</td><td>5944.15</td><td>55.09</td><td>68.20</td><td>-13.11</td><td>41.57</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	55.04	111.71	-56.67	42.03	34.72	10.45	32.16	0.00	100	278	PEAK	2	5874.34	55.12	105.48	-50.36	42.01	34.80	10.47	32.16	0.00	100	278	PEAK	3	5924.85	54.34	68.31	-13.97	40.93	35.05	10.52	32.16	0.00	100	278	PEAK	4	5944.15	55.09	68.20	-13.11	41.57	35.16	10.53	32.17	0.00	100	278	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.65	55.04	111.71	-56.67	42.03	34.72	10.45	32.16	0.00	100	278	PEAK																																																																																				
2	5874.34	55.12	105.48	-50.36	42.01	34.80	10.47	32.16	0.00	100	278	PEAK																																																																																				
3	5924.85	54.34	68.31	-13.97	40.93	35.05	10.52	32.16	0.00	100	278	PEAK																																																																																				
4	5944.15	55.09	68.20	-13.11	41.57	35.16	10.53	32.17	0.00	100	278	PEAK																																																																																				




Mode	60																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																	
ANT	2																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>59.47</td><td>38.21</td><td>14.92</td><td>64.13</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>37.64</td><td>54.00</td><td>-16.36</td><td>48.66</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	48.47	74.00	-25.53	59.47	38.21	14.92	64.13	0.00	100	360	PEAK	2	11510.00	37.64	54.00	-16.36	48.66	38.19	14.91	64.12	0.00	100	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>60.36</td><td>38.21</td><td>14.92</td><td>64.13</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>39.68</td><td>54.00</td><td>-14.32</td><td>50.68</td><td>38.21</td><td>14.92</td><td>64.13</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	49.36	74.00	-24.64	60.36	38.21	14.92	64.13	0.00	300	360	PEAK	2	11510.00	39.68	54.00	-14.32	50.68	38.21	14.92	64.13	0.00	300	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11510.00	48.47	74.00	-25.53	59.47	38.21	14.92	64.13	0.00	100	360	PEAK																																																																																																																						
2	11510.00	37.64	54.00	-16.36	48.66	38.19	14.91	64.12	0.00	100	360	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11510.00	49.36	74.00	-24.64	60.36	38.21	14.92	64.13	0.00	300	360	PEAK																																																																																																																						
2	11510.00	39.68	54.00	-14.32	50.68	38.21	14.92	64.13	0.00	300	360	AVERAGE																																																																																																																						






Mode	61																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5607.20</td><td>53.35</td><td>68.20</td><td>-14.85</td><td>40.15</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.42</td><td>68.20</td><td>-15.78</td><td>39.19</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>53.06</td><td>105.30</td><td>-52.24</td><td>39.92</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.51</td><td>110.90</td><td>-56.39</td><td>41.40</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5607.20	53.35	68.20	-14.85	40.15	34.60	10.25	31.65	0.00	100	244 PEAK	2	5650.00	52.42	68.20	-15.78	39.19	34.60	10.28	31.65	0.00	100	244 PEAK	3	5700.00	53.06	105.30	-52.24	39.92	34.60	10.32	31.78	0.00	100	244 PEAK	4	5720.00	54.51	110.90	-56.39	41.40	34.60	10.34	31.83	0.00	100	244 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single sharp peak is visible at 5795 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5795.00</td><td>101.76</td><td>-----</td><td>-----</td><td>88.77</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	101.76	-----	-----	88.77	34.60	10.40	32.01	0.00	100	244 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5607.20	53.35	68.20	-14.85	40.15	34.60	10.25	31.65	0.00	100	244 PEAK																																																																																																								
2	5650.00	52.42	68.20	-15.78	39.19	34.60	10.28	31.65	0.00	100	244 PEAK																																																																																																								
3	5700.00	53.06	105.30	-52.24	39.92	34.60	10.32	31.78	0.00	100	244 PEAK																																																																																																								
4	5720.00	54.51	110.90	-56.39	41.40	34.60	10.34	31.83	0.00	100	244 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5795.00	101.76	-----	-----	88.77	34.60	10.40	32.01	0.00	100	244 PEAK																																																																																																								
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single sharp peak is visible at 5795 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5795.00</td><td>92.99</td><td>-----</td><td>-----</td><td>80.00</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	92.99	-----	-----	80.00	34.60	10.40	32.01	0.00	100	244 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5795.00	92.99	-----	-----	80.00	34.60	10.40	32.01	0.00	100	244 AVERAGE																																																																																																								




Mode	61																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																						
ANT	2																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>54.43</td><td>112.27</td><td>-57.84</td><td>41.42</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>54.00</td><td>105.69</td><td>-51.69</td><td>40.90</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>51.87</td><td>69.53</td><td>-17.66</td><td>38.48</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>5939.60</td><td>54.29</td><td>68.20</td><td>-13.91</td><td>40.79</td><td>35.14</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	54.43	112.27	-57.84	41.42	34.72	10.45	32.16	0.00	100	244	PEAK	2	5873.60	54.00	105.69	-51.69	40.90	34.79	10.47	32.16	0.00	100	244	PEAK	3	5923.20	51.87	69.53	-17.66	38.48	35.04	10.51	32.16	0.00	100	244	PEAK	4	5939.60	54.29	68.20	-13.91	40.79	35.14	10.53	32.17	0.00	100	244	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.40	54.43	112.27	-57.84	41.42	34.72	10.45	32.16	0.00	100	244	PEAK																																																																											
2	5873.60	54.00	105.69	-51.69	40.90	34.79	10.47	32.16	0.00	100	244	PEAK																																																																											
3	5923.20	51.87	69.53	-17.66	38.48	35.04	10.51	32.16	0.00	100	244	PEAK																																																																											
4	5939.60	54.29	68.20	-13.91	40.79	35.14	10.53	32.17	0.00	100	244	PEAK																																																																											





Mode	61																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																													
ANT	2																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5639.20</td><td>53.71</td><td>68.20</td><td>-14.49</td><td>40.46</td><td>34.60</td><td>10.28</td><td>31.63</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.67</td><td>68.20</td><td>-16.53</td><td>38.44</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5705.20</td><td>56.67</td><td>106.76</td><td>-50.09</td><td>43.53</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.32</td><td>110.90</td><td>-51.58</td><td>46.21</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5639.20	53.71	68.20	-14.49	40.46	34.60	10.28	31.63	0.00	100	243	PEAK	2	5650.00	51.67	68.20	-16.53	38.44	34.60	10.28	31.65	0.00	100	243	PEAK	3	5705.20	56.67	106.76	-50.09	43.53	34.60	10.33	31.79	0.00	100	243	PEAK	4	5720.00	59.32	110.90	-51.58	46.21	34.60	10.34	31.83	0.00	100	243	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>108.92</td><td>-----</td><td>-----</td><td>95.93</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	108.92	-----	-----	95.93	34.60	10.40	32.01	0.00	100	243
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5639.20	53.71	68.20	-14.49	40.46	34.60	10.28	31.63	0.00	100	243	PEAK																																																																																																																																		
2	5650.00	51.67	68.20	-16.53	38.44	34.60	10.28	31.65	0.00	100	243	PEAK																																																																																																																																		
3	5705.20	56.67	106.76	-50.09	43.53	34.60	10.33	31.79	0.00	100	243	PEAK																																																																																																																																		
4	5720.00	59.32	110.90	-51.58	46.21	34.60	10.34	31.83	0.00	100	243	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5795.00	108.92	-----	-----	95.93	34.60	10.40	32.01	0.00	100	243	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>100.88</td><td>-----</td><td>-----</td><td>87.09</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.88	-----	-----	87.09	34.60	10.40	32.01	0.00	100	243	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5795.00	100.88	-----	-----	87.09	34.60	10.40	32.01	0.00	100	243	AVERAGE																																																																																																																																		



Mode	61																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																		
ANT	2																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>62.71</td><td>113.18</td><td>-50.47</td><td>49.70</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>60.75</td><td>106.59</td><td>-45.84</td><td>47.66</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.29</td><td>68.35</td><td>-16.06</td><td>38.88</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>4</td><td>5991.60</td><td>55.22</td><td>68.20</td><td>-12.98</td><td>41.45</td><td>35.37</td><td>10.57</td><td>32.17</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	62.71	113.18	-50.47	49.70	34.72	10.45	32.16	0.00	100	243 PEAK	2	5870.40	60.75	106.59	-45.84	47.66	34.78	10.47	32.16	0.00	100	243 PEAK	3	5924.00	52.29	68.35	-16.06	38.88	35.05	10.52	32.16	0.00	100	243 PEAK	4	5991.60	55.22	68.20	-12.98	41.45	35.37	10.57	32.17	0.00	100	243 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	62.71	113.18	-50.47	49.70	34.72	10.45	32.16	0.00	100	243 PEAK																																																																								
2	5870.40	60.75	106.59	-45.84	47.66	34.78	10.47	32.16	0.00	100	243 PEAK																																																																								
3	5924.00	52.29	68.35	-16.06	38.88	35.05	10.52	32.16	0.00	100	243 PEAK																																																																								
4	5991.60	55.22	68.20	-12.98	41.45	35.37	10.57	32.17	0.00	100	243 PEAK																																																																								




Mode	61																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																						
ANT	2																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>57.21</td><td>38.29</td><td>14.98</td><td>64.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	46.22	74.00	-27.78	57.21	38.29	14.98	64.26	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>60.53</td><td>38.29</td><td>14.98</td><td>64.26</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>39.68</td><td>54.00</td><td>-14.32</td><td>50.67</td><td>38.29</td><td>14.98</td><td>64.26</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	49.54	74.00	-24.46	60.53	38.29	14.98	64.26	0.00	300	360	PEAK	2	11590.00	39.68	54.00	-14.32	50.67	38.29	14.98	64.26	0.00	300	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11590.00	46.22	74.00	-27.78	57.21	38.29	14.98	64.26	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11590.00	49.54	74.00	-24.46	60.53	38.29	14.98	64.26	0.00	300	360	PEAK																																																																																																											
2	11590.00	39.68	54.00	-14.32	50.67	38.29	14.98	64.26	0.00	300	360	AVERAGE																																																																																																											







Mode	62																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																			
ANT	2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5634.00</td><td>54.93</td><td>68.20</td><td>-13.27</td><td>41.69</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>281 PEAK</td></tr><tr><td>2 5652.00</td><td>54.78</td><td>69.69</td><td>-14.91</td><td>41.55</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>281 PEAK</td></tr><tr><td>3 5701.60</td><td>66.18</td><td>105.75</td><td>-39.57</td><td>53.03</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>281 PEAK</td></tr><tr><td>4 5728.80</td><td>67.11</td><td>112.72</td><td>-45.61</td><td>54.00</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>281 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5634.00	54.93	68.20	-13.27	41.69	34.60	10.27	31.63	0.00	100	281 PEAK	2 5652.00	54.78	69.69	-14.91	41.55	34.60	10.29	31.66	0.00	100	281 PEAK	3 5701.60	66.18	105.75	-39.57	53.03	34.60	10.33	31.78	0.00	100	281 PEAK	4 5728.80	67.11	112.72	-45.61	54.00	34.60	10.34	31.83	0.00	100	281 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>99.25</td><td>-----</td><td>-----</td><td>86.23</td><td>34.60</td><td>10.39</td><td>31.97</td><td>0.00</td><td>100</td><td>281 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	99.25	-----	-----	86.23	34.60	10.39	31.97	0.00	100	281 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5634.00	54.93	68.20	-13.27	41.69	34.60	10.27	31.63	0.00	100	281 PEAK																																																																																																																										
2 5652.00	54.78	69.69	-14.91	41.55	34.60	10.29	31.66	0.00	100	281 PEAK																																																																																																																										
3 5701.60	66.18	105.75	-39.57	53.03	34.60	10.33	31.78	0.00	100	281 PEAK																																																																																																																										
4 5728.80	67.11	112.72	-45.61	54.00	34.60	10.34	31.83	0.00	100	281 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	99.25	-----	-----	86.23	34.60	10.39	31.97	0.00	100	281 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>90.60</td><td>-----</td><td>-----</td><td>77.57</td><td>34.60</td><td>10.38</td><td>31.95</td><td>0.00</td><td>100</td><td>281 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	90.60	-----	-----	77.57	34.60	10.38	31.95	0.00	100	281 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	90.60	-----	-----	77.57	34.60	10.38	31.95	0.00	100	281 AVERAGE																																																																																																																										




Mode	62																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																						
ANT	2																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>63.99</td><td>112.27</td><td>-48.28</td><td>50.98</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>61.38</td><td>106.36</td><td>-44.98</td><td>48.29</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.83</td><td>69.23</td><td>-15.40</td><td>40.44</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>4</td><td>5947.60</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>42.04</td><td>35.19</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	63.99	112.27	-48.28	50.98	34.72	10.45	32.16	0.00	100	281	PEAK	2	5871.20	61.38	106.36	-44.98	48.29	34.78	10.47	32.16	0.00	100	281	PEAK	3	5923.60	53.83	69.23	-15.40	40.44	35.04	10.51	32.16	0.00	100	281	PEAK	4	5947.60	55.60	68.20	-12.60	42.04	35.19	10.54	32.17	0.00	100	281	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.40	63.99	112.27	-48.28	50.98	34.72	10.45	32.16	0.00	100	281	PEAK																																																																											
2	5871.20	61.38	106.36	-44.98	48.29	34.78	10.47	32.16	0.00	100	281	PEAK																																																																											
3	5923.60	53.83	69.23	-15.40	40.44	35.04	10.51	32.16	0.00	100	281	PEAK																																																																											
4	5947.60	55.60	68.20	-12.60	42.04	35.19	10.54	32.17	0.00	100	281	PEAK																																																																											





Mode	62																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																							
ANT	2																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.80</td><td>59.56</td><td>68.20</td><td>-8.64</td><td>46.33</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>58.54</td><td>68.50</td><td>-9.96</td><td>45.32</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>71.56</td><td>105.30</td><td>-33.74</td><td>58.42</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>76.29</td><td>111.81</td><td>-35.52</td><td>63.18</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.80	59.56	68.20	-8.64	46.33	34.60	10.28	31.65	0.00	100	279 PEAK	2	5650.40	58.54	68.50	-9.96	45.32	34.60	10.28	31.66	0.00	100	279 PEAK	3	5700.00	71.56	105.30	-33.74	58.42	34.60	10.32	31.78	0.00	100	279 PEAK	4	5720.40	76.29	111.81	-35.52	63.18	34.60	10.34	31.83	0.00	100	279 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>107.41</td><td>-----</td><td>-----</td><td>94.39</td><td>34.60</td><td>10.39</td><td>31.97</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	107.41	-----	-----	94.39	34.60	10.39	31.97	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5646.80	59.56	68.20	-8.64	46.33	34.60	10.28	31.65	0.00	100	279 PEAK																																																																																																																													
2	5650.40	58.54	68.50	-9.96	45.32	34.60	10.28	31.66	0.00	100	279 PEAK																																																																																																																													
3	5700.00	71.56	105.30	-33.74	58.42	34.60	10.32	31.78	0.00	100	279 PEAK																																																																																																																													
4	5720.40	76.29	111.81	-35.52	63.18	34.60	10.34	31.83	0.00	100	279 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	107.41	-----	-----	94.39	34.60	10.39	31.97	0.00	100	279 PEAK																																																																																																																													
Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.79</td><td>-----</td><td>-----</td><td>84.77</td><td>34.60</td><td>10.39</td><td>31.97</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.79	-----	-----	84.77	34.60	10.39	31.97	0.00	100	279 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.79</td><td>-----</td><td>-----</td><td>84.77</td><td>34.60</td><td>10.39</td><td>31.97</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.79	-----	-----	84.77	34.60	10.39	31.97	0.00	100	279 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	97.79	-----	-----	84.77	34.60	10.39	31.97	0.00	100	279 AVERAGE																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	97.79	-----	-----	84.77	34.60	10.39	31.97	0.00	100	279 AVERAGE																																																																																																																													






Mode	62																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																		
ANT	2																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>67.77</td><td>111.36</td><td>-43.59</td><td>54.76</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>72.61</td><td>106.47</td><td>-33.86</td><td>59.52</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>60.51</td><td>69.53</td><td>-9.02</td><td>47.12</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>4</td><td>5938.80</td><td>60.09</td><td>68.20</td><td>-8.11</td><td>46.65</td><td>35.08</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	67.77	111.36	-43.59	54.76	34.72	10.45	32.16	0.00	100	279 PEAK	2	5870.80	72.61	106.47	-33.86	59.52	34.78	10.47	32.16	0.00	100	279 PEAK	3	5923.20	60.51	69.53	-9.02	47.12	35.04	10.51	32.16	0.00	100	279 PEAK	4	5938.80	60.09	68.20	-8.11	46.65	35.08	10.52	32.16	0.00	100	279 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.80	67.77	111.36	-43.59	54.76	34.72	10.45	32.16	0.00	100	279 PEAK																																																																								
2	5870.80	72.61	106.47	-33.86	59.52	34.78	10.47	32.16	0.00	100	279 PEAK																																																																								
3	5923.20	60.51	69.53	-9.02	47.12	35.04	10.51	32.16	0.00	100	279 PEAK																																																																								
4	5938.80	60.09	68.20	-8.11	46.65	35.08	10.52	32.16	0.00	100	279 PEAK																																																																								






Mode	62																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>57.62</td><td>38.25</td><td>14.95</td><td>64.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.63	74.00	-27.37	57.62	38.25	14.95	64.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>58.35</td><td>38.25</td><td>14.95</td><td>64.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	47.36	74.00	-26.64	58.35	38.25	14.95	64.19	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	46.63	74.00	-27.37	57.62	38.25	14.95	64.19	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	47.36	74.00	-26.64	58.35	38.25	14.95	64.19	0.00	---	---	PEAK																																																																																													






Mode	63																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal										Fundamental																																																																																																								
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal is centered around 5745 MHz, with a peak level of approximately 113.8 dBuV/m. The limit line is set at 65.0 dBuV/m. The plot includes a table of test results below the graph. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5612.00</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>41.16</td><td>34.60</td><td>10.25</td><td>31.64</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>39.06</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.78</td><td>105.52</td><td>-52.74</td><td>39.63</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.49</td><td>111.81</td><td>-60.32</td><td>38.38</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5612.00	54.37	68.20	-13.83	41.16	34.60	10.25	31.64	0.00	100	226 PEAK	2	5650.00	52.29	68.20	-15.91	39.06	34.60	10.28	31.65	0.00	100	226 PEAK	3	5700.00	52.78	105.52	-52.74	39.63	34.60	10.33	31.78	0.00	100	226 PEAK	4	5720.40	51.49	111.81	-60.32	38.38	34.60	10.34	31.83	0.00	100	226 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal is centered around 5745 MHz, with a peak level of approximately 113.8 dBuV/m. The limit line is set at 65.0 dBuV/m. The plot includes a table of test results below the graph. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>102.75</td><td>-----</td><td>-----</td><td>89.67</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	102.75	-----	-----	89.67	34.60	10.36	31.88	0.00	100	226 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5612.00	54.37	68.20	-13.83	41.16	34.60	10.25	31.64	0.00	100	226 PEAK																																																																																																								
2	5650.00	52.29	68.20	-15.91	39.06	34.60	10.28	31.65	0.00	100	226 PEAK																																																																																																								
3	5700.00	52.78	105.52	-52.74	39.63	34.60	10.33	31.78	0.00	100	226 PEAK																																																																																																								
4	5720.40	51.49	111.81	-60.32	38.38	34.60	10.34	31.83	0.00	100	226 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	102.75	-----	-----	89.67	34.60	10.36	31.88	0.00	100	226 PEAK																																																																																																								
Avg	Blank										 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal is centered around 5745 MHz, with a peak level of approximately 113.8 dBuV/m. The limit line is set at 65.0 dBuV/m. The plot includes a table of test results below the graph. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>95.44</td><td>-----</td><td>-----</td><td>82.35</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>226 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	95.44	-----	-----	82.35	34.60	10.35	31.86	0.00	100	226 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	95.44	-----	-----	82.35	34.60	10.35	31.86	0.00	100	226 AVERAGE																																																																																																								






Mode	63																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																								
ANT	2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5631.60</td><td>53.75</td><td>68.20</td><td>-14.45</td><td>40.51</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>52.96</td><td>69.69</td><td>-16.73</td><td>39.73</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>54.18</td><td>106.20</td><td>-52.02</td><td>41.04</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.57</td><td>110.90</td><td>-59.33</td><td>38.46</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.60	53.75	68.20	-14.45	40.51	34.60	10.27	31.63	0.00	100	309 PEAK	2	5652.00	52.96	69.69	-16.73	39.73	34.60	10.29	31.66	0.00	100	309 PEAK	3	5703.20	54.18	106.20	-52.02	41.04	34.60	10.33	31.79	0.00	100	309 PEAK	4	5720.00	51.57	110.90	-59.33	38.46	34.60	10.34	31.83	0.00	100	309 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.57</td><td>-----</td><td>-----</td><td>100.48</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.57	-----	-----	100.48	34.60	10.35	31.86	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5631.60	53.75	68.20	-14.45	40.51	34.60	10.27	31.63	0.00	100	309 PEAK																																																																																																																														
2	5652.00	52.96	69.69	-16.73	39.73	34.60	10.29	31.66	0.00	100	309 PEAK																																																																																																																														
3	5703.20	54.18	106.20	-52.02	41.04	34.60	10.33	31.79	0.00	100	309 PEAK																																																																																																																														
4	5720.00	51.57	110.90	-59.33	38.46	34.60	10.34	31.83	0.00	100	309 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	113.57	-----	-----	100.48	34.60	10.35	31.86	0.00	100	309 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.91</td><td>-----</td><td>-----</td><td>90.82</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>309 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.91	-----	-----	90.82	34.60	10.35	31.86	0.00	100	309 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.91	-----	-----	90.82	34.60	10.35	31.86	0.00	100	309 AVERAGE																																																																																																																														






Mode	64																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																			
ANT	2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>52.35</td><td>111.36</td><td>-59.01</td><td>39.34</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>173</td><td>288 PEAK</td></tr><tr><td>2 5871.60</td><td>53.70</td><td>106.25</td><td>-52.55</td><td>40.60</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>173</td><td>288 PEAK</td></tr><tr><td>3 5924.00</td><td>52.13</td><td>68.94</td><td>-16.81</td><td>38.74</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>173</td><td>288 PEAK</td></tr><tr><td>4 5982.00</td><td>55.63</td><td>68.20</td><td>-12.57</td><td>41.90</td><td>35.33</td><td>10.57</td><td>32.17</td><td>0.00</td><td>173</td><td>288 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	52.35	111.36	-59.01	39.34	34.72	10.45	32.16	0.00	173	288 PEAK	2 5871.60	53.70	106.25	-52.55	40.60	34.79	10.47	32.16	0.00	173	288 PEAK	3 5924.00	52.13	68.94	-16.81	38.74	35.04	10.51	32.16	0.00	173	288 PEAK	4 5982.00	55.63	68.20	-12.57	41.90	35.33	10.57	32.17	0.00	173	288 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.25</td><td>-----</td><td>-----</td><td>92.25</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>173</td><td>288 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.25	-----	-----	92.25	34.67	10.44	32.11	0.00	173
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	52.35	111.36	-59.01	39.34	34.72	10.45	32.16	0.00	173	288 PEAK																																																																																																																										
2 5871.60	53.70	106.25	-52.55	40.60	34.79	10.47	32.16	0.00	173	288 PEAK																																																																																																																										
3 5924.00	52.13	68.94	-16.81	38.74	35.04	10.51	32.16	0.00	173	288 PEAK																																																																																																																										
4 5982.00	55.63	68.20	-12.57	41.90	35.33	10.57	32.17	0.00	173	288 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	105.25	-----	-----	92.25	34.67	10.44	32.11	0.00	173	288 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.82</td><td>-----</td><td>-----</td><td>84.82</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>173</td><td>288 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.82	-----	-----	84.82	34.67	10.44	32.11	0.00	173	288 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	97.82	-----	-----	84.82	34.67	10.44	32.11	0.00	173	288 AVERAGE																																																																																																																										







	64																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																		
ANT	2																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>53.01</td><td>112.27</td><td>-59.26</td><td>40.00</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>101</td><td>309 PEAK</td></tr><tr><td>2 5872.80</td><td>55.54</td><td>105.92</td><td>-50.38</td><td>42.44</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>101</td><td>309 PEAK</td></tr><tr><td>3 5922.80</td><td>53.27</td><td>69.83</td><td>-16.56</td><td>39.88</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>101</td><td>309 PEAK</td></tr><tr><td>4 5976.80</td><td>55.02</td><td>68.20</td><td>-13.18</td><td>41.32</td><td>35.31</td><td>10.56</td><td>32.17</td><td>0.00</td><td>101</td><td>309 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	53.01	112.27	-59.26	40.00	34.72	10.45	32.16	0.00	101	309 PEAK	2 5872.80	55.54	105.92	-50.38	42.44	34.79	10.47	32.16	0.00	101	309 PEAK	3 5922.80	53.27	69.83	-16.56	39.88	35.04	10.51	32.16	0.00	101	309 PEAK	4 5976.80	55.02	68.20	-13.18	41.32	35.31	10.56	32.17	0.00	101	309 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>110.77</td><td>-----</td><td>-----</td><td>97.77</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>101</td><td>309 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	110.77	-----	-----	97.77	34.67	10.44	32.11	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.40	53.01	112.27	-59.26	40.00	34.72	10.45	32.16	0.00	101	309 PEAK																																																																																																																									
2 5872.80	55.54	105.92	-50.38	42.44	34.79	10.47	32.16	0.00	101	309 PEAK																																																																																																																									
3 5922.80	53.27	69.83	-16.56	39.88	35.04	10.51	32.16	0.00	101	309 PEAK																																																																																																																									
4 5976.80	55.02	68.20	-13.18	41.32	35.31	10.56	32.17	0.00	101	309 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	110.77	-----	-----	97.77	34.67	10.44	32.11	0.00	101	309 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.22</td><td>-----</td><td>-----</td><td>91.22</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>101</td><td>309 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.22	-----	-----	91.22	34.67	10.44	32.11	0.00	101	309 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	104.22	-----	-----	91.22	34.67	10.44	32.11	0.00	101	309 AVERAGE																																																																																																																									






Mode	65																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																								
ANT	2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. Four peaks are identified and numbered 1 through 4. The test signal is labeled U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>54.22</td><td>68.20</td><td>-13.98</td><td>40.98</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.45</td><td>68.80</td><td>-17.35</td><td>38.22</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>54.16</td><td>106.09</td><td>-51.93</td><td>41.01</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.82</td><td>110.90</td><td>-59.08</td><td>38.71</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5634.00	54.22	68.20	-13.98	40.98	34.60	10.27	31.63	0.00	100	227 PEAK	2	5650.00	51.45	68.80	-17.35	38.22	34.60	10.29	31.66	0.00	100	227 PEAK	3	5702.00	54.16	106.09	-51.93	41.01	34.60	10.33	31.78	0.00	100	227 PEAK	4	5720.00	51.82	110.90	-59.08	38.71	34.60	10.34	31.83	0.00	100	227 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. A single peak is identified and numbered 1. The test signal is labeled U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.50</td><td>-----</td><td>-----</td><td>90.42</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.50	-----	-----	90.42	34.60	10.36	31.88	0.00	100	227 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5634.00	54.22	68.20	-13.98	40.98	34.60	10.27	31.63	0.00	100	227 PEAK																																																																																																																														
2	5650.00	51.45	68.80	-17.35	38.22	34.60	10.29	31.66	0.00	100	227 PEAK																																																																																																																														
3	5702.00	54.16	106.09	-51.93	41.01	34.60	10.33	31.78	0.00	100	227 PEAK																																																																																																																														
4	5720.00	51.82	110.90	-59.08	38.71	34.60	10.34	31.83	0.00	100	227 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.50	-----	-----	90.42	34.60	10.36	31.88	0.00	100	227 PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. A single peak is identified and numbered 1. The test signal is labeled U-NII-3(AVG). <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.74</td><td>-----</td><td>-----</td><td>82.66</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>227 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.74	-----	-----	82.66	34.60	10.36	31.88	0.00	100	227 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	95.74	-----	-----	82.66	34.60	10.36	31.88	0.00	100	227 AVERAGE																																																																																																																														






Mode	65																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																	
ANT	2																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5608.40</td><td>54.78</td><td>68.20</td><td>-13.42</td><td>41.58</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>54.07</td><td>69.69</td><td>-15.62</td><td>40.84</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.93</td><td>105.52</td><td>-52.59</td><td>39.78</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.31</td><td>110.90</td><td>-56.59</td><td>41.20</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5608.40	54.78	68.20	-13.42	41.58	34.60	10.25	31.65	0.00	100	307 PEAK	2	5652.00	54.07	69.69	-15.62	40.84	34.60	10.29	31.66	0.00	100	307 PEAK	3	5700.00	52.93	105.52	-52.59	39.78	34.60	10.33	31.78	0.00	100	307 PEAK	4	5720.00	54.31	110.90	-56.59	41.20	34.60	10.34	31.83	0.00	100	307 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.25</td><td>-----</td><td>-----</td><td>99.16</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	112.25	-----	-----	99.16	34.60	10.35	31.86	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5608.40	54.78	68.20	-13.42	41.58	34.60	10.25	31.65	0.00	100	307 PEAK																																																																																																							
2	5652.00	54.07	69.69	-15.62	40.84	34.60	10.29	31.66	0.00	100	307 PEAK																																																																																																							
3	5700.00	52.93	105.52	-52.59	39.78	34.60	10.33	31.78	0.00	100	307 PEAK																																																																																																							
4	5720.00	54.31	110.90	-56.59	41.20	34.60	10.34	31.83	0.00	100	307 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	112.25	-----	-----	99.16	34.60	10.35	31.86	0.00	100	307 PEAK																																																																																																							
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.21</td><td>-----</td><td>-----</td><td>90.12</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>307 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	103.21	-----	-----	90.12	34.60	10.35	31.86	0.00	100	307 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.25</td><td>-----</td><td>-----</td><td>99.16</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	112.25	-----	-----	99.16	34.60	10.35	31.86	0.00	100	307 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	103.21	-----	-----	90.12	34.60	10.35	31.86	0.00	100	307 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	112.25	-----	-----	99.16	34.60	10.35	31.86	0.00	100	307 PEAK																																																																																																							
Blank																																																																																																																		






Mode	66																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																			
ANT	2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>54.06</td><td>112.27</td><td>-58.21</td><td>41.05</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>173</td><td>287 PEAK</td></tr><tr><td>2 5870.40</td><td>54.29</td><td>106.59</td><td>-52.30</td><td>41.20</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>173</td><td>287 PEAK</td></tr><tr><td>3 5924.80</td><td>51.46</td><td>68.35</td><td>-16.89</td><td>38.05</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>173</td><td>287 PEAK</td></tr><tr><td>4 5932.40</td><td>54.32</td><td>68.20</td><td>-13.88</td><td>40.87</td><td>35.09</td><td>10.52</td><td>32.16</td><td>0.00</td><td>173</td><td>287 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	54.06	112.27	-58.21	41.05	34.72	10.45	32.16	0.00	173	287 PEAK	2 5870.40	54.29	106.59	-52.30	41.20	34.78	10.47	32.16	0.00	173	287 PEAK	3 5924.80	51.46	68.35	-16.89	38.05	35.05	10.52	32.16	0.00	173	287 PEAK	4 5932.40	54.32	68.20	-13.88	40.87	35.09	10.52	32.16	0.00	173	287 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.89</td><td>-----</td><td>-----</td><td>90.90</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>173</td><td>287 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.89	-----	-----	90.90	34.66	10.43	32.10	0.00	173	287 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.40	54.06	112.27	-58.21	41.05	34.72	10.45	32.16	0.00	173	287 PEAK																																																																																																																										
2 5870.40	54.29	106.59	-52.30	41.20	34.78	10.47	32.16	0.00	173	287 PEAK																																																																																																																										
3 5924.80	51.46	68.35	-16.89	38.05	35.05	10.52	32.16	0.00	173	287 PEAK																																																																																																																										
4 5932.40	54.32	68.20	-13.88	40.87	35.09	10.52	32.16	0.00	173	287 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	103.89	-----	-----	90.90	34.66	10.43	32.10	0.00	173	287 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.16</td><td>-----</td><td>-----</td><td>84.17</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>173</td><td>287 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.16	-----	-----	84.17	34.66	10.43	32.10	0.00	173	287 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	97.16	-----	-----	84.17	34.66	10.43	32.10	0.00	173	287 AVERAGE																																																																																																																										






Mode	66																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																		
ANT	2																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>51.10</td><td>111.36</td><td>-60.26</td><td>38.09</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>2 5872.40</td><td>54.68</td><td>106.03</td><td>-51.35</td><td>41.58</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>3 5924.80</td><td>52.97</td><td>68.35</td><td>-15.38</td><td>39.56</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 5936.80</td><td>55.14</td><td>68.20</td><td>-13.06</td><td>41.65</td><td>35.12</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	51.10	111.36	-60.26	38.09	34.72	10.45	32.16	0.00	100	308 PEAK	2 5872.40	54.68	106.03	-51.35	41.58	34.79	10.47	32.16	0.00	100	308 PEAK	3 5924.80	52.97	68.35	-15.38	39.56	35.05	10.52	32.16	0.00	100	308 PEAK	4 5936.80	55.14	68.20	-13.06	41.65	35.12	10.53	32.16	0.00	100	308 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>111.89</td><td>-----</td><td>-----</td><td>98.89</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	111.89	-----	-----	98.89	34.67	10.44	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.80	51.10	111.36	-60.26	38.09	34.72	10.45	32.16	0.00	100	308 PEAK																																																																																																																									
2 5872.40	54.68	106.03	-51.35	41.58	34.79	10.47	32.16	0.00	100	308 PEAK																																																																																																																									
3 5924.80	52.97	68.35	-15.38	39.56	35.05	10.52	32.16	0.00	100	308 PEAK																																																																																																																									
4 5936.80	55.14	68.20	-13.06	41.65	35.12	10.53	32.16	0.00	100	308 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	111.89	-----	-----	98.89	34.67	10.44	32.11	0.00	100	308 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.32</td><td>-----</td><td>-----</td><td>90.33</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.32	-----	-----	90.33	34.66	10.43	32.10	0.00	100	308 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	103.32	-----	-----	90.33	34.66	10.43	32.10	0.00	100	308 AVERAGE																																																																																																																									






Mode	67																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5648.00</td><td>53.91</td><td>68.20</td><td>-14.29</td><td>40.68</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.04</td><td>68.50</td><td>-16.46</td><td>38.82</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>3</td><td>5709.20</td><td>56.09</td><td>107.88</td><td>-51.79</td><td>42.96</td><td>34.60</td><td>10.33</td><td>31.80</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.98</td><td>110.90</td><td>-58.92</td><td>38.87</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5648.00	53.91	68.20	-14.29	40.68	34.60	10.28	31.65	0.00	100	226 PEAK	2	5650.40	52.04	68.50	-16.46	38.82	34.60	10.28	31.66	0.00	100	226 PEAK	3	5709.20	56.09	107.88	-51.79	42.96	34.60	10.33	31.80	0.00	100	226 PEAK	4	5720.00	51.98	110.90	-58.92	38.87	34.60	10.34	31.83	0.00	100	226 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.64</td><td>-----</td><td>-----</td><td>91.56</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	104.64	-----	-----	91.56	34.60	10.36	31.88	0.00	100	226 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5648.00	53.91	68.20	-14.29	40.68	34.60	10.28	31.65	0.00	100	226 PEAK																																																																																																								
2	5650.40	52.04	68.50	-16.46	38.82	34.60	10.28	31.66	0.00	100	226 PEAK																																																																																																								
3	5709.20	56.09	107.88	-51.79	42.96	34.60	10.33	31.80	0.00	100	226 PEAK																																																																																																								
4	5720.00	51.98	110.90	-58.92	38.87	34.60	10.34	31.83	0.00	100	226 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	104.64	-----	-----	91.56	34.60	10.36	31.88	0.00	100	226 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.85</td><td>-----</td><td>-----</td><td>81.77</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>226 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	94.85	-----	-----	81.77	34.60	10.36	31.88	0.00	100	226 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	94.85	-----	-----	81.77	34.60	10.36	31.88	0.00	100	226 AVERAGE																																																																																																								






Mode	67																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5632.00</td><td>54.26</td><td>68.20</td><td>-13.94</td><td>41.02</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.40</td><td>68.20</td><td>-16.80</td><td>38.17</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>54.87</td><td>106.20</td><td>-51.33</td><td>41.73</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.50</td><td>110.90</td><td>-56.40</td><td>41.39</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5632.00	54.26	68.20	-13.94	41.02	34.60	10.27	31.63	0.00	100	274 PEAK	2	5650.00	51.40	68.20	-16.80	38.17	34.60	10.28	31.65	0.00	100	274 PEAK	3	5703.20	54.87	106.20	-51.33	41.73	34.60	10.33	31.79	0.00	100	274 PEAK	4	5720.00	54.50	110.90	-56.40	41.39	34.60	10.34	31.83	0.00	100	274 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.64</td><td>-----</td><td>-----</td><td>98.56</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	111.64	-----	-----	98.56	34.60	10.36	31.88	0.00	100	274 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5632.00	54.26	68.20	-13.94	41.02	34.60	10.27	31.63	0.00	100	274 PEAK																																																																																																								
2	5650.00	51.40	68.20	-16.80	38.17	34.60	10.28	31.65	0.00	100	274 PEAK																																																																																																								
3	5703.20	54.87	106.20	-51.33	41.73	34.60	10.33	31.79	0.00	100	274 PEAK																																																																																																								
4	5720.00	54.50	110.90	-56.40	41.39	34.60	10.34	31.83	0.00	100	274 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	111.64	-----	-----	98.56	34.60	10.36	31.88	0.00	100	274 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.83</td><td>-----</td><td>-----</td><td>89.75</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>274 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	102.83	-----	-----	89.75	34.60	10.36	31.88	0.00	100	274 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	102.83	-----	-----	89.75	34.60	10.36	31.88	0.00	100	274 AVERAGE																																																																																																								






Mode	68																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																	
ANT	2																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.53</td><td>111.36</td><td>-58.83</td><td>39.52</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>127</td><td>286 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>55.80</td><td>106.03</td><td>-50.23</td><td>42.70</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>127</td><td>286 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>56.21</td><td>69.83</td><td>-13.62</td><td>42.82</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>127</td><td>286 PEAK</td></tr><tr><td>4</td><td>5974.80</td><td>55.01</td><td>68.20</td><td>-13.19</td><td>41.32</td><td>35.30</td><td>10.56</td><td>32.17</td><td>0.00</td><td>127</td><td>286 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5854.00	52.53	111.36	-58.83	39.52	34.72	10.45	32.16	0.00	127	286 PEAK	2	5872.40	55.80	106.03	-50.23	42.70	34.79	10.47	32.16	0.00	127	286 PEAK	3	5922.80	56.21	69.83	-13.62	42.82	35.04	10.51	32.16	0.00	127	286 PEAK	4	5974.80	55.01	68.20	-13.19	41.32	35.30	10.56	32.17	0.00	127	286 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.48</td><td>-----</td><td>-----</td><td>89.48</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>127</td><td>286 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	102.48	-----	-----	89.48	34.67	10.44	32.11	0.00	127
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5854.00	52.53	111.36	-58.83	39.52	34.72	10.45	32.16	0.00	127	286 PEAK																																																																																																							
2	5872.40	55.80	106.03	-50.23	42.70	34.79	10.47	32.16	0.00	127	286 PEAK																																																																																																							
3	5922.80	56.21	69.83	-13.62	42.82	35.04	10.51	32.16	0.00	127	286 PEAK																																																																																																							
4	5974.80	55.01	68.20	-13.19	41.32	35.30	10.56	32.17	0.00	127	286 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5825.00	102.48	-----	-----	89.48	34.67	10.44	32.11	0.00	127	286 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.57</td><td>-----</td><td>-----</td><td>80.58</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>127</td><td>286 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	93.57	-----	-----	80.58	34.66	10.43	32.10	0.00	127	286 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5825.00	93.57	-----	-----	80.58	34.66	10.43	32.10	0.00	127	286 AVERAGE																																																																																																							




Mode	68																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																			
ANT	2																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>54.38</td><td>111.36</td><td>-56.98</td><td>41.37</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>2 5873.60</td><td>54.64</td><td>105.69</td><td>-51.05</td><td>41.54</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>3 5924.00</td><td>52.69</td><td>68.35</td><td>-15.66</td><td>39.28</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 5926.00</td><td>55.54</td><td>68.20</td><td>-12.66</td><td>42.12</td><td>35.06</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	54.38	111.36	-56.98	41.37	34.72	10.45	32.16	0.00	100	308 PEAK	2 5873.60	54.64	105.69	-51.05	41.54	34.79	10.47	32.16	0.00	100	308 PEAK	3 5924.00	52.69	68.35	-15.66	39.28	35.05	10.52	32.16	0.00	100	308 PEAK	4 5926.00	55.54	68.20	-12.66	42.12	35.06	10.52	32.16	0.00	100	308 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>113.12</td><td>-----</td><td>-----</td><td>100.13</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	113.12	-----	-----	100.13	34.66	10.43	32.10	0.00	100	308 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	54.38	111.36	-56.98	41.37	34.72	10.45	32.16	0.00	100	308 PEAK																																																																																																																										
2 5873.60	54.64	105.69	-51.05	41.54	34.79	10.47	32.16	0.00	100	308 PEAK																																																																																																																										
3 5924.00	52.69	68.35	-15.66	39.28	35.05	10.52	32.16	0.00	100	308 PEAK																																																																																																																										
4 5926.00	55.54	68.20	-12.66	42.12	35.06	10.52	32.16	0.00	100	308 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	113.12	-----	-----	100.13	34.66	10.43	32.10	0.00	100	308 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.93</td><td>-----</td><td>-----</td><td>89.93</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.93	-----	-----	89.93	34.67	10.44	32.11	0.00	100	308 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	102.93	-----	-----	89.93	34.67	10.44	32.11	0.00	100	308 AVERAGE																																																																																																																										






Mode	69																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																																			
ANT	2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.48</td><td>54.03</td><td>68.20</td><td>-14.17</td><td>40.81</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr><tr><td>2 5651.77</td><td>54.29</td><td>69.52</td><td>-15.23</td><td>41.06</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr><tr><td>3 5701.99</td><td>54.27</td><td>105.86</td><td>-51.59</td><td>41.12</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr><tr><td>4 5720.13</td><td>53.14</td><td>111.19</td><td>-58.05</td><td>40.03</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5622.48	54.03	68.20	-14.17	40.81	34.60	10.26	31.64	0.00	100	228 PEAK	2 5651.77	54.29	69.52	-15.23	41.06	34.60	10.29	31.66	0.00	100	228 PEAK	3 5701.99	54.27	105.86	-51.59	41.12	34.60	10.33	31.78	0.00	100	228 PEAK	4 5720.13	53.14	111.19	-58.05	40.03	34.60	10.34	31.83	0.00	100	228 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>100.59</td><td>-----</td><td>-----</td><td>87.51</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	100.59	-----	-----	87.51	34.60	10.36	31.88	0.00	100	228 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5622.48	54.03	68.20	-14.17	40.81	34.60	10.26	31.64	0.00	100	228 PEAK																																																																																																																										
2 5651.77	54.29	69.52	-15.23	41.06	34.60	10.29	31.66	0.00	100	228 PEAK																																																																																																																										
3 5701.99	54.27	105.86	-51.59	41.12	34.60	10.33	31.78	0.00	100	228 PEAK																																																																																																																										
4 5720.13	53.14	111.19	-58.05	40.03	34.60	10.34	31.83	0.00	100	228 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	100.59	-----	-----	87.51	34.60	10.36	31.88	0.00	100	228 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-3(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>91.11</td><td>-----</td><td>-----</td><td>78.05</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100</td><td>228 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	91.11	-----	-----	78.05	34.60	10.37	31.91	0.00	100	228 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	91.11	-----	-----	78.05	34.60	10.37	31.91	0.00	100	228 AVERAGE																																																																																																																										




Mode	69																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																						
ANT	2																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>53.93</td><td>112.60</td><td>-58.67</td><td>40.92</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr><tr><td>2</td><td>5871.22</td><td>54.44</td><td>106.36</td><td>-51.92</td><td>41.35</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>52.39</td><td>68.75</td><td>-16.36</td><td>38.99</td><td>35.05</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr><tr><td>4</td><td>5944.15</td><td>54.94</td><td>68.20</td><td>-13.26</td><td>41.42</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	53.93	112.60	-58.67	40.92	34.72	10.45	32.16	0.00	100	228	PEAK	2	5871.22	54.44	106.36	-51.92	41.35	34.78	10.47	32.16	0.00	100	228	PEAK	3	5924.26	52.39	68.75	-16.36	38.99	35.05	10.51	32.16	0.00	100	228	PEAK	4	5944.15	54.94	68.20	-13.26	41.42	35.16	10.53	32.17	0.00	100	228	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.26	53.93	112.60	-58.67	40.92	34.72	10.45	32.16	0.00	100	228	PEAK																																																																											
2	5871.22	54.44	106.36	-51.92	41.35	34.78	10.47	32.16	0.00	100	228	PEAK																																																																											
3	5924.26	52.39	68.75	-16.36	38.99	35.05	10.51	32.16	0.00	100	228	PEAK																																																																											
4	5944.15	54.94	68.20	-13.26	41.42	35.16	10.53	32.17	0.00	100	228	PEAK																																																																											






Mode	69																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																																								
ANT	2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.45</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>41.59</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>54.35</td><td>68.36</td><td>-14.01</td><td>41.13</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>3</td><td>5710.05</td><td>60.66</td><td>108.12</td><td>-47.46</td><td>47.53</td><td>34.60</td><td>10.33</td><td>31.80</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>57.03</td><td>112.95</td><td>-55.92</td><td>43.92</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.45	54.82	68.20	-13.38	41.59	34.60	10.28	31.65	0.00	100	274 PEAK	2	5650.22	54.35	68.36	-14.01	41.13	34.60	10.28	31.66	0.00	100	274 PEAK	3	5710.05	60.66	108.12	-47.46	47.53	34.60	10.33	31.80	0.00	100	274 PEAK	4	5720.90	57.03	112.95	-55.92	43.92	34.60	10.34	31.83	0.00	100	274 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>107.15</td><td>-----</td><td>-----</td><td>94.08</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.15	-----	-----	94.08	34.60	10.36	31.89	0.00	100	274 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5649.45	54.82	68.20	-13.38	41.59	34.60	10.28	31.65	0.00	100	274 PEAK																																																																																																																														
2	5650.22	54.35	68.36	-14.01	41.13	34.60	10.28	31.66	0.00	100	274 PEAK																																																																																																																														
3	5710.05	60.66	108.12	-47.46	47.53	34.60	10.33	31.80	0.00	100	274 PEAK																																																																																																																														
4	5720.90	57.03	112.95	-55.92	43.92	34.60	10.34	31.83	0.00	100	274 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	107.15	-----	-----	94.08	34.60	10.36	31.89	0.00	100	274 PEAK																																																																																																																														
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>98.17</td><td>-----</td><td>-----</td><td>85.09</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>274 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	98.17	-----	-----	85.09	34.60	10.36	31.88	0.00	100	274 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	98.17	-----	-----	85.09	34.60	10.36	31.88	0.00	100	274 AVERAGE																																																																																																																														




Mode	69																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																		
ANT	2																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>54.75</td><td>112.60</td><td>-57.85</td><td>41.74</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>2</td><td>5874.15</td><td>53.79</td><td>105.54</td><td>-51.75</td><td>40.68</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>53.31</td><td>68.46</td><td>-15.15</td><td>39.90</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>4</td><td>5926.60</td><td>55.26</td><td>68.20</td><td>-12.94</td><td>41.84</td><td>35.06</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.26	54.75	112.60	-57.85	41.74	34.72	10.45	32.16	0.00	100	274 PEAK	2	5874.15	53.79	105.54	-51.75	40.68	34.80	10.47	32.16	0.00	100	274 PEAK	3	5924.65	53.31	68.46	-15.15	39.90	35.05	10.52	32.16	0.00	100	274 PEAK	4	5926.60	55.26	68.20	-12.94	41.84	35.06	10.52	32.16	0.00	100	274 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.26	54.75	112.60	-57.85	41.74	34.72	10.45	32.16	0.00	100	274 PEAK																																																																								
2	5874.15	53.79	105.54	-51.75	40.68	34.80	10.47	32.16	0.00	100	274 PEAK																																																																								
3	5924.65	53.31	68.46	-15.15	39.90	35.05	10.52	32.16	0.00	100	274 PEAK																																																																								
4	5926.60	55.26	68.20	-12.94	41.84	35.06	10.52	32.16	0.00	100	274 PEAK																																																																								






Mode	70																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																																								
ANT	2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>54.86</td><td>68.20</td><td>-13.34</td><td>41.62</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.85</td><td>68.80</td><td>-16.95</td><td>38.62</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>53.52</td><td>106.42</td><td>-52.90</td><td>40.38</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.07</td><td>110.90</td><td>-56.83</td><td>40.96</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	54.86	68.20	-13.34	41.62	34.60	10.28	31.64	0.00	100	219 PEAK	2	5650.00	51.85	68.80	-16.95	38.62	34.60	10.29	31.66	0.00	100	219 PEAK	3	5704.00	53.52	106.42	-52.90	40.38	34.60	10.33	31.79	0.00	100	219 PEAK	4	5720.00	54.07	110.90	-56.83	40.96	34.60	10.34	31.83	0.00	100	219 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.67</td><td>-----</td><td>-----</td><td>86.69</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.67	-----	-----	86.69	34.61	10.41	32.04	0.00	100	219 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5644.00	54.86	68.20	-13.34	41.62	34.60	10.28	31.64	0.00	100	219 PEAK																																																																																																																														
2	5650.00	51.85	68.80	-16.95	38.62	34.60	10.29	31.66	0.00	100	219 PEAK																																																																																																																														
3	5704.00	53.52	106.42	-52.90	40.38	34.60	10.33	31.79	0.00	100	219 PEAK																																																																																																																														
4	5720.00	54.07	110.90	-56.83	40.96	34.60	10.34	31.83	0.00	100	219 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	99.67	-----	-----	86.69	34.61	10.41	32.04	0.00	100	219 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.40</td><td>-----</td><td>-----</td><td>77.41</td><td>34.62</td><td>10.42</td><td>32.05</td><td>0.00</td><td>100</td><td>219 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	90.40	-----	-----	77.41	34.62	10.42	32.05	0.00	100	219 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	90.40	-----	-----	77.41	34.62	10.42	32.05	0.00	100	219 AVERAGE																																																																																																																														




Mode	70																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																														
ANT	2																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>50.42</td><td>111.36</td><td>-60.94</td><td>37.41</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>2 5874.00</td><td>52.04</td><td>105.58</td><td>-53.54</td><td>38.93</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>3 5924.00</td><td>51.69</td><td>68.35</td><td>-16.66</td><td>38.28</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>4 5938.00</td><td>55.80</td><td>68.20</td><td>-12.40</td><td>42.30</td><td>35.13</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	50.42	111.36	-60.94	37.41	34.72	10.45	32.16	0.00	100	219 PEAK	2 5874.00	52.04	105.58	-53.54	38.93	34.80	10.47	32.16	0.00	100	219 PEAK	3 5924.00	51.69	68.35	-16.66	38.28	35.05	10.52	32.16	0.00	100	219 PEAK	4 5938.00	55.80	68.20	-12.40	42.30	35.13	10.53	32.16	0.00	100	219 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 5854.00	50.42	111.36	-60.94	37.41	34.72	10.45	32.16	0.00	100	219 PEAK																																																																					
2 5874.00	52.04	105.58	-53.54	38.93	34.80	10.47	32.16	0.00	100	219 PEAK																																																																					
3 5924.00	51.69	68.35	-16.66	38.28	35.05	10.52	32.16	0.00	100	219 PEAK																																																																					
4 5938.00	55.80	68.20	-12.40	42.30	35.13	10.53	32.16	0.00	100	219 PEAK																																																																					






Mode	70																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5612.00</td><td>54.19</td><td>68.20</td><td>-14.01</td><td>40.98</td><td>34.60</td><td>10.25</td><td>31.64</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.88</td><td>68.20</td><td>-16.32</td><td>38.65</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>52.03</td><td>105.41</td><td>-53.38</td><td>38.89</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.20</td><td>111.81</td><td>-60.61</td><td>38.09</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5612.00	54.19	68.20	-14.01	40.98	34.60	10.25	31.64	0.00	100	308 PEAK	2	5650.00	51.88	68.20	-16.32	38.65	34.60	10.28	31.65	0.00	100	308 PEAK	3	5700.40	52.03	105.41	-53.38	38.89	34.60	10.32	31.78	0.00	100	308 PEAK	4	5720.40	51.20	111.81	-60.61	38.09	34.60	10.34	31.83	0.00	100	308 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>109.80</td><td>-----</td><td>-----</td><td>96.82</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	109.80	-----	-----	96.82	34.61	10.41	32.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5612.00	54.19	68.20	-14.01	40.98	34.60	10.25	31.64	0.00	100	308 PEAK																																																																																																								
2	5650.00	51.88	68.20	-16.32	38.65	34.60	10.28	31.65	0.00	100	308 PEAK																																																																																																								
3	5700.40	52.03	105.41	-53.38	38.89	34.60	10.32	31.78	0.00	100	308 PEAK																																																																																																								
4	5720.40	51.20	111.81	-60.61	38.09	34.60	10.34	31.83	0.00	100	308 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5795.00	109.80	-----	-----	96.82	34.61	10.41	32.04	0.00	100	308 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.52</td><td>-----</td><td>-----</td><td>85.54</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	98.52	-----	-----	85.54	34.61	10.41	32.04	0.00	100	308 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5795.00	98.52	-----	-----	85.54	34.61	10.41	32.04	0.00	100	308 AVERAGE																																																																																																								




Mode	70																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																						
ANT	2																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.49</td><td>111.36</td><td>-56.87</td><td>41.48</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>54.62</td><td>106.36</td><td>-51.74</td><td>41.53</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.63</td><td>68.35</td><td>-14.72</td><td>40.22</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>4</td><td>5954.40</td><td>54.60</td><td>68.20</td><td>-13.60</td><td>41.01</td><td>35.22</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	54.49	111.36	-56.87	41.48	34.72	10.45	32.16	0.00	100	300	PEAK	2	5871.20	54.62	106.36	-51.74	41.53	34.78	10.47	32.16	0.00	100	300	PEAK	3	5924.80	53.63	68.35	-14.72	40.22	35.05	10.52	32.16	0.00	100	300	PEAK	4	5954.40	54.60	68.20	-13.60	41.01	35.22	10.54	32.17	0.00	100	300	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	54.49	111.36	-56.87	41.48	34.72	10.45	32.16	0.00	100	300	PEAK																																																																											
2	5871.20	54.62	106.36	-51.74	41.53	34.78	10.47	32.16	0.00	100	300	PEAK																																																																											
3	5924.80	53.63	68.35	-14.72	40.22	35.05	10.52	32.16	0.00	100	300	PEAK																																																																											
4	5954.40	54.60	68.20	-13.60	41.01	35.22	10.54	32.17	0.00	100	300	PEAK																																																																											






Mode	71																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. Three peaks are marked with vertical lines and numbered 1, 2, and 3. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5649.60</td><td>54.24</td><td>68.20</td><td>-13.96</td><td>41.01</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.65</td><td>68.20</td><td>-14.55</td><td>40.42</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>53.34</td><td>105.30</td><td>-51.96</td><td>40.20</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.56</td><td>111.81</td><td>-60.25</td><td>38.45</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5649.60	54.24	68.20	-13.96	41.01	34.60	10.28	31.65	0.00	100	219 PEAK	2	5650.00	53.65	68.20	-14.55	40.42	34.60	10.28	31.65	0.00	100	219 PEAK	3	5700.00	53.34	105.30	-51.96	40.20	34.60	10.32	31.78	0.00	100	219 PEAK	4	5720.40	51.56	111.81	-60.25	38.45	34.60	10.34	31.83	0.00	100	219 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single sharp peak is visible at 5775 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5775.00</td><td>98.80</td><td>-----</td><td>-----</td><td>85.81</td><td>34.62</td><td>10.42</td><td>32.05</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5775.00	98.80	-----	-----	85.81	34.62	10.42	32.05	0.00	100	219 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5649.60	54.24	68.20	-13.96	41.01	34.60	10.28	31.65	0.00	100	219 PEAK																																																																																																								
2	5650.00	53.65	68.20	-14.55	40.42	34.60	10.28	31.65	0.00	100	219 PEAK																																																																																																								
3	5700.00	53.34	105.30	-51.96	40.20	34.60	10.32	31.78	0.00	100	219 PEAK																																																																																																								
4	5720.40	51.56	111.81	-60.25	38.45	34.60	10.34	31.83	0.00	100	219 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5775.00	98.80	-----	-----	85.81	34.62	10.42	32.05	0.00	100	219 PEAK																																																																																																								
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single sharp peak is visible at 5775 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5775.00</td><td>89.61</td><td>-----</td><td>-----</td><td>76.62</td><td>34.62</td><td>10.42</td><td>32.05</td><td>0.00</td><td>100</td><td>219 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5775.00	89.61	-----	-----	76.62	34.62	10.42	32.05	0.00	100	219 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5775.00	89.61	-----	-----	76.62	34.62	10.42	32.05	0.00	100	219 AVERAGE																																																																																																								





Mode	71																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																		
ANT	2																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>52.28</td><td>111.36</td><td>-59.08</td><td>39.27</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>55.07</td><td>105.47</td><td>-50.40</td><td>41.96</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.68</td><td>68.94</td><td>-15.26</td><td>40.29</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>4</td><td>5937.60</td><td>54.59</td><td>68.20</td><td>-13.61</td><td>41.09</td><td>35.13</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	52.28	111.36	-59.08	39.27	34.72	10.45	32.16	0.00	100	219 PEAK	2	5874.40	55.07	105.47	-50.40	41.96	34.80	10.47	32.16	0.00	100	219 PEAK	3	5924.00	53.68	68.94	-15.26	40.29	35.04	10.51	32.16	0.00	100	219 PEAK	4	5937.60	54.59	68.20	-13.61	41.09	35.13	10.53	32.16	0.00	100	219 PEAK	Blank				
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5854.80	52.28	111.36	-59.08	39.27	34.72	10.45	32.16	0.00	100	219 PEAK																																																																								
2	5874.40	55.07	105.47	-50.40	41.96	34.80	10.47	32.16	0.00	100	219 PEAK																																																																								
3	5924.00	53.68	68.94	-15.26	40.29	35.04	10.51	32.16	0.00	100	219 PEAK																																																																								
4	5937.60	54.59	68.20	-13.61	41.09	35.13	10.53	32.16	0.00	100	219 PEAK																																																																								




Mode	71																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																																																															
ANT	2																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>41.67</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>55.63</td><td>70.29</td><td>-14.66</td><td>42.40</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>56.19</td><td>105.75</td><td>-49.56</td><td>43.04</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.85</td><td>110.90</td><td>-55.05</td><td>42.74</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5644.00	54.91	68.20	-13.29	41.67	34.60	10.28	31.64	0.00	100	307	PEAK	2	5652.80	55.63	70.29	-14.66	42.40	34.60	10.29	31.66	0.00	100	307	PEAK	3	5701.60	56.19	105.75	-49.56	43.04	34.60	10.33	31.78	0.00	100	307	PEAK	4	5720.00	55.85	110.90	-55.05	42.74	34.60	10.34	31.83	0.00	100	307	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>107.07</td><td>-----</td><td>-----</td><td>94.08</td><td>34.62</td><td>10.42</td><td>32.05</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	107.07	-----	-----	94.08	34.62	10.42	32.05	0.00	100	307
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5644.00	54.91	68.20	-13.29	41.67	34.60	10.28	31.64	0.00	100	307	PEAK																																																																																																																				
2	5652.80	55.63	70.29	-14.66	42.40	34.60	10.29	31.66	0.00	100	307	PEAK																																																																																																																				
3	5701.60	56.19	105.75	-49.56	43.04	34.60	10.33	31.78	0.00	100	307	PEAK																																																																																																																				
4	5720.00	55.85	110.90	-55.05	42.74	34.60	10.34	31.83	0.00	100	307	PEAK																																																																																																																				
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5775.00	107.07	-----	-----	94.08	34.62	10.42	32.05	0.00	100	307	PEAK																																																																																																																				
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.60</td><td>-----</td><td>-----</td><td>84.62</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>100</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	97.60	-----	-----	84.62	34.61	10.41	32.04	0.00	100	307	AVERAGE																																																																													
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5775.00	97.60	-----	-----	84.62	34.61	10.41	32.04	0.00	100	307	AVERAGE																																																																																																																				



Mode	71																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>57.08</td><td>113.18</td><td>-56.10</td><td>44.07</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>55.97</td><td>105.92</td><td>-49.95</td><td>42.07</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>54.07</td><td>70.12</td><td>-16.05</td><td>40.09</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>54.59</td><td>68.20</td><td>-13.61</td><td>41.17</td><td>35.06</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></table>		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	57.08	113.18	-56.10	44.07	34.72	10.45	32.16	0.00	100	307 PEAK	2	5872.00	55.97	105.92	-49.95	42.07	34.79	10.47	32.16	0.00	100	307 PEAK	3	5922.40	54.07	70.12	-16.05	40.09	35.03	10.51	32.16	0.00	100	307 PEAK	4	5926.40	54.59	68.20	-13.61	41.17	35.06	10.52	32.16	0.00	100	307 PEAK	Blank
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	5854.00	57.08	113.18	-56.10	44.07	34.72	10.45	32.16	0.00	100	307 PEAK																																																															
2	5872.00	55.97	105.92	-49.95	42.07	34.79	10.47	32.16	0.00	100	307 PEAK																																																															
3	5922.40	54.07	70.12	-16.05	40.09	35.03	10.51	32.16	0.00	100	307 PEAK																																																															
4	5926.40	54.59	68.20	-13.61	41.17	35.06	10.52	32.16	0.00	100	307 PEAK																																																															









Mode	71																																																																																																											
	30-1G																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																																											
ANT	2																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>73.65</td><td>23.49</td><td>40.00</td><td>-16.51</td><td>41.48</td><td>12.68</td><td>1.31</td><td>31.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>140.58</td><td>29.66</td><td>43.50</td><td>-13.84</td><td>42.49</td><td>17.43</td><td>1.80</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>237.58</td><td>33.89</td><td>46.00</td><td>-12.11</td><td>46.48</td><td>16.94</td><td>2.36</td><td>31.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>352.04</td><td>26.83</td><td>46.00</td><td>-19.17</td><td>35.68</td><td>20.28</td><td>2.86</td><td>31.99</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>582.90</td><td>26.23</td><td>46.00</td><td>-19.77</td><td>29.08</td><td>25.58</td><td>3.68</td><td>32.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>833.16</td><td>28.13</td><td>46.00</td><td>-17.87</td><td>26.76</td><td>28.54</td><td>4.39</td><td>31.56</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	73.65	23.49	40.00	-16.51	41.48	12.68	1.31	31.98	--	--	Peak	2	140.58	29.66	43.50	-13.84	42.49	17.43	1.80	32.06	--	--	Peak	3	237.58	33.89	46.00	-12.11	46.48	16.94	2.36	31.89	--	--	Peak	4	352.04	26.83	46.00	-19.17	35.68	20.28	2.86	31.99	--	--	Peak	5	582.90	26.23	46.00	-19.77	29.08	25.58	3.68	32.11	--	--	Peak	6	833.16	28.13	46.00	-17.87	26.76	28.54	4.39	31.56	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	73.65	23.49	40.00	-16.51	41.48	12.68	1.31	31.98	--	--	Peak																																																																																																	
2	140.58	29.66	43.50	-13.84	42.49	17.43	1.80	32.06	--	--	Peak																																																																																																	
3	237.58	33.89	46.00	-12.11	46.48	16.94	2.36	31.89	--	--	Peak																																																																																																	
4	352.04	26.83	46.00	-19.17	35.68	20.28	2.86	31.99	--	--	Peak																																																																																																	
5	582.90	26.23	46.00	-19.77	29.08	25.58	3.68	32.11	--	--	Peak																																																																																																	
6	833.16	28.13	46.00	-17.87	26.76	28.54	4.39	31.56	--	--	Peak																																																																																																	
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>43.58</td><td>34.30</td><td>40.00</td><td>-5.70</td><td>47.83</td><td>17.64</td><td>1.01</td><td>32.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>135.73</td><td>30.28</td><td>43.50</td><td>-13.22</td><td>43.08</td><td>17.49</td><td>1.77</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>250.19</td><td>37.11</td><td>46.00</td><td>-8.89</td><td>48.06</td><td>18.46</td><td>2.42</td><td>31.83</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>352.04</td><td>22.66</td><td>46.00</td><td>-23.34</td><td>31.51</td><td>20.28</td><td>2.86</td><td>31.99</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>576.11</td><td>24.99</td><td>46.00</td><td>-21.01</td><td>27.87</td><td>25.66</td><td>3.65</td><td>32.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>833.16</td><td>27.80</td><td>46.00</td><td>-18.20</td><td>26.43</td><td>28.54</td><td>4.39</td><td>31.56</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	43.58	34.30	40.00	-5.70	47.83	17.64	1.01	32.18	--	--	Peak	2	135.73	30.28	43.50	-13.22	43.08	17.49	1.77	32.06	--	--	Peak	3	250.19	37.11	46.00	-8.89	48.06	18.46	2.42	31.83	--	--	Peak	4	352.04	22.66	46.00	-23.34	31.51	20.28	2.86	31.99	--	--	Peak	5	576.11	24.99	46.00	-21.01	27.87	25.66	3.65	32.19	--	--	Peak	6	833.16	27.80	46.00	-18.20	26.43	28.54	4.39	31.56	--	--	Peak	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	43.58	34.30	40.00	-5.70	47.83	17.64	1.01	32.18	--	--	Peak																																																																																																	
2	135.73	30.28	43.50	-13.22	43.08	17.49	1.77	32.06	--	--	Peak																																																																																																	
3	250.19	37.11	46.00	-8.89	48.06	18.46	2.42	31.83	--	--	Peak																																																																																																	
4	352.04	22.66	46.00	-23.34	31.51	20.28	2.86	31.99	--	--	Peak																																																																																																	
5	576.11	24.99	46.00	-21.01	27.87	25.66	3.65	32.19	--	--	Peak																																																																																																	
6	833.16	27.80	46.00	-18.20	26.43	28.54	4.39	31.56	--	--	Peak																																																																																																	





For Co-location

	72																																																																																					
Mode	Band Edge																																																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.92</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>43.33</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>192</td><td>0 PEAK</td></tr></tbody></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.92	56.43	74.00	-17.57	43.33	32.60	6.73	32.23	6.00	192	0 PEAK	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>110.05</td><td>-----</td><td>-----</td><td>96.97</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>192</td><td>0 PEAK</td></tr></tbody></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	110.05	-----	-----	96.97	32.58	6.73	32.23	6.00	192	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2483.92	56.43	74.00	-17.57	43.33	32.60	6.73	32.23	6.00	192	0 PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2480.00	110.05	-----	-----	96.97	32.58	6.73	32.23	6.00	192	0 PEAK																																																																												
Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2497.42</td><td>45.31</td><td>54.00</td><td>-8.69</td><td>32.12</td><td>32.68</td><td>6.75</td><td>32.24</td><td>6.00</td><td>192</td><td>0 AVERAGE</td></tr></tbody></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2497.42	45.31	54.00	-8.69	32.12	32.68	6.75	32.24	6.00	192	0 AVERAGE	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>109.28</td><td>-----</td><td>-----</td><td>96.20</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>192</td><td>0 AVERAGE</td></tr></tbody></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	109.28	-----	-----	96.20	32.58	6.73	32.23	6.00	192	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2497.42	45.31	54.00	-8.69	32.12	32.68	6.75	32.24	6.00	192	0 AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2480.00	109.28	-----	-----	96.20	32.58	6.73	32.23	6.00	192	0 AVERAGE																																																																												





		72																																																					
Mode	Band Edge																																																						
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																						
ANT	1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.44</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>42.64</td><td>32.69</td><td>6.75</td><td>32.24</td><td>6.00</td><td>101 289 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.44	55.84	74.00	-18.16	42.64	32.69	6.75	32.24	6.00	101 289 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2498.44	55.84	74.00	-18.16	42.64	32.69	6.75	32.24	6.00	101 289 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.34</td><td>-----</td><td>-----</td><td>94.26</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>101 289 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.34	-----	-----	94.26	32.58	6.73	32.23	6.00	101 289 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	107.34	-----	-----	94.26	32.58	6.73	32.23	6.00	101 289 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.18</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>31.82</td><td>32.68</td><td>6.75</td><td>32.24</td><td>6.00</td><td>101 289 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.18	45.01	54.00	-8.99	31.82	32.68	6.75	32.24	6.00	101 289 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2497.18	45.01	54.00	-8.99	31.82	32.68	6.75	32.24	6.00	101 289 Average																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.51</td><td>-----</td><td>-----</td><td>93.43</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>101 289 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.51	-----	-----	93.43	32.58	6.73	32.23	6.00	101 289 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	106.51	-----	-----	93.43	32.58	6.73	32.23	6.00	101 289 AVERAGE																																													



Mode	72																																																																																			
	Harmonic																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal																																																																																			
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.68</td><td>74.00</td><td>-33.32</td><td>62.82</td><td>34.00</td><td>9.61</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>70.90</td><td>34.30</td><td>9.86</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>41.78</td><td>74.00</td><td>-32.22</td><td>59.88</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.68	74.00	-33.32	62.82	34.00	9.61	65.75	0.00	---	---	PEAK	2	5250.00	49.21	74.00	-24.79	70.90	34.30	9.86	65.93	0.00	---	---	Peak	3	7440.00	41.78	74.00	-32.22	59.88	35.70	11.77	65.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	4960.00	40.68	74.00	-33.32	62.82	34.00	9.61	65.75	0.00	---	---	PEAK																																																																								
2	5250.00	49.21	74.00	-24.79	70.90	34.30	9.86	65.93	0.00	---	---	Peak																																																																								
3	7440.00	41.78	74.00	-32.22	59.88	35.70	11.77	65.57	0.00	---	---	PEAK																																																																								
Vertical																																																																																				
																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>63.31</td><td>34.00</td><td>9.61</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>54.10</td><td>74.00</td><td>-19.90</td><td>75.87</td><td>34.30</td><td>9.86</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>60.91</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.17	74.00	-32.83	63.31	34.00	9.61	65.75	0.00	---	---	PEAK	2	5250.00	54.10	74.00	-19.90	75.87	34.30	9.86	65.93	0.00	---	---	Peak	3	7440.00	42.81	74.00	-31.19	60.91	35.70	11.77	65.57	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	4960.00	41.17	74.00	-32.83	63.31	34.00	9.61	65.75	0.00	---	---	PEAK																																																																								
2	5250.00	54.10	74.00	-19.90	75.87	34.30	9.86	65.93	0.00	---	---	Peak																																																																								
3	7440.00	42.81	74.00	-31.19	60.91	35.70	11.77	65.57	0.00	---	---	PEAK																																																																								







Mode	72																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																					
ANT	2																																																					
Pol.	Horizontal																																																					
Peak	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.25</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>45.19</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>237 288 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.25	57.27	74.00	-16.73	45.19	34.19	9.78	31.89	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5146.25	57.27	74.00	-16.73	45.19	34.19	9.78	31.89	0.00	237 288 PEAK																																												
Avg	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.50</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>36.78</td><td>34.15</td><td>9.77</td><td>31.90</td><td>0.00</td><td>237 288 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.50	48.80	54.00	-5.20	36.78	34.15	9.77	31.90	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5127.50	48.80	54.00	-5.20	36.78	34.15	9.77	31.90	0.00	237 288 AVERAGE																																												





Mode	72										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz										
ANT	2										
Pol.	Horizontal										
Peak	Level (dBuV/m) </										





		72																																																																																																														
Mode		Band Edge - L																																																																																																														
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																														
ANT		2																																																																																																														
Pol.		Vertical						Fundamental																																																																																																								
Peak																																																																																																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.75	58.98	74.00	-15.02	46.90	34.19	9.78	31.89	0.00	132	319	PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	85.16	-----	-----	78.07	32.59	6.73	32.23	0.00	132	319	Peak	2	5250.00	99.60	-----	-----	87.37	34.24	9.84	31.85	0.00	132	319	PEAK					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5146.75	58.98	74.00	-15.02	46.90	34.19	9.78	31.89	0.00	132	319	PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2482.00	85.16	-----	-----	78.07	32.59	6.73	32.23	0.00	132	319	Peak																																																																																																				
2	5250.00	99.60	-----	-----	87.37	34.24	9.84	31.85	0.00	132	319	PEAK																																																																																																				
Avg																																																																																																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5144.25	50.29	54.00	-3.71	38.21	34.19	9.78	31.89	0.00	132	319	AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	84.06	-----	-----	76.97	32.59	6.73	32.23	0.00	132	319	Average	2	5250.00	91.02	-----	-----	78.65	34.34	9.86	31.83	0.00	132	319	AVERAGE					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5144.25	50.29	54.00	-3.71	38.21	34.19	9.78	31.89	0.00	132	319	AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2482.00	84.06	-----	-----	76.97	32.59	6.73	32.23	0.00	132	319	Average																																																																																																				
2	5250.00	91.02	-----	-----	78.65	34.34	9.86	31.83	0.00	132	319	AVERAGE																																																																																																				







Mode	72																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																							
ANT	2																																																							
Pol.	Vertical										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.03</td><td>57.70</td><td>74.00</td><td>-16.30</td><td>44.87</td><td>34.67</td><td>9.93</td><td>31.77</td><td>0.00</td><td>132</td><td>319 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.03	57.70	74.00	-16.30	44.87	34.67	9.93	31.77	0.00	132	319 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5385.03	57.70	74.00	-16.30	44.87	34.67	9.93	31.77	0.00	132	319 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.52</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>37.57</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>132</td><td>319 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.52	50.39	54.00	-3.61	37.57	34.66	9.93	31.77	0.00	132	319 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5378.52	50.39	54.00	-3.61	37.57	34.66	9.93	31.77	0.00	132	319 AVERAGE																																													







Mode	72																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.85</td><td>68.20</td><td>-22.35</td><td>59.46</td><td>37.57</td><td>14.18</td><td>65.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	45.85	68.20	-22.35	59.46	37.57	14.18	65.36	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>46.26</td><td>68.20</td><td>-21.94</td><td>59.74</td><td>37.64</td><td>14.20</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	46.26	68.20	-21.94	59.74	37.64	14.20	65.32	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10500.00	45.85	68.20	-22.35	59.46	37.57	14.18	65.36	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10500.00	46.26	68.20	-21.94	59.74	37.64	14.20	65.32	0.00	---	---	PEAK																																																																																													





Mode	73																																																																																																		
	Band Edge																																																																																																		
	Zigbee_CH26_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>66.42</td><td>74.00</td><td>-7.58</td><td>53.32</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>195</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	66.42	74.00	-7.58	53.32	32.60	6.73	32.23	6.00	195	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.25</td><td>-----</td><td>96.17</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>195</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.25	-----	96.17	32.58	6.73	32.23	6.00	195
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.92	66.42	74.00	-7.58	53.32	32.60	6.73	32.23	6.00	195	0 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	109.25	-----	96.17	32.58	6.73	32.23	6.00	195	0 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.08</td><td>54.00</td><td>-6.92</td><td>33.98</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>195</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.08	54.00	-6.92	33.98	32.60	6.73	32.23	6.00	195	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.63</td><td>-----</td><td>93.55</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>195</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.63	-----	93.55	32.58	6.73	32.23	6.00	195
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	47.08	54.00	-6.92	33.98	32.60	6.73	32.23	6.00	195	0 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	106.63	-----	93.55	32.58	6.73	32.23	6.00	195	0 AVERAGE																																																																																									







Mode	73																																																																																																		
	Band Edge																																																																																																		
	Zigbee_CH26_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>65.29</td><td>74.00</td><td>-8.71</td><td>52.19</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>102 287 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	65.29	74.00	-8.71	52.19	32.60	6.73	32.23	6.00	102 287 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>106.49</td><td>-----</td><td>93.41</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>102</td><td>287 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.49	-----	93.41	32.58	6.73	32.23	6.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	65.29	74.00	-8.71	52.19	32.60	6.73	32.23	6.00	102 287 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	106.49	-----	93.41	32.58	6.73	32.23	6.00	102	287 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>32.87</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>102 287 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.97	54.00	-8.03	32.87	32.60	6.73	32.23	6.00	102 287 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.93</td><td>-----</td><td>90.85</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>102</td><td>287 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.93	-----	90.85	32.58	6.73	32.23	6.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	45.97	54.00	-8.03	32.87	32.60	6.73	32.23	6.00	102 287 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	103.93	-----	90.85	32.58	6.73	32.23	6.00	102	287 AVERAGE																																																																																									





Mode	73																																																																																																																																																													
	Harmonic																																																																																																																																																													
	Zigbee_CH26_2480MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>62.09</td><td>34.00</td><td>9.61</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>70.26</td><td>34.30</td><td>9.86</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>60.63</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.95	74.00	-34.05	62.09	34.00	9.61	65.75	0.00	---	---	PEAK	2	5250.00	48.49	74.00	-25.51	70.26	34.30	9.86	65.93	0.00	---	---	Peak	3	7440.00	42.53	74.00	-31.47	60.63	35.70	11.77	65.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.30</td><td>74.00</td><td>-33.70</td><td>62.44</td><td>34.00</td><td>9.61</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>74.81</td><td>34.30</td><td>9.86</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>42.51</td><td>74.00</td><td>-31.49</td><td>60.61</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.30	74.00	-33.70	62.44	34.00	9.61	65.75	0.00	---	---	PEAK	2	5250.00	53.04	74.00	-20.96	74.81	34.30	9.86	65.93	0.00	---	---	Peak	3	7440.00	42.51	74.00	-31.49	60.61	35.70	11.77	65.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4960.00	39.95	74.00	-34.05	62.09	34.00	9.61	65.75	0.00	---	---	PEAK																																																																																																																																																		
2	5250.00	48.49	74.00	-25.51	70.26	34.30	9.86	65.93	0.00	---	---	Peak																																																																																																																																																		
3	7440.00	42.53	74.00	-31.47	60.63	35.70	11.77	65.57	0.00	---	---	PEAK																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4960.00	40.30	74.00	-33.70	62.44	34.00	9.61	65.75	0.00	---	---	PEAK																																																																																																																																																		
2	5250.00	53.04	74.00	-20.96	74.81	34.30	9.86	65.93	0.00	---	---	Peak																																																																																																																																																		
3	7440.00	42.51	74.00	-31.49	60.61	35.70	11.77	65.57	0.00	---	---	PEAK																																																																																																																																																		







Mode	73																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																																	
ANT	2																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.75</td><td>56.61</td><td>74.00</td><td>-17.39</td><td>44.53</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>249</td><td>284</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.75	56.61	74.00	-17.39	44.53	34.19	9.78	31.89	0.00	249	284	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>96.03</td><td>-----</td><td>88.94</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>249</td><td>284</td><td>Peak</td></tr><tr><td>2</td><td>5248.00</td><td>94.46</td><td>-----</td><td>82.14</td><td>34.30</td><td>9.86</td><td>31.84</td><td>0.00</td><td>249</td><td>284</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	96.03	-----	88.94	32.59	6.73	32.23	0.00	249	284	Peak	2	5248.00	94.46	-----	82.14	34.30	9.86	31.84	0.00	249	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5146.75	56.61	74.00	-17.39	44.53	34.19	9.78	31.89	0.00	249	284	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2482.00	96.03	-----	88.94	32.59	6.73	32.23	0.00	249	284	Peak																																																																																																							
2	5248.00	94.46	-----	82.14	34.30	9.86	31.84	0.00	249	284	Peak																																																																																																							
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.50</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>36.06</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>249</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.50	48.14	54.00	-5.86	36.06	34.19	9.78	31.89	0.00	249	284	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>93.99</td><td>-----</td><td>86.90</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>249</td><td>284</td><td>Average</td></tr><tr><td>2</td><td>5248.00</td><td>85.61</td><td>-----</td><td>73.29</td><td>34.30</td><td>9.86</td><td>31.84</td><td>0.00</td><td>249</td><td>284</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	93.99	-----	86.90	32.59	6.73	32.23	0.00	249	284	Average	2	5248.00	85.61	-----	73.29	34.30	9.86	31.84	0.00	249	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5146.50	48.14	54.00	-5.86	36.06	34.19	9.78	31.89	0.00	249	284	AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2482.00	93.99	-----	86.90	32.59	6.73	32.23	0.00	249	284	Average																																																																																																							
2	5248.00	85.61	-----	73.29	34.30	9.86	31.84	0.00	249	284	Average																																																																																																							





Mode	73																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																						
ANT	2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.76</td><td>55.69</td><td>74.00</td><td>-18.31</td><td>42.92</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>249 284 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.76	55.69	74.00	-18.31	42.92	34.63	9.92	31.78	0.00	249 284 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5366.76	55.69	74.00	-18.31	42.92	34.63	9.92	31.78	0.00	249 284 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.79</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>34.23</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>249 284 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.79	46.97	54.00	-7.03	34.23	34.61	9.91	31.78	0.00	249 284 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.79	46.97	54.00	-7.03	34.23	34.61	9.91	31.78	0.00	249 284 AVERAGE																																													





		73																																																									
Mode		Band Edge - L																																																									
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																									
ANT		2																																																									
Pol.		Vertical																																																									
Peak																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.00	58.79	74.00	-15.21	46.71	34.19	9.78	31.89	0.00	121	317 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5147.00	58.79	74.00	-15.21	46.71	34.19	9.78	31.89	0.00	121	317 PEAK																																																
Fundamental																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	90.13	-----	-----	83.04	32.59	6.73	32.23	0.00	121	317 Peak	2	5250.00	100.21	-----	-----	87.86	34.32	9.86	31.83	0.00	121
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2482.00	90.13	-----	-----	83.04	32.59	6.73	32.23	0.00	121	317 Peak																																																
2	5250.00	100.21	-----	-----	87.86	34.32	9.86	31.83	0.00	121	317 PEAK																																																
Avg																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.50	50.31	54.00	-3.69	38.23	34.19	9.78	31.89	0.00	121	317 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5147.50	50.31	54.00	-3.69	38.23	34.19	9.78	31.89	0.00	121	317 AVERAGE																																																
Fundamental																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	88.12	-----	-----	81.03	32.59	6.73	32.23	0.00	121	317 Average	2	5250.00	90.85	-----	-----	78.53	34.30	9.86	31.84	0.00	121
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2482.00	88.12	-----	-----	81.03	32.59	6.73	32.23	0.00	121	317 Average																																																
2	5250.00	90.85	-----	-----	78.53	34.30	9.86	31.84	0.00	121	317 AVERAGE																																																



Mode	73																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																					
ANT	2																																																					
Pol.	Vertical					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.88</td><td>57.62</td><td>74.00</td><td>-16.38</td><td>44.80</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>121 317 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.88	57.62	74.00	-16.38	44.80	34.66	9.93	31.77	0.00	121 317 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5381.88	57.62	74.00	-16.38	44.80	34.66	9.93	31.77	0.00	121 317 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.52</td><td>50.85</td><td>54.00</td><td>-3.15</td><td>38.03</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>121 317 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.52	50.85	54.00	-3.15	38.03	34.66	9.93	31.77	0.00	121 317 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5378.52	50.85	54.00	-3.15	38.03	34.66	9.93	31.77	0.00	121 317 AVERAGE																																												



		73																																																										
Mode		Harmonic																																																										
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																										
ANT		2																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10500.00</td><td>46.45</td><td>68.20</td><td>-21.75</td><td>59.90</td><td>37.65</td><td>14.21</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	46.45	68.20	-21.75	59.90	37.65	14.21	65.31	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10500.00	46.45	68.20	-21.75	59.90	37.65	14.21	65.31	0.00	---	---	PEAK																																																
																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10500.00</td><td>46.23</td><td>68.20</td><td>-21.97</td><td>59.78</td><td>37.60</td><td>14.19</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	46.23	68.20	-21.97	59.78	37.60	14.19	65.34	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10500.00	46.23	68.20	-21.97	59.78	37.60	14.19	65.34	0.00	---	---	PEAK																																																



For Low Power Wideband Radio in Wi-Fi 5GHz

Radiated Spurious Emission Test Modes

Mode	Band	Antenna	BW	Channel	Frequency	Remark
Mode 1	Low Power Wideband Radio in Wi-Fi 5GHz	2	140 MHz	Low	5730MHz	-
Mode 2	Low Power Wideband Radio in Wi-Fi 5GHz	2	140 MHz	Middle	5800MHz	-
Mode 3	Low Power Wideband Radio in Wi-Fi 5GHz	2	140 MHz	High	5870MHz	-

Summary of each worse mode

Mode	Modulation	BW	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Low Power Wideband Radio in Wi-Fi 5GHz	140M	5730	105.81	114.00	-8.19	V	PEAK	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	140M	5730	86.77	94.00	-7.23	V	AVERAGE	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	140M	11460.00	46.66	74.00	-27.34	V	PEAK	Pass	Harmonic
2	Low Power Wideband Radio in Wi-Fi 5GHz	140M	5800.00	107.62	114.00	-6.38	V	PEAK	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	140M	5800.00	88.58	94.00	-5.42	V	AVERAGE	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	140M	11600.00	46.28	74.00	-27.72	H	PEAK	Pass	Harmonic
3	Low Power Wideband Radio in Wi-Fi 5GHz	140M	5870	106.21	114.00	-7.79	V	Peak	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	140M	5870	87.17	94.00	-6.83	V	AVERAGE	Pass	Fundamental
	Low Power Wideband Radio in Wi-Fi 5GHz	140M	11740.00	46.53	74.00	-27.47	V	PEAK	Pass	Harmonic



Mode	1																																																																																																																																																
	Band Edge																																																																																																																																																
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5730MHz																																																																																																																																																
ANT	2																																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																																															
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.00</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>40.72</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr><tr><td>2</td><td>5634.00</td><td>34.79</td><td>54.00</td><td>-19.21</td><td>21.68</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>228</td><td>Average</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.00	53.83	74.00	-20.17	40.72	34.60	10.34	31.83	0.00	100	228	PEAK	2	5634.00	34.79	54.00	-19.21	21.68	34.60	10.34	31.83	0.00	100	228	Average	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.00</td><td>98.93</td><td>114.00</td><td>-15.07</td><td>85.95</td><td>34.50</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr><tr><td>2</td><td>5730.00</td><td>79.89</td><td>94.00</td><td>-14.11</td><td>66.91</td><td>34.50</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>228</td><td>Average</td></tr><tr><td>3</td><td>5800.00</td><td>68.28</td><td>114.00</td><td>-45.72</td><td>54.83</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>228</td><td>Peak</td></tr><tr><td>4</td><td>5872.00</td><td>62.73</td><td>114.00</td><td>-51.27</td><td>49.12</td><td>34.94</td><td>10.54</td><td>31.87</td><td>0.00</td><td>100</td><td>228</td><td>Peak</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.00	98.93	114.00	-15.07	85.95	34.50	10.43	31.95	0.00	100	228	PEAK	2	5730.00	79.89	94.00	-14.11	66.91	34.50	10.43	31.95	0.00	100	228	Average	3	5800.00	68.28	114.00	-45.72	54.83	34.70	10.50	31.75	0.00	100	228	Peak	4	5872.00	62.73	114.00	-51.27	49.12	34.94	10.54	31.87	0.00	100	228
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	5634.00	53.83	74.00	-20.17	40.72	34.60	10.34	31.83	0.00	100	228	PEAK																																																																																																																																					
2	5634.00	34.79	54.00	-19.21	21.68	34.60	10.34	31.83	0.00	100	228	Average																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	5730.00	98.93	114.00	-15.07	85.95	34.50	10.43	31.95	0.00	100	228	PEAK																																																																																																																																					
2	5730.00	79.89	94.00	-14.11	66.91	34.50	10.43	31.95	0.00	100	228	Average																																																																																																																																					
3	5800.00	68.28	114.00	-45.72	54.83	34.70	10.50	31.75	0.00	100	228	Peak																																																																																																																																					
4	5872.00	62.73	114.00	-51.27	49.12	34.94	10.54	31.87	0.00	100	228	Peak																																																																																																																																					





		1																																																																																																							
Mode		Band Edge																																																																																																							
		Low Power Wideband Radio in Wi-Fi 5GHz 140M _5730MHz																																																																																																							
ANT		2																																																																																																							
Pol.		Vertical																																																																																																							
Peak Avg																																																																																																									
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5696.80</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>40.81</td><td>34.51</td><td>10.40</td><td>32.02</td><td>0.00</td><td>100</td><td>301</td><td>PEAK</td></tr><tr><td>2</td><td>5696.80</td><td>34.66</td><td>54.00</td><td>-19.34</td><td>21.77</td><td>34.51</td><td>10.40</td><td>32.02</td><td>0.00</td><td>100</td><td>301</td><td>Average</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5696.80	53.70	74.00	-20.30	40.81	34.51	10.40	32.02	0.00	100	301	PEAK	2	5696.80	34.66	54.00	-19.34	21.77	34.51	10.40	32.02	0.00	100	301	Average																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5696.80	53.70	74.00	-20.30	40.81	34.51	10.40	32.02	0.00	100	301	PEAK																																																																																													
2	5696.80	34.66	54.00	-19.34	21.77	34.51	10.40	32.02	0.00	100	301	Average																																																																																													
		Fundamental																																																																																																							
		<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5730.00</td><td>105.81</td><td>114.00</td><td>-8.19</td><td>92.83</td><td>34.50</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>301</td><td>PEAK</td></tr><tr><td>2</td><td>5730.00</td><td>86.77</td><td>94.00</td><td>-7.23</td><td>73.79</td><td>34.50</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>301</td><td>Average</td></tr><tr><td>3</td><td>5800.00</td><td>73.98</td><td>114.00</td><td>-40.02</td><td>60.53</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>301</td><td>Peak</td></tr><tr><td>4</td><td>5872.00</td><td>68.20</td><td>114.00</td><td>-45.80</td><td>54.59</td><td>34.94</td><td>10.54</td><td>31.87</td><td>0.00</td><td>100</td><td>301</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5730.00	105.81	114.00	-8.19	92.83	34.50	10.43	31.95	0.00	100	301	PEAK	2	5730.00	86.77	94.00	-7.23	73.79	34.50	10.43	31.95	0.00	100	301	Average	3	5800.00	73.98	114.00	-40.02	60.53	34.70	10.50	31.75	0.00	100	301	Peak	4	5872.00	68.20	114.00	-45.80	54.59	34.94	10.54	31.87	0.00	100	301	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5730.00	105.81	114.00	-8.19	92.83	34.50	10.43	31.95	0.00	100	301	PEAK																																																																																													
2	5730.00	86.77	94.00	-7.23	73.79	34.50	10.43	31.95	0.00	100	301	Average																																																																																													
3	5800.00	73.98	114.00	-40.02	60.53	34.70	10.50	31.75	0.00	100	301	Peak																																																																																													
4	5872.00	68.20	114.00	-45.80	54.59	34.94	10.54	31.87	0.00	100	301	Peak																																																																																													



Mode	1																																																							
	Harmonic																																																							
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5730MHz																																																							
ANT	2																																																							
Pol.	Horizontal																																																							
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue signal line fluctuating around 45 dBuV/m, with a sharp peak at 11460 MHz reaching approximately 75 dBuV/m. Two red horizontal lines indicate limits: 15.249 PEAK and 15.249 (AVG). <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11460.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>57.04</td><td>38.16</td><td>14.58</td><td>64.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11460.00	45.62	74.00	-28.38	57.04	38.16	14.58	64.16	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11460.00	45.62	74.00	-28.38	57.04	38.16	14.58	64.16	0.00	---	PEAK																																													
Vertical																																																								
	Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue signal line fluctuating around 45 dBuV/m, with a sharp peak at 11460 MHz reaching approximately 75 dBuV/m. Two red horizontal lines indicate limits: 15.249 PEAK and 15.249 (AVG). <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11460.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>58.08</td><td>38.16</td><td>14.58</td><td>64.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11460.00	46.66	74.00	-27.34	58.08	38.16	14.58	64.16	0.00	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11460.00	46.66	74.00	-27.34	58.08	38.16	14.58	64.16	0.00	---	PEAK																																													





Mode	2																																																																																															
	Band Edge																																																																																															
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5800MHz																																																																																															
ANT	2																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5784.80</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>40.54</td><td>34.50</td><td>10.41</td><td>32.02</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>5784.80</td><td>34.39</td><td>54.00</td><td>-19.61</td><td>21.50</td><td>34.50</td><td>10.41</td><td>32.02</td><td>0.00</td><td>100</td><td>232</td><td>Average</td></tr><tr><td>3</td><td>5920.80</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>41.26</td><td>35.04</td><td>10.56</td><td>31.89</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr><tr><td>4</td><td>5920.80</td><td>35.93</td><td>54.00</td><td>-18.07</td><td>22.22</td><td>35.04</td><td>10.56</td><td>31.89</td><td>0.00</td><td>100</td><td>232</td><td>Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5784.80	53.43	74.00	-20.57	40.54	34.50	10.41	32.02	0.00	100	232	PEAK	2	5784.80	34.39	54.00	-19.61	21.50	34.50	10.41	32.02	0.00	100	232	Average	3	5920.80	54.97	74.00	-19.03	41.26	35.04	10.56	31.89	0.00	100	232	PEAK	4	5920.80	35.93	54.00	-18.07	22.22	35.04	10.56	31.89	0.00	100	232	Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5784.80	53.43	74.00	-20.57	40.54	34.50	10.41	32.02	0.00	100	232	PEAK																																																																																				
2	5784.80	34.39	54.00	-19.61	21.50	34.50	10.41	32.02	0.00	100	232	Average																																																																																				
3	5920.80	54.97	74.00	-19.03	41.26	35.04	10.56	31.89	0.00	100	232	PEAK																																																																																				
4	5920.80	35.93	54.00	-18.07	22.22	35.04	10.56	31.89	0.00	100	232	Average																																																																																				
																																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5800.00</td><td>103.35</td><td>114.00</td><td>-10.65</td><td>89.90</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>5800.00</td><td>84.31</td><td>94.00</td><td>-9.69</td><td>70.86</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>232</td><td>Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5800.00	103.35	114.00	-10.65	89.90	34.70	10.50	31.75	0.00	100	232	PEAK	2	5800.00	84.31	94.00	-9.69	70.86	34.70	10.50	31.75	0.00	100	232	Average																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5800.00	103.35	114.00	-10.65	89.90	34.70	10.50	31.75	0.00	100	232	PEAK																																																																																				
2	5800.00	84.31	94.00	-9.69	70.86	34.70	10.50	31.75	0.00	100	232	Average																																																																																				





Mode	2																																																																																										
	Band Edge																																																																																										
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5800MHz																																																																																										
ANT	2																																																																																										
Pol.	Vertical																																																																																										
Peak Avg	Level (dBuV/m) Frequency (MHz) 15.249PEAK																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.80</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>42.86</td><td>34.50</td><td>10.42</td><td>32.00</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr><tr><td>2</td><td>5710.80</td><td>36.74</td><td>54.00</td><td>-17.26</td><td>23.82</td><td>34.50</td><td>10.42</td><td>32.00</td><td>0.00</td><td>100</td><td>303 Average</td></tr><tr><td>3</td><td>5937.60</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>41.35</td><td>35.08</td><td>10.57</td><td>31.86</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr><tr><td>4</td><td>5937.60</td><td>36.10</td><td>54.00</td><td>-17.90</td><td>22.31</td><td>35.08</td><td>10.57</td><td>31.86</td><td>0.00</td><td>100</td><td>303 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5710.80	55.78	74.00	-18.22	42.86	34.50	10.42	32.00	0.00	100	303 PEAK	2	5710.80	36.74	54.00	-17.26	23.82	34.50	10.42	32.00	0.00	100	303 Average	3	5937.60	55.14	74.00	-18.86	41.35	35.08	10.57	31.86	0.00	100	303 PEAK	4	5937.60	36.10	54.00	-17.90	22.31	35.08	10.57	31.86	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5710.80	55.78	74.00	-18.22	42.86	34.50	10.42	32.00	0.00	100	303 PEAK																																																																																
2	5710.80	36.74	54.00	-17.26	23.82	34.50	10.42	32.00	0.00	100	303 Average																																																																																
3	5937.60	55.14	74.00	-18.86	41.35	35.08	10.57	31.86	0.00	100	303 PEAK																																																																																
4	5937.60	36.10	54.00	-17.90	22.31	35.08	10.57	31.86	0.00	100	303 Average																																																																																
Fundamental	Level (dBuV/m) Frequency (MHz) 15.249PEAK																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5800.00</td><td>107.62</td><td>114.00</td><td>-6.38</td><td>94.17</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr><tr><td>2</td><td>5800.00</td><td>88.58</td><td>94.00</td><td>-5.42</td><td>75.13</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>303 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5800.00	107.62	114.00	-6.38	94.17	34.70	10.50	31.75	0.00	100	303 PEAK	2	5800.00	88.58	94.00	-5.42	75.13	34.70	10.50	31.75	0.00	100	303 Average																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5800.00	107.62	114.00	-6.38	94.17	34.70	10.50	31.75	0.00	100	303 PEAK																																																																																
2	5800.00	88.58	94.00	-5.42	75.13	34.70	10.50	31.75	0.00	100	303 Average																																																																																





Mode	2																																																																																																									
	Harmonic																																																																																																									
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5800MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11600.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>57.58</td><td>38.30</td><td>14.68</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11600.00	46.28	74.00	-27.72	57.58	38.30	14.68	64.28	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11600.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>56.91</td><td>38.30</td><td>14.68</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11600.00	45.61	74.00	-28.39	56.91	38.30	14.68	64.28	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11600.00	46.28	74.00	-27.72	57.58	38.30	14.68	64.28	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11600.00	45.61	74.00	-28.39	56.91	38.30	14.68	64.28	0.00	---	---	PEAK																																																																																														





Mode	3																																																																																																																																																			
	Band Edge - L																																																																																																																																																			
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5870MHz																																																																																																																																																			
ANT	2																																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																																													
Peak Avg																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5940.40</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>41.85</td><td>35.08</td><td>10.57</td><td>31.86</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr><tr><td>2</td><td>5940.40</td><td>36.60</td><td>54.00</td><td>-17.40</td><td>22.81</td><td>35.08</td><td>10.57</td><td>31.86</td><td>0.00</td><td>100</td><td>275 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5940.40	55.64	74.00	-18.36	41.85	35.08	10.57	31.86	0.00	100	275 PEAK	2	5940.40	36.60	54.00	-17.40	22.81	35.08	10.57	31.86	0.00	100	275 Average	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.00</td><td>59.58</td><td>114.00</td><td>-54.42</td><td>46.60</td><td>34.50</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>275 Peak</td></tr><tr><td>2</td><td>5800.00</td><td>68.98</td><td>114.00</td><td>-45.02</td><td>55.53</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>275 Peak</td></tr><tr><td>3</td><td>5870.00</td><td>100.81</td><td>114.00</td><td>-13.19</td><td>87.20</td><td>34.94</td><td>10.53</td><td>31.86</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr><tr><td>4</td><td>5870.00</td><td>81.77</td><td>94.00</td><td>-12.23</td><td>68.16</td><td>34.94</td><td>10.53</td><td>31.86</td><td>0.00</td><td>100</td><td>275 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.00	59.58	114.00	-54.42	46.60	34.50	10.43	31.95	0.00	100	275 Peak	2	5800.00	68.98	114.00	-45.02	55.53	34.70	10.50	31.75	0.00	100	275 Peak	3	5870.00	100.81	114.00	-13.19	87.20	34.94	10.53	31.86	0.00	100	275 PEAK	4	5870.00	81.77	94.00	-12.23	68.16	34.94	10.53	31.86	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5940.40	55.64	74.00	-18.36	41.85	35.08	10.57	31.86	0.00	100	275 PEAK																																																																																																																																									
2	5940.40	36.60	54.00	-17.40	22.81	35.08	10.57	31.86	0.00	100	275 Average																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5728.00	59.58	114.00	-54.42	46.60	34.50	10.43	31.95	0.00	100	275 Peak																																																																																																																																									
2	5800.00	68.98	114.00	-45.02	55.53	34.70	10.50	31.75	0.00	100	275 Peak																																																																																																																																									
3	5870.00	100.81	114.00	-13.19	87.20	34.94	10.53	31.86	0.00	100	275 PEAK																																																																																																																																									
4	5870.00	81.77	94.00	-12.23	68.16	34.94	10.53	31.86	0.00	100	275 Average																																																																																																																																									



Mode	3																																																																																																																																																													
	Band Edge - L																																																																																																																																																													
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5870MHz																																																																																																																																																													
ANT	2																																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5939.60</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>41.40</td><td>35.08</td><td>10.57</td><td>31.86</td><td>0.00</td><td>100</td><td>279</td><td>PEAK</td></tr><tr><td>2</td><td>5939.60</td><td>36.15</td><td>54.00</td><td>-17.85</td><td>22.36</td><td>35.08</td><td>10.57</td><td>31.86</td><td>0.00</td><td>100</td><td>279</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5939.60	55.19	74.00	-18.81	41.40	35.08	10.57	31.86	0.00	100	279	PEAK	2	5939.60	36.15	54.00	-17.85	22.36	35.08	10.57	31.86	0.00	100	279	Average	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.00</td><td>64.24</td><td>114.00</td><td>-49.76</td><td>51.26</td><td>34.50</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>279</td><td>Peak</td></tr><tr><td>2</td><td>5800.00</td><td>73.93</td><td>114.00</td><td>-40.07</td><td>60.48</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>279</td><td>Peak</td></tr><tr><td>3</td><td>5870.00</td><td>106.21</td><td>114.00</td><td>-7.79</td><td>92.60</td><td>34.94</td><td>10.53</td><td>31.86</td><td>0.00</td><td>100</td><td>279</td><td>PEAK</td></tr><tr><td>4</td><td>5870.00</td><td>87.17</td><td>94.00</td><td>-6.83</td><td>73.56</td><td>34.94</td><td>10.53</td><td>31.86</td><td>0.00</td><td>100</td><td>279</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.00	64.24	114.00	-49.76	51.26	34.50	10.43	31.95	0.00	100	279	Peak	2	5800.00	73.93	114.00	-40.07	60.48	34.70	10.50	31.75	0.00	100	279	Peak	3	5870.00	106.21	114.00	-7.79	92.60	34.94	10.53	31.86	0.00	100	279	PEAK	4	5870.00	87.17	94.00	-6.83	73.56	34.94	10.53	31.86	0.00	100	279	Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	5939.60	55.19	74.00	-18.81	41.40	35.08	10.57	31.86	0.00	100	279	PEAK																																																																																																																																																		
2	5939.60	36.15	54.00	-17.85	22.36	35.08	10.57	31.86	0.00	100	279	Average																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	5728.00	64.24	114.00	-49.76	51.26	34.50	10.43	31.95	0.00	100	279	Peak																																																																																																																																																		
2	5800.00	73.93	114.00	-40.07	60.48	34.70	10.50	31.75	0.00	100	279	Peak																																																																																																																																																		
3	5870.00	106.21	114.00	-7.79	92.60	34.94	10.53	31.86	0.00	100	279	PEAK																																																																																																																																																		
4	5870.00	87.17	94.00	-6.83	73.56	34.94	10.53	31.86	0.00	100	279	Average																																																																																																																																																		





Mode	3																																																												
	Harmonic																																																												
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5870MHz																																																												
ANT	2																																																												
Pol.	Horizontal						Vertical																																																						
Peak Avg																																																													
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11740.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>57.45</td><td>38.54</td><td>14.78</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11740.00	46.26	74.00	-27.74	57.45	38.54	14.78	64.51	0.00	---	---	PEAK	<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11740.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>57.72</td><td>38.54</td><td>14.78</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11740.00	46.53	74.00	-27.47	57.72	38.54	14.78	64.51	0.00	---	---	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11740.00	46.26	74.00	-27.74	57.45	38.54	14.78	64.51	0.00	---	---	PEAK																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11740.00	46.53	74.00	-27.47	57.72	38.54	14.78	64.51	0.00	---	---	PEAK																																																	



Mode	2	
	18G-40G	
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5800MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a sharp peak at 15.249 MHz, labeled 15.249PEAK. The average level is indicated as 15.249(AVG). The frequency range is from 18000 to 40000 MHz, and the level range is from 0 to 120 dBuV/m.	Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a sharp peak at 15.249 MHz, labeled 15.249PEAK. The average level is indicated as 15.249(AVG). The frequency range is from 18000 to 40000 MHz, and the level range is from 0 to 120 dBuV/m.



Mode	2																																																																																																																		
	30-1G																																																																																																																		
	Low Power Wideband Radio in Wi-Fi 5GHz 140M _5800MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal																																																																																																																		
Peak																																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.28</td><td>40.00</td><td>-18.72</td><td>27.52</td><td>25.14</td><td>0.83</td><td>32.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>106.63</td><td>19.11</td><td>43.50</td><td>-24.39</td><td>32.89</td><td>16.70</td><td>1.58</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>133.79</td><td>24.12</td><td>43.50</td><td>-19.38</td><td>36.91</td><td>17.51</td><td>1.76</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>232.73</td><td>31.50</td><td>46.00</td><td>-14.50</td><td>44.73</td><td>16.36</td><td>2.33</td><td>31.92</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>358.83</td><td>25.46</td><td>46.00</td><td>-20.54</td><td>34.09</td><td>20.49</td><td>2.89</td><td>32.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>843.83</td><td>29.06</td><td>46.00</td><td>-16.94</td><td>26.89</td><td>29.27</td><td>4.41</td><td>31.51</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.00	21.28	40.00	-18.72	27.52	25.14	0.83	32.21	0.00	---	---	Peak	2	106.63	19.11	43.50	-24.39	32.89	16.70	1.58	32.06	0.00	---	---	Peak	3	133.79	24.12	43.50	-19.38	36.91	17.51	1.76	32.06	0.00	---	---	Peak	4	232.73	31.50	46.00	-14.50	44.73	16.36	2.33	31.92	0.00	---	---	Peak	5	358.83	25.46	46.00	-20.54	34.09	20.49	2.89	32.01	0.00	---	---	Peak	6	843.83	29.06	46.00	-16.94	26.89	29.27	4.41	31.51	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
	1	30.00	21.28	40.00	-18.72	27.52	25.14	0.83	32.21	0.00	---	---	Peak																																																																																																						
	2	106.63	19.11	43.50	-24.39	32.89	16.70	1.58	32.06	0.00	---	---	Peak																																																																																																						
	3	133.79	24.12	43.50	-19.38	36.91	17.51	1.76	32.06	0.00	---	---	Peak																																																																																																						
	4	232.73	31.50	46.00	-14.50	44.73	16.36	2.33	31.92	0.00	---	---	Peak																																																																																																						
	5	358.83	25.46	46.00	-20.54	34.09	20.49	2.89	32.01	0.00	---	---	Peak																																																																																																						
	6	843.83	29.06	46.00	-16.94	26.89	29.27	4.41	31.51	0.00	---	---	Peak																																																																																																						
Vertical																																																																																																																			
																																																																																																																			
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>42.61</td><td>33.33</td><td>40.00</td><td>-6.67</td><td>46.36</td><td>18.16</td><td>1.00</td><td>32.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>80.44</td><td>27.86</td><td>40.00</td><td>-12.14</td><td>45.05</td><td>13.41</td><td>1.37</td><td>31.97</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>131.85</td><td>29.33</td><td>43.50</td><td>-14.17</td><td>42.12</td><td>17.53</td><td>1.74</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>177.44</td><td>29.07</td><td>43.50</td><td>-14.43</td><td>44.16</td><td>14.97</td><td>2.02</td><td>32.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>236.61</td><td>35.08</td><td>46.00</td><td>-10.92</td><td>47.81</td><td>16.82</td><td>2.35</td><td>31.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>853.53</td><td>28.90</td><td>46.00</td><td>-17.10</td><td>26.25</td><td>29.69</td><td>4.44</td><td>31.48</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	42.61	33.33	40.00	-6.67	46.36	18.16	1.00	32.19	0.00	---	---	Peak	2	80.44	27.86	40.00	-12.14	45.05	13.41	1.37	31.97	0.00	---	---	Peak	3	131.85	29.33	43.50	-14.17	42.12	17.53	1.74	32.06	0.00	---	---	Peak	4	177.44	29.07	43.50	-14.43	44.16	14.97	2.02	32.08	0.00	---	---	Peak	5	236.61	35.08	46.00	-10.92	47.81	16.82	2.35	31.90	0.00	---	---	Peak	6	853.53	28.90	46.00	-17.10	26.25	29.69	4.44	31.48	0.00	---	---	Peak	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	42.61	33.33	40.00	-6.67	46.36	18.16	1.00	32.19	0.00	---	---	Peak																																																																																																							
2	80.44	27.86	40.00	-12.14	45.05	13.41	1.37	31.97	0.00	---	---	Peak																																																																																																							
3	131.85	29.33	43.50	-14.17	42.12	17.53	1.74	32.06	0.00	---	---	Peak																																																																																																							
4	177.44	29.07	43.50	-14.43	44.16	14.97	2.02	32.08	0.00	---	---	Peak																																																																																																							
5	236.61	35.08	46.00	-10.92	47.81	16.82	2.35	31.90	0.00	---	---	Peak																																																																																																							
6	853.53	28.90	46.00	-17.10	26.25	29.69	4.44	31.48	0.00	---	---	Peak																																																																																																							



For WLAN 6G

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	2	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	2	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	2	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	2	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	2	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	2	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	2	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-7	6.525-6.875	2	802.11a	185	6875	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	2	802.11a	189	6895	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	2	802.11a	209	6995	6Mbps	-	-
Mode 13	U-NII-8	6.875-7.125	2	802.11a	229	7095	6Mbps	-	-
Mode 14	U-NII-5	5.925-6.425	2	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	2	802.11ax HE20	1	5955	MCS0	Partial_RU26/0	-
Mode 16	U-NII-5	5.925-6.425	2	802.11ax HE20	1	5955	MCS0	Partial_RU52/37	-
Mode 17	U-NII-5	5.925-6.425	2	802.11ax HE20	1	5955	MCS0	Partial_RU106/53	-
Mode 18	U-NII-5	5.925-6.425	2	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 19	U-NII-5	5.925-6.425	2	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 20	U-NII-5	5.925-6.425	2	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 21	U-NII-5	5.925-6.425	2	802.11ax HE40	3	5965	MCS0	Partial_RU242/61	-
Mode 22	U-NII-5	5.925-6.425	2	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 23	U-NII-5	5.925-6.425	2	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 24	U-NII-5	5.925-6.425	2	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	2	802.11ax HE80	7	5985	MCS0	Partial_RU484/65	-
Mode 26	U-NII-5	5.925-6.425	2	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	2	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 28	U-NII-5	5.925-6.425	2	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 29	U-NII-5	5.925-6.425	2	802.11ax HE160	15	6025	MCS0	Partial_RU 996/67	-
Mode 30	U-NII-5	5.925-6.425	2	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 31	U-NII-5	5.925-6.425	2	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 32	U-NII-6	6.425-6.525	2	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 33	U-NII-6	6.425-6.525	2	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 34	U-NII-6	6.425-6.525	2	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 35	U-NII-6	6.425-6.525	2	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 36	U-NII-6	6.425-6.525	2	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 37	U-NII-6	6.425-6.525	2	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 38	U-NII-6	6.425-6.525	2	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 39	U-NII-6	6.425-6.525	2	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 40	U-NII-6	6.425-6.525	2	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	2	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	2	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	2	802.11ax HE20	181	6855	MCS0	Full RU	-



Mode 44	U-NII-7	6.525-6.875	2	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	2	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 46	U-NII-7	6.525-6.875	2	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 47	U-NII-7	6.525-6.875	2	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	2	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 49	U-NII-7	6.525-6.875	2	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 50	U-NII-7	6.525-6.875	2	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 51	U-NII-7	6.525-6.875	2	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 52	U-NII-7	6.525-6.875	2	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 53	U-NII-7	6.525-6.875	2	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 54	U-NII-7	6.525-6.875	2	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	2	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	2	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	2	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	2	802.11ax HE20	229	7095	MCS0	Partial_RU26/8	-
Mode 59	U-NII-8	6.875-7.125	2	802.11ax HE20	229	7095	MCS0	Partial_RU52/40	-
Mode 60	U-NII-8	6.875-7.125	2	802.11ax HE20	229	7095	MCS0	Partial_RU106/54	-
Mode 61	U-NII-8	6.875-7.125	2	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 62	U-NII-8	6.875-7.125	2	802.11ax HE40	211	7005	MCS0	Full RU	-
Mode 63	U-NII-8	6.875-7.125	2	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 64	U-NII-8	6.875-7.125	2	802.11ax HE40	227	7085	MCS0	Partial_RU 242/62	-
Mode 65	U-NII-8	6.875-7.125	2	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 66	U-NII-8	6.875-7.125	2	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 67	U-NII-8	6.875-7.125	2	802.11ax HE80	215	7025	MCS0	Partial_RU 484/66	-
Mode 68	U-NII-8	6.875-7.125	2	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 69	U-NII-8	6.875-7.125	2	802.11ax HE160	207	6985	MCS0	Partial_RU 996/67	-
Mode 70	U-NII-8	6.875-7.125	2	802.11a	233	7115	6Mbps	-	-
Mode 71	U-NII-8	6.875-7.125	2	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 72	U-NII-8	6.875-7.125	2	802.11ax HE20	233	7115	MCS0	Partial_RU26/8	-
Mode 73	U-NII-8	6.875-7.125	2	802.11ax HE20	233	7115	MCS0	Partial_RU52/40	-
Mode 74	U-NII-8	6.875-7.125	2	802.11ax HE20	233	7115	MCS0	Partial_RU106/54	-
Mode 75	U-NII-7	6.525-6.875	2	802.11ax HE160	143	6665	MCS0	Full RU	LF

For Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
77	2400-2483.5	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	1Mbps	-	-
	U-NII-8	6.875-7.125	2	802.11ax HE20	233	7115	MCS0	RU26/8	-
78	2400-2483.5	2400-2483.5	1	Zigbee	26	2480	250K	-	-
	U-NII-8	6.875-7.125	2	802.11ax HE20	233	7115	MCS0	RU26/8	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5868.54	40.23	68.20	-27.97	V	Average	Pass	Band Edge
1	802.11a	1	11910.00	49.46	74.00	-24.54	V	Peak	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12380	47.03	74	-26.97	H	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	48.51	88.20	-39.69	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	48.81	88.20	-39.39	H	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	49.30	88.20	-38.90	H	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	48.10	88.20	-40.10	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	49.64	88.20	-38.56	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	49.44	74.00	-24.56	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	50.56	88.20	-37.64	H	Peak	Pass	Harmonic
10	802.11a	185	7316.06	18.40	54.00	-35.60	V	Average	Pass	Band Edge
10	802.11a	185	13750.00	49.65	88.20	-38.55	V	Peak	Pass	Harmonic
11	802.11a	189	-	-	-	-	-	-	-	Band Edge
11	802.11a	189	13790.00	48.44	88.20	-39.76	H	Peak	Pass	Harmonic
12	802.11a	209	-	-	-	-	-	-	-	Band Edge
12	802.11a	209	13990.00	50.52	88.20	-37.68	V	Peak	Pass	Harmonic
13	802.11a	229	7294.67	40.61	54.00	-13.39	V	AVERAGE	Pass	Band Edge
13	802.11a	229	14190.00	48.47	88.20	-39.73	V	Peak	Pass	Harmonic
14	802.11ax HE20	1	5837.46	40.16	68.20	-28.04	V	Average	Pass	Band Edge
14	802.11ax HE20	1	17865.00	48.63	74.00	-25.37	H	Peak	Pass	Harmonic
15	802.11ax HE20	1	5924.58	40.48	68.20	-27.72	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	1	5916.65	40.48	68.20	-27.72	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	1	5827.99	40.15	68.20	-28.05	V	AVERAGE	Pass	Band Edge
17	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	49	12380	46.51	74	-27.49	V	Peak	Pass	Harmonic
19	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge



19	802.11ax HE20	93	12830.00	47.82	88.20	-40.38	V	Peak	Pass	Harmonic
20	802.11ax HE40	3	5924.36	41.67	68.20	-26.53	V	AVERAGE	Pass	Band Edge
20	802.11ax HE40	3	17895.00	48.16	74.00	-25.84	H	Peak	Pass	Harmonic
21	802.11ax HE40	3	5875.88	41.65	68.20	-26.55	V	AVERAGE	Pass	Band Edge
21	802.11ax HE40	3	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE40	51	12390	46.57	74	-27.43	H	Peak	Pass	Harmonic
23	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE40	91	12810.00	45.91	88.20	-42.29	V	Peak	Pass	Harmonic
24	802.11ax HE80	7	5924.84	47.71	68.20	-20.49	V	AVERAGE	Pass	Band Edge
24	802.11ax HE80	7	17955.00	48.59	74.00	-25.41	H	Peak	Pass	Harmonic
25	802.11ax HE80	7	5923.56	43.77	68.20	-24.43	V	AVERAGE	Pass	Band Edge
25	802.11ax HE80	7	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE80	55	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE80	55	12430	48.11	74	-25.89	H	Peak	Pass	Harmonic
27	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE80	87	12770.00	45.61	88.20	-42.59	H	Peak	Pass	Harmonic
28	802.11ax HE160	15	5921.04	51.53	68.20	-16.67	V	AVERAGE	Pass	Band Edge
28	802.11ax HE160	15	12050.00	47.93	74.00	-26.07	V	Peak	Pass	Harmonic
29	802.11ax HE160	15	5923.00	56.61	68.20	-11.59	V	AVERAGE	Pass	Band Edge
29	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE160	47	12370.00	46.91	74.00	-27.09	V	Peak	Pass	Harmonic
31	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE160	79	12690.00	44.98	74.00	-29.02	V	Peak	Pass	Harmonic
32	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE20	97	12870.00	48.58	88.20	-39.62	V	Peak	Pass	Harmonic
33	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	105	12950.00	48.64	88.20	-39.56	V	Peak	Pass	Harmonic
34	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	113	13030.00	49.48	88.20	-38.72	V	Peak	Pass	Harmonic
35	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE40	99	12890.00	48.20	88.20	-40.00	V	Peak	Pass	Harmonic
36	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	107	12970.00	47.85	88.20	-40.35	H	Peak	Pass	Harmonic
37	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE40	115	13050.00	49.14	88.20	-39.06	V	Peak	Pass	Harmonic
38	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	103	12930.00	48.15	88.20	-40.05	V	Peak	Pass	Harmonic



39	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	119	13090.00	50.35	88.20	-37.85	H	Peak	Pass	Harmonic
40	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE160	111	13010.00	49.42	88.20	-38.78	H	Peak	Pass	Harmonic
41	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE20	117	13070.00	49.19	88.20	-39.01	V	Peak	Pass	Harmonic
42	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE20	149	13390.00	49.06	74.00	-24.94	H	Peak	Pass	Harmonic
43	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE20	181	13710.00	49.66	88.20	-38.54	V	Peak	Pass	Harmonic
44	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE40	123	13130.00	49.37	88.20	-38.83	V	Peak	Pass	Harmonic
45	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE40	147	13370.00	49.27	74.00	-24.73	H	Peak	Pass	Harmonic
46	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE40	179	13690.00	49.03	88.20	-39.17	H	Peak	Pass	Harmonic
47	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE80	135	13250.00	49.08	74.00	-24.92	H	Peak	Pass	Harmonic
48	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE80	151	13400	48.03	74	-25.97	H	Peak	Pass	Harmonic
49	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE80	167	13570.00	48.91	88.20	-39.29	H	Peak	Pass	Harmonic
50	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE160	143	13330.00	49.58	74.00	-24.42	V	Peak	Pass	Harmonic
51	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE20	185	13750.00	49.16	88.20	-39.04	H	Peak	Pass	Harmonic
52	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE40	187	13770.00	49.75	88.20	-38.45	V	Peak	Pass	Harmonic
53	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE80	183	13730.00	48.93	88.20	-39.27	V	Peak	Pass	Harmonic
54	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE160	175	13650.00	48.95	88.20	-39.25	H	Peak	Pass	Harmonic
55	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE20	189	13790.00	49.71	88.20	-38.49	H	Peak	Pass	Harmonic
56	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE20	209	13990.00	49.44	88.20	-38.76	H	Peak	Pass	Harmonic
57	802.11ax HE20	229	7311.24	40.49	54.00	-13.51	V	AVERAGE	Pass	Band Edge
57	802.11ax HE20	229	14190.00	48.05	88.20	-40.15	H	Peak	Pass	Harmonic
58	802.11ax HE20	229	7287.78	40.91	54.00	-13.09	H	AVERAGE	Pass	Band Edge







58	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	229	7314.81	40.53	54.00	-13.47	H	AVERAGE	Pass	Band Edge
59	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	229	7326.80	40.59	54.00	-13.41	V	AVERAGE	Pass	Band Edge
60	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE40	195	13850.00	49.83	88.20	-38.37	V	Peak	Pass	Harmonic
62	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE40	211	14010.00	50.03	88.20	-38.17	V	Peak	Pass	Harmonic
63	802.11ax HE40	227	7261.23	40.42	54.00	-13.58	H	AVERAGE	Pass	Band Edge
63	802.11ax HE40	227	-	-	-	-	-	-	-	Harmonic
64	802.11ax HE40	227	7266.00	41.36	54.00	-12.64	H	AVERAGE	Pass	Band Edge
64	802.11ax HE40	227	14170.00	48.46	88.20	-39.74	H	Peak	Pass	Harmonic
65	802.11ax HE80	199	7335.00	43.24	54.00	-10.76	V	AVERAGE	Pass	Band Edge
65	802.11ax HE80	199	13890.00	48.83	88.20	-39.37	H	Peak	Pass	Harmonic
66	802.11ax HE80	215	7310.03	42.68	54.00	-11.32	V	AVERAGE	Pass	Band Edge
66	802.11ax HE80	215	14050.00	49.55	88.20	-38.65	V	Peak	Pass	Harmonic
67	802.11ax HE80	215	7257.70	42.68	54.00	-11.32	H	AVERAGE	Pass	Band Edge
67	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
68	802.11ax HE160	207	7129.38	58.98	68.20	-9.22	V	AVERAGE	Pass	Band Edge
68	802.11ax HE160	207	13970.00	50.03	88.20	-38.17	H	Peak	Pass	Harmonic
69	802.11ax HE160	207	7261.25	43.66	54.00	-10.34	H	AVERAGE	Pass	Band Edge
69	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
70	802.11a	233	7125	58.23	68.2	-9.97	H	Average	Pass	Band Edge
70	802.11a	233	14230.00	48.55	88.20	-39.65	V	Peak	Pass	Harmonic
71	802.11ax HE20	233	7125	58.25	68.2	-9.95	H	Average	Pass	Band Edge
71	802.11ax HE20	233	14230.00	48.77	88.20	-39.43	V	Peak	Pass	Harmonic
72	802.11ax HE20	233	7125	65.01	68.2	-3.19	H	Average	Pass	Band Edge
72	802.11ax HE20	233	14230.00	48.77	88.20	-39.43	V	Peak	Pass	Harmonic
73	802.11ax HE20	233	7125	63.66	68.2	-4.54	H	Average	Pass	Band Edge
73	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
74	802.11ax HE20	233	7125	64.82	68.2	-3.38	H	Average	Pass	Band Edge
74	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
75	802.11ax HE20	233	821.52	31.22	46.00	-14.78	H	Peak	Pass	Band Edge

**For Co-location**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
77	Bluetooth-LE_GSKF	39	2484.76	45.30	54.00	-8.70	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	41.90	74.00	-32.10	H	PEAK	Pass	Harmonic
	802.11ax HE20	233	7125.00	64.98	68.2	-3.22	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
78	Zigbee	26	2483.50	68.07	74.00	-5.93	V	PEAK	Pass	Band Edge
	Zigbee	26	7440.00	41.72	74.00	-32.28	H	PEAK	Pass	Harmonic
	802.11ax HE20	233	7125.00	64.8	68.2	-3.4	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic



Mode	1																																																		
	Band Edge - L																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																		
ANT	2																																																		
Pol.	Horizontal																																																		
Peak	Fundamental																																																		
	Level (dBuV/m) Date: 2025-03-14  PEAK(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5897.80</td><td>48.68</td><td>88.20</td><td>-39.52</td><td>37.85</td><td>34.92</td><td>8.82</td><td>32.91</td><td>100</td><td>288</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5897.80	48.68	88.20	-39.52	37.85	34.92	8.82	32.91	100	288	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5897.80	48.68	88.20	-39.52	37.85	34.92	8.82	32.91	100	288	Peak																																								
Level (dBuV/m) Date: 2025-03-14  PEAK(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5960.00</td><td>93.51</td><td>-----</td><td>-----</td><td>82.69</td><td>35.03</td><td>8.75</td><td>32.96</td><td>100</td><td>288</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5960.00	93.51	-----	-----	82.69	35.03	8.75	32.96	100	288	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5960.00	93.51	-----	-----	82.69	35.03	8.75	32.96	100	288	Peak																																								
Avg	Horizontal																																																		
	Fundamental																																																		
	Level (dBuV/m) Date: 2025-03-14  AVG(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5881.98</td><td>40.03</td><td>68.20</td><td>-28.17</td><td>29.20</td><td>34.89</td><td>8.84</td><td>32.90</td><td>100</td><td>288</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5881.98	40.03	68.20	-28.17	29.20	34.89	8.84	32.90	100	288	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5881.98	40.03	68.20	-28.17	29.20	34.89	8.84	32.90	100	288	Average																																								
Level (dBuV/m) Date: 2025-03-14  AVG(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5953.80</td><td>86.70</td><td>-----</td><td>-----</td><td>75.88</td><td>35.02</td><td>8.76</td><td>32.96</td><td>100</td><td>288</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5953.80	86.70	-----	-----	75.88	35.02	8.76	32.96	100	288	Average	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5953.80	86.70	-----	-----	75.88	35.02	8.76	32.96	100	288	Average																																								





Mode	1																																																																															
	Band Edge - L																																																																															
	U-NII-5 5.925-6.425 802.11a_CH1_5955MHz																																																																															
ANT	2																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-03-14 PEAK(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5895.00</td><td>49.62</td><td>88.20</td><td>-38.58</td><td>38.80</td><td>34.91</td><td>8.82</td><td>32.91</td><td>246</td><td>291 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5895.00	49.62	88.20	-38.58	38.80	34.91	8.82	32.91	246	291 Peak	Level (dBuV/m) Date: 2025-03-14 PEAK(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.29</td><td>-----</td><td>-----</td><td>87.48</td><td>35.02</td><td>8.75</td><td>32.96</td><td>246</td><td>291 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	98.29	-----	-----	87.48	35.02	8.75	32.96	246	291 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5895.00	49.62	88.20	-38.58	38.80	34.91	8.82	32.91	246	291 Peak																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5955.00	98.29	-----	-----	87.48	35.02	8.75	32.96	246	291 Peak																																																																						
Avg	Level (dBuV/m) Date: 2025-03-14 AVG(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5868.54</td><td>40.23</td><td>68.20</td><td>-27.97</td><td>29.40</td><td>34.86</td><td>8.86</td><td>32.89</td><td>246</td><td>291 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5868.54	40.23	68.20	-27.97	29.40	34.86	8.86	32.89	246	291 Average	Level (dBuV/m) Date: 2025-03-14 AVG(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.23</td><td>-----</td><td>-----</td><td>80.42</td><td>35.02</td><td>8.75</td><td>32.96</td><td>246</td><td>291 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	91.23	-----	-----	80.42	35.02	8.75	32.96	246	291 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5868.54	40.23	68.20	-27.97	29.40	34.86	8.86	32.89	246	291 Average																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5955.00	91.23	-----	-----	80.42	35.02	8.75	32.96	246	291 Average																																																																						





Mode	1																																																																					
	Harmonic																																																																					
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																					
ANT	2																																																																					
Pol.	Horizontal																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-06 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>55.44</td><td>38.25</td><td>11.66</td><td>57.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>50.29</td><td>42.45</td><td>13.31</td><td>57.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11910.00	48.05	74.00	-25.95	55.44	38.25	11.66	57.30	--	--	Peak	2	17865.00	48.96	74.00	-25.04	50.29	42.45	13.31	57.09	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11910.00	48.05	74.00	-25.95	55.44	38.25	11.66	57.30	--	--	Peak																																																											
2	17865.00	48.96	74.00	-25.04	50.29	42.45	13.31	57.09	--	--	Peak																																																											
Level (dBuV/m) Date: 2025-03-06 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>56.85</td><td>38.25</td><td>11.66</td><td>57.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.22</td><td>74.00</td><td>-24.78</td><td>50.55</td><td>42.45</td><td>13.31</td><td>57.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11910.00	49.46	74.00	-24.54	56.85	38.25	11.66	57.30	--	--	Peak	2	17865.00	49.22	74.00	-24.78	50.55	42.45	13.31	57.09	--	--	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11910.00	49.46	74.00	-24.54	56.85	38.25	11.66	57.30	--	--	Peak																																																											
2	17865.00	49.22	74.00	-24.78	50.55	42.45	13.31	57.09	--	--	Peak																																																											



Mode	2																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-03-06  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12380.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>54.92</td><td>37.80</td><td>11.78</td><td>57.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12380.00	47.03	74.00	-26.97	54.92	37.80	11.78	57.47	--	--	Peak	Level (dBuV/m) Date: 2025-03-06  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12380.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>54.85</td><td>37.80</td><td>11.78</td><td>57.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12380.00	46.96	74.00	-27.04	54.85	37.80	11.78	57.47	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12380.00	47.03	74.00	-26.97	54.92	37.80	11.78	57.47	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12380.00	46.96	74.00	-27.04	54.85	37.80	11.78	57.47	--	--	Peak																																																																																														





Mode	3																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																									
ANT	2																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-06  PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2025-03-06  PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>48.45</td><td>88.20</td><td>-39.75</td><td>56.10</td><td>38.26</td><td>11.87</td><td>57.78</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	12830.00	48.45	88.20	-39.75	56.10	38.26	11.87	57.78	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>48.51</td><td>88.20</td><td>-39.69</td><td>56.16</td><td>38.26</td><td>11.87</td><td>57.78</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	12830.00	48.51	88.20	-39.69	56.16	38.26	11.87	57.78	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	12830.00	48.45	88.20	-39.75	56.10	38.26	11.87	57.78	--	-- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	12830.00	48.51	88.20	-39.69	56.16	38.26	11.87	57.78	--	-- Peak																																																																																



Mode	4																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-07 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12870.00</td><td>48.81</td><td>88.20</td><td>-39.39</td><td>56.40</td><td>38.34</td><td>11.88</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12870.00	48.81	88.20	-39.39	56.40	38.34	11.88	57.81	--	--	Peak		Level (dBuV/m) Date: 2025-03-07 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12870.00</td><td>48.61</td><td>88.20</td><td>-39.59</td><td>56.20</td><td>38.34</td><td>11.88</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12870.00	48.61	88.20	-39.59	56.20	38.34	11.88	57.81	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12870.00	48.81	88.20	-39.39	56.40	38.34	11.88	57.81	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12870.00	48.61	88.20	-39.59	56.20	38.34	11.88	57.81	--	--	Peak																																																																																																



Mode	5																																																																																																		
	Harmonic																																																																																																		
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Horizontal										Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-03-07  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>49.30</td><td>88.20</td><td>-38.90</td><td>56.76</td><td>38.50</td><td>11.90</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	49.30	88.20	-38.90	56.76	38.50	11.90	57.86	--	--	Peak	Level (dBuV/m) Date: 2025-03-07  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>48.93</td><td>88.20</td><td>-39.27</td><td>56.39</td><td>38.50</td><td>11.90</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	48.93	88.20	-39.27	56.39	38.50	11.90	57.86	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 12950.00	49.30	88.20	-38.90	56.76	38.50	11.90	57.86	--	--	Peak																																																																																									
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 12950.00	48.93	88.20	-39.27	56.39	38.50	11.90	57.86	--	--	Peak																																																																																									



Mode	6																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-03-07 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. The frequency range is from 7200 to 18000 MHz. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. A vertical blue line is drawn at 13030.00 MHz. <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>54.70</td><td>38.59</td><td>11.93</td><td>57.93</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	47.29	88.20	-40.91	54.70	38.59	11.93	57.93	--	--	Peak		Level (dBuV/m) Date: 2025-03-07 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. The frequency range is from 7200 to 18000 MHz. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. A vertical blue line is drawn at 13030.00 MHz. <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>48.10</td><td>88.20</td><td>-40.10</td><td>55.51</td><td>38.59</td><td>11.93</td><td>57.93</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	48.10	88.20	-40.10	55.51	38.59	11.93	57.93	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13030.00	47.29	88.20	-40.91	54.70	38.59	11.93	57.93	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13030.00	48.10	88.20	-40.10	55.51	38.59	11.93	57.93	--	--	Peak																																																																																															





Mode	7																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-07 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13070.00</td><td>49.19</td><td>88.20</td><td>-39.01</td><td>56.61</td><td>38.59</td><td>11.96</td><td>57.97</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13070.00	49.19	88.20	-39.01	56.61	38.59	11.96	57.97	--	--	Peak		Level (dBuV/m) Date: 2025-03-07 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13070.00</td><td>49.64</td><td>88.20</td><td>-38.56</td><td>57.06</td><td>38.59</td><td>11.96</td><td>57.97</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13070.00	49.64	88.20	-38.56	57.06	38.59	11.96	57.97	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13070.00	49.19	88.20	-39.01	56.61	38.59	11.96	57.97	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13070.00	49.64	88.20	-38.56	57.06	38.59	11.96	57.97	--	--	Peak																																																																																																





Mode	8																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-03-07 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13390.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>55.79</td><td>38.52</td><td>12.23</td><td>58.33</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13390.00	48.21	74.00	-25.79	55.79	38.52	12.23	58.33	--	--	Peak		Level (dBuV/m) Date: 2025-03-07 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13390.00</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>57.02</td><td>38.52</td><td>12.23</td><td>58.33</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13390.00	49.44	74.00	-24.56	57.02	38.52	12.23	58.33	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13390.00	48.21	74.00	-25.79	55.79	38.52	12.23	58.33	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13390.00	49.44	74.00	-24.56	57.02	38.52	12.23	58.33	--	--	Peak																																																																																															



Mode	9																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-07  PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2025-03-07  PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13710.00</td><td>50.56</td><td>88.20</td><td>-37.64</td><td>58.07</td><td>38.67</td><td>12.50</td><td>58.68</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13710.00	50.56	88.20	-37.64	58.07	38.67	12.50	58.68	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13710.00</td><td>49.84</td><td>88.20</td><td>-38.36</td><td>57.35</td><td>38.67</td><td>12.50</td><td>58.68</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13710.00	49.84	88.20	-38.36	57.35	38.67	12.50	58.68	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13710.00	50.56	88.20	-37.64	58.07	38.67	12.50	58.68	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13710.00	49.84	88.20	-38.36	57.35	38.67	12.50	58.68	--	--	Peak																																																																																															





Mode	10																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																							
ANT	2																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-07  PEAK(U-NII)_BE AVG(U-NII)_BE 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7200 9360 11520 13680 15840 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>49.25</td><td>88.20</td><td>-38.95</td><td>56.74</td><td>38.70</td><td>12.53</td><td>58.72</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13750.00	49.25	88.20	-38.95	56.74	38.70	12.53	58.72	--	Peak	Level (dBuV/m) Date: 2025-03-07  PEAK(U-NII)_BE AVG(U-NII)_BE 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7200 9360 11520 13680 15840 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>49.65</td><td>88.20</td><td>-38.55</td><td>57.14</td><td>38.70</td><td>12.53</td><td>58.72</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13750.00	49.65	88.20	-38.55	57.14	38.70	12.53	58.72	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	13750.00	49.25	88.20	-38.95	56.74	38.70	12.53	58.72	--	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	13750.00	49.65	88.20	-38.55	57.14	38.70	12.53	58.72	--	Peak																																																																														







Mode	11																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-03-07 PEAK(U-NII)_BE AVG(U-NII)_BE <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13790.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>55.91</td><td>38.73</td><td>12.56</td><td>58.76</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13790.00	48.44	88.20	-39.76	55.91	38.73	12.56	58.76	--	--	Peak		Level (dBuV/m) Date: 2025-03-07 PEAK(U-NII)_BE AVG(U-NII)_BE <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13790.00</td><td>48.15</td><td>88.20</td><td>-40.05</td><td>55.62</td><td>38.73</td><td>12.56</td><td>58.76</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></tbody></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13790.00	48.15	88.20	-40.05	55.62	38.73	12.56	58.76	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13790.00	48.44	88.20	-39.76	55.91	38.73	12.56	58.76	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13790.00	48.15	88.20	-40.05	55.62	38.73	12.56	58.76	--	--	Peak																																																																																															



Mode	12																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13990.00</td><td>49.54</td><td>88.20</td><td>-38.66</td><td>56.90</td><td>38.89</td><td>12.73</td><td>58.98</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13990.00	49.54	88.20	-38.66	56.90	38.89	12.73	58.98	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13990.00</td><td>50.52</td><td>88.20</td><td>-37.68</td><td>57.88</td><td>38.89</td><td>12.73</td><td>58.98</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13990.00	50.52	88.20	-37.68	57.88	38.89	12.73	58.98	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13990.00	49.54	88.20	-38.66	56.90	38.89	12.73	58.98	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13990.00	50.52	88.20	-37.68	57.88	38.89	12.73	58.98	--	--	Peak																																																																																																





Mode	13																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																										
ANT	2																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-14  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7205.42</td><td>51.13</td><td>88.20</td><td>-37.07</td><td>40.21</td><td>36.30</td><td>8.59</td><td>33.97</td><td>109</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>7271.97</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>39.28</td><td>36.30</td><td>8.81</td><td>34.02</td><td>109</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7205.42	51.13	88.20	-37.07	40.21	36.30	8.59	33.97	109	307	PEAK	2	7271.97	50.37	74.00	-23.63	39.28	36.30	8.81	34.02	109	307	PEAK	Level (dBuV/m) Date: 2025-03-14  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>98.57</td><td>-----</td><td>-----</td><td>87.43</td><td>36.30</td><td>8.72</td><td>33.88</td><td>109</td><td>307</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	98.57	-----	-----	87.43	36.30	8.72	33.88	109	307	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7205.42	51.13	88.20	-37.07	40.21	36.30	8.59	33.97	109	307	PEAK																																																																																																
2	7271.97	50.37	74.00	-23.63	39.28	36.30	8.81	34.02	109	307	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7095.00	98.57	-----	-----	87.43	36.30	8.72	33.88	109	307	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2025-03-14  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7187.31</td><td>40.42</td><td>68.20</td><td>-27.78</td><td>29.47</td><td>36.30</td><td>8.60</td><td>33.95</td><td>109</td><td>307</td><td>AVERAGE</td></tr><tr><td>2</td><td>7302.06</td><td>40.43</td><td>54.00</td><td>-13.57</td><td>29.27</td><td>36.30</td><td>8.90</td><td>34.04</td><td>109</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7187.31	40.42	68.20	-27.78	29.47	36.30	8.60	33.95	109	307	AVERAGE	2	7302.06	40.43	54.00	-13.57	29.27	36.30	8.90	34.04	109	307	AVERAGE	Level (dBuV/m) Date: 2025-03-14  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.66</td><td>-----</td><td>-----</td><td>75.52</td><td>36.30</td><td>8.72</td><td>33.88</td><td>109</td><td>307</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	86.66	-----	-----	75.52	36.30	8.72	33.88	109	307	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7187.31	40.42	68.20	-27.78	29.47	36.30	8.60	33.95	109	307	AVERAGE																																																																																																
2	7302.06	40.43	54.00	-13.57	29.27	36.30	8.90	34.04	109	307	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7095.00	86.66	-----	-----	75.52	36.30	8.72	33.88	109	307	AVERAGE																																																																																																



Mode	13																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																		
ANT	2																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-03-14 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7148.04</td><td>50.78</td><td>88.20</td><td>-37.42</td><td>39.75</td><td>36.30</td><td>8.65</td><td>33.92</td></tr><tr><td>2</td><td>7321.19</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>39.12</td><td>36.30</td><td>8.96</td><td>34.06</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7148.04	50.78	88.20	-37.42	39.75	36.30	8.65	33.92	2	7321.19	50.32	74.00	-23.68	39.12	36.30	8.96	34.06	Level (dBuV/m) Date: 2025-03-14 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7095.00</td><td>89.35</td><td>-----</td><td>-----</td><td>78.21</td><td>36.30</td><td>8.72</td><td>33.88</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	89.35	-----	-----	78.21	36.30	8.72	33.88
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	7148.04	50.78	88.20	-37.42	39.75	36.30	8.65	33.92																																																																											
2	7321.19	50.32	74.00	-23.68	39.12	36.30	8.96	34.06																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	7095.00	89.35	-----	-----	78.21	36.30	8.72	33.88																																																																											
Avg	Level (dBuV/m) Date: 2025-03-14 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7224.54</td><td>40.49</td><td>68.20</td><td>-27.71</td><td>29.52</td><td>36.30</td><td>8.65</td><td>33.98</td></tr><tr><td>2</td><td>7294.67</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>29.47</td><td>36.30</td><td>8.88</td><td>34.04</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7224.54	40.49	68.20	-27.71	29.52	36.30	8.65	33.98	2	7294.67	40.61	54.00	-13.39	29.47	36.30	8.88	34.04	Level (dBuV/m) Date: 2025-03-14 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7095.00</td><td>82.99</td><td>-----</td><td>-----</td><td>71.85</td><td>36.30</td><td>8.72</td><td>33.88</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	82.99	-----	-----	71.85	36.30	8.72	33.88
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	7224.54	40.49	68.20	-27.71	29.52	36.30	8.65	33.98																																																																											
2	7294.67	40.61	54.00	-13.39	29.47	36.30	8.88	34.04																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	7095.00	82.99	-----	-----	71.85	36.30	8.72	33.88																																																																											







Mode	13																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-03-07  PEAK(U-NII)_SE AVG(U-NII)_SE										Level (dBuV/m) Date: 2025-03-07  PEAK(U-NII)_SE AVG(U-NII)_SE																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14190.00</td><td>48.10</td><td>88.20</td><td>-40.10</td><td>55.21</td><td>39.05</td><td>12.73</td><td>58.89</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14190.00	48.10	88.20	-40.10	55.21	39.05	12.73	58.89	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14190.00</td><td>48.47</td><td>88.20</td><td>-39.73</td><td>55.58</td><td>39.05</td><td>12.73</td><td>58.89</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14190.00	48.47	88.20	-39.73	55.58	39.05	12.73	58.89	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14190.00	48.10	88.20	-40.10	55.21	39.05	12.73	58.89	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14190.00	48.47	88.20	-39.73	55.58	39.05	12.73	58.89	--	--	Peak																																																																																															





Mode	14																																																																																										
	Band Edge - L																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																										
ANT	2																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-14 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line for the limit and a blue line for the measured signal. A peak is marked at 5913.48 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.48</td><td>48.30</td><td>88.20</td><td>-39.90</td><td>37.47</td><td>34.95</td><td>8.80</td><td>32.92</td><td>121</td><td>283</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.48	48.30	88.20	-39.90	37.47	34.95	8.80	32.92	121	283	Peak	Level (dBuV/m) Date: 2025-03-14 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a red line for the limit and a blue line for the measured signal. A peak is marked at 5960.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5960.00</td><td>92.58</td><td>-----</td><td>-----</td><td>81.76</td><td>35.03</td><td>8.75</td><td>32.96</td><td>121</td><td>283</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5960.00	92.58	-----	-----	81.76	35.03	8.75	32.96	121	283	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5913.48	48.30	88.20	-39.90	37.47	34.95	8.80	32.92	121	283	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5960.00	92.58	-----	-----	81.76	35.03	8.75	32.96	121	283	Peak																																																																																
Avg	Level (dBuV/m) Date: 2025-03-14 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line for the limit and a blue line for the measured signal. An average is marked at 5884.92 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5884.92</td><td>40.10</td><td>68.20</td><td>-28.10</td><td>29.27</td><td>34.89</td><td>8.84</td><td>32.90</td><td>121</td><td>283</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5884.92	40.10	68.20	-28.10	29.27	34.89	8.84	32.90	121	283	Average	Level (dBuV/m) Date: 2025-03-14 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a red line for the limit and a blue line for the measured signal. An average is marked at 5953.80 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5953.80</td><td>85.61</td><td>-----</td><td>-----</td><td>74.79</td><td>35.02</td><td>8.76</td><td>32.96</td><td>121</td><td>283</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5953.80	85.61	-----	-----	74.79	35.02	8.76	32.96	121	283	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5884.92	40.10	68.20	-28.10	29.27	34.89	8.84	32.90	121	283	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5953.80	85.61	-----	-----	74.79	35.02	8.76	32.96	121	283	Average																																																																																







Mode	14																																																																																										
	Band Edge - L																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																										
ANT	2																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-14  PEAK(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5937.72</td><td>49.66</td><td>88.20</td><td>-38.54</td><td>38.83</td><td>34.81</td><td>8.89</td><td>32.87</td><td>275</td><td>288</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5937.72	49.66	88.20	-38.54	38.83	34.81	8.89	32.87	275	288	Peak	Level (dBuV/m) Date: 2025-03-14  PEAK(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5953.80</td><td>98.61</td><td>-----</td><td>-----</td><td>87.79</td><td>35.02</td><td>8.76</td><td>32.96</td><td>275</td><td>288</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5953.80	98.61	-----	-----	87.79	35.02	8.76	32.96	275	288	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5937.72	49.66	88.20	-38.54	38.83	34.81	8.89	32.87	275	288	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5953.80	98.61	-----	-----	87.79	35.02	8.76	32.96	275	288	Peak																																																																																
Avg	Level (dBuV/m) Date: 2025-03-14  AVG(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5937.46</td><td>40.16</td><td>68.20</td><td>-28.04</td><td>29.33</td><td>34.81</td><td>8.89</td><td>32.87</td><td>275</td><td>288</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5937.46	40.16	68.20	-28.04	29.33	34.81	8.89	32.87	275	288	Average	Level (dBuV/m) Date: 2025-03-14  AVG(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5953.80</td><td>88.82</td><td>-----</td><td>-----</td><td>78.00</td><td>35.02</td><td>8.76</td><td>32.96</td><td>275</td><td>288</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5953.80	88.82	-----	-----	78.00	35.02	8.76	32.96	275	288	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5937.46	40.16	68.20	-28.04	29.33	34.81	8.89	32.87	275	288	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5953.80	88.82	-----	-----	78.00	35.02	8.76	32.96	275	288	Average																																																																																







Mode	14																																																																																							
	Harmonic																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																							
ANT	2																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>53.84</td><td>38.25</td><td>11.66</td><td>57.30</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>49.96</td><td>42.45</td><td>13.31</td><td>57.09</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11910.00	46.45	74.00	-27.55	53.84	38.25	11.66	57.30	-- -- Peak	2	17865.00	48.63	74.00	-25.37	49.96	42.45	13.31	57.09	-- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>55.04</td><td>38.25</td><td>11.66</td><td>57.30</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.47</td><td>74.00</td><td>-27.53</td><td>47.80</td><td>42.45</td><td>13.31</td><td>57.09</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11910.00	47.65	74.00	-26.35	55.04	38.25	11.66	57.30	-- -- Peak	2	17865.00	46.47	74.00	-27.53	47.80	42.45	13.31	57.09	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11910.00	46.45	74.00	-27.55	53.84	38.25	11.66	57.30	-- -- Peak																																																																															
2	17865.00	48.63	74.00	-25.37	49.96	42.45	13.31	57.09	-- -- Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11910.00	47.65	74.00	-26.35	55.04	38.25	11.66	57.30	-- -- Peak																																																																															
2	17865.00	46.47	74.00	-27.53	47.80	42.45	13.31	57.09	-- -- Peak																																																																															



Mode	15																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU26/0_5955MHz																																																																																										
ANT	2																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Date: 2025-03-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5826.95</td><td>49.19</td><td>88.20</td><td>-39.01</td><td>38.36</td><td>34.79</td><td>8.90</td><td>32.86</td><td>364</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5826.95	49.19	88.20	-39.01	38.36	34.79	8.90	32.86	364	360	PEAK	 Date: 2025-03-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.67</td><td>-----</td><td>-----</td><td>73.85</td><td>35.01</td><td>8.76</td><td>32.95</td><td>364</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	84.67	-----	-----	73.85	35.01	8.76	32.95	364	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5826.95	49.19	88.20	-39.01	38.36	34.79	8.90	32.86	364	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5955.00	84.67	-----	-----	73.85	35.01	8.76	32.95	364	360	PEAK																																																																																
Avg	 Date: 2025-03-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.87</td><td>40.18</td><td>68.20</td><td>-28.02</td><td>29.35</td><td>34.93</td><td>8.82</td><td>32.92</td><td>364</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5902.87	40.18	68.20	-28.02	29.35	34.93	8.82	32.92	364	360	AVERAGE	 Date: 2025-03-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>77.64</td><td>99.20</td><td>-21.56</td><td>66.82</td><td>35.01</td><td>8.76</td><td>32.95</td><td>364</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	77.64	99.20	-21.56	66.82	35.01	8.76	32.95	364	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5902.87	40.18	68.20	-28.02	29.35	34.93	8.82	32.92	364	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5955.00	77.64	99.20	-21.56	66.82	35.01	8.76	32.95	364	360	AVERAGE																																																																																



		15																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU26/0_5955MHz																																																																																							
ANT		2																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-06  PEAK_BE(U-NII)_6E					Level (dBuV/m) Date: 2025-03-06  PEAK_BE(U-NII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5832.41</td><td>50.20</td><td>88.20</td><td>-38.00</td><td>39.36</td><td>34.80</td><td>8.90</td><td>32.86</td><td>200</td><td>233</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5832.41	50.20	88.20	-38.00	39.36	34.80	8.90	32.86	200	233	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.05</td><td>-----</td><td>-----</td><td>93.23</td><td>35.01</td><td>8.76</td><td>32.95</td><td>200</td><td>233</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	104.05	-----	-----	93.23	35.01	8.76	32.95	200	233
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5832.41	50.20	88.20	-38.00	39.36	34.80	8.90	32.86	200	233	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	104.05	-----	-----	93.23	35.01	8.76	32.95	200	233	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2025-03-06  AVG_BE(U-NII)_6E					Level (dBuV/m) Date: 2025-03-06  AVG_BE(U-NII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>40.48</td><td>68.20</td><td>-27.72</td><td>29.65</td><td>34.97</td><td>8.79</td><td>32.93</td><td>200</td><td>233</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.58	40.48	68.20	-27.72	29.65	34.97	8.79	32.93	200	233	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.62</td><td>-----</td><td>-----</td><td>85.80</td><td>35.01</td><td>8.76</td><td>32.95</td><td>200</td><td>233</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	96.62	-----	-----	85.80	35.01	8.76	32.95	200	233
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5924.58	40.48	68.20	-27.72	29.65	34.97	8.79	32.93	200	233	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	96.62	-----	-----	85.80	35.01	8.76	32.95	200	233	AVERAGE																																																																														







Mode	16											
	Band Edge											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU52/37_5955MHz											
ANT	2											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m) Date: 2025-03-06 </											



Mode	16																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU52/37_5955MHz																																																		
ANT	2																																																		
Pol.	Vertical	Fundamental																																																	
Peak	Level (dBuV/m) Date: 2025-03-06 1 5868.55 50.04 88.20 -38.16 39.21 34.86 8.86 32.89 209 246 PEAK	Level (dBuV/m) Date: 2025-03-06 1 5955.00 102.89 ----- 92.07 35.01 8.76 32.95 209 246 PEAK																																																	
	Limit Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5868.55</td><td>50.04</td><td>88.20 -38.16</td><td>39.21</td><td>34.86</td><td>8.86</td><td>32.89</td><td>209</td><td>246 PEAK</td></tr></table>	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5868.55	50.04	88.20 -38.16	39.21	34.86	8.86	32.89	209	246 PEAK	Limit Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>102.89</td><td>-----</td><td>92.07</td><td>35.01</td><td>8.76</td><td>32.95</td><td>209</td><td>246 PEAK</td></tr></table>	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	102.89	-----	92.07	35.01	8.76	32.95	209
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 5868.55	50.04	88.20 -38.16	39.21	34.86	8.86	32.89	209	246 PEAK																																											
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 5955.00	102.89	-----	92.07	35.01	8.76	32.95	209	246 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-03-06 1 5916.65 40.48 68.20 -27.72 29.66 34.95 8.80 32.93 209 246 AVERAGE	Level (dBuV/m) Date: 2025-03-06 1 5955.00 95.53 ----- 84.71 35.01 8.76 32.95 209 246 AVERAGE																																																	
	Limit Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5916.65</td><td>40.48</td><td>68.20 -27.72</td><td>29.66</td><td>34.95</td><td>8.80</td><td>32.93</td><td>209</td><td>246 AVERAGE</td></tr></table>	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5916.65	40.48	68.20 -27.72	29.66	34.95	8.80	32.93	209	246 AVERAGE	Limit Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>95.53</td><td>-----</td><td>84.71</td><td>35.01</td><td>8.76</td><td>32.95</td><td>209</td><td>246 AVERAGE</td></tr></table>	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	95.53	-----	84.71	35.01	8.76	32.95	209
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 5916.65	40.48	68.20 -27.72	29.66	34.95	8.80	32.93	209	246 AVERAGE																																											
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 5955.00	95.53	-----	84.71	35.01	8.76	32.95	209	246 AVERAGE																																											





Mode	17																																																																																																					
	Band Edge																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU106/53_5955MHz																																																																																																					
ANT	2																																																																																																					
Pol.	Horizontal																																																																																																					
Peak	Level (dBuV/m) Date: 2025-03-06  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.91</td><td>49.96</td><td>88.20</td><td>-38.24</td><td>39.14</td><td>34.93</td><td>8.81</td><td>32.92</td><td>159</td><td>281</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5903.91	49.96	88.20	-38.24	39.14	34.93	8.81	32.92	159	281	PEAK	Level (dBuV/m) Date: 2025-03-06  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.84</td><td>-----</td><td>-----</td><td>84.02</td><td>35.01</td><td>8.76</td><td>32.95</td><td>159</td><td>281</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	94.84	-----	-----	84.02	35.01	8.76	32.95	159	281	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5903.91	49.96	88.20	-38.24	39.14	34.93	8.81	32.92	159	281	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5955.00	94.84	-----	-----	84.02	35.01	8.76	32.95	159	281	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-03-06  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.04</td><td>40.15</td><td>68.20</td><td>-28.05</td><td>29.33</td><td>34.95</td><td>8.80</td><td>32.93</td><td>159</td><td>281</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5917.04	40.15	68.20	-28.05	29.33	34.95	8.80	32.93	159	281	AVERAGE	Level (dBuV/m) Date: 2025-03-06  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.22</td><td>-----</td><td>-----</td><td>75.40</td><td>35.01</td><td>8.76</td><td>32.95</td><td>159</td><td>281</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	86.22	-----	-----	75.40	35.01	8.76	32.95	159	281	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5917.04	40.15	68.20	-28.05	29.33	34.95	8.80	32.93	159	281	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5955.00	86.22	-----	-----	75.40	35.01	8.76	32.95	159	281	AVERAGE																																																																																											





Mode	17																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU106/53_5955MHz																																																	
ANT	2																																																	
Pol.	Vertical																																																	
Peak	Fundamental																																																	
	Date: 2025-03-06																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5894.29</td><td>49.68</td><td>88.20</td><td>-38.52</td><td>38.85</td><td>34.91</td><td>8.83</td><td>32.91</td><td>400</td><td>197</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5894.29	49.68	88.20	-38.52	38.85	34.91	8.83	32.91	400	197	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5894.29	49.68	88.20	-38.52	38.85	34.91	8.83	32.91	400	197	PEAK																																							
Avg	Date: 2025-03-06																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5827.99</td><td>40.15</td><td>68.20</td><td>-28.05</td><td>29.32</td><td>34.79</td><td>8.90</td><td>32.86</td><td>400</td><td>197</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5827.99	40.15	68.20	-28.05	29.32	34.79	8.90	32.86	400	197
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5827.99	40.15	68.20	-28.05	29.32	34.79	8.90	32.86	400	197	AVERAGE																																							
Peak	Date: 2025-03-06																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.40</td><td>-----</td><td>-----</td><td>85.58</td><td>35.01</td><td>8.76</td><td>32.95</td><td>400</td><td>197</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	96.40	-----	-----	85.58	35.01	8.76	32.95	400	197
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5955.00	96.40	-----	-----	85.58	35.01	8.76	32.95	400	197	PEAK																																							
Avg	Date: 2025-03-06																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.11</td><td>-----</td><td>-----</td><td>76.29</td><td>35.01</td><td>8.76</td><td>32.95</td><td>400</td><td>197</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	87.11	-----	-----	76.29	35.01	8.76	32.95	400	197
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5955.00	87.11	-----	-----	76.29	35.01	8.76	32.95	400	197	AVERAGE																																							







Mode	18																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-03-06  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12380.00</td><td>46.47</td><td>74.00</td><td>-27.53</td><td>54.36</td><td>37.80</td><td>11.78</td><td>57.47</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12380.00	46.47	74.00	-27.53	54.36	37.80	11.78	57.47	--	--	Peak		Level (dBuV/m) Date: 2025-03-06  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12380.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>54.40</td><td>37.80</td><td>11.78</td><td>57.47</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12380.00	46.51	74.00	-27.49	54.40	37.80	11.78	57.47	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12380.00	46.47	74.00	-27.53	54.36	37.80	11.78	57.47	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12380.00	46.51	74.00	-27.49	54.40	37.80	11.78	57.47	--	--	Peak																																																																																															



Mode	19																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																																															
ANT	2																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-03-06  PEAK(U-NII)_BE AVG(U-NII)_BE					Level (dBuV/m) Date: 2025-03-06  PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.74</td><td>88.20</td><td>-42.46</td><td>53.39</td><td>38.26</td><td>11.87</td><td>57.78</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.74	88.20	-42.46	53.39	38.26	11.87	57.78	--	-- Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>55.47</td><td>38.26</td><td>11.87</td><td>57.78</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.82	88.20	-40.38	55.47	38.26	11.87	57.78	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12830.00	45.74	88.20	-42.46	53.39	38.26	11.87	57.78	--	-- Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12830.00	47.82	88.20	-40.38	55.47	38.26	11.87	57.78	--	-- Peak																																																																																						



Mode	20																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																		
ANT	2																																																		
Pol.	Horizontal																																																		
Peak	Level (dBuV/m) Date: 2025-03-05  PEAK_BE(U-NII)_6E																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5828.36</td><td>49.87</td><td>88.20</td><td>-38.33</td><td>39.04</td><td>34.79</td><td>8.90</td><td>32.86</td><td>400</td><td>330</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5828.36	49.87	88.20	-38.33	39.04	34.79	8.90	32.86	400	330	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5828.36	49.87	88.20	-38.33	39.04	34.79	8.90	32.86	400	330	PEAK																																								
Fundamental	Level (dBuV/m) Date: 2025-03-05  PEAK_BE(U-NII)_6E																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>82.78</td><td>-----</td><td>-----</td><td>71.96</td><td>35.03</td><td>8.75</td><td>32.96</td><td>400</td><td>330</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	82.78	-----	-----	71.96	35.03	8.75	32.96	400	330	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5965.00	82.78	-----	-----	71.96	35.03	8.75	32.96	400	330	PEAK																																								
Avg	Level (dBuV/m) Date: 2025-03-05  AVG_BE(U-NII)_6E																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.92</td><td>41.08</td><td>68.20</td><td>-27.12</td><td>30.25</td><td>34.93</td><td>8.82</td><td>32.92</td><td>400</td><td>330</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5902.92	41.08	68.20	-27.12	30.25	34.93	8.82	32.92	400	330	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5902.92	41.08	68.20	-27.12	30.25	34.93	8.82	32.92	400	330	AVERAGE																																								
Avg	Level (dBuV/m) Date: 2025-03-05  AVG_BE(U-NII)_6E																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>73.26</td><td>-----</td><td>-----</td><td>62.44</td><td>35.03</td><td>8.75</td><td>32.96</td><td>400</td><td>330</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	73.26	-----	-----	62.44	35.03	8.75	32.96	400	330	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5965.00	73.26	-----	-----	62.44	35.03	8.75	32.96	400	330	AVERAGE																																								







Mode	20																																											
	Band Edge																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																											
ANT	2																																											
Pol.	Vertical																																											
Peak	Level (dBuV/m) Date: 2025-03-05 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5864.68</td><td>50.18</td><td>88.20</td><td>-38.02</td><td>39.35</td><td>34.86</td><td>8.86</td><td>32.89</td><td>292</td><td>258 PEAK</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5864.68	50.18	88.20	-38.02	39.35	34.86	8.86	32.89	292	258 PEAK
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5864.68	50.18	88.20	-38.02	39.35	34.86	8.86	32.89	292	258 PEAK																																		
Fundamental	Level (dBuV/m) Date: 2025-03-05 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5965.00</td><td>98.29</td><td>-----</td><td>-----</td><td>87.47</td><td>35.04</td><td>8.74</td><td>32.96</td><td>292</td><td>258 PEAK</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5965.00	98.29	-----	-----	87.47	35.04	8.74	32.96	292	258 PEAK
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5965.00	98.29	-----	-----	87.47	35.04	8.74	32.96	292	258 PEAK																																		
Avg	Level (dBuV/m) Date: 2025-03-05 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5924.36</td><td>41.67</td><td>68.20</td><td>-26.53</td><td>30.84</td><td>34.97</td><td>8.79</td><td>32.93</td><td>292</td><td>258 AVERAGE</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5924.36	41.67	68.20	-26.53	30.84	34.97	8.79	32.93	292	258 AVERAGE
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5924.36	41.67	68.20	-26.53	30.84	34.97	8.79	32.93	292	258 AVERAGE																																		
Fundamental	Level (dBuV/m) Date: 2025-03-05 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5965.00</td><td>89.92</td><td>-----</td><td>-----</td><td>79.10</td><td>35.04</td><td>8.74</td><td>32.96</td><td>292</td><td>258 AVERAGE</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5965.00	89.92	-----	-----	79.10	35.04	8.74	32.96	292	258 AVERAGE
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5965.00	89.92	-----	-----	79.10	35.04	8.74	32.96	292	258 AVERAGE																																		



Mode	20																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																							
ANT	2																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-03-06 PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2025-03-06 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>55.08</td><td>38.30</td><td>11.67</td><td>57.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>48.16</td><td>74.00</td><td>-25.84</td><td>49.38</td><td>42.51</td><td>13.32</td><td>57.05</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	47.77	74.00	-26.23	55.08	38.30	11.67	57.28	--	--	Peak	2	17895.00	48.16	74.00	-25.84	49.38	42.51	13.32	57.05	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>52.72</td><td>38.30</td><td>11.67</td><td>57.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>47.81</td><td>42.51</td><td>13.32</td><td>57.05</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	45.41	74.00	-28.59	52.72	38.30	11.67	57.28	--	--	Peak	2	17895.00	46.59	74.00	-27.41	47.81	42.51	13.32	57.05	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11930.00	47.77	74.00	-26.23	55.08	38.30	11.67	57.28	--	--	Peak																																																																																																													
2	17895.00	48.16	74.00	-25.84	49.38	42.51	13.32	57.05	--	--	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11930.00	45.41	74.00	-28.59	52.72	38.30	11.67	57.28	--	--	Peak																																																																																																													
2	17895.00	46.59	74.00	-27.41	47.81	42.51	13.32	57.05	--	--	Peak																																																																																																													





Mode	21																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_RU242/61_5965MHz																																																																																											
ANT	2																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-03-06  PEAK_BE(UNII)_6E 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5857 5889 5921 5953 5985 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5866.92</td><td>50.47</td><td>88.20</td><td>-37.73</td><td>39.64</td><td>34.86</td><td>8.86</td><td>32.89</td><td>313</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5866.92	50.47	88.20	-37.73	39.64	34.86	8.86	32.89	313	244	PEAK	Level (dBuV/m) Date: 2025-03-06  PEAK_BE(UNII)_6E 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>93.85</td><td>-----</td><td>-----</td><td>83.03</td><td>35.02</td><td>8.76</td><td>32.96</td><td>313</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	93.85	-----	-----	83.03	35.02	8.76	32.96	313	244	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5866.92	50.47	88.20	-37.73	39.64	34.86	8.86	32.89	313	244	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5965.00	93.85	-----	-----	83.03	35.02	8.76	32.96	313	244	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-06  AVG_BE(UNII)_6E 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5857 5889 5921 5953 5985 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5872.20</td><td>40.93</td><td>68.20</td><td>-27.27</td><td>30.10</td><td>34.87</td><td>8.85</td><td>32.89</td><td>313</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5872.20	40.93	68.20	-27.27	30.10	34.87	8.85	32.89	313	244	AVERAGE	Level (dBuV/m) Date: 2025-03-06  AVG_BE(UNII)_6E 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>85.46</td><td>-----</td><td>-----</td><td>74.64</td><td>35.02</td><td>8.76</td><td>32.96</td><td>313</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	85.46	-----	-----	74.64	35.02	8.76	32.96	313	244	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5872.20	40.93	68.20	-27.27	30.10	34.87	8.85	32.89	313	244	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5965.00	85.46	-----	-----	74.64	35.02	8.76	32.96	313	244	AVERAGE																																																																																	





Mode	21																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_RU242/61_5965MHz																																																		
ANT	2																																																		
Pol.	Vertical	Fundamental																																																	
Peak	Level (dBuV/m) Date: 2025-03-06 1 5893.96 51.36 88.20 -36.84 40.53 34.91 8.83 32.91 235 248 PEAK	Level (dBuV/m) Date: 2025-03-06 1 5965.00 99.94 ----- 89.12 35.02 8.76 32.96 235 248 PEAK																																																	
	Limit Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5893.96</td><td>51.36</td><td>88.20</td><td>-36.84</td><td>40.53</td><td>34.91</td><td>8.83</td><td>32.91</td><td>235 248 PEAK</td></tr></table>	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5893.96	51.36	88.20	-36.84	40.53	34.91	8.83	32.91	235 248 PEAK	Limit Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>99.94</td><td>-----</td><td>-----</td><td>89.12</td><td>35.02</td><td>8.76</td><td>32.96</td><td>235 248 PEAK</td></tr></table>	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5965.00	99.94	-----	-----	89.12	35.02	8.76	32.96
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 5893.96	51.36	88.20	-36.84	40.53	34.91	8.83	32.91	235 248 PEAK																																											
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 5965.00	99.94	-----	-----	89.12	35.02	8.76	32.96	235 248 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-03-06 1 5875.88 41.65 68.20 -26.55 30.82 34.88 8.85 32.90 235 248 AVERAGE	Level (dBuV/m) Date: 2025-03-06 1 5965.00 92.15 ----- 81.33 35.03 8.75 32.96 235 248 AVERAGE																																																	
	Limit Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5875.88</td><td>41.65</td><td>68.20</td><td>-26.55</td><td>30.82</td><td>34.88</td><td>8.85</td><td>32.90</td><td>235 248 AVERAGE</td></tr></table>	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5875.88	41.65	68.20	-26.55	30.82	34.88	8.85	32.90	235 248 AVERAGE	Limit Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>92.15</td><td>-----</td><td>-----</td><td>81.33</td><td>35.03</td><td>8.75</td><td>32.96</td><td>235 248 AVERAGE</td></tr></table>	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5965.00	92.15	-----	-----	81.33	35.03	8.75	32.96
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 5875.88	41.65	68.20	-26.55	30.82	34.88	8.85	32.90	235 248 AVERAGE																																											
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 5965.00	92.15	-----	-----	81.33	35.03	8.75	32.96	235 248 AVERAGE																																											







Mode	22																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-06 						Level (dBuV/m) Date: 2025-03-06 																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12390.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>54.47</td><td>37.79</td><td>11.78</td><td>57.47</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12390.00	46.57	74.00	-27.43	54.47	37.79	11.78	57.47	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12390.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>52.70</td><td>37.79</td><td>11.78</td><td>57.47</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12390.00	44.80	74.00	-29.20	52.70	37.79	11.78	57.47	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12390.00	46.57	74.00	-27.43	54.47	37.79	11.78	57.47	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12390.00	44.80	74.00	-29.20	52.70	37.79	11.78	57.47	--	--	Peak																																																																																																



Mode	23																																																																																																				
	Harmonic																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12810.00</td><td>45.68</td><td>88.20</td><td>-42.52</td><td>53.36</td><td>38.22</td><td>11.87</td><td>57.77</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12810.00	45.68	88.20	-42.52	53.36	38.22	11.87	57.77	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12810.00</td><td>45.91</td><td>88.20</td><td>-42.29</td><td>53.59</td><td>38.22</td><td>11.87</td><td>57.77</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12810.00	45.91	88.20	-42.29	53.59	38.22	11.87	57.77	--	--	Peak	
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 12810.00	45.68	88.20	-42.52	53.36	38.22	11.87	57.77	--	--	Peak																																																																																											
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 12810.00	45.91	88.20	-42.29	53.59	38.22	11.87	57.77	--	--	Peak																																																																																											



Mode	24																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																										
ANT	2																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-05 						Level (dBuV/m) Date: 2025-03-05 																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.52</td><td>52.63</td><td>88.20</td><td>-35.57</td><td>41.80</td><td>34.94</td><td>8.81</td><td>32.92</td><td>319</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5908.52	52.63	88.20	-35.57	41.80	34.94	8.81	32.92	319	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>96.03</td><td>-----</td><td>-----</td><td>85.21</td><td>35.06</td><td>8.73</td><td>32.97</td><td>319</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	96.03	-----	-----	85.21	35.06	8.73	32.97	319	261
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5908.52	52.63	88.20	-35.57	41.80	34.94	8.81	32.92	319	261	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5985.00	96.03	-----	-----	85.21	35.06	8.73	32.97	319	261	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-05 						Level (dBuV/m) Date: 2025-03-05 																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.52</td><td>45.87</td><td>68.20</td><td>-22.33</td><td>35.04</td><td>34.97</td><td>8.79</td><td>32.93</td><td>319</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.52	45.87	68.20	-22.33	35.04	34.97	8.79	32.93	319	261	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>89.39</td><td>-----</td><td>-----</td><td>78.57</td><td>35.08</td><td>8.72</td><td>32.98</td><td>319</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	89.39	-----	-----	78.57	35.08	8.72	32.98	319	261
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5924.52	45.87	68.20	-22.33	35.04	34.97	8.79	32.93	319	261	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5985.00	89.39	-----	-----	78.57	35.08	8.72	32.98	319	261	AVERAGE																																																																																



Mode	24																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																											
ANT	2																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-03-05 PEAK_BE(U-NII)_6E 586558975929596159936025 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.64</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>43.34</td><td>34.94</td><td>8.81</td><td>32.92</td><td>324</td><td>265</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5909.64	54.17	88.20	-34.03	43.34	34.94	8.81	32.92	324	265	PEAK	Level (dBuV/m) Date: 2025-03-05 PEAK_BE(U-NII)_6E 100022403480472059607200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.40</td><td>-----</td><td>-----</td><td>89.58</td><td>35.06</td><td>8.73</td><td>32.97</td><td>324</td><td>265</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	100.40	-----	-----	89.58	35.06	8.73	32.97	324	265	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5909.64	54.17	88.20	-34.03	43.34	34.94	8.81	32.92	324	265	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5985.00	100.40	-----	-----	89.58	35.06	8.73	32.97	324	265	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-05 AVG_BE(U-NII)_6E 586558975929596159936025 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>47.71</td><td>68.20</td><td>-20.49</td><td>36.88</td><td>34.97</td><td>8.79</td><td>32.93</td><td>324</td><td>265</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.84	47.71	68.20	-20.49	36.88	34.97	8.79	32.93	324	265	AVERAGE	Level (dBuV/m) Date: 2025-03-05 AVG_BE(U-NII)_6E 100022403480472059607200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.42</td><td>-----</td><td>-----</td><td>81.60</td><td>35.08</td><td>8.72</td><td>32.98</td><td>324</td><td>265</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	92.42	-----	-----	81.60	35.08	8.72	32.98	324	265	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5924.84	47.71	68.20	-20.49	36.88	34.97	8.79	32.93	324	265	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5985.00	92.42	-----	-----	81.60	35.08	8.72	32.98	324	265	AVERAGE																																																																																	



Mode	24																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																					
ANT	2																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 11970.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>54.32</td><td>38.42</td><td>11.69</td><td>57.23</td><td>-- -- Peak</td></tr><tr><td>2 17955.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>49.60</td><td>42.62</td><td>13.33</td><td>56.96</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11970.00	47.20	74.00	-26.80	54.32	38.42	11.69	57.23	-- -- Peak	2 17955.00	48.59	74.00	-25.41	49.60	42.62	13.33	56.96	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 11970.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>54.98</td><td>38.42</td><td>11.69</td><td>57.23</td><td>-- -- Peak</td></tr><tr><td>2 17955.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>48.58</td><td>42.62</td><td>13.33</td><td>56.96</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11970.00	47.86	74.00	-26.14	54.98	38.42	11.69	57.23	-- -- Peak	2 17955.00	47.57	74.00	-26.43	48.58	42.62	13.33	56.96	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 11970.00	47.20	74.00	-26.80	54.32	38.42	11.69	57.23	-- -- Peak																																																																																														
2 17955.00	48.59	74.00	-25.41	49.60	42.62	13.33	56.96	-- -- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 11970.00	47.86	74.00	-26.14	54.98	38.42	11.69	57.23	-- -- Peak																																																																																														
2 17955.00	47.57	74.00	-26.43	48.58	42.62	13.33	56.96	-- -- Peak																																																																																														



		25									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_RU484/65_5985MHz										
ANT	2										
Pol.	Horizontal										
Peak	</										