Mode	25	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_RU484/65_5985MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5887.56 51.06 88.20 -37.14 40.23 34.90 8.83 32.90 228 241 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 102.11 ------ ------ 91.29 35.01 8.76 32.95 228 241 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5923.56 43.77 68.20 -24.43 32.95 34.96 8.79 32.93 228 241 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 93.64 ------ ------ 82.82 35.02 8.76 32.96 228 241 AVERAGE

Mode	26	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12430.00 48.11 74.00 -25.89 56.11 37.71 11.79 57.50 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12430.00 45.54 74.00 -28.46 53.54 37.71 11.79 57.50 -- -- Peak

Mode	27	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 45.61 88.20 -42.59 53.34 38.15 11.86 57.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 45.11 88.20 -43.09 52.84 38.15 11.86 57.74 -- -- Peak

Mode	28	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5921.60 60.13 88.20 -28.07 49.31 34.96 8.79 32.93 300 265 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6025.00 96.40 ------ ------ 85.51 35.11 8.78 33.00 300 265 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5920.76 48.24 68.20 -19.96 37.42 34.96 8.79 32.93 300 265 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6025.00 87.03 ------ ------ 76.07 35.13 8.86 33.03 300 265 AVERAGE

Mode	28	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5919.08 63.11 88.20 -25.09 52.28 34.96 8.80 32.93 314 270 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6025.00 98.98 ------ ------ 87.96 35.15 8.93 33.06 314 270 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5921.04 51.53 68.20 -16.67 40.71 34.96 8.79 32.93 314 270 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6025.00 90.08 ------ ------ 79.15 35.12 8.83 33.02 314 270 AVERAGE

Mode	28	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12050.00 47.75 74.00 -26.25 54.87 38.41 11.71 57.24 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12050.00 47.93 74.00 -26.07 55.05 38.41 11.71 57.24 -- -- Peak

Mode	29	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial_RU 996/67_6025MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5923.28 62.00 88.20 -26.20 51.18 34.96 8.79 32.93 232 281 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6025.00 96.40 ------ ------ 85.58 35.01 8.76 32.95 232 281 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5921.04 51.84 68.20 -16.36 41.02 34.96 8.79 32.93 232 281 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6025.00 87.54 ------ ------ 76.72 35.01 8.76 32.95 232 281 AVERAGE

Mode	29	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial_RU 996/67_6025MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5923.56 65.96 88.20 -22.24 55.14 34.96 8.79 32.93 100 281 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6025.00 100.52 ------ ------ 89.70 35.02 8.76 32.96 100 281 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5923.00 56.61 68.20 -11.59 45.79 34.96 8.79 32.93 100 281 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6025.00 91.53 ------ ------ 80.71 35.03 8.75 32.96 100 281 AVERAGE

Mode	30	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12370.00 45.18 74.00 -28.82 53.04 37.82 11.78 57.46 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12370.00 46.91 74.00 -27.09 54.77 37.82 11.78 57.46 -- -- Peak

Mode	31	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12690.00 43.75 74.00 -30.25 51.60 37.99 11.84 57.68 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12690.00 44.98 74.00 -29.02 52.83 37.99 11.84 57.68 -- -- Peak

Mode	32	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12870.00 47.82 88.20 -40.38 55.41 38.34 11.88 57.81 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12870.00 48.58 88.20 -39.62 56.17 38.34 11.88 57.81 -- -- Peak

Mode	33	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12950.00 48.50 88.20 -39.70 55.96 38.50 11.90 57.86 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12950.00 48.64 88.20 -39.56 56.10 38.50 11.90 57.86 -- -- Peak

Mode	34	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13030.00 49.31 88.20 -38.89 56.72 38.59 11.93 57.93 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13030.00 49.48 88.20 -38.72 56.89 38.59 11.93 57.93 -- -- Peak

Mode	35	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12890.00 47.82 88.20 -40.38 55.38 38.38 11.88 57.82 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12890.00 48.20 88.20 -40.00 55.76 38.38 11.88 57.82 -- -- Peak

Mode	36	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12970.00 47.85 88.20 -40.35 55.29 38.54 11.90 57.88 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12970.00 47.33 88.20 -40.87 54.77 38.54 11.90 57.88 -- -- Peak

Mode	37	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 48.74 88.20 -39.46 56.16 38.59 11.94 57.95 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 49.14 88.20 -39.06 56.56 38.59 11.94 57.95 -- -- Peak

Mode	38	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12930.00 47.82 88.20 -40.38 55.32 38.46 11.89 57.85 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12930.00 48.15 88.20 -40.05 55.65 38.46 11.89 57.85 -- -- Peak

Mode	39	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13090.00 50.35 88.20 -37.85 57.79 38.58 11.98 58.00 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13090.00 48.67 88.20 -39.53 56.11 38.58 11.98 58.00 -- -- Peak

Mode	40	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13010.00 49.42 88.20 -38.78 56.82 38.60 11.91 57.91 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13010.00 48.96 88.20 -39.24 56.36 38.60 11.91 57.91 -- -- Peak

Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13070.00 49.14 88.20 -39.06 56.56 38.59 11.96 57.97 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13070.00 49.19 88.20 -39.01 56.61 38.59 11.96 57.97 -- -- Peak

Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 49.06 74.00 -24.94 56.64 38.52 12.23 58.33 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 48.62 74.00 -25.38 56.20 38.52 12.23 58.33 -- -- Peak

Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13710.00 49.58 88.20 -38.62 57.09 38.67 12.50 58.68 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13710.00 49.66 88.20 -38.54 57.17 38.67 12.50 58.68 -- -- Peak

Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13130.00 49.36 88.20 -38.84 56.82 38.57 12.01 58.04 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13130.00 49.37 88.20 -38.83 56.83 38.57 12.01 58.04 -- -- Peak

Mode	45	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13370.00 49.27 74.00 -24.73 56.83 38.53 12.21 58.30 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13370.00 48.32 74.00 -25.68 55.88 38.53 12.21 58.30 -- -- Peak

Mode	46	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13690.00 49.03 88.20 -39.17 56.55 38.65 12.48 58.65 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13690.00 48.98 88.20 -39.22 56.50 38.65 12.48 58.65 -- -- Peak

Mode	47	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13250.00 49.08 74.00 -24.92 56.59 38.55 12.11 58.17 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13250.00 48.91 74.00 -25.09 56.42 38.55 12.11 58.17 -- -- Peak

Mode	48	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13400.00 48.03 74.00 -25.97 55.61 38.52 12.24 58.34 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13400.00 47.52 74.00 -26.48 55.10 38.52 12.24 58.34 -- -- Peak

Mode	49	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13570.00 48.91 88.20 -39.29 56.49 38.56 12.38 58.52 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13570.00 48.78 88.20 -39.42 56.36 38.56 12.38 58.52 -- -- Peak

Mode	50	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13330.00 48.58 74.00 -25.42 56.13 38.53 12.18 58.26 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13330.00 49.58 74.00 -24.42 57.13 38.53 12.18 58.26 -- -- Peak

Mode	51	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 49.16 88.20 -39.04 56.65 38.70 12.53 58.72 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 48.77 88.20 -39.43 56.26 38.70 12.53 58.72 -- -- Peak

Mode	52	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13770.00 49.72 88.20 -38.48 57.19 38.72 12.55 58.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13770.00 49.75 88.20 -38.45 57.22 38.72 12.55 58.74 -- -- Peak

Mode	53	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13730.00 48.66 88.20 -39.54 56.17 38.68 12.51 58.70 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13730.00 48.93 88.20 -39.27 56.44 38.68 12.51 58.70 -- -- Peak

Mode	54	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 48.95 88.20 -39.25 56.49 38.62 12.45 58.61 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 48.29 88.20 -39.91 55.83 38.62 12.45 58.61 -- -- Peak

Mode	55	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13790.00 49.71 88.20 -38.49 57.18 38.73 12.56 58.76 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13790.00 49.10 88.20 -39.10 56.57 38.73 12.56 58.76 -- -- Peak

Mode	56	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13990.00 49.44 88.20 -38.76 56.80 38.89 12.73 58.98 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13990.00 49.43 88.20 -38.77 56.79 38.89 12.73 58.98 -- -- Peak

Mode	57	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7156.71 50.32 88.20 -37.88 39.31 36.30 8.64 33.93 109 307 PEAK 2 7310.22 49.89 74.00 -24.11 38.71 36.30 8.93 34.05 109 307 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 98.51 ------ ------ 87.37 36.30 8.72 33.88 109 307 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7129.68 40.54 68.20 -27.66 29.46 36.30 8.68 33.90 109 307 AVERAGE 2 7326.29 40.47 54.00 -13.53 29.25 36.30 8.98 34.06 109 307 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 87.96 ------ ------ 76.82 36.30 8.72 33.88 109 307 AVERAGE

Mode	57	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7208.48 49.58 88.20 -38.62 38.65 36.30 8.60 33.97 100 213 PEAK 2 7281.92 50.12 74.00 -23.88 39.01 36.30 8.84 34.03 100 213 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 96.50 ------ ------ 85.36 36.30 8.72 33.88 100 213 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7217.66 40.55 68.20 -27.65 29.60 36.30 8.63 33.98 100 213 AVERAGE 2 7311.24 40.49 54.00 -13.51 29.31 36.30 8.93 34.05 100 213 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 87.12 ------ ------ 75.98 36.30 8.72 33.88 100 213 AVERAGE

Mode	57	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 48.05 88.20 -40.15 55.16 39.05 12.73 58.89 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 46.61 88.20 -41.59 53.72 39.05 12.73 58.89 -- -- Peak

Mode	58	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU26/8_7095MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7173.80 50.96 88.20 -37.24 39.98 36.30 8.62 33.94 400 289 PEAK 2 7292.88 50.97 74.00 -23.03 39.84 36.30 8.87 34.04 400 289 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 87.49 ------ ------ 76.36 36.30 8.71 33.88 400 289 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7239.08 40.62 68.20 -27.58 29.61 36.30 8.70 33.99 400 289 AVERAGE 2 7287.78 40.91 54.00 -13.09 29.78 36.30 8.86 34.03 400 289 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 81.59 ------ ------ 70.46 36.30 8.71 33.88 400 289 AVERAGE

Mode	58	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU26/8_7095MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7136.57 50.66 88.20 -37.54 39.60 36.30 8.67 33.91 329 313 PEAK 2 7320.68 50.56 74.00 -23.44 39.36 36.30 8.96 34.06 329 313 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 98.33 ------ ------ 87.20 36.30 8.71 33.88 329 313 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7156.97 40.76 68.20 -27.44 29.75 36.30 8.64 33.93 329 313 AVERAGE 2 7317.62 40.68 54.00 -13.32 29.49 36.30 8.95 34.06 329 313 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 91.63 ------ ------ 80.50 36.30 8.71 33.88 329 313 AVERAGE

Mode	59	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU52/40_7095MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7199.30 50.33 88.20 -37.87 39.41 36.30 8.58 33.96 105 308 PEAK 2 7317.62 49.95 74.00 -24.05 38.76 36.30 8.95 34.06 105 308 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 100.56 ------ ------ 89.44 36.30 8.71 33.89 105 308 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7135.55 40.52 68.20 -27.68 29.46 36.30 8.67 33.91 105 308 AVERAGE 2 7314.81 40.53 54.00 -13.47 29.34 36.30 8.94 34.05 105 308 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 92.65 ------ ------ 81.52 36.30 8.71 33.88 105 308 AVERAGE

Mode	59	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU52/40_7095MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7190.37 50.69 88.20 -37.51 39.75 36.30 8.59 33.95 100 213 PEAK 2 7280.90 50.55 74.00 -23.45 39.45 36.30 8.83 34.03 100 213 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 99.60 ------ ------ 88.47 36.30 8.71 33.88 100 213 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7226.84 40.37 68.20 -27.83 29.39 36.30 8.66 33.98 100 213 AVERAGE 2 7296.20 40.49 54.00 -13.51 29.35 36.30 8.88 34.04 100 213 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 91.60 ------ ------ 80.47 36.30 8.71 33.88 100 213 AVERAGE

Mode	60	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU106/54_7095MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7219.95 49.57 88.20 -38.63 38.61 36.30 8.64 33.98 108 310 PEAK 2 7301.04 50.49 74.00 -23.51 39.33 36.30 8.90 34.04 108 310 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 97.09 ------ ------ 85.96 36.30 8.71 33.88 108 310 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7146.00 40.48 68.20 -27.72 29.45 36.30 8.65 33.92 108 310 AVERAGE 2 7322.97 40.50 54.00 -13.50 29.29 36.30 8.97 34.06 108 310 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 89.53 ------ ------ 78.40 36.30 8.71 33.88 108 310 AVERAGE

Mode	60	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU106/54_7095MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7175.33 50.12 88.20 -38.08 39.15 36.30 8.61 33.94 100 218 PEAK 2 7261.01 49.78 74.00 -24.22 38.72 36.30 8.77 34.01 100 218 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 96.34 ------ ------ 85.21 36.30 8.71 33.88 100 218 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7129.17 40.50 68.20 -27.70 29.42 36.30 8.68 33.90 100 218 AVERAGE 2 7326.80 40.59 54.00 -13.41 29.37 36.30 8.98 34.06 100 218 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 88.44 ------ ------ 77.30 36.30 8.72 33.88 100 218 AVERAGE

Mode	61	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13850.00 49.67 88.20 -38.53 57.11 38.78 12.61 58.83 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13850.00 49.83 88.20 -38.37 57.27 38.78 12.61 58.83 -- -- Peak

Mode	62	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14010.00 49.62 88.20 -38.58 56.99 38.90 12.73 59.00 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14010.00 50.03 88.20 -38.17 57.40 38.90 12.73 59.00 -- -- Peak

Mode	63	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7130.85 55.34 88.20 -32.86 44.28 36.30 8.67 33.91 104 307 PEAK 2 7267.06 49.61 74.00 -24.39 38.54 36.30 8.79 34.02 104 307 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 97.45 ------ ------ 86.29 36.30 8.73 33.87 104 307 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.02 46.14 68.20 -22.06 35.06 36.30 8.68 33.90 104 307 AVERAGE 2 7261.23 40.42 54.00 -13.58 29.36 36.30 8.77 34.01 104 307 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 90.01 ------ ------ 78.84 36.30 8.74 33.87 104 307 AVERAGE

Mode	63	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7126.08 55.52 88.20 -32.68 44.44 36.30 8.68 33.90 101 212 PEAK 2 7294.09 49.65 74.00 -24.35 38.51 36.30 8.88 34.04 101 212 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 98.54 ------ ------ 87.37 36.30 8.74 33.87 101 212 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.02 46.25 68.20 -21.95 35.17 36.30 8.68 33.90 101 212 AVERAGE 2 7268.91 40.40 54.00 -13.60 29.32 36.30 8.80 34.02 101 212 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 89.73 ------ ------ 78.56 36.30 8.74 33.87 101 212 AVERAGE

Mode	64	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU 242/62_7085MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7146.22 50.57 88.20 -37.63 39.54 36.30 8.65 33.92 104 307 PEAK 2 7318.73 50.21 74.00 -23.79 39.02 36.30 8.95 34.06 104 307 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7085.00 97.44 ------ ------ 86.28 36.30 8.73 33.87 104 307 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7131.11 42.49 68.20 -25.71 31.43 36.30 8.67 33.91 104 307 AVERAGE 2 7266.00 41.36 54.00 -12.64 30.29 36.30 8.79 34.02 104 307 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7085.00 89.81 ------ ------ 78.65 36.30 8.73 33.87 104 307 AVERAGE

Mode	64	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU 242/62_7085MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7158.94 51.17 88.20 -37.03 40.16 36.30 8.64 33.93 100 213 PEAK 2 7297.00 50.38 74.00 -23.62 39.23 36.30 8.89 34.04 100 213 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 98.77 ------ ------ 87.63 36.30 8.72 33.88 100 213 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.55 42.31 68.20 -25.89 31.23 36.30 8.68 33.90 100 213 AVERAGE 2 7296.47 41.18 54.00 -12.82 30.04 36.30 8.88 34.04 100 213 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 89.43 ------ ------ 78.29 36.30 8.72 33.88 100 213 AVERAGE

Mode	64	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU 242/62_7085MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 48.46 88.20 -39.74 55.60 39.03 12.73 58.90 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 46.61 88.20 -41.59 53.75 39.03 12.73 58.90 -- -- Peak

Mode	65	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7187.50 49.63 88.20 -38.57 38.68 36.30 8.60 33.95 103 307 PEAK 2 7286.88 50.73 74.00 -23.27 39.61 36.30 8.85 34.03 103 307 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6945.00 95.90 ------ ------ 84.63 36.23 8.84 33.80 103 307 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7193.75 43.25 68.20 -24.95 32.32 36.30 8.59 33.96 103 307 AVERAGE 2 7314.38 43.14 54.00 -10.86 31.95 36.30 8.94 34.05 103 307 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6945.00 87.57 ------ ------ 76.31 36.22 8.84 33.80 103 307 AVERAGE

Mode	65	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7241.88 50.61 88.20 -37.59 39.60 36.30 8.71 34.00 100 210 PEAK 2 7253.75 50.50 74.00 -23.50 39.46 36.30 8.75 34.01 100 210 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6945.00 98.13 ------ ------ 86.87 36.22 8.84 33.80 100 210 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7210.63 43.18 68.20 -25.02 32.24 36.30 8.61 33.97 100 210 AVERAGE 2 7335.00 43.24 54.00 -10.76 32.00 36.30 9.01 34.07 100 210 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6945.00 90.49 ------ ------ 79.25 36.20 8.84 33.80 100 210 AVERAGE

Mode	65	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13890.00 48.83 88.20 -39.37 56.24 38.81 12.65 58.87 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13890.00 48.73 88.20 -39.47 56.14 38.81 12.65 58.87 -- -- Peak

Mode	66	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.43 55.55 88.20 -32.65 44.47 36.30 8.68 33.90 104 307 PEAK 2 7318.80 50.84 74.00 -23.16 39.65 36.30 8.95 34.06 104 307 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7025.00 99.50 ------ ------ 88.21 36.30 8.81 33.82 104 307 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.10 48.21 68.20 -19.99 37.13 36.30 8.68 33.90 104 307 AVERAGE 2 7299.95 42.58 54.00 -11.42 31.43 36.30 8.89 34.04 104 307 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7025.00 91.28 ------ ------ 79.99 36.30 8.81 33.82 104 307 AVERAGE

Mode	66	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7126.08 56.29 88.20 -31.91 45.21 36.30 8.68 33.90 104 214 PEAK 2 7289.88 49.53 74.00 -24.47 38.40 36.30 8.86 34.03 104 214 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7025.00 97.22 ------ ------ 85.93 36.30 8.81 33.82 104 214 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7129.00 48.07 68.20 -20.13 36.99 36.30 8.68 33.90 104 214 AVERAGE 2 7310.03 42.68 54.00 -11.32 31.50 36.30 8.93 34.05 104 214 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7025.00 90.94 ------ ------ 79.65 36.30 8.81 33.82 104 214 AVERAGE

Mode	66	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14050.00 49.39 88.20 -38.81 56.69 38.94 12.73 58.97 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14050.00 49.55 88.20 -38.65 56.85 38.94 12.73 58.97 -- -- Peak

Mode	67	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial_RU 484/66_7025MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7188.15 50.16 88.20 -38.04 39.21 36.30 8.60 33.95 100 307 PEAK 2 7329.85 50.30 74.00 -23.70 39.08 36.30 8.99 34.07 100 307 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7025.00 97.93 ------ ------ 86.66 36.30 8.80 33.83 100 307 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7176.13 42.66 68.20 -25.54 31.69 36.30 8.61 33.94 100 307 AVERAGE 2 7257.70 42.68 54.00 -11.32 31.63 36.30 8.76 34.01 100 307 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7025.00 89.20 ------ ------ 77.93 36.30 8.80 33.83 100 307 AVERAGE

Mode	67	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial_RU 484/66_7025MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7170.93 50.15 88.20 -38.05 39.17 36.30 8.62 33.94 100 211 PEAK 2 7300.60 49.53 74.00 -24.47 38.37 36.30 8.90 34.04 100 211 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7025.00 97.61 ------ ------ 86.37 36.30 8.78 33.84 100 211 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7201.15 43.05 68.20 -25.15 32.13 36.30 8.58 33.96 100 211 AVERAGE 2 7264.53 42.56 54.00 -11.44 31.49 36.30 8.78 34.01 100 211 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7025.00 89.01 ------ ------ 77.79 36.30 8.77 33.85 100 211 AVERAGE

Mode	68	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7132.50 65.99 88.20 -22.21 54.93 36.30 8.67 33.91 100 306 PEAK 2 7344.38 50.31 74.00 -23.69 39.05 36.30 9.04 34.08 100 306 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6985.00 93.85 ------ ------ 82.54 36.27 8.84 33.80 100 306 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7131.25 58.20 68.20 -10.00 47.14 36.30 8.67 33.91 100 306 AVERAGE 2 7263.13 43.41 54.00 -10.59 32.34 36.30 8.78 34.01 100 306 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6985.00 86.55 ------ ------ 75.24 36.27 8.84 33.80 100 306 AVERAGE

Mode	68	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7131.25 66.34 88.20 -21.86 55.28 36.30 8.67 33.91 100 215 PEAK 2 7298.13 50.51 74.00 -23.49 39.36 36.30 8.89 34.04 100 215 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 6985.00 95.82 ------ ------ 84.50 36.28 8.84 33.80 100 215 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7129.38 58.98 68.20 -9.22 47.90 36.30 8.68 33.90 100 215 AVERAGE 2 7264.38 43.02 54.00 -10.98 31.95 36.30 8.78 34.01 100 215 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 6985.00 88.57 ------ ------ 77.26 36.27 8.84 33.80 100 215 AVERAGE

Mode	68	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13970.00 50.03 88.20 -38.17 57.40 38.87 12.72 58.96 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13970.00 49.62 88.20 -38.58 56.99 38.87 12.72 58.96 -- -- Peak

Mode	69	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial_RU 996/67_6985MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7126.88 64.12 88.20 -24.08 53.04 36.30 8.68 33.90 100 306 PEAK 2 7347.50 50.55 74.00 -23.45 39.28 36.30 9.05 34.08 100 306 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6985.00 98.91 ------ ------ 87.67 36.30 8.78 33.84 100 306 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7128.13 55.61 68.20 -12.59 44.53 36.30 8.68 33.90 100 306 AVERAGE 2 7261.25 43.66 54.00 -10.34 32.60 36.30 8.77 34.01 100 306 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6985.00 90.46 ------ ------ 79.19 36.30 8.80 33.83 100 306 AVERAGE

Mode	69	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial_RU 996/67_6985MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7127.50 60.69 88.20 -27.51 49.61 36.30 8.68 33.90 100 274 PEAK 2 7334.38 50.83 74.00 -23.17 39.60 36.30 9.00 34.07 100 274 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6985.00 97.57 ------ ------ 86.23 36.30 8.84 33.80 100 274 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.63 55.02 68.20 -13.18 43.94 36.30 8.68 33.90 100 274 AVERAGE 2 7315.00 43.23 54.00 -10.77 32.05 36.30 8.94 34.06 100 274 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 6985.00 89.95 ------ ------ 78.62 36.29 8.84 33.80 100 274 AVERAGE

Mode	70
	Band Edge
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz
ANT	2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 63.41 88.20 -24.79 52.33 36.30 8.68 33.90 103 320 Peak 2 7263.23 42.31 74.00 -31.69 31.24 36.30 8.78 34.01 103 320 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7115.00 98.99 ------ ------ 87.89 36.30 8.69 33.89 103 320 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 58.23 68.20 -9.97 47.15 36.30 8.68 33.90 103 320 Average 2 7327.68 33.05 54.00 -20.95 21.84 36.30 8.98 34.07 103 320 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7115.00 92.84 ------ ------ 81.74 36.30 8.69 33.89 103 320 Average

Mode	70
	Band Edge
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz
ANT	2

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 63.18 88.20 -25.02 52.10 36.30 8.68 33.90 101 136 Peak 2 7257.44 42.54 74.00 -31.46 31.49 36.30 8.76 34.01 101 136 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7115.00 98.99 ------ ------ 87.89 36.30 8.69 33.89 101 136 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 57.75 68.20 -10.45 46.67 36.30 8.68 33.90 101 136 Average 2 7294.67 32.81 54.00 -21.19 21.67 36.30 8.88 34.04 101 136 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7115.00 93.89 ------ ------ 82.79 36.30 8.69 33.89 101 136 Average

Mode	70	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 46.69 88.20 -41.51 53.75 39.08 12.73 58.87 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 48.55 88.20 -39.65 55.61 39.08 12.73 58.87 -- -- Peak

Mode	71
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz
ANT	2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 67.18 88.20 -21.02 56.10 36.30 8.68 33.90 110 338 Peak 2 7308.62 42.18 74.00 -31.82 31.01 36.30 8.92 34.05 110 338 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7115.00 98.49 ------ ------ 87.39 36.30 8.69 33.89 110 338 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 58.25 68.20 -9.95 47.17 36.30 8.68 33.90 110 338 Average 2 7325.82 32.82 54.00 -21.18 21.60 36.30 8.98 34.06 110 338 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7115.00 87.00 ------ ------ 75.90 36.30 8.69 33.89 110 338 Average

Mode	71	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7125.00 67.78 88.20 -20.42 56.70 36.30 8.68 33.90 100 139 Peak 2 7323.75 42.16 74.00 -31.84 30.95 36.30 8.97 34.06 100 139 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7115.00 95.71 ------ ------ 84.61 36.30 8.69 33.89 100 139 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7125.00 56.30 68.20 -11.90 45.22 36.30 8.68 33.90 100 139 Average 2 7277.00 32.75 54.00 -21.25 21.65 36.30 8.82 34.02 100 139 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7115.00 88.17 ------ ------ 77.07 36.30 8.69 33.89 100 139 Average

Mode	71	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 47.25 88.20 -40.95 54.31 39.08 12.73 58.87 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 48.77 88.20 -39.43 55.83 39.08 12.73 58.87 -- -- Peak

Mode	72	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU26/8_7115MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 79.99 88.20 -8.21 68.91 36.30 8.68 33.90 122 338 Peak 2 7286.37 41.81 74.00 -32.19 30.69 36.30 8.85 34.03 122 338 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.60 95.79 ------ ------ 84.71 36.30 8.68 33.90 122 338 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 65.01 68.20 -3.19 53.93 36.30 8.68 33.90 122 338 Average 2 7319.78 32.68 54.00 -21.32 21.48 36.30 8.96 34.06 122 338 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.60 87.21 ------ ------ 76.13 36.30 8.68 33.90 122 338 Average

Mode	72	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU26/8_7115MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 78.70 88.20 -9.50 67.62 36.30 8.68 33.90 100 141 Peak 2 7254.33 42.58 74.00 -31.42 31.54 36.30 8.75 34.01 100 141 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.60 93.96 ------ ------ 82.88 36.30 8.68 33.90 100 141 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 63.44 68.20 -4.76 52.36 36.30 8.68 33.90 100 141 Average 2 7345.82 32.65 54.00 -21.35 21.39 36.30 9.04 34.08 100 141 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.60 88.05 ------ ------ 76.97 36.30 8.68 33.90 100 141 Average

Mode	72	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU26/8_7115MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 47.25 88.20 -40.95 54.31 39.08 12.73 58.87 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14230.00 48.77 88.20 -39.43 55.83 39.08 12.73 58.87 -- -- Peak

Mode	73	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU52/40_7115MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 63.66 68.20 -4.54 52.58 36.30 8.68 33.90 119 319 Peak 2 7332.33 32.62 54.00 -21.38 21.39 36.30 9.00 34.07 119 319 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7119.40 96.77 ------ ------ 85.68 36.30 8.69 33.90 119 319 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 63.66 68.20 -4.54 52.58 36.30 8.68 33.90 119 319 Average 2 7332.33 32.62 54.00 -21.38 21.39 36.30 9.00 34.07 119 319 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7119.40 89.01 ------ ------ 77.92 36.30 8.69 33.90 119 319 Average

Mode	73
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU52/40_7115MHz
ANT	2

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 61.86 68.20 -6.34 50.78 36.30 8.68 33.90 100 140 Peak 2 7254.68 32.65 54.00 -21.35 21.61 36.30 8.75 34.01 100 140 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.60 96.87 ------ ------ 85.79 36.30 8.68 33.90 100 140 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 61.86 68.20 -6.34 50.78 36.30 8.68 33.90 100 140 Average 2 7254.68 32.65 54.00 -21.35 21.61 36.30 8.75 34.01 100 140 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.60 90.47 ------ ------ 79.39 36.30 8.68 33.90 100 140 Average

Mode	74	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU106/54_7115MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7125.00 79.50 88.20 -8.70 68.42 36.30 8.68 33.90 127 338 Peak 2 7324.19 42.17 74.00 -31.83 30.96 36.30 8.97 34.06 127 338 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7125.60 97.49 ------ ------ 86.41 36.30 8.68 33.90 127 338 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7125.00 64.82 68.20 -3.38 53.74 36.30 8.68 33.90 127 338 Average 2 7301.18 32.53 54.00 -21.47 21.37 36.30 8.90 34.04 127 338 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7125.60 86.25 ------ ------ 75.17 36.30 8.68 33.90 127 338 Average

Mode	74	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU106/54_7115MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 76.27 88.20 -11.93 65.19 36.30 8.68 33.90 103 139 Peak 2 7285.92 42.50 74.00 -31.50 31.38 36.30 8.85 34.03 103 139 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7119.40 93.71 ------ ------ 82.62 36.30 8.69 33.90 103 139 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.00 61.78 68.20 -6.42 50.70 36.30 8.68 33.90 103 139 Average 2 7251.89 32.70 54.00 -21.30 21.66 36.30 8.74 34.00 103 139 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7119.40 86.69 ------ ------ 75.60 36.30 8.69 33.90 103 139 Average

Mode	75	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 42.61 21.08 40.00 -18.92 35.91 19.48 0.65 34.96 -- -- Peak 2 120.21 22.59 43.50 -20.91 39.64 16.55 1.16 34.76 -- -- Peak 3 446.13 26.02 46.00 -19.98 35.64 22.65 2.23 34.50 -- -- Peak 4 584.84 26.75 46.00 -19.25 33.24 25.51 2.57 34.57 -- -- Peak 5 706.09 30.10 46.00 -15.90 34.51 27.16 2.83 34.40 -- -- Peak 6 821.52 31.22 46.00 -14.78 34.21 28.25 3.06 34.30 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 30.00 23.27 40.00 -16.73 39.91 17.56 0.54 34.74 -- -- Peak 2 118.27 24.82 43.50 -18.68 42.04 16.39 1.15 34.76 -- -- Peak 3 169.68 25.18 43.50 -18.32 40.70 17.81 1.37 34.70 -- -- Peak 4 234.67 27.30 46.00 -18.70 43.33 17.08 1.59 34.70 -- -- Peak 5 593.57 26.65 46.00 -19.35 32.82 25.83 2.59 34.59 -- -- Peak 6 803.09 30.52 46.00 -15.48 33.89 27.90 3.03 34.30 -- -- Peak

For Co-location

Mode	77	
Mode	Band Edge	
Mode	2400-2483.5_2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2492.74 55.82 74.00 -18.18 42.65 32.66 6.75 32.24 6.00 100 200 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 108.25 ------ ------ 95.17 32.58 6.73 32.23 6.00 100 200 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.76 45.30 54.00 -8.70 32.19 32.61 6.73 32.23 6.00 100 200 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 107.25 ------ ------ 94.17 32.58 6.73 32.23 6.00 100 200 AVERAGE

Mode	77	
	Band Edge	
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.64 56.42 74.00 -17.58 43.31 32.61 6.73 32.23 6.00 105 279 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 106.67 ------ ------ 93.59 32.58 6.73 32.23 6.00 105 279 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.74 45.17 54.00 -8.83 32.07 32.60 6.73 32.23 6.00 105 279 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 105.89 ------ ------ 92.81 32.58 6.73 32.23 6.00 105 279 AVERAGE

Mode	77	
	Harmonic	
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 40.58 74.00 -33.42 62.72 34.00 9.61 65.75 0.00 --- --- PEAK 2 7440.00 41.90 74.00 -32.10 60.00 35.70 11.77 65.57 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 40.96 74.00 -33.04 63.10 34.00 9.61 65.75 0.00 --- --- PEAK 2 7440.00 41.57 74.00 -32.43 59.67 35.70 11.77 65.57 0.00 --- --- PEAK

Mode	77	
	Band Edge - L	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU26/8_7115MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 7125.00 80.79 88.20 -7.41 66.14 35.60 11.59 32.54 0.00 129 316 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 2476.00 95.67 ------ ------ 88.62 32.56 6.72 32.23 0.00 129 316 Peak 2 7115.00 103.60 ------ ------ 88.95 35.60 11.58 32.53 0.00 129 316 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 7125.00 64.98 68.20 -3.22 50.33 35.60 11.59 32.54 0.00 129 316 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 2476.00 94.18 ------ ------ 87.13 32.56 6.72 32.23 0.00 129 316 Average 2 7115.00 94.56 ------ ------ 79.91 35.60 11.58 32.53 0.00 129 316 AVERAGE

Mode	77	
	Band Edge - L	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU26/8_7115MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 79.35 88.20 -8.85 64.70 35.60 11.59 32.54 0.00 114 180 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 99.89 ------ ------ 92.84 32.56 6.72 32.23 0.00 114 180 Peak 2 7115.00 101.91 ------ ------ 87.26 35.60 11.58 32.53 0.00 114 180 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 64.25 68.20 -3.95 49.60 35.60 11.59 32.54 0.00 114 180 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 98.73 ------ ------ 91.68 32.56 6.72 32.23 0.00 114 180 Average 2 7120.00 92.63 ------ ------ 77.98 35.60 11.58 32.53 0.00 114 180 Average

Mode	78	
	Band Edge	
	Zigbee_CH26_2480MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.80 67.22 74.00 -6.78 54.12 32.60 6.73 32.23 6.00 255 235 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 109.05 ------ ------ 95.97 32.58 6.73 32.23 6.00 255 235 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 46.92 54.00 -7.08 33.82 32.60 6.73 32.23 6.00 255 235 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 106.19 ------ ------ 93.11 32.58 6.73 32.23 6.00 255 235 AVERAGE

Mode	78	
	Band Edge	
	Zigbee_CH26_2480MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 68.07 74.00 -5.93 54.97 32.60 6.73 32.23 6.00 185 285 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 108.03 ------ ------ 94.95 32.58 6.73 32.23 6.00 185 285 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 46.66 54.00 -7.34 33.56 32.60 6.73 32.23 6.00 185 285 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 105.12 ------ ------ 92.04 32.58 6.73 32.23 6.00 185 285 AVERAGE

Mode	78	
	Harmonic	
	Zigbee_CH26_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 40.38 74.00 -33.62 62.52 34.00 9.61 65.75 0.00 --- --- PEAK 2 7440.00 41.72 74.00 -32.28 59.82 35.70 11.77 65.57 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 40.56 74.00 -33.44 62.70 34.00 9.61 65.75 0.00 --- --- PEAK 2 7440.00 41.25 74.00 -32.75 59.35 35.70 11.77 65.57 0.00 --- --- PEAK

Mode	78
	Band Edge - L
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU26/8_7115MHz
ANT	2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 81.95 88.20 -6.25 67.30 35.60 11.59 32.54 0.00 100 314 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 84.77 ------ ------ 77.72 32.56 6.72 32.23 0.00 100 314 Peak 2 7115.00 103.17 ------ ------ 88.52 35.60 11.58 32.53 0.00 100 314 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 64.80 68.20 -3.40 50.15 35.60 11.59 32.54 0.00 100 314 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 82.06 ------ ------ 75.01 32.56 6.72 32.23 0.00 100 314 Average 2 7115.00 94.74 ------ ------ 80.09 35.60 11.58 32.53 0.00 100 314 AVERAGE

Mode	78	
	Band Edge - L	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU26/8_7115MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 78.89 88.20 -9.31 64.24 35.60 11.59 32.54 0.00 100 174 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 99.09 ------ ------ 92.04 32.56 6.72 32.23 0.00 100 174 Peak 2 7115.00 101.93 ------ ------ 87.28 35.60 11.58 32.53 0.00 100 174 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 63.56 68.20 -4.64 48.91 35.60 11.59 32.54 0.00 100 174 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 96.29 ------ ------ 89.24 32.56 6.72 32.23 0.00 100 174 Average 2 7120.00 91.73 ------ ------ 77.08 35.60 11.58 32.53 0.00 100 174 Average

Appendix B. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 78



DH5 on time (Count Pulses) Plot on Channel 78



Note:

1. Worst case Duty cycle = on time/100 milliseconds = 2 * 2.88 / 100 = 5.76 %
2. Worst case Duty cycle correction factor = 20*log(Duty cycle) = -24.79 dB
3. DH5 has the highest duty cycle worst case and is reported.

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	61.34	0.384	2.604	2.7KHz
Bluetooth LE 2Mbps	57.07	1.070	0.935	1KHz

Bluetooth LE 1Mbps



Bluetooth LE 2Mbps



WLAN 2.4G

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	97.54	1.390	0.719	0.75KHz
802.11ax20	96.67	1.015	0.985	1.1KHz
802.11ax HE20 RU26	93.55	0.580	1.724	1.8KHz
802.11ax HE20 RU52	93.28	0.500	2.000	2.1KHz
802.11ax HE20RU106	92.37	0.436	2.294	2.4KHz

802.11b