



Mode	23																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.08</td><td>54.31</td><td>74.00</td><td>-19.69</td><td>46.82</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.08	54.31	74.00	-19.69	46.82	27.84	6.69	36.97	9.93	100	224	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>106.17</td><td>-----</td><td>-----</td><td>98.92</td><td>27.62</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	106.17	-----	-----	98.92	27.62	6.67	36.97	9.93	100	224	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.08	54.31	74.00	-19.69	46.82	27.84	6.69	36.97	9.93	100	224	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	106.17	-----	-----	98.92	27.62	6.67	36.97	9.93	100	224	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>38.32</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	45.81	54.00	-8.19	38.32	27.84	6.69	36.97	9.93	100	224	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>102.95</td><td>-----</td><td>-----</td><td>95.66</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.95	-----	-----	95.66	27.66	6.67	36.97	9.93	100	224	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.66	45.81	54.00	-8.19	38.32	27.84	6.69	36.97	9.93	100	224	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	102.95	-----	-----	95.66	27.66	6.67	36.97	9.93	100	224	Average																																																																																								







Mode	23																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.95</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>44.71</td><td>27.85</td><td>6.69</td><td>36.97</td><td>9.93</td><td>237</td><td>131</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.95	52.21	74.00	-21.79	44.71	27.85	6.69	36.97	9.93	237	131	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>98.12</td><td>-----</td><td>-----</td><td>90.87</td><td>27.62</td><td>6.67</td><td>36.97</td><td>9.93</td><td>237</td><td>131</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	98.12	-----	-----	90.87	27.62	6.67	36.97	9.93	237	131	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.95	52.21	74.00	-21.79	44.71	27.85	6.69	36.97	9.93	237	131	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	98.12	-----	-----	90.87	27.62	6.67	36.97	9.93	237	131	Peak																																																																																								
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>42.03</td><td>54.00</td><td>-11.97</td><td>34.54</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>237</td><td>131</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	42.03	54.00	-11.97	34.54	27.84	6.69	36.97	9.93	237	131	Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>94.94</td><td>-----</td><td>-----</td><td>87.65</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>237</td><td>131</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	94.94	-----	-----	87.65	27.66	6.67	36.97	9.93	237	131	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.74	42.03	54.00	-11.97	34.54	27.84	6.69	36.97	9.93	237	131	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	94.94	-----	-----	87.65	27.66	6.67	36.97	9.93	237	131	Average																																																																																								



Mode	23																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																																			
ANT	0																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-15</div><div>PEAK_74</div><div>AVG_54</div><div>300060009000120001500018000</div><div>Frequency (MHz)</div></div> <div>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4934.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>54.85</td><td>32.87</td><td>9.83</td><td>58.08</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7401.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>52.64</td><td>36.30</td><td>12.22</td><td>57.81</td><td>0.67 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4934.00	40.18	74.00	-33.82	54.85	32.87	9.83	58.08	0.71 -- -- Peak	2	7401.00	44.02	74.00	-29.98	52.64	36.30	12.22	57.81	0.67 -- -- Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-15</div><div>PEAK_74</div><div>AVG_54</div><div>300060009000120001500018000</div><div>Frequency (MHz)</div></div> <div>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4934.00</td><td>40.28</td><td>74.00</td><td>-33.72</td><td>54.95</td><td>32.87</td><td>9.83</td><td>58.08</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7401.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>52.50</td><td>36.30</td><td>12.22</td><td>57.81</td><td>0.67 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4934.00	40.28	74.00	-33.72	54.95	32.87	9.83	58.08	0.71 -- -- Peak	2	7401.00	43.88	74.00	-30.12	52.50	36.30	12.22	57.81	0.67 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																											
1	4934.00	40.18	74.00	-33.82	54.85	32.87	9.83	58.08	0.71 -- -- Peak																																																																																																											
2	7401.00	44.02	74.00	-29.98	52.64	36.30	12.22	57.81	0.67 -- -- Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																											
1	4934.00	40.28	74.00	-33.72	54.95	32.87	9.83	58.08	0.71 -- -- Peak																																																																																																											
2	7401.00	43.88	74.00	-30.12	52.50	36.30	12.22	57.81	0.67 -- -- Peak																																																																																																											



Mode	23	
	Harmonic	
	2400-2483.5_802.11b_CH12_2467MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-15</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-15</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-15</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-15</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	24																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>49.01</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>325</td><td>360</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	56.50	74.00	-17.50	49.01	27.84	6.69	36.97	9.93	325	360	Peak	<div><p>Level (dBuV/m) Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>106.43</td><td>-----</td><td>-----</td><td>99.07</td><td>27.72</td><td>6.68</td><td>36.97</td><td>9.93</td><td>325</td><td>360</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	106.43	-----	-----	99.07	27.72	6.68	36.97	9.93	325	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.55	56.50	74.00	-17.50	49.01	27.84	6.69	36.97	9.93	325	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	106.43	-----	-----	99.07	27.72	6.68	36.97	9.93	325	360	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>42.11</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>325</td><td>360</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	49.60	54.00	-4.40	42.11	27.84	6.69	36.97	9.93	325	360	Average	<div><p>Level (dBuV/m) Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>103.20</td><td>-----</td><td>-----</td><td>95.84</td><td>27.72</td><td>6.68</td><td>36.97</td><td>9.93</td><td>325</td><td>360</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	103.20	-----	-----	95.84	27.72	6.68	36.97	9.93	325	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.62	49.60	54.00	-4.40	42.11	27.84	6.69	36.97	9.93	325	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	103.20	-----	-----	95.84	27.72	6.68	36.97	9.93	325	360	Average																																																																																								



Mode	24																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.90</td><td>52.76</td><td>74.00</td><td>-21.24</td><td>45.24</td><td>27.86</td><td>6.70</td><td>36.97</td><td>9.93</td><td>300</td><td>133</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.90	52.76	74.00	-21.24	45.24	27.86	6.70	36.97	9.93	300	133	Peak	<div><p>Level (dBuV/m) Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>97.40</td><td>-----</td><td>-----</td><td>90.04</td><td>27.72</td><td>6.68</td><td>36.97</td><td>9.93</td><td>300</td><td>133</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	97.40	-----	-----	90.04	27.72	6.68	36.97	9.93	300	133	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.90	52.76	74.00	-21.24	45.24	27.86	6.70	36.97	9.93	300	133	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	97.40	-----	-----	90.04	27.72	6.68	36.97	9.93	300	133	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>36.04</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>300</td><td>133</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	43.53	54.00	-10.47	36.04	27.84	6.69	36.97	9.93	300	133	Average	<div><p>Level (dBuV/m) Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>94.24</td><td>-----</td><td>-----</td><td>86.88</td><td>27.72</td><td>6.68</td><td>36.97</td><td>9.93</td><td>300</td><td>133</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	94.24	-----	-----	86.88	27.72	6.68	36.97	9.93	300	133	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.62	43.53	54.00	-10.47	36.04	27.84	6.69	36.97	9.93	300	133	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	94.24	-----	-----	86.88	27.72	6.68	36.97	9.93	300	133	Average																																																																																								



Mode	24																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																					
ANT	0																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>55.18</td><td>32.95</td><td>9.84</td><td>58.06</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7416.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>52.48</td><td>36.30</td><td>12.23</td><td>57.83</td><td>0.67 -- -- Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4944.00	40.62	74.00	-33.38	55.18	32.95	9.84	58.06	0.71 -- -- Peak	2	7416.00	43.85	74.00	-30.15	52.48	36.30	12.23	57.83	0.67 -- -- Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-19</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4944.00</td><td>41.24</td><td>74.00</td><td>-32.76</td><td>55.00</td><td>32.95</td><td>9.84</td><td>58.06</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>53.05</td><td>36.30</td><td>12.23</td><td>57.83</td><td>0.67 -- -- Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4944.00	41.24	74.00	-32.76	55.00	32.95	9.84	58.06	0.71 -- -- Peak	2	7416.00	44.42	74.00	-29.58	53.05	36.30	12.23	57.83	0.67 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	4944.00	40.62	74.00	-33.38	55.18	32.95	9.84	58.06	0.71 -- -- Peak																																																																																													
2	7416.00	43.85	74.00	-30.15	52.48	36.30	12.23	57.83	0.67 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	4944.00	41.24	74.00	-32.76	55.00	32.95	9.84	58.06	0.71 -- -- Peak																																																																																													
2	7416.00	44.42	74.00	-29.58	53.05	36.30	12.23	57.83	0.67 -- -- Peak																																																																																													



Mode	24	
	Harmonic	
	2400-2483.5_802.11b_CH13_2472MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-19</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-19</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-19</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-19</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	25																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-13</div><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2383.32</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>47.74</td><td>27.33</td><td>6.55</td><td>36.97</td><td>9.93</td><td>235</td><td>14 Peak</td></tr></tbody></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.32	54.58	74.00	-19.42	47.74	27.33	6.55	36.97	9.93	235	14 Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-13</div><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.87</td><td>-----</td><td>-----</td><td>102.91</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>235</td><td>14 Peak</td></tr></tbody></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.87	-----	-----	102.91	27.40	6.60	36.97	9.93	235	14 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2383.32	54.58	74.00	-19.42	47.74	27.33	6.55	36.97	9.93	235	14 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	109.87	-----	-----	102.91	27.40	6.60	36.97	9.93	235	14 Peak																																																																																							
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-13</div><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>36.45</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>235</td><td>14 Average</td></tr></tbody></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	43.37	54.00	-10.63	36.45	27.40	6.56	36.97	9.93	235	14 Average	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-13</div><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.20</td><td>-----</td><td>-----</td><td>95.24</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>235</td><td>14 Average</td></tr></tbody></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.20	-----	-----	95.24	27.40	6.60	36.97	9.93	235	14 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	43.37	54.00	-10.63	36.45	27.40	6.56	36.97	9.93	235	14 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	102.20	-----	-----	95.24	27.40	6.60	36.97	9.93	235	14 Average																																																																																							







Mode	25																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-13</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>57.46</td><td>74.00</td><td>-16.54</td><td>50.54</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>383</td><td>360</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	57.46	74.00	-16.54	50.54	27.40	6.56	36.97	9.93	383	360	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-13</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.36</td><td>-----</td><td>-----</td><td>87.40</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>383</td><td>360</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.36	-----	-----	87.40	27.40	6.60	36.97	9.93	383	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.82	57.46	74.00	-16.54	50.54	27.40	6.56	36.97	9.93	383	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	94.36	-----	-----	87.40	27.40	6.60	36.97	9.93	383	360	Peak																																																																																								
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-13</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>37.20</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>383</td><td>360</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.12	54.00	-9.88	37.20	27.40	6.56	36.97	9.93	383	360	Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-13</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>86.54</td><td>-----</td><td>-----</td><td>79.59</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>383</td><td>360</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	86.54	-----	-----	79.59	27.40	6.59	36.97	9.93	383	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	44.12	54.00	-9.88	37.20	27.40	6.56	36.97	9.93	383	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	86.54	-----	-----	79.59	27.40	6.59	36.97	9.93	383	360	Average																																																																																								



Mode	25																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<div><p>Level (dBuV/m) Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>56.26</td><td>32.44</td><td>9.67</td><td>58.34</td><td>0.70</td><td>--</td><td>Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.73	74.00	-33.27	56.26	32.44	9.67	58.34	0.70	--	Peak	<div><p>Level (dBuV/m) Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>59.96</td><td>32.44</td><td>9.67</td><td>58.34</td><td>0.70</td><td>150</td><td>44 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>34.22</td><td>54.00</td><td>-19.78</td><td>49.75</td><td>32.44</td><td>9.67</td><td>58.34</td><td>0.70</td><td>150</td><td>44 Average</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.43	74.00	-29.57	59.96	32.44	9.67	58.34	0.70	150	44 Peak	2	4824.00	34.22	54.00	-19.78	49.75	32.44	9.67	58.34	0.70	150	44 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	40.73	74.00	-33.27	56.26	32.44	9.67	58.34	0.70	--	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	44.43	74.00	-29.57	59.96	32.44	9.67	58.34	0.70	150	44 Peak																																																																																									
2	4824.00	34.22	54.00	-19.78	49.75	32.44	9.67	58.34	0.70	150	44 Average																																																																																									



Mode	25	
	Harmonic	
	2400-2483.5_802.11g_CH01_2412MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	26																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-18</div><div>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>55.21</td><td>32.60</td><td>9.74</td><td>58.22</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>52.87</td><td>36.68</td><td>12.15</td><td>57.67</td><td>0.66</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.04	74.00	-33.96	55.21	32.60	9.74	58.22	0.71	--	Peak	2	7311.00	44.69	74.00	-29.31	52.87	36.68	12.15	57.67	0.66	--	Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-18</div><div>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td>56.40</td><td>32.60</td><td>9.74</td><td>58.22</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>53.41</td><td>36.68</td><td>12.15</td><td>57.67</td><td>0.66</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.23	74.00	-32.77	56.40	32.60	9.74	58.22	0.71	--	Peak	2	7311.00	45.23	74.00	-28.77	53.41	36.68	12.15	57.67	0.66	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4874.00	40.04	74.00	-33.96	55.21	32.60	9.74	58.22	0.71	--	Peak																																																																																																															
2	7311.00	44.69	74.00	-29.31	52.87	36.68	12.15	57.67	0.66	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4874.00	41.23	74.00	-32.77	56.40	32.60	9.74	58.22	0.71	--	Peak																																																																																																															
2	7311.00	45.23	74.00	-28.77	53.41	36.68	12.15	57.67	0.66	--	Peak																																																																																																															



Mode	26	
	Harmonic	
	2400-2483.5_802.11g_CH06_2437MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p></div>	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p></div>
	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p></div>	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p></div>



Mode	27																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																											
ANT	0																																																																																																											
Pol.	Horizontal																																																																																																											
Peak	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-08-13</div><div>PEAK_BE_74</div></div><div><div>Site : 03CH13-HY</div><div>Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>63.17</td><td>74.00</td><td>-10.83</td><td>55.68</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>295</td><td>17 Peak</td></tr></table></div>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	63.17	74.00	-10.83	55.68	27.84	6.69	36.97	9.93	295	17 Peak	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-08-13</div><div>PEAK_74</div></div><div><div>Site : 03CH13-HY</div><div>Condition: PEAK_74 3m 91280_02038 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.50</td><td>-----</td><td>-----</td><td>104.29</td><td>27.58</td><td>6.67</td><td>36.97</td><td>9.93</td><td>295</td><td>17 Peak</td></tr></table></div>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.50	-----	-----	104.29	27.58	6.67	36.97	9.93	295	17 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2483.51	63.17	74.00	-10.83	55.68	27.84	6.69	36.97	9.93	295	17 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2462.00	111.50	-----	-----	104.29	27.58	6.67	36.97	9.93	295	17 Peak																																																																																																	
Avg	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-08-13</div><div>AVG_BE_54</div></div><div><div>Site : 03CH13-HY</div><div>Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:0.300kHz SMT:Auto</div></div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>47.05</td><td>54.00</td><td>-6.95</td><td>39.56</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>295</td><td>17 Average</td></tr></table></div>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	47.05	54.00	-6.95	39.56	27.84	6.69	36.97	9.93	295	17 Average	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-08-13</div><div>AVG_54</div></div><div><div>Site : 03CH13-HY</div><div>Condition: AVG_54 3m 91280_02038 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:0.300kHz SMT:Auto</div></div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.09</td><td>-----</td><td>-----</td><td>96.88</td><td>27.58</td><td>6.67</td><td>36.97</td><td>9.93</td><td>295</td><td>17 Average</td></tr></table></div>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.09	-----	-----	96.88	27.58	6.67	36.97	9.93	295	17 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2483.51	47.05	54.00	-6.95	39.56	27.84	6.69	36.97	9.93	295	17 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2462.00	104.09	-----	-----	96.88	27.58	6.67	36.97	9.93	295	17 Average																																																																																																	







Mode	27																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-13</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>49.37</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>400</td><td>108</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	56.86	74.00	-17.14	49.37	27.84	6.69	36.97	9.93	400	108	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-13</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.49</td><td>-----</td><td>-----</td><td>96.37</td><td>27.50</td><td>6.66</td><td>36.97</td><td>9.93</td><td>400</td><td>108</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.49	-----	-----	96.37	27.50	6.66	36.97	9.93	400	108	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.89	56.86	74.00	-17.14	49.37	27.84	6.69	36.97	9.93	400	108	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	103.49	-----	-----	96.37	27.50	6.66	36.97	9.93	400	108	Peak																																																																																								
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-13</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>36.07</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>400</td><td>108</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	43.56	54.00	-10.44	36.07	27.84	6.69	36.97	9.93	400	108	Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-13</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.10</td><td>-----</td><td>-----</td><td>88.94</td><td>27.54</td><td>6.66</td><td>36.97</td><td>9.93</td><td>400</td><td>108</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.10	-----	-----	88.94	27.54	6.66	36.97	9.93	400	108	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	43.56	54.00	-10.44	36.07	27.84	6.69	36.97	9.93	400	108	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	96.10	-----	-----	88.94	27.54	6.66	36.97	9.93	400	108	Average																																																																																								



Mode	27																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.08</td><td>74.00</td><td>-33.92</td><td>54.08</td><td>32.79</td><td>9.81</td><td>58.11</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>52.94</td><td>36.38</td><td>12.21</td><td>57.79</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.08	74.00	-33.92	54.08	32.79	9.81	58.11	0.71	--	Peak	2	7386.00	44.41	74.00	-29.59	52.94	36.38	12.21	57.79	0.67	--	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.69</td><td>74.00</td><td>-33.31</td><td>55.49</td><td>32.79</td><td>9.81</td><td>58.11</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>52.43</td><td>36.38</td><td>12.21</td><td>57.79</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.69	74.00	-33.31	55.49	32.79	9.81	58.11	0.71	--	Peak	2	7386.00	43.90	74.00	-30.10	52.43	36.38	12.21	57.79	0.67	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4924.00	40.08	74.00	-33.92	54.08	32.79	9.81	58.11	0.71	--	Peak																																																																																																															
2	7386.00	44.41	74.00	-29.59	52.94	36.38	12.21	57.79	0.67	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4924.00	40.69	74.00	-33.31	55.49	32.79	9.81	58.11	0.71	--	Peak																																																																																																															
2	7386.00	43.90	74.00	-30.10	52.43	36.38	12.21	57.79	0.67	--	Peak																																																																																																															



Mode	27	
	Harmonic	
	2400-2483.5_802.11g_CH11_2462MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	28																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.08</td><td>65.10</td><td>74.00</td><td>-8.90</td><td>57.57</td><td>27.87</td><td>6.70</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.08	65.10	74.00	-8.90	57.57	27.87	6.70	36.97	9.93	100	224	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>109.37</td><td>-----</td><td>-----</td><td>102.12</td><td>27.62</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	109.37	-----	-----	102.12	27.62	6.67	36.97	9.93	100	224	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2487.08	65.10	74.00	-8.90	57.57	27.87	6.70	36.97	9.93	100	224	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	109.37	-----	-----	102.12	27.62	6.67	36.97	9.93	100	224	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.05</td><td>49.58</td><td>54.00</td><td>-4.42</td><td>42.06</td><td>27.86</td><td>6.70</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.05	49.58	54.00	-4.42	42.06	27.86	6.70	36.97	9.93	100	224	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>101.92</td><td>-----</td><td>-----</td><td>94.63</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	101.92	-----	-----	94.63	27.66	6.67	36.97	9.93	100	224	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2486.05	49.58	54.00	-4.42	42.06	27.86	6.70	36.97	9.93	100	224	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	101.92	-----	-----	94.63	27.66	6.67	36.97	9.93	100	224	Average																																																																																								



Mode	28																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>60.01</td><td>74.00</td><td>-13.99</td><td>52.49</td><td>27.86</td><td>6.70</td><td>36.97</td><td>9.93</td><td>271</td><td>131</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	60.01	74.00	-13.99	52.49	27.86	6.70	36.97	9.93	271	131	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>101.68</td><td>-----</td><td>-----</td><td>94.39</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>271</td><td>131</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	101.68	-----	-----	94.39	27.66	6.67	36.97	9.93	271	131	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	60.01	74.00	-13.99	52.49	27.86	6.70	36.97	9.93	271	131	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	101.68	-----	-----	94.39	27.66	6.67	36.97	9.93	271	131	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>37.58</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>271</td><td>131</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	45.07	54.00	-8.93	37.58	27.84	6.69	36.97	9.93	271	131	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>94.07</td><td>-----</td><td>-----</td><td>86.78</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>271</td><td>131</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	94.07	-----	-----	86.78	27.66	6.67	36.97	9.93	271	131	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	45.07	54.00	-8.93	37.58	27.84	6.69	36.97	9.93	271	131	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	94.07	-----	-----	86.78	27.66	6.67	36.97	9.93	271	131	Average																																																																																								



Mode	28																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-18</div><div>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>55.84</td><td>32.87</td><td>9.83</td><td>58.08</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>52.58</td><td>36.30</td><td>12.22</td><td>57.81</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	41.17	74.00	-32.83	55.84	32.87	9.83	58.08	0.71	--	Peak	2	7401.00	43.96	74.00	-30.04	52.58	36.30	12.22	57.81	0.67	--	Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-18</div><div>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>42.11</td><td>74.00</td><td>-31.89</td><td>56.78</td><td>32.87</td><td>9.83</td><td>58.08</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>53.41</td><td>36.30</td><td>12.22</td><td>57.81</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	42.11	74.00	-31.89	56.78	32.87	9.83	58.08	0.71	--	Peak	2	7401.00	44.79	74.00	-29.21	53.41	36.30	12.22	57.81	0.67	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4934.00	41.17	74.00	-32.83	55.84	32.87	9.83	58.08	0.71	--	Peak																																																																																																															
2	7401.00	43.96	74.00	-30.04	52.58	36.30	12.22	57.81	0.67	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4934.00	42.11	74.00	-31.89	56.78	32.87	9.83	58.08	0.71	--	Peak																																																																																																															
2	7401.00	44.79	74.00	-29.21	53.41	36.30	12.22	57.81	0.67	--	Peak																																																																																																															



Mode	28	
	Harmonic	
	2400-2483.5_802.11g_CH12_2467MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	29																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.96</td><td>61.77</td><td>74.00</td><td>-12.23</td><td>54.28</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>118</td><td>140</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.96	61.77	74.00	-12.23	54.28	27.84	6.69	36.97	9.93	118	140	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>103.72</td><td>-----</td><td>-----</td><td>96.34</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>118</td><td>140</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	103.72	-----	-----	96.34	27.74	6.68	36.97	9.93	118	140	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.96	61.77	74.00	-12.23	54.28	27.84	6.69	36.97	9.93	118	140	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	103.72	-----	-----	96.34	27.74	6.68	36.97	9.93	118	140	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.19</td><td>50.88</td><td>54.00</td><td>-3.12</td><td>43.39</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>118</td><td>140</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.19	50.88	54.00	-3.12	43.39	27.84	6.69	36.97	9.93	118	140	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>96.07</td><td>-----</td><td>-----</td><td>88.74</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>118</td><td>140</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	96.07	-----	-----	88.74	27.70	6.67	36.97	9.93	118	140	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.19	50.88	54.00	-3.12	43.39	27.84	6.69	36.97	9.93	118	140	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	96.07	-----	-----	88.74	27.70	6.67	36.97	9.93	118	140	Average																																																																																								



Mode	29																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.15</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>47.89</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>305</td><td>135</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.15	55.38	74.00	-18.62	47.89	27.84	6.69	36.97	9.93	305	135	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>94.41</td><td>-----</td><td>-----</td><td>87.03</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>305</td><td>135</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	94.41	-----	-----	87.03	27.74	6.68	36.97	9.93	305	135	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.15	55.38	74.00	-18.62	47.89	27.84	6.69	36.97	9.93	305	135	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	94.41	-----	-----	87.03	27.74	6.68	36.97	9.93	305	135	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.15</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>36.95</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>305</td><td>135</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.15	44.44	54.00	-9.56	36.95	27.84	6.69	36.97	9.93	305	135	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>86.96</td><td>-----</td><td>-----</td><td>79.58</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>305</td><td>135</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	86.96	-----	-----	79.58	27.74	6.68	36.97	9.93	305	135	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.15	44.44	54.00	-9.56	36.95	27.84	6.69	36.97	9.93	305	135	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	86.96	-----	-----	79.58	27.74	6.68	36.97	9.93	305	135	Average																																																																																								



Mode	29																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<div><p>Level (dBuV/m) Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.84</td><td>74.00</td><td>-33.16</td><td>55.40</td><td>32.95</td><td>9.84</td><td>58.06</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>53.18</td><td>36.30</td><td>12.23</td><td>57.83</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.84	74.00	-33.16	55.40	32.95	9.84	58.06	0.71	--	Peak	2	7416.00	44.55	74.00	-29.45	53.18	36.30	12.23	57.83	0.67	--	Peak	<div><p>Level (dBuV/m) Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>54.73</td><td>32.95</td><td>9.84</td><td>58.06</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>52.77</td><td>36.30</td><td>12.23</td><td>57.83</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.17	74.00	-33.83	54.73	32.95	9.84	58.06	0.71	--	Peak	2	7416.00	44.14	74.00	-29.86	52.77	36.30	12.23	57.83	0.67	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4944.00	40.84	74.00	-33.16	55.40	32.95	9.84	58.06	0.71	--	Peak																																																																																																					
2	7416.00	44.55	74.00	-29.45	53.18	36.30	12.23	57.83	0.67	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4944.00	40.17	74.00	-33.83	54.73	32.95	9.84	58.06	0.71	--	Peak																																																																																																					
2	7416.00	44.14	74.00	-29.86	52.77	36.30	12.23	57.83	0.67	--	Peak																																																																																																					



Mode	29	
	Harmonic	
	2400-2483.5_802.11g_CH13_2472MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p></div>	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p></div>
	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p></div>	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p></div>







Mode	30																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74_3m_91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>47.43</td><td>27.39</td><td>6.56</td><td>36.97</td><td>9.93</td><td>100</td><td>303</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	54.34	74.00	-19.66	47.43	27.39	6.56	36.97	9.93	100	303	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74_3m_91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.50</td><td>-----</td><td>-----</td><td>102.54</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>100</td><td>303</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.50	-----	-----	102.54	27.40	6.60	36.97	9.93	100	303	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.91	54.34	74.00	-19.66	47.43	27.39	6.56	36.97	9.93	100	303	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	109.50	-----	-----	102.54	27.40	6.60	36.97	9.93	100	303	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54_3m_91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>36.67</td><td>27.39</td><td>6.56</td><td>36.97</td><td>9.93</td><td>100</td><td>303</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	43.58	54.00	-10.42	36.67	27.39	6.56	36.97	9.93	100	303	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54_3m_91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.15</td><td>-----</td><td>-----</td><td>95.19</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>100</td><td>303</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.15	-----	-----	95.19	27.40	6.60	36.97	9.93	100	303	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.91	43.58	54.00	-10.42	36.67	27.39	6.56	36.97	9.93	100	303	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	102.15	-----	-----	95.19	27.40	6.60	36.97	9.93	100	303	Average																																																																																								





Mode	30																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>48.89</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>306</td><td>0 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	55.81	74.00	-18.19	48.89	27.40	6.56	36.97	9.93	306	0 Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.91</td><td>-----</td><td>-----</td><td>94.95</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>306</td><td>0 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.91	-----	-----	94.95	27.40	6.60	36.97	9.93	306	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.82	55.81	74.00	-18.19	48.89	27.40	6.56	36.97	9.93	306	0 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	101.91	-----	-----	94.95	27.40	6.60	36.97	9.93	306	0 Peak																																																																																							
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>36.93</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>306</td><td>0 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	43.85	54.00	-10.15	36.93	27.40	6.56	36.97	9.93	306	0 Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.82</td><td>-----</td><td>-----</td><td>87.86</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>306</td><td>0 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.82	-----	-----	87.86	27.40	6.60	36.97	9.93	306	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.82	43.85	54.00	-10.15	36.93	27.40	6.56	36.97	9.93	306	0 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	94.82	-----	-----	87.86	27.40	6.60	36.97	9.93	306	0 Average																																																																																							

	30															
Mode	Harmonic															
	2400-2483.5_802.11n_HT20_CH01_2412MHz															
ANT	0															
Pol.	Horizontal								Vertical							
Peak Avg	<p>Date: 2025-08-18</p>								<p>Date: 2025-08-18</p>							
	Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL								Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL							
		Limit		Read		Ant	Cable	Preamplifier	Aux	APos	TPos	Remark				
Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	dB	cm	deg					
1	4824.00	41.66	74.00	-32.34	57.19	32.44	9.67	58.34	0.70	107	62	Peak				
2	4824.00	31.32	54.00	-22.68	46.85	32.44	9.67	58.34	0.70	107	62	Average				
		Limit		Read		Ant	Cable	Preamplifier	Aux	APos	TPos	Remark				
Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	dB	cm	deg					
1	4824.00	44.75	74.00	-29.25	60.28	32.44	9.67	58.34	0.70	135	47	Peak				
2	4824.00	34.15	54.00	-19.85	49.68	32.44	9.67	58.34	0.70	135	47	Average				







Mode	30	
	Harmonic	
	2400-2483.5_802.11n HT20_CH01_2412MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	31																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg	 <p>Date: 2025-08-15</p> <p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p> <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>40.58</td><td>74.00</td><td>-33.42</td><td>55.75</td><td>32.60</td><td>9.74</td><td>58.22</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>52.71</td><td>36.68</td><td>12.15</td><td>57.67</td><td>0.66 -- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4874.00	40.58	74.00	-33.42	55.75	32.60	9.74	58.22	0.71 -- -- Peak	2	7311.00	44.53	74.00	-29.47	52.71	36.68	12.15	57.67	0.66 -- -- Peak	 <p>Date: 2025-08-15</p> <p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p> <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.87</td><td>74.00</td><td>-32.13</td><td>57.04</td><td>32.60</td><td>9.74</td><td>58.22</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>54.59</td><td>36.68</td><td>12.15</td><td>57.67</td><td>0.66 -- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4874.00	41.87	74.00	-32.13	57.04	32.60	9.74	58.22	0.71 -- -- Peak	2	7311.00	46.41	74.00	-27.59	54.59	36.68	12.15	57.67	0.66 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1	4874.00	40.58	74.00	-33.42	55.75	32.60	9.74	58.22	0.71 -- -- Peak																																																																																																							
2	7311.00	44.53	74.00	-29.47	52.71	36.68	12.15	57.67	0.66 -- -- Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1	4874.00	41.87	74.00	-32.13	57.04	32.60	9.74	58.22	0.71 -- -- Peak																																																																																																							
2	7311.00	46.41	74.00	-27.59	54.59	36.68	12.15	57.67	0.66 -- -- Peak																																																																																																							



Mode	31	
	Harmonic	
	2400-2483.5_802.11n HT20_CH06_2437MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-15</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-15</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-15</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-15</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	32																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>62.89</td><td>74.00</td><td>-11.11</td><td>55.40</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>223</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	62.89	74.00	-11.11	55.40	27.84	6.69	36.97	9.93	100	223	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.97</td><td>-----</td><td>-----</td><td>102.81</td><td>27.54</td><td>6.66</td><td>36.97</td><td>9.93</td><td>100</td><td>223</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.97	-----	-----	102.81	27.54	6.66	36.97	9.93	100	223	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.66	62.89	74.00	-11.11	55.40	27.84	6.69	36.97	9.93	100	223	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	109.97	-----	-----	102.81	27.54	6.66	36.97	9.93	100	223	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.26</td><td>54.00</td><td>-3.74</td><td>42.77</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>223</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.26	54.00	-3.74	42.77	27.84	6.69	36.97	9.93	100	223	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.62</td><td>-----</td><td>-----</td><td>95.41</td><td>27.58</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>223</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.62	-----	-----	95.41	27.58	6.67	36.97	9.93	100	223	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	50.26	54.00	-3.74	42.77	27.84	6.69	36.97	9.93	100	223	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	102.62	-----	-----	95.41	27.58	6.67	36.97	9.93	100	223	Average																																																																																								







Mode	32																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>57.66</td><td>74.00</td><td>-16.34</td><td>50.17</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>285</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	57.66	74.00	-16.34	50.17	27.84	6.69	36.97	9.93	285	130	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.66</td><td>-----</td><td>-----</td><td>96.45</td><td>27.58</td><td>6.67</td><td>36.97</td><td>9.93</td><td>285</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.66	-----	-----	96.45	27.58	6.67	36.97	9.93	285	130	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.62	57.66	74.00	-16.34	50.17	27.84	6.69	36.97	9.93	285	130	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	103.66	-----	-----	96.45	27.58	6.67	36.97	9.93	285	130	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>37.19</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>285</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	44.68	54.00	-9.32	37.19	27.84	6.69	36.97	9.93	285	130	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.62</td><td>-----</td><td>-----</td><td>88.46</td><td>27.54</td><td>6.66</td><td>36.97</td><td>9.93</td><td>285</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.62	-----	-----	88.46	27.54	6.66	36.97	9.93	285	130	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	44.68	54.00	-9.32	37.19	27.84	6.69	36.97	9.93	285	130	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	95.62	-----	-----	88.46	27.54	6.66	36.97	9.93	285	130	Average																																																																																								



Mode	32																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																					
ANT	0																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>54.05</td><td>32.79</td><td>9.81</td><td>58.11</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>53.24</td><td>36.38</td><td>12.21</td><td>57.79</td><td>0.67 -- -- Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4924.00	40.05	74.00	-33.95	54.05	32.79	9.81	58.11	0.71 -- -- Peak	2	7386.00	44.71	74.00	-29.29	53.24	36.38	12.21	57.79	0.67 -- -- Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.15</td><td>74.00</td><td>-32.85</td><td>55.95</td><td>32.79</td><td>9.81</td><td>58.11</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>52.48</td><td>36.38</td><td>12.21</td><td>57.79</td><td>0.67 -- -- Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4924.00	41.15	74.00	-32.85	55.95	32.79	9.81	58.11	0.71 -- -- Peak	2	7386.00	43.95	74.00	-30.05	52.48	36.38	12.21	57.79	0.67 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	4924.00	40.05	74.00	-33.95	54.05	32.79	9.81	58.11	0.71 -- -- Peak																																																																																													
2	7386.00	44.71	74.00	-29.29	53.24	36.38	12.21	57.79	0.67 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	4924.00	41.15	74.00	-32.85	55.95	32.79	9.81	58.11	0.71 -- -- Peak																																																																																													
2	7386.00	43.95	74.00	-30.05	52.48	36.38	12.21	57.79	0.67 -- -- Peak																																																																																													



Mode	32	
	Harmonic	
	2400-2483.5_802.11n HT20_CH11_2462MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>





Mode	33																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH12_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.12</td><td>63.89</td><td>74.00</td><td>-10.11</td><td>56.36</td><td>27.87</td><td>6.70</td><td>36.97</td><td>9.93</td><td>106</td><td>222</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.12	63.89	74.00	-10.11	56.36	27.87	6.70	36.97	9.93	106	222	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>109.11</td><td>-----</td><td>-----</td><td>101.82</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>106</td><td>222</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	109.11	-----	-----	101.82	27.66	6.67	36.97	9.93	106	222	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2487.12	63.89	74.00	-10.11	56.36	27.87	6.70	36.97	9.93	106	222	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	109.11	-----	-----	101.82	27.66	6.67	36.97	9.93	106	222	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.05</td><td>50.80</td><td>54.00</td><td>-3.20</td><td>43.28</td><td>27.86</td><td>6.70</td><td>36.97</td><td>9.93</td><td>106</td><td>222</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.05	50.80	54.00	-3.20	43.28	27.86	6.70	36.97	9.93	106	222	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>101.62</td><td>-----</td><td>-----</td><td>94.33</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>106</td><td>222</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	101.62	-----	-----	94.33	27.66	6.67	36.97	9.93	106	222	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2486.05	50.80	54.00	-3.20	43.28	27.86	6.70	36.97	9.93	106	222	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	101.62	-----	-----	94.33	27.66	6.67	36.97	9.93	106	222	Average																																																																																								







Mode	33																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH12_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.99</td><td>57.55</td><td>74.00</td><td>-16.45</td><td>50.01</td><td>27.88</td><td>6.70</td><td>36.97</td><td>9.93</td><td>273</td><td>129</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.99	57.55	74.00	-16.45	50.01	27.88	6.70	36.97	9.93	273	129	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>102.32</td><td>-----</td><td>-----</td><td>94.99</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>273</td><td>129</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.32	-----	-----	94.99	27.70	6.67	36.97	9.93	273	129	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2487.99	57.55	74.00	-16.45	50.01	27.88	6.70	36.97	9.93	273	129	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	102.32	-----	-----	94.99	27.70	6.67	36.97	9.93	273	129	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.05</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>37.68</td><td>27.86</td><td>6.70</td><td>36.97</td><td>9.93</td><td>273</td><td>129</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.05	45.20	54.00	-8.80	37.68	27.86	6.70	36.97	9.93	273	129	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>94.03</td><td>-----</td><td>-----</td><td>86.74</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>273</td><td>129</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	94.03	-----	-----	86.74	27.66	6.67	36.97	9.93	273	129	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2486.05	45.20	54.00	-8.80	37.68	27.86	6.70	36.97	9.93	273	129	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	94.03	-----	-----	86.74	27.66	6.67	36.97	9.93	273	129	Average																																																																																								



Mode	33																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_802.11n HT20_CH12_2467MHz																																																																																																																								
ANT	0																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL						Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>55.52</td><td>32.87</td><td>9.83</td><td>58.08</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>52.38</td><td>36.30</td><td>12.22</td><td>57.81</td><td>0.67</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	40.85	74.00	-33.15	55.52	32.87	9.83	58.08	0.71	--	Peak	2	7401.00	43.76	74.00	-30.24	52.38	36.30	12.22	57.81	0.67	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4934.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>54.81</td><td>32.87</td><td>9.83</td><td>58.08</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7401.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>52.88</td><td>36.30</td><td>12.22</td><td>57.81</td><td>0.67</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	40.14	74.00	-33.86	54.81	32.87	9.83	58.08	0.71	--	Peak	2	7401.00	44.26	74.00	-29.74	52.88	36.30	12.22	57.81	0.67	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4934.00	40.85	74.00	-33.15	55.52	32.87	9.83	58.08	0.71	--	Peak																																																																																																														
2	7401.00	43.76	74.00	-30.24	52.38	36.30	12.22	57.81	0.67	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4934.00	40.14	74.00	-33.86	54.81	32.87	9.83	58.08	0.71	--	Peak																																																																																																														
2	7401.00	44.26	74.00	-29.74	52.88	36.30	12.22	57.81	0.67	--	Peak																																																																																																														







Mode	33	
	Harmonic	
	2400-2483.5_802.11n HT20_CH12_2467MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	34																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH13_2472MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>59.06</td><td>74.00</td><td>-14.94</td><td>51.57</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>118</td><td>223</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	59.06	74.00	-14.94	51.57	27.84	6.69	36.97	9.93	118	223	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>102.01</td><td>-----</td><td>-----</td><td>94.63</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>118</td><td>223</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	102.01	-----	-----	94.63	27.74	6.68	36.97	9.93	118	223	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	59.06	74.00	-14.94	51.57	27.84	6.69	36.97	9.93	118	223	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	102.01	-----	-----	94.63	27.74	6.68	36.97	9.93	118	223	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.63</td><td>54.00</td><td>-3.37</td><td>43.14</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>118</td><td>223</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.63	54.00	-3.37	43.14	27.84	6.69	36.97	9.93	118	223	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>94.14</td><td>-----</td><td>-----</td><td>86.81</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>118</td><td>223</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	94.14	-----	-----	86.81	27.70	6.67	36.97	9.93	118	223	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	50.63	54.00	-3.37	43.14	27.84	6.69	36.97	9.93	118	223	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	94.14	-----	-----	86.81	27.70	6.67	36.97	9.93	118	223	Average																																																																																								







Mode	34																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH13_2472MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.12</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>46.92</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>300</td><td>135</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.12	54.41	74.00	-19.59	46.92	27.84	6.69	36.97	9.93	300	135	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>92.54</td><td>-----</td><td>-----</td><td>85.16</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>300</td><td>135</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	92.54	-----	-----	85.16	27.74	6.68	36.97	9.93	300	135	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.12	54.41	74.00	-19.59	46.92	27.84	6.69	36.97	9.93	300	135	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	92.54	-----	-----	85.16	27.74	6.68	36.97	9.93	300	135	Peak																																																																																								
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>37.29</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>300</td><td>135</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	44.78	54.00	-9.22	37.29	27.84	6.69	36.97	9.93	300	135	Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>85.14</td><td>-----</td><td>-----</td><td>77.76</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>300</td><td>135</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	85.14	-----	-----	77.76	27.74	6.68	36.97	9.93	300	135	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	44.78	54.00	-9.22	37.29	27.84	6.69	36.97	9.93	300	135	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	85.14	-----	-----	77.76	27.74	6.68	36.97	9.93	300	135	Average																																																																																								



Mode	34																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11n HT20_CH13_2472MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-18</div><div>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>41.41</td><td>74.00</td><td>-32.59</td><td>55.97</td><td>32.95</td><td>9.84</td><td>58.06</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>52.65</td><td>36.30</td><td>12.23</td><td>57.83</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	41.41	74.00	-32.59	55.97	32.95	9.84	58.06	0.71	--	Peak	2	7416.00	44.02	74.00	-29.98	52.65	36.30	12.23	57.83	0.67	--	Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-18</div><div>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.96</td><td>74.00</td><td>-33.04</td><td>55.52</td><td>32.95</td><td>9.84</td><td>58.06</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>53.30</td><td>36.30</td><td>12.23</td><td>57.83</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.96	74.00	-33.04	55.52	32.95	9.84	58.06	0.71	--	Peak	2	7416.00	44.67	74.00	-29.33	53.30	36.30	12.23	57.83	0.67	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4944.00	41.41	74.00	-32.59	55.97	32.95	9.84	58.06	0.71	--	Peak																																																																																																															
2	7416.00	44.02	74.00	-29.98	52.65	36.30	12.23	57.83	0.67	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4944.00	40.96	74.00	-33.04	55.52	32.95	9.84	58.06	0.71	--	Peak																																																																																																															
2	7416.00	44.67	74.00	-29.33	53.30	36.30	12.23	57.83	0.67	--	Peak																																																																																																															



Mode	34	
	Harmonic	
	2400-2483.5_802.11n HT20_CH13_2472MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	35																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>59.87</td><td>74.00</td><td>-14.13</td><td>52.95</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	59.87	74.00	-14.13	52.95	27.40	6.56	36.97	9.93	100	219 Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.80</td><td>-----</td><td>-----</td><td>100.84</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.80	-----	-----	100.84	27.40	6.60	36.97	9.93	100	219 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	59.87	74.00	-14.13	52.95	27.40	6.56	36.97	9.93	100	219 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	107.80	-----	-----	100.84	27.40	6.60	36.97	9.93	100	219 Peak																																																																																							
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>40.86</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	47.78	54.00	-6.22	40.86	27.40	6.56	36.97	9.93	100	219 Average	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.25</td><td>-----</td><td>-----</td><td>92.29</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.25	-----	-----	92.29	27.40	6.60	36.97	9.93	100	219 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	47.78	54.00	-6.22	40.86	27.40	6.56	36.97	9.93	100	219 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	99.25	-----	-----	92.29	27.40	6.60	36.97	9.93	100	219 Average																																																																																							



Mode	35																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																
ANT	0																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74_3m_91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>57.88</td><td>74.00</td><td>-16.12</td><td>50.96</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>305</td><td>0 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	57.88	74.00	-16.12	50.96	27.40	6.56	36.97	9.93	305	0 Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74_3m_91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.12</td><td>-----</td><td>-----</td><td>97.16</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>305</td><td>0 Peak</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.12	-----	-----	97.16	27.40	6.60	36.97	9.93	305	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.56	57.88	74.00	-16.12	50.96	27.40	6.56	36.97	9.93	305	0 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	104.12	-----	-----	97.16	27.40	6.60	36.97	9.93	305	0 Peak																																																																																						
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54_3m_91200_02038 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>46.45</td><td>54.00</td><td>-7.55</td><td>39.53</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>305</td><td>0 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	46.45	54.00	-7.55	39.53	27.40	6.56	36.97	9.93	305	0 Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54_3m_91200_02038 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.59</td><td>-----</td><td>-----</td><td>88.63</td><td>27.40</td><td>6.60</td><td>36.97</td><td>9.93</td><td>305</td><td>0 Average</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.59	-----	-----	88.63	27.40	6.60	36.97	9.93	305	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.69	46.45	54.00	-7.55	39.53	27.40	6.56	36.97	9.93	305	0 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	95.59	-----	-----	88.63	27.40	6.60	36.97	9.93	305	0 Average																																																																																						



Mode	35																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																																															
ANT	0																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-18</div></div><div>PEAK_74</div><div>AVG_54</div></div>						<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-18</div></div><div>PEAK_74</div><div>AVG_54</div></div>																																																																																																																									
	<div>Site : 03CH13-HY</div> <div>Condition: PEAK_74 3m 91280_02038 HORIZONTAL</div> <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>42.01</td><td>74.00</td><td>-31.99</td><td>57.54</td><td>32.44</td><td>9.67</td><td>58.34</td><td>0.70</td><td>350</td><td>96 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>32.19</td><td>54.00</td><td>-21.81</td><td>47.72</td><td>32.44</td><td>9.67</td><td>58.34</td><td>0.70</td><td>350</td><td>96 Average</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1	4824.00	42.01	74.00	-31.99	57.54	32.44	9.67	58.34	0.70	350	96 Peak	2	4824.00	32.19	54.00	-21.81	47.72	32.44	9.67	58.34	0.70	350	96 Average	<div>Site : 03CH13-HY</div> <div>Condition: PEAK_74 3m 91280_02038 VERTICAL</div> <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>43.51</td><td>74.00</td><td>-30.49</td><td>59.04</td><td>32.44</td><td>9.67</td><td>58.34</td><td>0.70</td><td>100</td><td>47 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>34.55</td><td>54.00</td><td>-19.45</td><td>50.00</td><td>32.44</td><td>9.67</td><td>58.34</td><td>0.70</td><td>100</td><td>47 Average</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1	4824.00	43.51	74.00	-30.49	59.04	32.44	9.67	58.34	0.70	100	47 Peak	2	4824.00	34.55	54.00	-19.45	50.00	32.44	9.67	58.34	0.70	100
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4824.00	42.01	74.00	-31.99	57.54	32.44	9.67	58.34	0.70	350	96 Peak																																																																																																																					
2	4824.00	32.19	54.00	-21.81	47.72	32.44	9.67	58.34	0.70	350	96 Average																																																																																																																					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4824.00	43.51	74.00	-30.49	59.04	32.44	9.67	58.34	0.70	100	47 Peak																																																																																																																					
2	4824.00	34.55	54.00	-19.45	50.00	32.44	9.67	58.34	0.70	100	47 Average																																																																																																																					



Mode	35	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p></div>	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p></div>
	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p></div>	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p></div>



Mode	36																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_Partial_26/0RU_2412MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.34</td><td>52.05</td><td>74.00</td><td>-21.95</td><td>45.19</td><td>27.40</td><td>6.50</td><td>36.97</td><td>9.93</td><td>100</td><td>340</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.34	52.05	74.00	-21.95	45.19	27.40	6.50	36.97	9.93	100	340	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.73</td><td>-----</td><td>-----</td><td>102.78</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>100</td><td>340</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.73	-----	-----	102.78	27.40	6.59	36.97	9.93	100	340	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2351.34	52.05	74.00	-21.95	45.19	27.40	6.50	36.97	9.93	100	340	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	109.73	-----	-----	102.78	27.40	6.59	36.97	9.93	100	340	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>42.06</td><td>54.00</td><td>-11.94</td><td>35.15</td><td>27.39</td><td>6.56</td><td>36.97</td><td>9.93</td><td>100</td><td>340</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	42.06	54.00	-11.94	35.15	27.39	6.56	36.97	9.93	100	340	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.89</td><td>-----</td><td>-----</td><td>94.94</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>100</td><td>340</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.89	-----	-----	94.94	27.40	6.59	36.97	9.93	100	340	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.65	42.06	54.00	-11.94	35.15	27.39	6.56	36.97	9.93	100	340	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	101.89	-----	-----	94.94	27.40	6.59	36.97	9.93	100	340	Average																																																																																								



Mode	36																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11ax HE20_CH01_Partial_26/0RU_2412MHz																																																																																																
ANT	0																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: PEAK_BE_74_3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2314.94</td><td>51.49</td><td>74.00</td><td>-22.51</td><td>44.84</td><td>27.25</td><td>6.44</td><td>36.97</td><td>9.93</td><td>400</td><td>0 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2314.94	51.49	74.00	-22.51	44.84	27.25	6.44	36.97	9.93	400	0 Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: PEAK_74_3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>100.21</td><td>-----</td><td>-----</td><td>93.26</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>400</td><td>0 Peak</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.21	-----	-----	93.26	27.40	6.59	36.97	9.93	400	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2314.94	51.49	74.00	-22.51	44.84	27.25	6.44	36.97	9.93	400	0 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	100.21	-----	-----	93.26	27.40	6.59	36.97	9.93	400	0 Peak																																																																																						
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: AVG_BE_54_3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>35.25</td><td>27.36</td><td>6.56</td><td>36.97</td><td>9.93</td><td>400</td><td>0 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	42.13	54.00	-11.87	35.25	27.36	6.56	36.97	9.93	400	0 Average	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: AVG_54_3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>92.32</td><td>-----</td><td>-----</td><td>85.37</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>400</td><td>0 Average</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	92.32	-----	-----	85.37	27.40	6.59	36.97	9.93	400	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2386.05	42.13	54.00	-11.87	35.25	27.36	6.56	36.97	9.93	400	0 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	92.32	-----	-----	85.37	27.40	6.59	36.97	9.93	400	0 Average																																																																																						



Mode	37																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_Partial_52/37RU_2412MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.52</td><td>52.38</td><td>74.00</td><td>-21.62</td><td>45.53</td><td>27.37</td><td>6.52</td><td>36.97</td><td>9.93</td><td>121</td><td>301</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2362.52	52.38	74.00	-21.62	45.53	27.37	6.52	36.97	9.93	121	301	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.44</td><td>-----</td><td>-----</td><td>103.49</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>121</td><td>301</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.44	-----	-----	103.49	27.40	6.59	36.97	9.93	121	301	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2362.52	52.38	74.00	-21.62	45.53	27.37	6.52	36.97	9.93	121	301	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	110.44	-----	-----	103.49	27.40	6.59	36.97	9.93	121	301	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>35.81</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>121</td><td>301</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	42.73	54.00	-11.27	35.81	27.40	6.56	36.97	9.93	121	301	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.05</td><td>-----</td><td>-----</td><td>95.10</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>121</td><td>301</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.05	-----	-----	95.10	27.40	6.59	36.97	9.93	121	301	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.56	42.73	54.00	-11.27	35.81	27.40	6.56	36.97	9.93	121	301	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	102.05	-----	-----	95.10	27.40	6.59	36.97	9.93	121	301	Average																																																																																								



Mode	37																																																																																								
	Band Edge																																																																																								
	2400-2483.5_802.11ax HE20_CH01_Partial_52/37RU_2412MHz																																																																																								
ANT	0																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div>						<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div>																																																																																		
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2356.02</td><td>51.94</td><td>74.00</td><td>-22.06</td><td>45.07</td><td>27.40</td><td>6.51</td><td>36.97</td><td>9.93</td><td>292</td><td>360</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2356.02	51.94	74.00	-22.06	45.07	27.40	6.51	36.97	9.93	292	360	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.73</td><td>-----</td><td>-----</td><td>97.78</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>292</td><td>360</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	104.73	-----	-----	97.78	27.40	6.59	36.97	9.93	292	360
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2356.02	51.94	74.00	-22.06	45.07	27.40	6.51	36.97	9.93	292	360	Peak																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	104.73	-----	-----	97.78	27.40	6.59	36.97	9.93	292	360	Peak																																																																													
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div></div>						<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div></div>																																																																																		
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2388.52</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>35.28</td><td>27.39</td><td>6.56</td><td>36.97</td><td>9.93</td><td>292</td><td>360</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2388.52	42.19	54.00	-11.81	35.28	27.39	6.56	36.97	9.93	292	360	Average	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>95.66</td><td>-----</td><td>-----</td><td>88.71</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>292</td><td>360</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	95.66	-----	-----	88.71	27.40	6.59	36.97	9.93	292	360
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2388.52	42.19	54.00	-11.81	35.28	27.39	6.56	36.97	9.93	292	360	Average																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	95.66	-----	-----	88.71	27.40	6.59	36.97	9.93	292	360	Average																																																																													



Mode	38																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_Partial_106/53RU_2412MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.66</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>50.47</td><td>27.36</td><td>6.56</td><td>36.97</td><td>9.93</td><td>300</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.66	57.35	74.00	-16.65	50.47	27.36	6.56	36.97	9.93	300	130	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.16</td><td>-----</td><td>-----</td><td>103.21</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>300</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.16	-----	-----	103.21	27.40	6.59	36.97	9.93	300	130	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2385.66	57.35	74.00	-16.65	50.47	27.36	6.56	36.97	9.93	300	130	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	110.16	-----	-----	103.21	27.40	6.59	36.97	9.93	300	130	Peak																																																																																								
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>47.72</td><td>54.00</td><td>-6.28</td><td>40.00</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>300</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	47.72	54.00	-6.28	40.00	27.40	6.56	36.97	9.93	300	130	Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.21</td><td>-----</td><td>-----</td><td>94.26</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>300</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.21	-----	-----	94.26	27.40	6.59	36.97	9.93	300	130	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.69	47.72	54.00	-6.28	40.00	27.40	6.56	36.97	9.93	300	130	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	101.21	-----	-----	94.26	27.40	6.59	36.97	9.93	300	130	Average																																																																																								







Mode	38																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH01_Partial_106/53RU_2412MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74_3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>46.36</td><td>27.39</td><td>6.56</td><td>36.97</td><td>9.93</td><td>385</td><td>0 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	53.27	74.00	-20.73	46.36	27.39	6.56	36.97	9.93	385	0 Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74_3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.79</td><td>-----</td><td>-----</td><td>95.84</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>385</td><td>0 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.79	-----	-----	95.84	27.40	6.59	36.97	9.93	385	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.17	53.27	74.00	-20.73	46.36	27.39	6.56	36.97	9.93	385	0 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	102.79	-----	-----	95.84	27.40	6.59	36.97	9.93	385	0 Peak																																																																																							
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54_3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>35.98</td><td>27.40</td><td>6.56</td><td>36.97</td><td>9.93</td><td>385</td><td>0 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	42.90	54.00	-11.10	35.98	27.40	6.56	36.97	9.93	385	0 Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54_3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.90</td><td>-----</td><td>-----</td><td>87.95</td><td>27.40</td><td>6.59</td><td>36.97</td><td>9.93</td><td>385</td><td>0 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.90	-----	-----	87.95	27.40	6.59	36.97	9.93	385	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.56	42.90	54.00	-11.10	35.98	27.40	6.56	36.97	9.93	385	0 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	94.90	-----	-----	87.95	27.40	6.59	36.97	9.93	385	0 Average																																																																																							



Mode	39																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																																																			
ANT	0																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.40</td><td>74.00</td><td>-33.60</td><td>55.57</td><td>32.60</td><td>9.74</td><td>58.22</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>53.24</td><td>36.68</td><td>12.15</td><td>57.67</td><td>0.66</td><td>--</td><td>--</td><td>Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.40	74.00	-33.60	55.57	32.60	9.74	58.22	0.71	--	--	Peak	2	7311.00	45.06	74.00	-28.94	53.24	36.68	12.15	57.67	0.66	--	--	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>56.14</td><td>32.60</td><td>9.74</td><td>58.22</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>53.59</td><td>36.68</td><td>12.15</td><td>57.67</td><td>0.66</td><td>--</td><td>--</td><td>Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.97	74.00	-33.03	56.14	32.60	9.74	58.22	0.71	--	--	Peak	2	7311.00	45.41	74.00	-28.59	53.59	36.68	12.15	57.67	0.66	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	4874.00	40.40	74.00	-33.60	55.57	32.60	9.74	58.22	0.71	--	--	Peak																																																																																																								
2	7311.00	45.06	74.00	-28.94	53.24	36.68	12.15	57.67	0.66	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	4874.00	40.97	74.00	-33.03	56.14	32.60	9.74	58.22	0.71	--	--	Peak																																																																																																								
2	7311.00	45.41	74.00	-28.59	53.59	36.68	12.15	57.67	0.66	--	--	Peak																																																																																																								



Mode	39	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	40																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>PEAK_BE_74</p></div> <div><p>Site : 03CH13-HY</p><p>Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL</p><p>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>63.71</td><td>74.00</td><td>-10.29</td><td>56.22</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	63.71	74.00	-10.29	56.22	27.84	6.69	36.97	9.93	100	219 Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>PEAK_74</p></div> <div><p>Site : 03CH13-HY</p><p>Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><p>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.25</td><td>-----</td><td>-----</td><td>103.00</td><td>27.62</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.25	-----	-----	103.00	27.62	6.67	36.97	9.93	100	219 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.55	63.71	74.00	-10.29	56.22	27.84	6.69	36.97	9.93	100	219 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	110.25	-----	-----	103.00	27.62	6.67	36.97	9.93	100	219 Peak																																																																																							
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>AVG_BE_54</p></div> <div><p>Site : 03CH13-HY</p><p>Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL</p><p>: RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>43.35</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.84	54.00	-3.16	43.35	27.84	6.69	36.97	9.93	100	219 Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>AVG_54</p></div> <div><p>Site : 03CH13-HY</p><p>Condition: AVG_54 3m 91280_02038 HORIZONTAL</p><p>: RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.48</td><td>-----</td><td>-----</td><td>94.27</td><td>27.58</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.48	-----	-----	94.27	27.58	6.67	36.97	9.93	100	219 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.51	50.84	54.00	-3.16	43.35	27.84	6.69	36.97	9.93	100	219 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	101.48	-----	-----	94.27	27.58	6.67	36.97	9.93	100	219 Average																																																																																							







Mode	40																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>PEAK_BE_74</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: PEAK_BE_74 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>60.23</td><td>74.00</td><td>-13.77</td><td>52.74</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>277</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	60.23	74.00	-13.77	52.74	27.84	6.69	36.97	9.93	277	130	Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>PEAK_74</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: PEAK_74 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.14</td><td>-----</td><td>-----</td><td>97.02</td><td>27.50</td><td>6.66</td><td>36.97</td><td>9.93</td><td>277</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.14	-----	-----	97.02	27.50	6.66	36.97	9.93	277	130	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.74	60.23	74.00	-13.77	52.74	27.84	6.69	36.97	9.93	277	130	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	104.14	-----	-----	97.02	27.50	6.66	36.97	9.93	277	130	Peak																																																																																								
Avg	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>AVG_BE_54</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: AVG_BE_54 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:1.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>38.68</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>277</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	46.17	54.00	-7.83	38.68	27.84	6.69	36.97	9.93	277	130	Average	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>AVG_54</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: AVG_54 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:1.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.16</td><td>-----</td><td>-----</td><td>88.00</td><td>27.54</td><td>6.66</td><td>36.97</td><td>9.93</td><td>277</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.16	-----	-----	88.00	27.54	6.66	36.97	9.93	277	130	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.55	46.17	54.00	-7.83	38.68	27.84	6.69	36.97	9.93	277	130	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	95.16	-----	-----	88.00	27.54	6.66	36.97	9.93	277	130	Average																																																																																								







Mode	40																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																																																									
ANT	0																																																																																																																																									
Pol.	Horizontal												Vertical																																																																																																																													
Peak Avg	<div><p>Level (dBuV/m) Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>54.90</td><td>32.79</td><td>9.81</td><td>58.11</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>53.18</td><td>36.38</td><td>12.21</td><td>57.79</td><td>0.67</td><td>--</td><td>--</td><td>Peak</td></tr></table></div>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.10	74.00	-33.90	54.90	32.79	9.81	58.11	0.71	--	--	Peak	2	7386.00	44.65	74.00	-29.35	53.18	36.38	12.21	57.79	0.67	--	--	Peak	<div><p>Level (dBuV/m) Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.30</td><td>74.00</td><td>-33.70</td><td>55.10</td><td>32.79</td><td>9.81</td><td>58.11</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>52.68</td><td>36.38</td><td>12.21</td><td>57.79</td><td>0.67</td><td>--</td><td>--</td><td>Peak</td></tr></table></div>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.30	74.00	-33.70	55.10	32.79	9.81	58.11	0.71	--	--	Peak	2	7386.00	44.15	74.00	-29.85	52.68	36.38	12.21	57.79	0.67	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4924.00	40.10	74.00	-33.90	54.90	32.79	9.81	58.11	0.71	--	--	Peak																																																																																																																														
2	7386.00	44.65	74.00	-29.35	53.18	36.38	12.21	57.79	0.67	--	--	Peak																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4924.00	40.30	74.00	-33.70	55.10	32.79	9.81	58.11	0.71	--	--	Peak																																																																																																																														
2	7386.00	44.15	74.00	-29.85	52.68	36.38	12.21	57.79	0.67	--	--	Peak																																																																																																																														



Mode	40	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	41																																																																																								
	Band Edge																																																																																								
	2400-2483.5_802.11ax HE20_CH11_Partial_26/8RU_2462MHz																																																																																								
ANT	0																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz). Date: 2025-08-14. Peak labeled PEAK_BE_74 at 2484.8 MHz.</p>						 <p>Level (dBuV/m) vs Frequency (MHz). Date: 2025-08-14. Peak labeled PEAK_74 at 2462.0 MHz.</p>																																																																																		
	<p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2487.38</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>44.89</td><td>27.87</td><td>6.70</td><td>36.97</td><td>9.93</td><td>139</td><td>223</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2487.38	52.42	74.00	-21.58	44.89	27.87	6.70	36.97	9.93	139	223	Peak	<p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>109.93</td><td>-----</td><td>-----</td><td>102.60</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>139</td><td>223</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2462.00	109.93	-----	-----	102.60	27.70	6.67	36.97	9.93	139	223
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2487.38	52.42	74.00	-21.58	44.89	27.87	6.70	36.97	9.93	139	223	Peak																																																																													
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2462.00	109.93	-----	-----	102.60	27.70	6.67	36.97	9.93	139	223	Peak																																																																													
Avg	 <p>Level (dBuV/m) vs Frequency (MHz). Date: 2025-08-14. Average labeled AVG_BE_54 at 2484.8 MHz.</p>						 <p>Level (dBuV/m) vs Frequency (MHz). Date: 2025-08-14. Average labeled AVG_54 at 2462.0 MHz.</p>																																																																																		
	<p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p> <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2487.54</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>35.33</td><td>27.88</td><td>6.70</td><td>36.97</td><td>9.93</td><td>139</td><td>223</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2487.54	42.87	54.00	-11.13	35.33	27.88	6.70	36.97	9.93	139	223	Average	<p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p> <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>103.09</td><td>-----</td><td>-----</td><td>95.76</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>139</td><td>223</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2462.00	103.09	-----	-----	95.76	27.70	6.67	36.97	9.93	139	223
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2487.54	42.87	54.00	-11.13	35.33	27.88	6.70	36.97	9.93	139	223	Average																																																																													
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2462.00	103.09	-----	-----	95.76	27.70	6.67	36.97	9.93	139	223	Average																																																																													



Mode	41																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH11_Partial_26/8RU_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>PEAK_BE_74</div></div> <div>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.06</td><td>53.06</td><td>74.00</td><td>-20.94</td><td>45.49</td><td>27.90</td><td>6.71</td><td>36.97</td><td>9.93</td><td>100</td><td>211</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.06	53.06	74.00	-20.94	45.49	27.90	6.71	36.97	9.93	100	211	Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>PEAK_74</div></div> <div>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.57</td><td>-----</td><td>-----</td><td>88.24</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>211</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.57	-----	-----	88.24	27.70	6.67	36.97	9.93	100	211	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2495.06	53.06	74.00	-20.94	45.49	27.90	6.71	36.97	9.93	100	211	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	95.57	-----	-----	88.24	27.70	6.67	36.97	9.93	100	211	Peak																																																																																								
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>AVG_BE_54</div></div> <div>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2500.00</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>35.09</td><td>27.90</td><td>6.72</td><td>36.97</td><td>9.93</td><td>100</td><td>211</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	42.67	54.00	-11.33	35.09	27.90	6.72	36.97	9.93	100	211	Average	<div><div>Level (dBuV/m)</div><div>Date: 2025-08-14</div><div>AVG_54</div></div> <div>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>86.74</td><td>-----</td><td>-----</td><td>79.41</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>211</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	86.74	-----	-----	79.41	27.70	6.67	36.97	9.93	100	211	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2500.00	42.67	54.00	-11.33	35.09	27.90	6.72	36.97	9.93	100	211	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	86.74	-----	-----	79.41	27.70	6.67	36.97	9.93	100	211	Average																																																																																								



Mode	42																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH11_Partial_52/40RU_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.18</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>46.54</td><td>27.85</td><td>6.69</td><td>36.97</td><td>9.93</td><td>105</td><td>223</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.18	54.04	74.00	-19.96	46.54	27.85	6.69	36.97	9.93	105	223	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.50</td><td>-----</td><td>-----</td><td>106.17</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>105</td><td>223</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.50	-----	-----	106.17	27.70	6.67	36.97	9.93	105	223	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.18	54.04	74.00	-19.96	46.54	27.85	6.69	36.97	9.93	105	223	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	113.50	-----	-----	106.17	27.70	6.67	36.97	9.93	105	223	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.74</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>36.31</td><td>27.87</td><td>6.70</td><td>36.97</td><td>9.93</td><td>105</td><td>223</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.74	43.84	54.00	-10.16	36.31	27.87	6.70	36.97	9.93	105	223	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.36</td><td>-----</td><td>-----</td><td>96.03</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>105</td><td>223</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.36	-----	-----	96.03	27.70	6.67	36.97	9.93	105	223	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2486.74	43.84	54.00	-10.16	36.31	27.87	6.70	36.97	9.93	105	223	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	103.36	-----	-----	96.03	27.70	6.67	36.97	9.93	105	223	Average																																																																																								



Mode	42																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH11_Partial_52/40RU_2462MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>PEAK_BE_74</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: PEAK_BE_74 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.73</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>44.88</td><td>27.88</td><td>6.70</td><td>36.97</td><td>9.93</td><td>200</td><td>17 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.73	52.42	74.00	-21.58	44.88	27.88	6.70	36.97	9.93	200	17 Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>PEAK_74</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: PEAK_74 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.02</td><td>-----</td><td>-----</td><td>90.69</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>200</td><td>17 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.02	-----	-----	90.69	27.70	6.67	36.97	9.93	200	17 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2487.73	52.42	74.00	-21.58	44.88	27.88	6.70	36.97	9.93	200	17 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	98.02	-----	-----	90.69	27.70	6.67	36.97	9.93	200	17 Peak																																																																																							
Avg	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>AVG_BE_54</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: AVG_BE_54 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.31</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>35.23</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>200</td><td>17 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.31	42.72	54.00	-11.28	35.23	27.84	6.69	36.97	9.93	200	17 Average	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>AVG_54</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: AVG_54 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>89.64</td><td>-----</td><td>-----</td><td>82.35</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>200</td><td>17 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	89.64	-----	-----	82.35	27.66	6.67	36.97	9.93	200	17 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.31	42.72	54.00	-11.28	35.23	27.84	6.69	36.97	9.93	200	17 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	89.64	-----	-----	82.35	27.66	6.67	36.97	9.93	200	17 Average																																																																																							



Mode	43																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH11_Partial_106/54RU_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>68.39</td><td>74.00</td><td>-5.61</td><td>60.90</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>117</td><td>224</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	68.39	74.00	-5.61	60.90	27.84	6.69	36.97	9.93	117	224	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>112.16</td><td>-----</td><td>-----</td><td>104.80</td><td>27.72</td><td>6.68</td><td>36.97</td><td>9.93</td><td>117</td><td>224</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.16	-----	-----	104.80	27.72	6.68	36.97	9.93	117	224	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.62	68.39	74.00	-5.61	60.90	27.84	6.69	36.97	9.93	117	224	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	112.16	-----	-----	104.80	27.72	6.68	36.97	9.93	117	224	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBN:3.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.72</td><td>50.04</td><td>54.00</td><td>-3.96</td><td>42.54</td><td>27.85</td><td>6.69</td><td>36.97</td><td>9.93</td><td>117</td><td>224</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.72	50.04	54.00	-3.96	42.54	27.85	6.69	36.97	9.93	117	224	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBN:3.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.16</td><td>-----</td><td>-----</td><td>95.83</td><td>27.70</td><td>6.67</td><td>36.97</td><td>9.93</td><td>117</td><td>224</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.16	-----	-----	95.83	27.70	6.67	36.97	9.93	117	224	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.72	50.04	54.00	-3.96	42.54	27.85	6.69	36.97	9.93	117	224	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	103.16	-----	-----	95.83	27.70	6.67	36.97	9.93	117	224	Average																																																																																								



Mode	43																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH11_Partial_106/54RU_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>PEAK_BE_74</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.13</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>46.32</td><td>27.86</td><td>6.70</td><td>36.97</td><td>9.93</td><td>283</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.13	53.84	74.00	-20.16	46.32	27.86	6.70	36.97	9.93	283	130	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>PEAK_74</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.44</td><td>-----</td><td>-----</td><td>97.19</td><td>27.62</td><td>6.67</td><td>36.97</td><td>9.93</td><td>283</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.44	-----	-----	97.19	27.62	6.67	36.97	9.93	283	130	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2486.13	53.84	74.00	-20.16	46.32	27.86	6.70	36.97	9.93	283	130	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	104.44	-----	-----	97.19	27.62	6.67	36.97	9.93	283	130	Peak																																																																																								
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>AVG_BE_54</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>37.24</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>283</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	44.73	54.00	-9.27	37.24	27.84	6.69	36.97	9.93	283	130	Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>AVG_54</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.13</td><td>-----</td><td>-----</td><td>87.92</td><td>27.58</td><td>6.67</td><td>36.97</td><td>9.93</td><td>283</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.13	-----	-----	87.92	27.58	6.67	36.97	9.93	283	130	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.62	44.73	54.00	-9.27	37.24	27.84	6.69	36.97	9.93	283	130	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	95.13	-----	-----	87.92	27.58	6.67	36.97	9.93	283	130	Average																																																																																								



Mode	44																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH12_Full RU_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.27</td><td>64.13</td><td>74.00</td><td>-9.87</td><td>56.60</td><td>27.87</td><td>6.70</td><td>36.97</td><td>9.93</td><td>100</td><td>218</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.27	64.13	74.00	-9.87	56.60	27.87	6.70	36.97	9.93	100	218	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>109.34</td><td>-----</td><td>-----</td><td>102.05</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>218</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	109.34	-----	-----	102.05	27.66	6.67	36.97	9.93	100	218	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2487.27	64.13	74.00	-9.87	56.60	27.87	6.70	36.97	9.93	100	218	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	109.34	-----	-----	102.05	27.66	6.67	36.97	9.93	100	218	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.17</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>42.75</td><td>27.86</td><td>6.70</td><td>36.97</td><td>9.93</td><td>100</td><td>218</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.17	50.27	54.00	-3.73	42.75	27.86	6.70	36.97	9.93	100	218	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>100.26</td><td>-----</td><td>-----</td><td>92.97</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>100</td><td>218</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	100.26	-----	-----	92.97	27.66	6.67	36.97	9.93	100	218	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2486.17	50.27	54.00	-3.73	42.75	27.86	6.70	36.97	9.93	100	218	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	100.26	-----	-----	92.97	27.66	6.67	36.97	9.93	100	218	Average																																																																																								







Mode	44																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH12_Full RU_2467MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>PEAK_BE_74</p></div>						<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>PEAK_74</p></div>																																																																																												
	<div><p>Site : 03CH13-HY</p><p>Condition: PEAK_BE_74 3m 91200_02038 VERTICAL</p><p>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.00</td><td>58.36</td><td>74.00</td><td>-15.64</td><td>50.82</td><td>27.88</td><td>6.70</td><td>36.97</td><td>9.93</td><td>275</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.00	58.36	74.00	-15.64	50.82	27.88	6.70	36.97	9.93	275	130	Peak	<div><p>Site : 03CH13-HY</p><p>Condition: PEAK_74 3m 91200_02038 VERTICAL</p><p>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>102.94</td><td>-----</td><td>-----</td><td>95.69</td><td>27.62</td><td>6.67</td><td>36.97</td><td>9.93</td><td>275</td><td>130</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.94	-----	-----	95.69	27.62	6.67	36.97	9.93	275	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.00	58.36	74.00	-15.64	50.82	27.88	6.70	36.97	9.93	275	130	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	102.94	-----	-----	95.69	27.62	6.67	36.97	9.93	275	130	Peak																																																																																							
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>AVG_BE_54</p></div>						<div><p>Level (dBuV/m)</p><p>Date: 2025-08-14</p><p>AVG_54</p></div>																																																																																												
	<div><p>Site : 03CH13-HY</p><p>Condition: AVG_BE_54 3m 91200_02038 VERTICAL</p><p>: RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.24</td><td>46.20</td><td>54.00</td><td>-7.80</td><td>38.68</td><td>27.86</td><td>6.70</td><td>36.97</td><td>9.93</td><td>275</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.24	46.20	54.00	-7.80	38.68	27.86	6.70	36.97	9.93	275	130	Average	<div><p>Site : 03CH13-HY</p><p>Condition: AVG_54 3m 91200_02038 VERTICAL</p><p>: RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>94.03</td><td>-----</td><td>-----</td><td>86.74</td><td>27.66</td><td>6.67</td><td>36.97</td><td>9.93</td><td>275</td><td>130</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	94.03	-----	-----	86.74	27.66	6.67	36.97	9.93	275	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.24	46.20	54.00	-7.80	38.68	27.86	6.70	36.97	9.93	275	130	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	94.03	-----	-----	86.74	27.66	6.67	36.97	9.93	275	130	Average																																																																																							



Mode	44																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11ax HE20_CH12_Full RU_2467MHz																																																																																																																			
ANT	0																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	<div><p>Level (dBuV/m) Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4934.00</td><td>39.91</td><td>74.00</td><td>-34.09</td><td>54.58</td><td>32.87</td><td>9.83</td><td>58.08</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7401.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>53.17</td><td>36.30</td><td>12.22</td><td>57.81</td><td>0.67 -- -- Peak</td></tr></table></div>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4934.00	39.91	74.00	-34.09	54.58	32.87	9.83	58.08	0.71 -- -- Peak	2	7401.00	44.55	74.00	-29.45	53.17	36.30	12.22	57.81	0.67 -- -- Peak	<div><p>Level (dBuV/m) Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4934.00</td><td>40.79</td><td>74.00</td><td>-33.21</td><td>55.46</td><td>32.87</td><td>9.83</td><td>58.08</td><td>0.71 -- -- Peak</td></tr><tr><td>2</td><td>7401.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>53.07</td><td>36.30</td><td>12.22</td><td>57.81</td><td>0.67 -- -- Peak</td></tr></table></div>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4934.00	40.79	74.00	-33.21	55.46	32.87	9.83	58.08	0.71 -- -- Peak	2	7401.00	44.45	74.00	-29.55	53.07	36.30	12.22	57.81	0.67 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																											
1	4934.00	39.91	74.00	-34.09	54.58	32.87	9.83	58.08	0.71 -- -- Peak																																																																																																											
2	7401.00	44.55	74.00	-29.45	53.17	36.30	12.22	57.81	0.67 -- -- Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																											
1	4934.00	40.79	74.00	-33.21	55.46	32.87	9.83	58.08	0.71 -- -- Peak																																																																																																											
2	7401.00	44.45	74.00	-29.55	53.07	36.30	12.22	57.81	0.67 -- -- Peak																																																																																																											



Mode	44	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH12_Full RU_2467MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	45																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH12_Partial_26/8RU_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.85</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>46.52</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>105</td><td>222</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.85	54.01	74.00	-19.99	46.52	27.84	6.69	36.97	9.93	105	222	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>112.98</td><td>-----</td><td>-----</td><td>105.58</td><td>27.76</td><td>6.68</td><td>36.97</td><td>9.93</td><td>105</td><td>222</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	112.98	-----	-----	105.58	27.76	6.68	36.97	9.93	105	222	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.85	54.01	74.00	-19.99	46.52	27.84	6.69	36.97	9.93	105	222	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	112.98	-----	-----	105.58	27.76	6.68	36.97	9.93	105	222	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>43.92</td><td>54.00</td><td>-10.08</td><td>36.43</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>105</td><td>222</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	43.92	54.00	-10.08	36.43	27.84	6.69	36.97	9.93	105	222	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>104.81</td><td>-----</td><td>-----</td><td>97.41</td><td>27.76</td><td>6.68</td><td>36.97</td><td>9.93</td><td>105</td><td>222</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	104.81	-----	-----	97.41	27.76	6.68	36.97	9.93	105	222	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.62	43.92	54.00	-10.08	36.43	27.84	6.69	36.97	9.93	105	222	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	104.81	-----	-----	97.41	27.76	6.68	36.97	9.93	105	222	Average																																																																																								



Mode	45																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH12_Partial_26/8RU_2467MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>PEAK_BE_74</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: PEAK_BE_74 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.14</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>44.49</td><td>27.88</td><td>6.70</td><td>36.97</td><td>9.93</td><td>152</td><td>0 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.14	52.03	74.00	-21.97	44.49	27.88	6.70	36.97	9.93	152	0 Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>PEAK_74</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: PEAK_74 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>99.09</td><td>-----</td><td>-----</td><td>91.69</td><td>27.76</td><td>6.68</td><td>36.97</td><td>9.93</td><td>152</td><td>0 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	99.09	-----	-----	91.69	27.76	6.68	36.97	9.93	152	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.14	52.03	74.00	-21.97	44.49	27.88	6.70	36.97	9.93	152	0 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.00	99.09	-----	-----	91.69	27.76	6.68	36.97	9.93	152	0 Peak																																																																																							
Avg	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>AVG_BE_54</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: AVG_BE_54 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.33</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>35.20</td><td>27.90</td><td>6.71</td><td>36.97</td><td>9.93</td><td>152</td><td>0 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.33	42.77	54.00	-11.23	35.20	27.90	6.71	36.97	9.93	152	0 Average	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-08-14</div><div>AVG_54</div></div></div> <div><div>Site : 03CH13-HY</div><div>Condition: AVG_54 3m 91200_02038 VERTICAL</div><div>: RBW:1000.000kHz VBW:3.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>92.23</td><td>-----</td><td>-----</td><td>84.83</td><td>27.76</td><td>6.68</td><td>36.97</td><td>9.93</td><td>152</td><td>0 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	92.23	-----	-----	84.83	27.76	6.68	36.97	9.93	152	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2498.33	42.77	54.00	-11.23	35.20	27.90	6.71	36.97	9.93	152	0 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.00	92.23	-----	-----	84.83	27.76	6.68	36.97	9.93	152	0 Average																																																																																							



Mode	46																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH12_Partial_52/40RU_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>54.08</td><td>74.00</td><td>-19.92</td><td>46.59</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>225</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	54.08	74.00	-19.92	46.59	27.84	6.69	36.97	9.93	100	225	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>111.39</td><td>-----</td><td>-----</td><td>104.01</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>100</td><td>225</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	111.39	-----	-----	104.01	27.74	6.68	36.97	9.93	100	225	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.55	54.08	74.00	-19.92	46.59	27.84	6.69	36.97	9.93	100	225	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	111.39	-----	-----	104.01	27.74	6.68	36.97	9.93	100	225	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.14</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>37.23</td><td>27.85</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>225</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.14	44.73	54.00	-9.27	37.23	27.85	6.69	36.97	9.93	100	225	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>103.52</td><td>-----</td><td>-----</td><td>96.12</td><td>27.76</td><td>6.68</td><td>36.97</td><td>9.93</td><td>100</td><td>225</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	103.52	-----	-----	96.12	27.76	6.68	36.97	9.93	100	225	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.14	44.73	54.00	-9.27	37.23	27.85	6.69	36.97	9.93	100	225	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	103.52	-----	-----	96.12	27.76	6.68	36.97	9.93	100	225	Average																																																																																								



Mode	46																																																																																		
	Band Edge																																																																																		
	2400-2483.5_802.11ax HE20_CH12_Partial_52/40RU_2467MHz																																																																																		
ANT	0																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.58</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>45.44</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>272</td><td>130 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.58	52.93	74.00	-21.07	45.44	27.84	6.69	36.97	9.93	272	130 Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_74</p> <p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2467.00</td><td>105.32</td><td>-----</td><td>97.94</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>272</td><td>130 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2467.00	105.32	-----	97.94	27.74	6.68	36.97	9.93	272	130 Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	2483.58	52.93	74.00	-21.07	45.44	27.84	6.69	36.97	9.93	272	130 Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	2467.00	105.32	-----	97.94	27.74	6.68	36.97	9.93	272	130 Peak																																																																									
Avg	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p> <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2489.63</td><td>42.86</td><td>54.00</td><td>-11.14</td><td>35.30</td><td>27.90</td><td>6.70</td><td>36.97</td><td>9.93</td><td>272</td><td>130 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2489.63	42.86	54.00	-11.14	35.30	27.90	6.70	36.97	9.93	272	130 Average	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_54</p> <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p> <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2467.00</td><td>96.64</td><td>-----</td><td>89.26</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>272</td><td>130 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2467.00	96.64	-----	89.26	27.74	6.68	36.97	9.93	272	130 Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	2489.63	42.86	54.00	-11.14	35.30	27.90	6.70	36.97	9.93	272	130 Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	2467.00	96.64	-----	89.26	27.74	6.68	36.97	9.93	272	130 Average																																																																									



Mode	47																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH12_Partial_106/54RU_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>66.44</td><td>74.00</td><td>-7.56</td><td>58.95</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	66.44	74.00	-7.56	58.95	27.84	6.69	36.97	9.93	100	224	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>109.38</td><td>-----</td><td>-----</td><td>101.98</td><td>27.76</td><td>6.68</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	109.38	-----	-----	101.98	27.76	6.68	36.97	9.93	100	224	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	66.44	74.00	-7.56	58.95	27.84	6.69	36.97	9.93	100	224	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	109.38	-----	-----	101.98	27.76	6.68	36.97	9.93	100	224	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>50.07</td><td>54.00</td><td>-3.93</td><td>42.58</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	50.07	54.00	-3.93	42.58	27.84	6.69	36.97	9.93	100	224	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>101.10</td><td>-----</td><td>-----</td><td>93.72</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>100</td><td>224</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	101.10	-----	-----	93.72	27.74	6.68	36.97	9.93	100	224	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.55	50.07	54.00	-3.93	42.58	27.84	6.69	36.97	9.93	100	224	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	101.10	-----	-----	93.72	27.74	6.68	36.97	9.93	100	224	Average																																																																																								



Mode	47																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH12_Partial_106/54RU_2467MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>45.07</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>250</td><td>131</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	52.56	74.00	-21.44	45.07	27.84	6.69	36.97	9.93	250	131	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>100.65</td><td>-----</td><td>-----</td><td>93.25</td><td>27.76</td><td>6.68</td><td>36.97</td><td>9.93</td><td>250</td><td>131</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	100.65	-----	-----	93.25	27.76	6.68	36.97	9.93	250	131	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.34	52.56	74.00	-21.44	45.07	27.84	6.69	36.97	9.93	250	131	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	100.65	-----	-----	93.25	27.76	6.68	36.97	9.93	250	131	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>36.03</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>250</td><td>131</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	43.52	54.00	-10.48	36.03	27.84	6.69	36.97	9.93	250	131	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>92.14</td><td>-----</td><td>-----</td><td>84.74</td><td>27.76</td><td>6.68</td><td>36.97</td><td>9.93</td><td>250</td><td>131</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	92.14	-----	-----	84.74	27.76	6.68	36.97	9.93	250	131	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	43.52	54.00	-10.48	36.03	27.84	6.69	36.97	9.93	250	131	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	92.14	-----	-----	84.74	27.76	6.68	36.97	9.93	250	131	Average																																																																																								



Mode	48																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH13_Full RU_2472MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>62.19</td><td>74.00</td><td>-11.81</td><td>54.70</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	62.19	74.00	-11.81	54.70	27.84	6.69	36.97	9.93	100	219 Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>104.55</td><td>-----</td><td>-----</td><td>97.17</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	104.55	-----	-----	97.17	27.74	6.68	36.97	9.93	100	219 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.62	62.19	74.00	-11.81	54.70	27.84	6.69	36.97	9.93	100	219 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	104.55	-----	-----	97.17	27.74	6.68	36.97	9.93	100	219 Peak																																																																																							
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.80</td><td>54.00</td><td>-3.20</td><td>43.31</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.80	54.00	-3.20	43.31	27.84	6.69	36.97	9.93	100	219 Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>95.73</td><td>-----</td><td>-----</td><td>88.35</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>100</td><td>219 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	95.73	-----	-----	88.35	27.74	6.68	36.97	9.93	100	219 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.51	50.80	54.00	-3.20	43.31	27.84	6.69	36.97	9.93	100	219 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	95.73	-----	-----	88.35	27.74	6.68	36.97	9.93	100	219 Average																																																																																							







Mode	48																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH13_Full RU_2472MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>48.38</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>306</td><td>132</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	55.87	74.00	-18.13	48.38	27.84	6.69	36.97	9.93	306	132	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>96.01</td><td>-----</td><td>-----</td><td>88.65</td><td>27.72</td><td>6.68</td><td>36.97</td><td>9.93</td><td>306</td><td>132</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	96.01	-----	-----	88.65	27.72	6.68	36.97	9.93	306	132	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.58	55.87	74.00	-18.13	48.38	27.84	6.69	36.97	9.93	306	132	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	96.01	-----	-----	88.65	27.72	6.68	36.97	9.93	306	132	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>37.06</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>306</td><td>132</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	44.55	54.00	-9.45	37.06	27.84	6.69	36.97	9.93	306	132	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>87.56</td><td>-----</td><td>-----</td><td>80.18</td><td>27.74</td><td>6.68</td><td>36.97</td><td>9.93</td><td>306</td><td>132</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	87.56	-----	-----	80.18	27.74	6.68	36.97	9.93	306	132	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	44.55	54.00	-9.45	37.06	27.84	6.69	36.97	9.93	306	132	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	87.56	-----	-----	80.18	27.74	6.68	36.97	9.93	306	132	Average																																																																																								



Mode	48																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11ax HE20_CH13_Full RU_2472MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>55.65</td><td>32.95</td><td>9.84</td><td>58.06</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>52.98</td><td>36.30</td><td>12.23</td><td>57.83</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	41.09	74.00	-32.91	55.65	32.95	9.84	58.06	0.71	--	Peak	2	7416.00	44.35	74.00	-29.65	52.98	36.30	12.23	57.83	0.67	--	Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-08-18</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91280_02038 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.70</td><td>74.00</td><td>-33.30</td><td>55.26</td><td>32.95</td><td>9.84</td><td>58.06</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7416.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>53.46</td><td>36.30</td><td>12.23</td><td>57.83</td><td>0.67</td><td>--</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.70	74.00	-33.30	55.26	32.95	9.84	58.06	0.71	--	Peak	2	7416.00	44.83	74.00	-29.17	53.46	36.30	12.23	57.83	0.67	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4944.00	41.09	74.00	-32.91	55.65	32.95	9.84	58.06	0.71	--	Peak																																																																																																															
2	7416.00	44.35	74.00	-29.65	52.98	36.30	12.23	57.83	0.67	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4944.00	40.70	74.00	-33.30	55.26	32.95	9.84	58.06	0.71	--	Peak																																																																																																															
2	7416.00	44.83	74.00	-29.17	53.46	36.30	12.23	57.83	0.67	--	Peak																																																																																																															



Mode	48	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH13_Full RU_2472MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>
	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-08-18</p>  <p>Site : 03CH13-HY Condition: AVG_54 3m 91280_02038 VERTICAL</p>



Mode	49																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH13_Partial_26/8RU_2472MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_BE_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>62.39</td><td>74.00</td><td>-11.61</td><td>54.90</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>101</td><td>223</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	62.39	74.00	-11.61	54.90	27.84	6.69	36.97	9.93	101	223	Peak	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: PEAK_74 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>95.45</td><td>-----</td><td>-----</td><td>88.00</td><td>27.80</td><td>6.69</td><td>36.97</td><td>9.93</td><td>101</td><td>223</td><td>Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	95.45	-----	-----	88.00	27.80	6.69	36.97	9.93	101	223	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.58	62.39	74.00	-11.61	54.90	27.84	6.69	36.97	9.93	101	223	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	95.45	-----	-----	88.00	27.80	6.69	36.97	9.93	101	223	Peak																																																																																								
Avg	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_BE_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBN:3.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.49</td><td>54.00</td><td>-3.51</td><td>43.00</td><td>27.84</td><td>6.69</td><td>36.97</td><td>9.93</td><td>101</td><td>223</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.49	54.00	-3.51	43.00	27.84	6.69	36.97	9.93	101	223	Average	<div><p>Level (dBuV/m) Date: 2025-08-14</p><p>Site : 03CH13-HY Condition: AVG_54 3m 91200_02038 HORIZONTAL : RBW:1000.000kHz VBN:3.000kHz SWT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>88.38</td><td>-----</td><td>-----</td><td>80.93</td><td>27.80</td><td>6.69</td><td>36.97</td><td>9.93</td><td>101</td><td>223</td><td>Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	88.38	-----	-----	80.93	27.80	6.69	36.97	9.93	101	223	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	50.49	54.00	-3.51	43.00	27.84	6.69	36.97	9.93	101	223	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	88.38	-----	-----	80.93	27.80	6.69	36.97	9.93	101	223	Average																																																																																								