



Mode	2																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																							
Pol.	Horizontal										Vertical																																																																																																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-08-20 Site : 03CH21-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C03A18EN_250007 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4960.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>34.48</td><td>32.64</td><td>12.59</td><td>34.19</td><td>0.69</td><td>-- -- Peak</td></tr><tr><td>2 7440.00</td><td>48.82</td><td>74.00</td><td>-25.18</td><td>32.05</td><td>36.82</td><td>15.57</td><td>36.81</td><td>1.19</td><td>-- -- Peak</td></tr><tr><td>3 7440.00</td><td>39.60</td><td>54.00</td><td>-14.40</td><td>22.83</td><td>36.82</td><td>15.57</td><td>36.81</td><td>1.19</td><td>-- -- Average</td></tr><tr><td>4 10360.00</td><td>57.59</td><td>68.20</td><td>-10.61</td><td>40.06</td><td>37.36</td><td>18.42</td><td>39.85</td><td>0.80</td><td>118 122 Peak</td></tr><tr><td>5 15540.00</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>34.19</td><td>40.80</td><td>22.96</td><td>45.42</td><td>0.60</td><td>-- -- Peak</td></tr><tr><td>6 15540.00</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>24.41</td><td>40.80</td><td>22.96</td><td>45.42</td><td>0.60</td><td>-- -- Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4960.00	46.21	74.00	-27.79	34.48	32.64	12.59	34.19	0.69	-- -- Peak	2 7440.00	48.82	74.00	-25.18	32.05	36.82	15.57	36.81	1.19	-- -- Peak	3 7440.00	39.60	54.00	-14.40	22.83	36.82	15.57	36.81	1.19	-- -- Average	4 10360.00	57.59	68.20	-10.61	40.06	37.36	18.42	39.85	0.80	118 122 Peak	5 15540.00	53.13	74.00	-20.87	34.19	40.80	22.96	45.42	0.60	-- -- Peak	6 15540.00	43.35	54.00	-10.65	24.41	40.80	22.96	45.42	0.60	-- -- Average	Level (dBuV/m) Date: 2025-08-20 Site : 03CH21-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C03A18EN_250007 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4960.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>33.14</td><td>32.64</td><td>12.59</td><td>34.19</td><td>0.69</td><td>-- -- Peak</td></tr><tr><td>2 7440.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>32.04</td><td>36.82</td><td>15.57</td><td>36.81</td><td>1.19</td><td>-- -- Peak</td></tr><tr><td>3 7440.00</td><td>39.46</td><td>54.00</td><td>-14.54</td><td>22.69</td><td>36.82</td><td>15.57</td><td>36.81</td><td>1.19</td><td>-- -- Average</td></tr><tr><td>4 10360.00</td><td>52.41</td><td>68.20</td><td>-15.79</td><td>35.60</td><td>37.36</td><td>18.42</td><td>39.85</td><td>0.80</td><td>112 330 Peak</td></tr><tr><td>5 15540.00</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>34.31</td><td>40.80</td><td>22.96</td><td>45.42</td><td>0.60</td><td>-- -- Peak</td></tr><tr><td>6 15540.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>24.32</td><td>40.80</td><td>22.96</td><td>45.42</td><td>0.60</td><td>-- -- Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4960.00	44.87	74.00	-29.13	33.14	32.64	12.59	34.19	0.69	-- -- Peak	2 7440.00	48.81	74.00	-25.19	32.04	36.82	15.57	36.81	1.19	-- -- Peak	3 7440.00	39.46	54.00	-14.54	22.69	36.82	15.57	36.81	1.19	-- -- Average	4 10360.00	52.41	68.20	-15.79	35.60	37.36	18.42	39.85	0.80	112 330 Peak	5 15540.00	53.25	74.00	-20.75	34.31	40.80	22.96	45.42	0.60	-- -- Peak	6 15540.00	43.26	54.00	-10.74	24.32	40.80	22.96	45.42	0.60	-- -- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																															
1 4960.00	46.21	74.00	-27.79	34.48	32.64	12.59	34.19	0.69	-- -- Peak																																																																																																																																																																																															
2 7440.00	48.82	74.00	-25.18	32.05	36.82	15.57	36.81	1.19	-- -- Peak																																																																																																																																																																																															
3 7440.00	39.60	54.00	-14.40	22.83	36.82	15.57	36.81	1.19	-- -- Average																																																																																																																																																																																															
4 10360.00	57.59	68.20	-10.61	40.06	37.36	18.42	39.85	0.80	118 122 Peak																																																																																																																																																																																															
5 15540.00	53.13	74.00	-20.87	34.19	40.80	22.96	45.42	0.60	-- -- Peak																																																																																																																																																																																															
6 15540.00	43.35	54.00	-10.65	24.41	40.80	22.96	45.42	0.60	-- -- Average																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																															
1 4960.00	44.87	74.00	-29.13	33.14	32.64	12.59	34.19	0.69	-- -- Peak																																																																																																																																																																																															
2 7440.00	48.81	74.00	-25.19	32.04	36.82	15.57	36.81	1.19	-- -- Peak																																																																																																																																																																																															
3 7440.00	39.46	54.00	-14.54	22.69	36.82	15.57	36.81	1.19	-- -- Average																																																																																																																																																																																															
4 10360.00	52.41	68.20	-15.79	35.60	37.36	18.42	39.85	0.80	112 330 Peak																																																																																																																																																																																															
5 15540.00	53.25	74.00	-20.75	34.31	40.80	22.96	45.42	0.60	-- -- Peak																																																																																																																																																																																															
6 15540.00	43.26	54.00	-10.74	24.32	40.80	22.96	45.42	0.60	-- -- Average																																																																																																																																																																																															



Mode	2	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-08-20 Frequency (MHz) Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-08-20 Frequency (MHz) Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	2																																																																																																																									
	SHF																																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-08-27 Site : 03CH21-HY Condition: PEAK(UNII) 1m BBH49170_1223_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 18770.93</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>50.64</td><td>38.32</td><td>25.32</td><td>64.57</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>2 38656.30</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>39.38</td><td>43.93</td><td>37.10</td><td>61.68</td><td>-9.54</td><td>237 296 PEAK</td></tr><tr><td>3 38656.30</td><td>39.39</td><td>54.00</td><td>-14.61</td><td>29.59</td><td>43.91</td><td>37.10</td><td>61.67</td><td>-9.54</td><td>237 296 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 18770.93	40.17	74.00	-33.83	50.64	38.32	25.32	64.57	-9.54	-- -- PEAK	2 38656.30	49.19	74.00	-24.81	39.38	43.93	37.10	61.68	-9.54	237 296 PEAK	3 38656.30	39.39	54.00	-14.61	29.59	43.91	37.10	61.67	-9.54	237 296 Average	Level (dBuV/m) Date: 2025-08-27 Site : 03CH21-HY Condition: PEAK(UNII) 1m BBH49170_1223_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 25672.87</td><td>39.39</td><td>68.20</td><td>-28.81</td><td>41.75</td><td>39.25</td><td>29.64</td><td>61.71</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>2 39287.09</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>37.35</td><td>45.42</td><td>37.46</td><td>62.64</td><td>-9.54</td><td>260 84 PEAK</td></tr><tr><td>3 39287.09</td><td>39.53</td><td>54.00</td><td>-14.47</td><td>28.73</td><td>45.52</td><td>37.47</td><td>62.65</td><td>-9.54</td><td>260 84 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 25672.87	39.39	68.20	-28.81	41.75	39.25	29.64	61.71	-9.54	-- -- PEAK	2 39287.09	48.05	74.00	-25.95	37.35	45.42	37.46	62.64	-9.54	260 84 PEAK	3 39287.09	39.53	54.00	-14.47	28.73	45.52	37.47	62.65	-9.54	260 84 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 18770.93	40.17	74.00	-33.83	50.64	38.32	25.32	64.57	-9.54	-- -- PEAK																																																																																																																	
2 38656.30	49.19	74.00	-24.81	39.38	43.93	37.10	61.68	-9.54	237 296 PEAK																																																																																																																	
3 38656.30	39.39	54.00	-14.61	29.59	43.91	37.10	61.67	-9.54	237 296 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 25672.87	39.39	68.20	-28.81	41.75	39.25	29.64	61.71	-9.54	-- -- PEAK																																																																																																																	
2 39287.09	48.05	74.00	-25.95	37.35	45.42	37.46	62.64	-9.54	260 84 PEAK																																																																																																																	
3 39287.09	39.53	54.00	-14.47	28.73	45.52	37.47	62.65	-9.54	260 84 Average																																																																																																																	



Mode	2																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																
QP/ Peak	Level (dBuV/m) Date: 2025-08-27 Site : 03CH21-HY Condition: QP 3m LF_633038001_241217 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>75.59</td><td>26.98</td><td>40.00</td><td>-13.02</td><td>45.02</td><td>12.86</td><td>1.53</td><td>32.46</td><td>0.03</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>196.04</td><td>32.53</td><td>43.50</td><td>-10.97</td><td>47.58</td><td>14.90</td><td>2.45</td><td>32.46</td><td>0.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>243.40</td><td>27.60</td><td>46.00</td><td>-18.40</td><td>39.48</td><td>17.78</td><td>2.73</td><td>32.46</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>325.85</td><td>28.76</td><td>46.00</td><td>-17.24</td><td>38.47</td><td>19.55</td><td>3.17</td><td>32.50</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>757.50</td><td>29.71</td><td>46.00</td><td>-16.29</td><td>28.98</td><td>28.30</td><td>4.81</td><td>32.53</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>956.35</td><td>33.58</td><td>46.00</td><td>-12.42</td><td>27.62</td><td>31.50</td><td>5.41</td><td>31.16</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	75.59	26.98	40.00	-13.02	45.02	12.86	1.53	32.46	0.03	--	--	Peak	2	196.04	32.53	43.50	-10.97	47.58	14.90	2.45	32.46	0.06	--	--	Peak	3	243.40	27.60	46.00	-18.40	39.48	17.78	2.73	32.46	0.07	--	--	Peak	4	325.85	28.76	46.00	-17.24	38.47	19.55	3.17	32.50	0.07	--	--	Peak	5	757.50	29.71	46.00	-16.29	28.98	28.30	4.81	32.53	0.15	--	--	Peak	6	956.35	33.58	46.00	-12.42	27.62	31.50	5.41	31.16	0.21	--	--	Peak	Level (dBuV/m) Date: 2025-08-27 Site : 03CH21-HY Condition: QP 3m LF_633038001_241217 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>38.73</td><td>27.57</td><td>40.00</td><td>-12.43</td><td>38.35</td><td>20.66</td><td>1.03</td><td>32.49</td><td>0.02</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>139.61</td><td>33.03</td><td>43.50</td><td>-10.47</td><td>45.93</td><td>17.38</td><td>2.08</td><td>32.41</td><td>0.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>269.59</td><td>24.19</td><td>46.00</td><td>-21.81</td><td>34.53</td><td>19.18</td><td>2.88</td><td>32.47</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>473.29</td><td>28.56</td><td>46.00</td><td>-17.44</td><td>33.71</td><td>23.57</td><td>3.81</td><td>32.63</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>757.50</td><td>29.30</td><td>46.00</td><td>-16.70</td><td>28.57</td><td>28.30</td><td>4.81</td><td>32.53</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>959.26</td><td>33.23</td><td>46.00</td><td>-12.77</td><td>27.23</td><td>31.50</td><td>5.42</td><td>31.13</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	38.73	27.57	40.00	-12.43	38.35	20.66	1.03	32.49	0.02	--	--	Peak	2	139.61	33.03	43.50	-10.47	45.93	17.38	2.08	32.41	0.05	--	--	Peak	3	269.59	24.19	46.00	-21.81	34.53	19.18	2.88	32.47	0.07	--	--	Peak	4	473.29	28.56	46.00	-17.44	33.71	23.57	3.81	32.63	0.10	--	--	Peak	5	757.50	29.30	46.00	-16.70	28.57	28.30	4.81	32.53	0.15	--	--	Peak	6	959.26	33.23	46.00	-12.77	27.23	31.50	5.42	31.13	0.21	--	--	Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	75.59	26.98	40.00	-13.02	45.02	12.86	1.53	32.46	0.03	--	--	Peak																																																																																																																																																																																																						
2	196.04	32.53	43.50	-10.97	47.58	14.90	2.45	32.46	0.06	--	--	Peak																																																																																																																																																																																																						
3	243.40	27.60	46.00	-18.40	39.48	17.78	2.73	32.46	0.07	--	--	Peak																																																																																																																																																																																																						
4	325.85	28.76	46.00	-17.24	38.47	19.55	3.17	32.50	0.07	--	--	Peak																																																																																																																																																																																																						
5	757.50	29.71	46.00	-16.29	28.98	28.30	4.81	32.53	0.15	--	--	Peak																																																																																																																																																																																																						
6	956.35	33.58	46.00	-12.42	27.62	31.50	5.41	31.16	0.21	--	--	Peak																																																																																																																																																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	38.73	27.57	40.00	-12.43	38.35	20.66	1.03	32.49	0.02	--	--	Peak																																																																																																																																																																																																						
2	139.61	33.03	43.50	-10.47	45.93	17.38	2.08	32.41	0.05	--	--	Peak																																																																																																																																																																																																						
3	269.59	24.19	46.00	-21.81	34.53	19.18	2.88	32.47	0.07	--	--	Peak																																																																																																																																																																																																						
4	473.29	28.56	46.00	-17.44	33.71	23.57	3.81	32.63	0.10	--	--	Peak																																																																																																																																																																																																						
5	757.50	29.30	46.00	-16.70	28.57	28.30	4.81	32.53	0.15	--	--	Peak																																																																																																																																																																																																						
6	959.26	33.23	46.00	-12.77	27.23	31.50	5.42	31.13	0.21	--	--	Peak																																																																																																																																																																																																						



Mode	3																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																																																							
ANT	0																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.47</td><td>51.00</td><td>74.00</td><td>-23.00</td><td>38.44</td><td>26.87</td><td>8.58</td><td>32.92</td><td>10.03</td><td>159</td><td>319 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.47	51.00	74.00	-23.00	38.44	26.87	8.58	32.92	10.03	159	319 Peak	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>91.33</td><td>-----</td><td>-----</td><td>78.96</td><td>26.60</td><td>8.71</td><td>32.97</td><td>10.03</td><td>159</td><td>319 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	91.33	-----	-----	78.96	26.60	8.71	32.97	10.03	159	319 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2371.47	51.00	74.00	-23.00	38.44	26.87	8.58	32.92	10.03	159	319 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2437.00	91.33	-----	-----	78.96	26.60	8.71	32.97	10.03	159	319 Peak																																																																													
Avg	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2374.90</td><td>41.47</td><td>54.00</td><td>-12.53</td><td>28.97</td><td>26.80</td><td>8.59</td><td>32.92</td><td>10.03</td><td>159</td><td>319 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2374.90	41.47	54.00	-12.53	28.97	26.80	8.59	32.92	10.03	159	319 Average	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>87.83</td><td>-----</td><td>-----</td><td>75.46</td><td>26.60</td><td>8.71</td><td>32.97</td><td>10.03</td><td>159</td><td>319 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	87.83	-----	-----	75.46	26.60	8.71	32.97	10.03	159	319 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2374.90	41.47	54.00	-12.53	28.97	26.80	8.59	32.92	10.03	159	319 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2437.00	87.83	-----	-----	75.46	26.60	8.71	32.97	10.03	159	319 Average																																																																													



Mode	3																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Level (dBuV/m) Date: 2025-08-22 PEAK_BE_74 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_250007 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.81</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>38.17</td><td>26.80</td><td>8.83</td><td>33.01</td><td>10.03</td><td>159</td><td>319</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.81	50.82	74.00	-23.18	38.17	26.80	8.83	33.01	10.03	159	319	Peak	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.81	50.82	74.00	-23.18	38.17	26.80	8.83	33.01	10.03	159	319	Peak																																												
Avg	Level (dBuV/m) Date: 2025-08-22 AVG_BE_54 1 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_250007 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2489.04</td><td>39.82</td><td>54.00</td><td>-14.18</td><td>27.20</td><td>26.78</td><td>8.81</td><td>33.00</td><td>10.03</td><td>159</td><td>319</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.04	39.82	54.00	-14.18	27.20	26.78	8.81	33.00	10.03	159	319	Average	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2489.04	39.82	54.00	-14.18	27.20	26.78	8.81	33.00	10.03	159	319	Average																																												



Mode	3																																																																																					
	Band Edge - L																																																																																					
	2400-2483.5_802.11b_CH06_2437MHz																																																																																					
ANT	0																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>38.13</td><td>26.60</td><td>8.62</td><td>32.93</td><td>10.03</td><td>81 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	50.45	74.00	-23.55	38.13	26.60	8.62	32.93	10.03	81 Peak	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>97.86</td><td>-----</td><td>-----</td><td>85.49</td><td>26.60</td><td>8.71</td><td>32.97</td><td>10.03</td><td>81 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	97.86	-----	-----	85.49	26.60	8.71	32.97	10.03	81 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2389.88	50.45	74.00	-23.55	38.13	26.60	8.62	32.93	10.03	81 Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2437.00	97.86	-----	-----	85.49	26.60	8.71	32.97	10.03	81 Peak																																																																												
Avg	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>27.99</td><td>26.60</td><td>8.62</td><td>32.93</td><td>10.03</td><td>81 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	40.31	54.00	-13.69	27.99	26.60	8.62	32.93	10.03	81 Average	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>94.64</td><td>-----</td><td>-----</td><td>82.27</td><td>26.60</td><td>8.71</td><td>32.97</td><td>10.03</td><td>81 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	94.64	-----	-----	82.27	26.60	8.71	32.97	10.03	81 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2389.88	40.31	54.00	-13.69	27.99	26.60	8.62	32.93	10.03	81 Average																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2437.00	94.64	-----	-----	82.27	26.60	8.71	32.97	10.03	81 Average																																																																												



Mode	3	
	Band Edge - R	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	0	
Pol.	Vertical	Fundamental
Peak		



Mode	3																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Zigbee_Tx_CH11_2405MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2375.27</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>38.29</td><td>26.79</td><td>8.59</td><td>32.92</td><td>10.03</td><td>159</td><td>319 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.27	50.78	74.00	-23.22	38.29	26.79	8.59	32.92	10.03	159	319 Peak	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>107.24</td><td>-----</td><td>-----</td><td>94.74</td><td>26.76</td><td>8.65</td><td>32.94</td><td>10.03</td><td>159</td><td>319 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	107.24	-----	-----	94.74	26.76	8.65	32.94	10.03	159	319 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2375.27	50.78	74.00	-23.22	38.29	26.79	8.59	32.92	10.03	159	319 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	107.24	-----	-----	94.74	26.76	8.65	32.94	10.03	159	319 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2374.98</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>29.44</td><td>26.80</td><td>8.59</td><td>32.92</td><td>10.03</td><td>159</td><td>319 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2374.98	41.94	54.00	-12.06	29.44	26.80	8.59	32.92	10.03	159	319 Average	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>105.46</td><td>-----</td><td>-----</td><td>92.96</td><td>26.76</td><td>8.65</td><td>32.94</td><td>10.03</td><td>159</td><td>319 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	105.46	-----	-----	92.96	26.76	8.65	32.94	10.03	159	319 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2374.98	41.94	54.00	-12.06	29.44	26.80	8.59	32.92	10.03	159	319 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	105.46	-----	-----	92.96	26.76	8.65	32.94	10.03	159	319 Average																																																																																							



Mode	3										
	Band Edge - R										
	2400-2483.5_ Zigbee_Tx_CH11_2405MHz										
ANT	2										
Pol.	Horizontal						Fundamental				
Peak	<										



Mode	3																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_Zigbee_Tx_CH11_2405MHz																																																																																							
ANT	2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_250007 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2312.76</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>37.77</td><td>26.93</td><td>8.47</td><td>32.88</td><td>10.03</td><td>104</td><td>84 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2312.76	50.32	74.00	-23.68	37.77	26.93	8.47	32.88	10.03	104	84 Peak	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_250007 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>97.18</td><td>-----</td><td>-----</td><td>84.81</td><td>26.60</td><td>8.71</td><td>32.97</td><td>10.03</td><td>104</td><td>84 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	97.18	-----	-----	84.81	26.60	8.71	32.97	10.03	104	84 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2312.76	50.32	74.00	-23.68	37.77	26.93	8.47	32.88	10.03	104	84 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2405.00	97.18	-----	-----	84.81	26.60	8.71	32.97	10.03	104	84 Peak																																																																													
Avg	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_250007 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2309.52</td><td>40.72</td><td>54.00</td><td>-13.28</td><td>28.40</td><td>26.60</td><td>8.62</td><td>32.93</td><td>10.03</td><td>104</td><td>84 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2309.52	40.72	54.00	-13.28	28.40	26.60	8.62	32.93	10.03	104	84 Average	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250007 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>94.03</td><td>-----</td><td>-----</td><td>81.66</td><td>26.60</td><td>8.71</td><td>32.97</td><td>10.03</td><td>104</td><td>84 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	94.03	-----	-----	81.66	26.60	8.71	32.97	10.03	104	84 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2309.52	40.72	54.00	-13.28	28.40	26.60	8.62	32.93	10.03	104	84 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2405.00	94.03	-----	-----	81.66	26.60	8.71	32.97	10.03	104	84 Average																																																																													



Mode	3										
	Band Edge - R										
	2400-2483.5_ Zigbee_Tx_CH11_2405MHz										
ANT	2										
Pol.	Vertical						Fundamental				
Peak	<										



3

Mode

2373MHz IM3(Wifi & Zigbee)

Simultaneous


ANT

Pol.

Horizontal


Vertical

Peak



Site : 03CH21-HY
Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL


Freq	Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg			
1	2373.00	51.91	74.00	-22.09	39.37	26.84	8.59	32.92	10.03		184	314	Peak		



Site : 03CH21-HY
Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_250807 VERTICAL


Freq	Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg			
1	2373.00	50.11	74.00	-23.89	37.57	26.84	8.59	32.92	10.03		392	294	Peak		

Avg



Site : 03CH21-HY
Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL

Freq	Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg			
1	2373.00	43.03	54.00	-10.97	30.49	26.84	8.59	32.92	10.03		184	314	Average		



Site : 03CH21-HY
Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 VERTICAL

Freq	Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg			
1	2373.00	39.95	54.00	-14.05	27.41	26.84	8.59	32.92	10.03		392	294	Average		



Mode	3																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																																	
	2400-2483.5_Zigbee_Tx_CH11_2405MHz																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4818.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>32.55</td><td>32.22</td><td>12.35</td><td>34.17</td><td>0.82</td><td>-- -- Peak</td></tr><tr><td>2 4874.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>34.11</td><td>32.35</td><td>12.45</td><td>34.18</td><td>0.76</td><td>105 1 Peak</td></tr><tr><td>3 4874.00</td><td>37.05</td><td>54.00</td><td>-16.95</td><td>25.67</td><td>32.35</td><td>12.45</td><td>34.18</td><td>0.76</td><td>105 1 Average</td></tr><tr><td>4 7311.00</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>32.01</td><td>36.67</td><td>15.42</td><td>36.71</td><td>0.92</td><td>-- -- Peak</td></tr><tr><td>5 7311.00</td><td>37.77</td><td>54.00</td><td>-16.23</td><td>21.47</td><td>36.67</td><td>15.42</td><td>36.71</td><td>0.92</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4818.00	43.77	74.00	-30.23	32.55	32.22	12.35	34.17	0.82	-- -- Peak	2 4874.00	45.49	74.00	-28.51	34.11	32.35	12.45	34.18	0.76	105 1 Peak	3 4874.00	37.05	54.00	-16.95	25.67	32.35	12.45	34.18	0.76	105 1 Average	4 7311.00	48.31	74.00	-25.69	32.01	36.67	15.42	36.71	0.92	-- -- Peak	5 7311.00	37.77	54.00	-16.23	21.47	36.67	15.42	36.71	0.92	-- -- Average	Level (dBuV/m) Date: 2025-08-22 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4818.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>32.78</td><td>32.22</td><td>12.35</td><td>34.17</td><td>0.82</td><td>-- -- Peak</td></tr><tr><td>2 4874.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>33.28</td><td>32.35</td><td>12.45</td><td>34.18</td><td>0.76</td><td>100 244 Peak</td></tr><tr><td>3 4874.00</td><td>34.84</td><td>54.00</td><td>-19.16</td><td>23.46</td><td>32.35</td><td>12.45</td><td>34.18</td><td>0.76</td><td>100 244 Average</td></tr><tr><td>4 7311.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>32.26</td><td>36.67</td><td>15.42</td><td>36.71</td><td>0.92</td><td>-- -- Peak</td></tr><tr><td>5 7311.00</td><td>37.89</td><td>54.00</td><td>-16.11</td><td>21.59</td><td>36.67</td><td>15.42</td><td>36.71</td><td>0.92</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4818.00	44.00	74.00	-30.00	32.78	32.22	12.35	34.17	0.82	-- -- Peak	2 4874.00	44.66	74.00	-29.34	33.28	32.35	12.45	34.18	0.76	100 244 Peak	3 4874.00	34.84	54.00	-19.16	23.46	32.35	12.45	34.18	0.76	100 244 Average	4 7311.00	48.56	74.00	-25.44	32.26	36.67	15.42	36.71	0.92	-- -- Peak	5 7311.00	37.89	54.00	-16.11	21.59	36.67	15.42	36.71	0.92	-- -- Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																									
1 4818.00	43.77	74.00	-30.23	32.55	32.22	12.35	34.17	0.82	-- -- Peak																																																																																																																																																									
2 4874.00	45.49	74.00	-28.51	34.11	32.35	12.45	34.18	0.76	105 1 Peak																																																																																																																																																									
3 4874.00	37.05	54.00	-16.95	25.67	32.35	12.45	34.18	0.76	105 1 Average																																																																																																																																																									
4 7311.00	48.31	74.00	-25.69	32.01	36.67	15.42	36.71	0.92	-- -- Peak																																																																																																																																																									
5 7311.00	37.77	54.00	-16.23	21.47	36.67	15.42	36.71	0.92	-- -- Average																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																									
1 4818.00	44.00	74.00	-30.00	32.78	32.22	12.35	34.17	0.82	-- -- Peak																																																																																																																																																									
2 4874.00	44.66	74.00	-29.34	33.28	32.35	12.45	34.18	0.76	100 244 Peak																																																																																																																																																									
3 4874.00	34.84	54.00	-19.16	23.46	32.35	12.45	34.18	0.76	100 244 Average																																																																																																																																																									
4 7311.00	48.56	74.00	-25.44	32.26	36.67	15.42	36.71	0.92	-- -- Peak																																																																																																																																																									
5 7311.00	37.89	54.00	-16.11	21.59	36.67	15.42	36.71	0.92	-- -- Average																																																																																																																																																									



Mode	3	
	Harmonic	
	2400-2483.5_802.11b_CH06_2437MHz	
	2400-2483.5_Zigbee_Tx_CH11_2405MHz	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-08-22 Frequency (MHz) Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-08-22 Frequency (MHz) Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	3										
	SHF										
	2400-2483.5_802.11b_CH06_2437MHz										
	2400-2483.5_Zigbee_Tx_CH11_2405MHz										
Pol.	Horizontal										Vertical
Peak Avg	Level (dBuV/m) Date: 2025-08-27 </										





Mode	3																																																																																																																																																																																																																																							
	LF																																																																																																																																																																																																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																																																																																																							
	2400-2483.5_Zigbee_Tx_CH11_2405MHz																																																																																																																																																																																																																																							
Pol.	Horizontal												Vertical																																																																																																																																																																																																																											
QP/ Peak	Level (dBuV/m) Date: 2025-08-27 Site : 03CH21-HY Condition: QP 3m LF_633038001_241217 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>77.53</td><td>24.57</td><td>40.00</td><td>-15.43</td><td>42.44</td><td>13.00</td><td>1.55</td><td>32.46</td><td>0.04</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>196.04</td><td>30.27</td><td>43.50</td><td>-13.23</td><td>45.32</td><td>14.90</td><td>2.45</td><td>32.46</td><td>0.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>245.34</td><td>28.63</td><td>46.00</td><td>-17.37</td><td>40.23</td><td>18.05</td><td>2.74</td><td>32.46</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>315.18</td><td>28.63</td><td>46.00</td><td>-17.37</td><td>38.52</td><td>19.40</td><td>3.13</td><td>32.49</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>736.16</td><td>29.63</td><td>46.00</td><td>-16.37</td><td>29.39</td><td>27.95</td><td>4.75</td><td>32.59</td><td>0.13</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>948.59</td><td>34.27</td><td>46.00</td><td>-11.73</td><td>28.00</td><td>31.12</td><td>5.39</td><td>31.24</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-08-27 Site : 03CH21-HY Condition: QP 3m LF_633038001_241217 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>34.85</td><td>30.15</td><td>40.00</td><td>-9.85</td><td>38.83</td><td>22.84</td><td>0.96</td><td>32.50</td><td>0.02</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>169.68</td><td>32.06</td><td>43.50</td><td>-10.64</td><td>47.30</td><td>15.63</td><td>2.28</td><td>32.42</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>264.74</td><td>23.74</td><td>46.00</td><td>-22.26</td><td>33.17</td><td>20.11</td><td>2.86</td><td>32.47</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>338.46</td><td>29.04</td><td>46.00</td><td>-16.96</td><td>38.22</td><td>20.04</td><td>3.23</td><td>32.52</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>749.74</td><td>29.66</td><td>46.00</td><td>-16.34</td><td>28.99</td><td>28.29</td><td>4.79</td><td>32.55</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>957.32</td><td>33.76</td><td>46.00</td><td>-12.24</td><td>27.79</td><td>31.50</td><td>5.41</td><td>31.15</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>																									Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	77.53	24.57	40.00	-15.43	42.44	13.00	1.55	32.46	0.04	--	--	Peak	2	196.04	30.27	43.50	-13.23	45.32	14.90	2.45	32.46	0.06	--	--	Peak	3	245.34	28.63	46.00	-17.37	40.23	18.05	2.74	32.46	0.07	--	--	Peak	4	315.18	28.63	46.00	-17.37	38.52	19.40	3.13	32.49	0.07	--	--	Peak	5	736.16	29.63	46.00	-16.37	29.39	27.95	4.75	32.59	0.13	--	--	Peak	6	948.59	34.27	46.00	-11.73	28.00	31.12	5.39	31.24	0.20	--	--	Peak		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	34.85	30.15	40.00	-9.85	38.83	22.84	0.96	32.50	0.02	--	--	Peak	2	169.68	32.06	43.50	-10.64	47.30	15.63	2.28	32.42	0.07	--	--	Peak	3	264.74	23.74	46.00	-22.26	33.17	20.11	2.86	32.47	0.07	--	--	Peak	4	338.46	29.04	46.00	-16.96	38.22	20.04	3.23	32.52	0.07	--	--	Peak	5	749.74	29.66	46.00	-16.34	28.99	28.29	4.79	32.55	0.14	--	--	Peak	6	957.32	33.76	46.00	-12.24	27.79	31.50	5.41	31.15	0.21	--	--	Peak
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	77.53	24.57	40.00	-15.43	42.44	13.00	1.55	32.46	0.04	--	--	Peak																																																																																																																																																																																																																												
2	196.04	30.27	43.50	-13.23	45.32	14.90	2.45	32.46	0.06	--	--	Peak																																																																																																																																																																																																																												
3	245.34	28.63	46.00	-17.37	40.23	18.05	2.74	32.46	0.07	--	--	Peak																																																																																																																																																																																																																												
4	315.18	28.63	46.00	-17.37	38.52	19.40	3.13	32.49	0.07	--	--	Peak																																																																																																																																																																																																																												
5	736.16	29.63	46.00	-16.37	29.39	27.95	4.75	32.59	0.13	--	--	Peak																																																																																																																																																																																																																												
6	948.59	34.27	46.00	-11.73	28.00	31.12	5.39	31.24	0.20	--	--	Peak																																																																																																																																																																																																																												
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																													
1	34.85	30.15	40.00	-9.85	38.83	22.84	0.96	32.50	0.02	--	--	Peak																																																																																																																																																																																																																												
2	169.68	32.06	43.50	-10.64	47.30	15.63	2.28	32.42	0.07	--	--	Peak																																																																																																																																																																																																																												
3	264.74	23.74	46.00	-22.26	33.17	20.11	2.86	32.47	0.07	--	--	Peak																																																																																																																																																																																																																												
4	338.46	29.04	46.00	-16.96	38.22	20.04	3.23	32.52	0.07	--	--	Peak																																																																																																																																																																																																																												
5	749.74	29.66	46.00	-16.34	28.99	28.29	4.79	32.55	0.14	--	--	Peak																																																																																																																																																																																																																												
6	957.32	33.76	46.00	-12.24	27.79	31.50	5.41	31.15	0.21	--	--	Peak																																																																																																																																																																																																																												



Appendix B. Duty Cycle Plots

<Mode 1>


Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
2	Bluetooth - LE for 1Mbps	61.34	384	2.60	3kHz
0	802.11b	97.10	8375	0.12	300Hz
-	IM3_2386MHz	61.24	384	2.60	3kHz
-	IM3_2500MHz	61.24	384	2.60	3kHz





<Mode 2>



Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
2	Bluetooth - LE for 1Mbps	61.34	384	2.60	3kHz
1	802.11a	93.49	4305	0.23	300Hz





<Mode 3>

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
2	Zigbee	60.57	1060	0.94	1kHz
0	802.11b	97.10	8375	0.12	300Hz
-	IM3_2373MHz	61.27	1060	0.94	1kHz



—THE END—