













Mode	10																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5873.32</td><td>53.81</td><td>88.20</td><td>-34.39</td><td>39.81</td><td>35.93</td><td>10.48</td><td>32.41</td><td>114</td><td>170</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5873.32	53.81	88.20	-34.39	39.81	35.93	10.48	32.41	114	170	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>97.86</td><td>-----</td><td>-----</td><td>83.74</td><td>36.06</td><td>10.56</td><td>32.50</td><td>114</td><td>170</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	97.86	-----	-----	83.74	36.06	10.56	32.50	114	170
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5873.32	53.81	88.20	-34.39	39.81	35.93	10.48	32.41	114	170	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5965.00	97.86	-----	-----	83.74	36.06	10.56	32.50	114	170	PEAK																																																																																		
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.28</td><td>44.26</td><td>68.20</td><td>-23.94</td><td>30.17</td><td>36.02</td><td>10.52</td><td>32.45</td><td>114</td><td>170</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.28	44.26	68.20	-23.94	30.17	36.02	10.52	32.45	114	170	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>89.53</td><td>-----</td><td>-----</td><td>75.41</td><td>36.07</td><td>10.56</td><td>32.51</td><td>114</td><td>170</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	89.53	-----	-----	75.41	36.07	10.56	32.51	114	170
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5918.28	44.26	68.20	-23.94	30.17	36.02	10.52	32.45	114	170	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5965.00	89.53	-----	-----	75.41	36.07	10.56	32.51	114	170	AVERAGE																																																																																		





		10																																																																																												
Mode		Band Edge																																																																																												
		U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																												
ANT		1																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5843.88</td><td>52.99</td><td>88.20</td><td>-35.21</td><td>39.09</td><td>35.85</td><td>10.45</td><td>32.40</td><td>103</td><td>62</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5843.88	52.99	88.20	-35.21	39.09	35.85	10.45	32.40	103	62	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.50</td><td>-----</td><td>-----</td><td>82.38</td><td>36.07</td><td>10.56</td><td>32.51</td><td>103</td><td>62</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.50	-----	-----	82.38	36.07	10.56	32.51	103	62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5843.88	52.99	88.20	-35.21	39.09	35.85	10.45	32.40	103	62	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5965.00	96.50	-----	-----	82.38	36.07	10.56	32.51	103	62	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5877.16</td><td>43.91</td><td>68.20</td><td>-24.29</td><td>29.90</td><td>35.94</td><td>10.48</td><td>32.41</td><td>103</td><td>62</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5877.16	43.91	68.20	-24.29	29.90	35.94	10.48	32.41	103	62	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>87.81</td><td>-----</td><td>-----</td><td>73.69</td><td>36.07</td><td>10.56</td><td>32.51</td><td>103</td><td>62</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.81	-----	-----	73.69	36.07	10.56	32.51	103	62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5877.16	43.91	68.20	-24.29	29.90	35.94	10.48	32.41	103	62	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5965.00	87.81	-----	-----	73.69	36.07	10.56	32.51	103	62	AVERAGE																																																																																			







Mode	10																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>57.59</td><td>38.74</td><td>14.22</td><td>58.14</td><td>124</td><td>123</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.74</td><td>54.00</td><td>-12.26</td><td>46.92</td><td>38.74</td><td>14.22</td><td>58.14</td><td>124</td><td>123</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>48.23</td><td>41.43</td><td>17.10</td><td>57.55</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	52.41	74.00	-21.59	57.59	38.74	14.22	58.14	124	123	Peak	2	11930.00	41.74	54.00	-12.26	46.92	38.74	14.22	58.14	124	123	Average	3	17895.00	49.21	74.00	-24.79	48.23	41.43	17.10	57.55	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>56.62</td><td>38.74</td><td>14.22</td><td>58.14</td><td>132</td><td>241</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>46.53</td><td>38.74</td><td>14.22</td><td>58.14</td><td>132</td><td>241</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>48.53</td><td>74.00</td><td>-25.47</td><td>47.55</td><td>41.43</td><td>17.10</td><td>57.55</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	51.44	74.00	-22.56	56.62	38.74	14.22	58.14	132	241	Peak	2	11930.00	41.35	54.00	-12.65	46.53	38.74	14.22	58.14	132	241	Average	3	17895.00	48.53	74.00	-25.47	47.55	41.43	17.10	57.55	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	11930.00	52.41	74.00	-21.59	57.59	38.74	14.22	58.14	124	123	Peak																																																																																																																																				
2	11930.00	41.74	54.00	-12.26	46.92	38.74	14.22	58.14	124	123	Average																																																																																																																																				
3	17895.00	49.21	74.00	-24.79	48.23	41.43	17.10	57.55	--	--	Peak																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	11930.00	51.44	74.00	-22.56	56.62	38.74	14.22	58.14	132	241	Peak																																																																																																																																				
2	11930.00	41.35	54.00	-12.65	46.53	38.74	14.22	58.14	132	241	Average																																																																																																																																				
3	17895.00	48.53	74.00	-25.47	47.55	41.43	17.10	57.55	--	--	Peak																																																																																																																																				





Mode	11																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_RU_242/61_5965MHz																																																	
ANT	1																																																	
Pol.	Horizontal																																																	
Peak	Fundamental																																																	
																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5835.08</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>39.48</td><td>35.82</td><td>10.45</td><td>32.39</td><td>102</td><td>172</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5835.08	53.36	88.20	-34.84	39.48	35.82	10.45	32.39	102	172
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5835.08	53.36	88.20	-34.84	39.48	35.82	10.45	32.39	102	172	PEAK																																							
Avg	Fundamental																																																	
																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.64</td><td>43.92</td><td>68.20</td><td>-24.28</td><td>29.83</td><td>36.03</td><td>10.52</td><td>32.46</td><td>102</td><td>172</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5921.64	43.92	68.20	-24.28	29.83	36.03	10.52	32.46	102	172
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5921.64	43.92	68.20	-24.28	29.83	36.03	10.52	32.46	102	172	AVERAGE																																							





Mode	11																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_RU_242/61_5965MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5919.72</td><td>53.12</td><td>88.20</td><td>-35.08</td><td>39.03</td><td>36.02</td><td>10.52</td><td>32.45</td><td>100 61 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5919.72	53.12	88.20	-35.08	39.03	36.02	10.52	32.45	100 61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5965.00</td><td>94.96</td><td>-----</td><td>-----</td><td>80.84</td><td>36.06</td><td>10.56</td><td>32.50</td><td>100 61 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5965.00	94.96	-----	-----	80.84	36.06	10.56	32.50	100 61 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5919.72	53.12	88.20	-35.08	39.03	36.02	10.52	32.45	100 61 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5965.00	94.96	-----	-----	80.84	36.06	10.56	32.50	100 61 PEAK																																																																		
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5923.08</td><td>43.01</td><td>68.20</td><td>-25.19</td><td>28.92</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100 61 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5923.08	43.01	68.20	-25.19	28.92	36.03	10.52	32.46	100 61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5965.00</td><td>86.48</td><td>-----</td><td>-----</td><td>72.37</td><td>36.06</td><td>10.55</td><td>32.50</td><td>100 61 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5965.00	86.48	-----	-----	72.37	36.06	10.55	32.50	100 61 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5923.08	43.01	68.20	-25.19	28.92	36.03	10.52	32.46	100 61 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5965.00	86.48	-----	-----	72.37	36.06	10.55	32.50	100 61 AVERAGE																																																																		







Mode	12																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>96.86</td><td>-----</td><td>-----</td><td>82.56</td><td>36.30</td><td>10.73</td><td>32.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>32.59</td><td>38.88</td><td>14.37</td><td>32.86</td><td>232</td><td>124</td><td>Peak</td></tr><tr><td>3</td><td>12390.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>22.95</td><td>38.88</td><td>14.37</td><td>32.86</td><td>232</td><td>124</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	96.86	-----	-----	82.56	36.30	10.73	32.73	--	--	Peak	2	12390.00	52.98	74.00	-21.02	32.59	38.88	14.37	32.86	232	124	Peak	3	12390.00	43.34	54.00	-10.66	22.95	38.88	14.37	32.86	232	124	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>93.83</td><td>-----</td><td>-----</td><td>79.53</td><td>36.30</td><td>10.73</td><td>32.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>31.92</td><td>38.88</td><td>14.37</td><td>32.86</td><td>232</td><td>224</td><td>Peak</td></tr><tr><td>3</td><td>12390.00</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>21.95</td><td>38.88</td><td>14.37</td><td>32.86</td><td>232</td><td>224</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	93.83	-----	-----	79.53	36.30	10.73	32.73	--	--	Peak	2	12390.00	52.31	74.00	-21.69	31.92	38.88	14.37	32.86	232	224	Peak	3	12390.00	42.34	54.00	-11.66	21.95	38.88	14.37	32.86	232	224
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	6205.00	96.86	-----	-----	82.56	36.30	10.73	32.73	--	--	Peak																																																																																																																																		
2	12390.00	52.98	74.00	-21.02	32.59	38.88	14.37	32.86	232	124	Peak																																																																																																																																		
3	12390.00	43.34	54.00	-10.66	22.95	38.88	14.37	32.86	232	124	Average																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	6205.00	93.83	-----	-----	79.53	36.30	10.73	32.73	--	--	Peak																																																																																																																																		
2	12390.00	52.31	74.00	-21.69	31.92	38.88	14.37	32.86	232	224	Peak																																																																																																																																		
3	12390.00	42.34	54.00	-11.66	21.95	38.88	14.37	32.86	232	224	Average																																																																																																																																		







Mode	13																																																																																													
	Harmonic																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>97.39</td><td>-----</td><td>82.87</td><td>36.50</td><td>10.84</td><td>32.82</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12810.00</td><td>52.35</td><td>88.20</td><td>-35.85</td><td>31.23</td><td>39.15</td><td>14.73</td><td>32.76</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6405.00	97.39	-----	82.87	36.50	10.84	32.82	--	Peak	2	12810.00	52.35	88.20	-35.85	31.23	39.15	14.73	32.76	--	Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>94.74</td><td>-----</td><td>80.22</td><td>36.50</td><td>10.84</td><td>32.82</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12810.00</td><td>50.87</td><td>88.20</td><td>-37.33</td><td>29.75</td><td>39.15</td><td>14.73</td><td>32.76</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6405.00	94.74	-----	80.22	36.50	10.84	32.82	--	Peak	2	12810.00	50.87	88.20	-37.33	29.75	39.15	14.73	32.76	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	6405.00	97.39	-----	82.87	36.50	10.84	32.82	--	Peak																																																																																					
2	12810.00	52.35	88.20	-35.85	31.23	39.15	14.73	32.76	--	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	6405.00	94.74	-----	80.22	36.50	10.84	32.82	--	Peak																																																																																					
2	12810.00	50.87	88.20	-37.33	29.75	39.15	14.73	32.76	--	Peak																																																																																				





Mode	14																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																		
ANT	1																																																		
Pol.	Horizontal																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.04</td><td>54.48</td><td>88.20</td><td>-33.72</td><td>40.39</td><td>36.02</td><td>10.52</td><td>32.45</td><td>110</td><td>174</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.04	54.48	88.20	-33.72	40.39	36.02	10.52	32.45	110	174	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5920.04	54.48	88.20	-33.72	40.39	36.02	10.52	32.45	110	174	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.09</td><td>-----</td><td>-----</td><td>84.95</td><td>36.08</td><td>10.57</td><td>32.51</td><td>110</td><td>174</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.09	-----	-----	84.95	36.08	10.57	32.51	110	174	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5985.00	99.09	-----	-----	84.95	36.08	10.57	32.51	110	174	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>47.19</td><td>68.20</td><td>-21.01</td><td>33.09</td><td>36.03</td><td>10.53</td><td>32.46</td><td>110</td><td>174</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	47.19	68.20	-21.01	33.09	36.03	10.53	32.46	110	174	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5924.84	47.19	68.20	-21.01	33.09	36.03	10.53	32.46	110	174	AVERAGE																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>91.26</td><td>-----</td><td>-----</td><td>77.11</td><td>36.09</td><td>10.58</td><td>32.52</td><td>110</td><td>174</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	91.26	-----	-----	77.11	36.09	10.58	32.52	110	174	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5985.00	91.26	-----	-----	77.11	36.09	10.58	32.52	110	174	AVERAGE																																								







Mode	14																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																		
ANT	1																																																		
Pol.	Vertical																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.80</td><td>53.31</td><td>88.20</td><td>-34.89</td><td>39.22</td><td>36.01</td><td>10.51</td><td>32.43</td><td>104</td><td>61</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5905.80	53.31	88.20	-34.89	39.22	36.01	10.51	32.43	104	61	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5905.80	53.31	88.20	-34.89	39.22	36.01	10.51	32.43	104	61	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.02</td><td>-----</td><td>-----</td><td>81.86</td><td>36.11</td><td>10.59</td><td>32.54</td><td>104</td><td>61</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.02	-----	-----	81.86	36.11	10.59	32.54	104	61	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5985.00	96.02	-----	-----	81.86	36.11	10.59	32.54	104	61	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.36</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>31.86</td><td>36.03</td><td>10.53</td><td>32.46</td><td>104</td><td>61</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	45.96	68.20	-22.24	31.86	36.03	10.53	32.46	104	61	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5924.36	45.96	68.20	-22.24	31.86	36.03	10.53	32.46	104	61	AVERAGE																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.36</td><td>-----</td><td>-----</td><td>74.21</td><td>36.09</td><td>10.58</td><td>32.52</td><td>104</td><td>61</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.36	-----	-----	74.21	36.09	10.58	32.52	104	61	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5985.00	88.36	-----	-----	74.21	36.09	10.58	32.52	104	61	AVERAGE																																								







Mode	14																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11970.00</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>57.64</td><td>38.78</td><td>14.23</td><td>58.18</td><td>132</td><td>141 Peak</td></tr><tr><td>2 11970.00</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>47.25</td><td>38.78</td><td>14.23</td><td>58.18</td><td>132</td><td>141 Average</td></tr><tr><td>3 17955.00</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>49.25</td><td>41.30</td><td>17.08</td><td>57.46</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	52.47	74.00	-21.53	57.64	38.78	14.23	58.18	132	141 Peak	2 11970.00	42.08	54.00	-11.92	47.25	38.78	14.23	58.18	132	141 Average	3 17955.00	50.17	74.00	-23.83	49.25	41.30	17.08	57.46	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11970.00</td><td>51.77</td><td>74.00</td><td>-22.23</td><td>56.94</td><td>38.78</td><td>14.23</td><td>58.18</td><td>232</td><td>240 Peak</td></tr><tr><td>2 11970.00</td><td>41.67</td><td>54.00</td><td>-12.33</td><td>46.84</td><td>38.78</td><td>14.23</td><td>58.18</td><td>232</td><td>240 Average</td></tr><tr><td>3 17955.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>48.74</td><td>41.30</td><td>17.08</td><td>57.46</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	51.77	74.00	-22.23	56.94	38.78	14.23	58.18	232	240 Peak	2 11970.00	41.67	54.00	-12.33	46.84	38.78	14.23	58.18	232	240 Average	3 17955.00	49.66	74.00	-24.34	48.74	41.30	17.08	57.46	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 11970.00	52.47	74.00	-21.53	57.64	38.78	14.23	58.18	132	141 Peak																																																																																																													
2 11970.00	42.08	54.00	-11.92	47.25	38.78	14.23	58.18	132	141 Average																																																																																																													
3 17955.00	50.17	74.00	-23.83	49.25	41.30	17.08	57.46	--	-- Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 11970.00	51.77	74.00	-22.23	56.94	38.78	14.23	58.18	232	240 Peak																																																																																																													
2 11970.00	41.67	54.00	-12.33	46.84	38.78	14.23	58.18	232	240 Average																																																																																																													
3 17955.00	49.66	74.00	-24.34	48.74	41.30	17.08	57.46	--	-- Peak																																																																																																													





		15																																																																																											
Mode		Band Edge																																																																																											
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_RU_484/65_5985MHz																																																																																											
ANT		1																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5875.08</td><td>52.62</td><td>88.20</td><td>-35.58</td><td>38.61</td><td>35.94</td><td>10.48</td><td>32.41</td><td>100</td><td>173</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5875.08	52.62	88.20	-35.58	38.61	35.94	10.48	32.41	100	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>95.78</td><td>-----</td><td>-----</td><td>81.66</td><td>36.06</td><td>10.56</td><td>32.50</td><td>100</td><td>173</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	95.78	-----	-----	81.66	36.06	10.56	32.50	100	173
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5875.08	52.62	88.20	-35.58	38.61	35.94	10.48	32.41	100	173	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	95.78	-----	-----	81.66	36.06	10.56	32.50	100	173	PEAK																																																																																		
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.76</td><td>45.26</td><td>68.20</td><td>-22.94</td><td>31.17</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>173</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.76	45.26	68.20	-22.94	31.17	36.03	10.52	32.46	100	173	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.42</td><td>-----</td><td>-----</td><td>74.30</td><td>36.07</td><td>10.56</td><td>32.51</td><td>100</td><td>173</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.42	-----	-----	74.30	36.07	10.56	32.51	100	173
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5922.76	45.26	68.20	-22.94	31.17	36.03	10.52	32.46	100	173	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	88.42	-----	-----	74.30	36.07	10.56	32.51	100	173	AVERAGE																																																																																		





Mode	15																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_RU_484/65_5985MHz																																																	
ANT	1																																																	
Pol.	Vertical																																																	
Peak																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.68</td><td>52.33</td><td>88.20</td><td>-35.87</td><td>38.25</td><td>36.01</td><td>10.51</td><td>32.44</td><td>100</td><td>62</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.68	52.33	88.20	-35.87	38.25	36.01	10.51	32.44	100	62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5908.68	52.33	88.20	-35.87	38.25	36.01	10.51	32.44	100	62	PEAK																																							
Fundamental																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.39</td><td>-----</td><td>-----</td><td>82.27</td><td>36.06</td><td>10.56</td><td>32.50</td><td>100</td><td>62</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.39	-----	-----	82.27	36.06	10.56	32.50	100	62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5985.00	96.39	-----	-----	82.27	36.06	10.56	32.50	100	62	PEAK																																							
Avg																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>45.22</td><td>68.20</td><td>-22.98</td><td>31.13</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>62</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	45.22	68.20	-22.98	31.13	36.03	10.52	32.46	100	62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5923.72	45.22	68.20	-22.98	31.13	36.03	10.52	32.46	100	62	AVERAGE																																							
AVERAGE																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.64</td><td>-----</td><td>-----</td><td>74.49</td><td>36.09</td><td>10.58</td><td>32.52</td><td>100</td><td>62</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.64	-----	-----	74.49	36.09	10.58	32.52	100	62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5985.00	88.64	-----	-----	74.49	36.09	10.58	32.52	100	62	AVERAGE																																							







Mode	16																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal																																																																																	
Peak Avg																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6225.00</td><td>95.99</td><td>-----</td><td>81.66</td><td>36.32</td><td>10.74</td><td>32.73</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12430.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>32.53</td><td>38.89</td><td>14.39</td><td>32.76</td><td>325</td><td>112</td><td>Peak</td></tr><tr><td>3</td><td>12430.00</td><td>43.06</td><td>54.00</td><td>-10.94</td><td>22.54</td><td>38.89</td><td>14.39</td><td>32.76</td><td>325</td><td>112</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	6225.00	95.99	-----	81.66	36.32	10.74	32.73	--	--	--	Peak	2	12430.00	53.05	74.00	-20.95	32.53	38.89	14.39	32.76	325	112	Peak	3	12430.00	43.06	54.00	-10.94	22.54	38.89	14.39	32.76	325	112	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6225.00	95.99	-----	81.66	36.32	10.74	32.73	--	--	--	Peak																																																																							
2	12430.00	53.05	74.00	-20.95	32.53	38.89	14.39	32.76	325	112	Peak																																																																							
3	12430.00	43.06	54.00	-10.94	22.54	38.89	14.39	32.76	325	112	Average																																																																							
Vertical																																																																																		
Peak Avg																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6225.00</td><td>92.85</td><td>-----</td><td>78.52</td><td>36.32</td><td>10.74</td><td>32.73</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12430.00</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>31.84</td><td>38.89</td><td>14.39</td><td>32.76</td><td>232</td><td>221</td><td>Peak</td></tr><tr><td>3</td><td>12430.00</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>21.83</td><td>38.89</td><td>14.39</td><td>32.76</td><td>232</td><td>221</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	6225.00	92.85	-----	78.52	36.32	10.74	32.73	--	--	--	Peak	2	12430.00	52.36	74.00	-21.64	31.84	38.89	14.39	32.76	232	221	Peak	3	12430.00	42.35	54.00	-11.65	21.83	38.89	14.39	32.76	232	221	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6225.00	92.85	-----	78.52	36.32	10.74	32.73	--	--	--	Peak																																																																							
2	12430.00	52.36	74.00	-21.64	31.84	38.89	14.39	32.76	232	221	Peak																																																																							
3	12430.00	42.35	54.00	-11.65	21.83	38.89	14.39	32.76	232	221	Average																																																																							







Mode	17																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>94.35</td><td>-----</td><td>79.86</td><td>36.48</td><td>10.83</td><td>32.82</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12770.00</td><td>53.54</td><td>88.20</td><td>-34.66</td><td>32.54</td><td>39.12</td><td>14.69</td><td>32.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6385.00	94.35	-----	79.86	36.48	10.83	32.82	--	--	Peak	2	12770.00	53.54	88.20	-34.66	32.54	39.12	14.69	32.81	--	--	Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>94.06</td><td>-----</td><td>79.57</td><td>36.48</td><td>10.83</td><td>32.82</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12770.00</td><td>51.06</td><td>88.20</td><td>-37.14</td><td>30.06</td><td>39.12</td><td>14.69</td><td>32.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6385.00	94.06	-----	79.57	36.48	10.83	32.82	--	--	Peak	2	12770.00	51.06	88.20	-37.14	30.06	39.12	14.69	32.81	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6385.00	94.35	-----	79.86	36.48	10.83	32.82	--	--	Peak																																																																																								
2	12770.00	53.54	88.20	-34.66	32.54	39.12	14.69	32.81	--	--	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6385.00	94.06	-----	79.57	36.48	10.83	32.82	--	--	Peak																																																																																								
2	12770.00	51.06	88.20	-37.14	30.06	39.12	14.69	32.81	--	--	Peak																																																																																							





Mode	18																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																		
ANT	1																																																		
Pol.	Horizontal																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.28</td><td>61.68</td><td>88.20</td><td>-26.52</td><td>47.59</td><td>36.01</td><td>10.51</td><td>32.43</td><td>111</td><td>173</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.28	61.68	88.20	-26.52	47.59	36.01	10.51	32.43	111	173	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5902.28	61.68	88.20	-26.52	47.59	36.01	10.51	32.43	111	173	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.33</td><td>-----</td><td>-----</td><td>83.15</td><td>36.14</td><td>10.61</td><td>32.57</td><td>111</td><td>173</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.33	-----	-----	83.15	36.14	10.61	32.57	111	173	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	6025.00	97.33	-----	-----	83.15	36.14	10.61	32.57	111	173	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.28</td><td>52.24</td><td>68.20</td><td>-15.96</td><td>38.15</td><td>36.01</td><td>10.51</td><td>32.43</td><td>111</td><td>173</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.28	52.24	68.20	-15.96	38.15	36.01	10.51	32.43	111	173	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5902.28	52.24	68.20	-15.96	38.15	36.01	10.51	32.43	111	173	AVERAGE																																								
AVERAGE																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.07</td><td>-----</td><td>-----</td><td>75.89</td><td>36.14</td><td>10.61</td><td>32.57</td><td>111</td><td>173</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.07	-----	-----	75.89	36.14	10.61	32.57	111	173	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	6025.00	90.07	-----	-----	75.89	36.14	10.61	32.57	111	173	AVERAGE																																								







Mode	18																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5901.72</td><td>59.07</td><td>88.20</td><td>-29.13</td><td>44.98</td><td>36.01</td><td>10.51</td><td>32.43</td><td>101</td><td>61</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5901.72	59.07	88.20	-29.13	44.98	36.01	10.51	32.43	101	61	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>95.57</td><td>-----</td><td>-----</td><td>81.38</td><td>36.14</td><td>10.62</td><td>32.57</td><td>101</td><td>61</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.57	-----	-----	81.38	36.14	10.62	32.57	101	61
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5901.72	59.07	88.20	-29.13	44.98	36.01	10.51	32.43	101	61	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6025.00	95.57	-----	-----	81.38	36.14	10.62	32.57	101	61	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.00</td><td>50.58</td><td>68.20</td><td>-17.62</td><td>36.49</td><td>36.01</td><td>10.51</td><td>32.43</td><td>101</td><td>61</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.00	50.58	68.20	-17.62	36.49	36.01	10.51	32.43	101	61	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>88.90</td><td>-----</td><td>-----</td><td>74.73</td><td>36.12</td><td>10.60</td><td>32.55</td><td>101</td><td>61</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.90	-----	-----	74.73	36.12	10.60	32.55	101	61
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5902.00	50.58	68.20	-17.62	36.49	36.01	10.51	32.43	101	61	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6025.00	88.90	-----	-----	74.73	36.12	10.60	32.55	101	61	AVERAGE																																																																																			







Mode	18																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12050.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>57.99</td><td>38.81</td><td>14.24</td><td>58.18</td><td>232</td><td>224</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>42.04</td><td>54.00</td><td>-11.96</td><td>47.17</td><td>38.81</td><td>14.24</td><td>58.18</td><td>232</td><td>224</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12050.00	52.86	74.00	-21.14	57.99	38.81	14.24	58.18	232	224	Peak	2	12050.00	42.04	54.00	-11.96	47.17	38.81	14.24	58.18	232	224	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12050.00</td><td>51.87</td><td>74.00</td><td>-22.13</td><td>57.00</td><td>38.81</td><td>14.24</td><td>58.18</td><td>232</td><td>224</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>41.66</td><td>54.00</td><td>-12.34</td><td>46.79</td><td>38.81</td><td>14.24</td><td>58.18</td><td>232</td><td>224</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12050.00	51.87	74.00	-22.13	57.00	38.81	14.24	58.18	232	224	Peak	2	12050.00	41.66	54.00	-12.34	46.79	38.81	14.24	58.18	232	224	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	12050.00	52.86	74.00	-21.14	57.99	38.81	14.24	58.18	232	224	Peak																																																																																																													
2	12050.00	42.04	54.00	-11.96	47.17	38.81	14.24	58.18	232	224	Average																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	12050.00	51.87	74.00	-22.13	57.00	38.81	14.24	58.18	232	224	Peak																																																																																																													
2	12050.00	41.66	54.00	-12.34	46.79	38.81	14.24	58.18	232	224	Average																																																																																																													



		19																																																																																					
Mode		Band Edge																																																																																					
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial_RU_996/67_6025MHz																																																																																					
ANT		1																																																																																					
Pol.		Horizontal					Fundamental																																																																																
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.68</td><td>55.56</td><td>88.20</td><td>-32.64</td><td>41.47</td><td>36.02</td><td>10.52</td><td>32.45</td><td>100</td><td>176</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5917.68	55.56	88.20	-32.64	41.47	36.02	10.52	32.45	100	176	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>96.64</td><td>-----</td><td>-----</td><td>82.50</td><td>36.08</td><td>10.57</td><td>32.51</td><td>100</td><td>176</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	96.64	-----	-----	82.50	36.08	10.57	32.51	100	176
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5917.68	55.56	88.20	-32.64	41.47	36.02	10.52	32.45	100	176	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 6025.00	96.64	-----	-----	82.50	36.08	10.57	32.51	100	176	PEAK																																																																													
Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5921.88</td><td>48.60</td><td>68.20</td><td>-19.60</td><td>34.51</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>176</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.88	48.60	68.20	-19.60	34.51	36.03	10.52	32.46	100	176	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>89.73</td><td>-----</td><td>-----</td><td>75.61</td><td>36.07</td><td>10.56</td><td>32.51</td><td>100</td><td>176</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	89.73	-----	-----	75.61	36.07	10.56	32.51	100	176
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5921.88	48.60	68.20	-19.60	34.51	36.03	10.52	32.46	100	176	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 6025.00	89.73	-----	-----	75.61	36.07	10.56	32.51	100	176	AVERAGE																																																																													





Mode	19																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial_RU_996/67_6025MHz																																																		
ANT	1																																																		
Pol.	Vertical																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>54.59</td><td>88.20</td><td>-33.61</td><td>40.50</td><td>36.03</td><td>10.52</td><td>32.46</td><td>101</td><td>63</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	54.59	88.20	-33.61	40.50	36.03	10.52	32.46	101	63	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5922.44	54.59	88.20	-33.61	40.50	36.03	10.52	32.46	101	63	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.72</td><td>-----</td><td>-----</td><td>83.57</td><td>36.09</td><td>10.58</td><td>32.52</td><td>101</td><td>63</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.72	-----	-----	83.57	36.09	10.58	32.52	101	63	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	6025.00	97.72	-----	-----	83.57	36.09	10.58	32.52	101	63	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>47.55</td><td>68.20</td><td>-20.65</td><td>33.45</td><td>36.03</td><td>10.53</td><td>32.46</td><td>101</td><td>63</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	47.55	68.20	-20.65	33.45	36.03	10.53	32.46	101	63	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5924.68	47.55	68.20	-20.65	33.45	36.03	10.53	32.46	101	63	AVERAGE																																								
AVERAGE																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>89.14</td><td>-----</td><td>-----</td><td>74.99</td><td>36.09</td><td>10.58</td><td>32.52</td><td>101</td><td>63</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	89.14	-----	-----	74.99	36.09	10.58	32.52	101	63	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	6025.00	89.14	-----	-----	74.99	36.09	10.58	32.52	101	63	AVERAGE																																								





Mode	20																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6185.00</td><td>94.41</td><td>-----</td><td>-----</td><td>80.12</td><td>36.28</td><td>10.72</td><td>32.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12370.00</td><td>53.29</td><td>74.00</td><td>-20.71</td><td>32.97</td><td>38.88</td><td>14.35</td><td>32.91</td><td>241</td><td>132</td><td>Peak</td></tr><tr><td>3</td><td>12370.00</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>22.58</td><td>38.88</td><td>14.35</td><td>32.91</td><td>241</td><td>132</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	94.41	-----	-----	80.12	36.28	10.72	32.71	--	--	Peak	2	12370.00	53.29	74.00	-20.71	32.97	38.88	14.35	32.91	241	132	Peak	3	12370.00	42.90	54.00	-11.10	22.58	38.88	14.35	32.91	241	132	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6185.00</td><td>92.45</td><td>-----</td><td>-----</td><td>78.16</td><td>36.28</td><td>10.72</td><td>32.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12370.00</td><td>52.29</td><td>74.00</td><td>-21.71</td><td>31.97</td><td>38.88</td><td>14.35</td><td>32.91</td><td>186</td><td>322</td><td>Peak</td></tr><tr><td>3</td><td>12370.00</td><td>42.32</td><td>54.00</td><td>-11.68</td><td>22.00</td><td>38.88</td><td>14.35</td><td>32.91</td><td>186</td><td>322</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	92.45	-----	-----	78.16	36.28	10.72	32.71	--	--	Peak	2	12370.00	52.29	74.00	-21.71	31.97	38.88	14.35	32.91	186	322	Peak	3	12370.00	42.32	54.00	-11.68	22.00	38.88	14.35	32.91	186	322	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	6185.00	94.41	-----	-----	80.12	36.28	10.72	32.71	--	--	Peak																																																																																																																																		
2	12370.00	53.29	74.00	-20.71	32.97	38.88	14.35	32.91	241	132	Peak																																																																																																																																		
3	12370.00	42.90	54.00	-11.10	22.58	38.88	14.35	32.91	241	132	Average																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	6185.00	92.45	-----	-----	78.16	36.28	10.72	32.71	--	--	Peak																																																																																																																																		
2	12370.00	52.29	74.00	-21.71	31.97	38.88	14.35	32.91	186	322	Peak																																																																																																																																		
3	12370.00	42.32	54.00	-11.68	22.00	38.88	14.35	32.91	186	322	Average																																																																																																																																		



Mode	21																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6345.00</td><td>92.95</td><td>-----</td><td>-----</td><td>78.51</td><td>36.44</td><td>10.81</td><td>32.81</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>32.72</td><td>39.06</td><td>14.59</td><td>32.89</td><td>132</td><td>224</td><td>Peak</td></tr><tr><td>3</td><td>12690.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>22.71</td><td>39.06</td><td>14.59</td><td>32.89</td><td>132</td><td>224</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6345.00	92.95	-----	-----	78.51	36.44	10.81	32.81	--	--	Peak	2	12690.00	53.48	74.00	-20.52	32.72	39.06	14.59	32.89	132	224	Peak	3	12690.00	43.47	54.00	-10.53	22.71	39.06	14.59	32.89	132	224	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6345.00</td><td>93.77</td><td>-----</td><td>-----</td><td>79.33</td><td>36.44</td><td>10.81</td><td>32.81</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>31.94</td><td>39.06</td><td>14.59</td><td>32.89</td><td>232</td><td>214</td><td>Peak</td></tr><tr><td>3</td><td>12690.00</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>21.74</td><td>39.06</td><td>14.59</td><td>32.89</td><td>232</td><td>214</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6345.00	93.77	-----	-----	79.33	36.44	10.81	32.81	--	--	Peak	2	12690.00	52.70	74.00	-21.30	31.94	39.06	14.59	32.89	232	214	Peak	3	12690.00	42.50	54.00	-11.50	21.74	39.06	14.59	32.89	232	214	Average
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	6345.00	92.95	-----	-----	78.51	36.44	10.81	32.81	--	--	Peak																																																																																																																																				
2	12690.00	53.48	74.00	-20.52	32.72	39.06	14.59	32.89	132	224	Peak																																																																																																																																				
3	12690.00	43.47	54.00	-10.53	22.71	39.06	14.59	32.89	132	224	Average																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	6345.00	93.77	-----	-----	79.33	36.44	10.81	32.81	--	--	Peak																																																																																																																																				
2	12690.00	52.70	74.00	-21.30	31.94	39.06	14.59	32.89	232	214	Peak																																																																																																																																				
3	12690.00	42.50	54.00	-11.50	21.74	39.06	14.59	32.89	232	214	Average																																																																																																																																				



Mode	22																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>6435.00</td><td>92.23</td><td>-----</td><td>77.72</td><td>36.50</td><td>10.86</td><td>32.85</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12870.00</td><td>48.67</td><td>88.20</td><td>-39.53</td><td>27.61</td><td>39.20</td><td>14.71</td><td>32.85</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6435.00	92.23	-----	77.72	36.50	10.86	32.85	--	--	Peak	2	12870.00	48.67	88.20	-39.53	27.61	39.20	14.71	32.85	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>6435.00</td><td>92.66</td><td>-----</td><td>78.15</td><td>36.50</td><td>10.86</td><td>32.85</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12870.00</td><td>47.01</td><td>88.20</td><td>-41.19</td><td>25.95</td><td>39.20</td><td>14.71</td><td>32.85</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6435.00	92.66	-----	78.15	36.50	10.86	32.85	--	--	Peak	2	12870.00	47.01	88.20	-41.19	25.95	39.20	14.71	32.85	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																		
1	6435.00	92.23	-----	77.72	36.50	10.86	32.85	--	--	Peak																																																																																																
2	12870.00	48.67	88.20	-39.53	27.61	39.20	14.71	32.85	--	--	Peak																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																		
1	6435.00	92.66	-----	78.15	36.50	10.86	32.85	--	--	Peak																																																																																																
2	12870.00	47.01	88.20	-41.19	25.95	39.20	14.71	32.85	--	--	Peak																																																																																															





Mode	23																																																																																	
	Harmonic																																																																																	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>6475.00</td><td>91.62</td><td>-----</td><td>77.11</td><td>36.50</td><td>10.89</td><td>32.88</td></tr><tr><td>2</td><td>12950.00</td><td>46.69</td><td>88.20</td><td>-41.51</td><td>25.62</td><td>39.26</td><td>14.68 32.87</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	6475.00	91.62	-----	77.11	36.50	10.89	32.88	2	12950.00	46.69	88.20	-41.51	25.62	39.26	14.68 32.87	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>6475.00</td><td>94.25</td><td>-----</td><td>79.74</td><td>36.50</td><td>10.89</td><td>32.88</td></tr><tr><td>2</td><td>12950.00</td><td>49.05</td><td>88.20</td><td>-39.15</td><td>27.98</td><td>39.26</td><td>14.68 32.87</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	6475.00	94.25	-----	79.74	36.50	10.89	32.88	2	12950.00	49.05	88.20	-39.15	27.98	39.26	14.68 32.87
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	6475.00	91.62	-----	77.11	36.50	10.89	32.88																																																																											
2	12950.00	46.69	88.20	-41.51	25.62	39.26	14.68 32.87																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	6475.00	94.25	-----	79.74	36.50	10.89	32.88																																																																											
2	12950.00	49.05	88.20	-39.15	27.98	39.26	14.68 32.87																																																																											





Mode	24																																																																																	
	Harmonic																																																																																	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>6515.00</td><td>90.42</td><td>-----</td><td>-----</td><td>75.92</td><td>36.50</td><td>10.92 32.92</td></tr><tr><td>2</td><td>13030.00</td><td>50.08</td><td>88.20 -38.12</td><td>28.84</td><td>39.29</td><td>14.69</td><td>32.74</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	6515.00	90.42	-----	-----	75.92	36.50	10.92 32.92	2	13030.00	50.08	88.20 -38.12	28.84	39.29	14.69	32.74	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>6515.00</td><td>93.80</td><td>-----</td><td>-----</td><td>79.30</td><td>36.50</td><td>10.92 32.92</td></tr><tr><td>2</td><td>13030.00</td><td>49.20</td><td>88.20 -39.00</td><td>27.96</td><td>39.29</td><td>14.69</td><td>32.74</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	6515.00	93.80	-----	-----	79.30	36.50	10.92 32.92	2	13030.00	49.20	88.20 -39.00	27.96	39.29	14.69	32.74
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	6515.00	90.42	-----	-----	75.92	36.50	10.92 32.92																																																																											
2	13030.00	50.08	88.20 -38.12	28.84	39.29	14.69	32.74																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	6515.00	93.80	-----	-----	79.30	36.50	10.92 32.92																																																																											
2	13030.00	49.20	88.20 -39.00	27.96	39.29	14.69	32.74																																																																											





Mode	25																																																																																															
	Harmonic																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>6435.00</td><td>94.23</td><td>-----</td><td>79.72</td><td>36.50</td><td>10.86</td><td>32.85</td></tr><tr><td>2</td><td>12870.00</td><td>49.32</td><td>88.20</td><td>-38.88</td><td>28.26</td><td>39.20</td><td>14.71</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	6435.00	94.23	-----	79.72	36.50	10.86	32.85	2	12870.00	49.32	88.20	-38.88	28.26	39.20	14.71	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>6435.00</td><td>94.06</td><td>-----</td><td>79.55</td><td>36.50</td><td>10.86</td><td>32.85</td></tr><tr><td>2</td><td>12870.00</td><td>49.93</td><td>88.20</td><td>-38.27</td><td>28.87</td><td>39.20</td><td>14.71</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	6435.00	94.06	-----	79.55	36.50	10.86	32.85	2	12870.00	49.93	88.20	-38.27	28.87	39.20	14.71
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	6435.00	94.23	-----	79.72	36.50	10.86	32.85																																																																																									
2	12870.00	49.32	88.20	-38.88	28.26	39.20	14.71																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	6435.00	94.06	-----	79.55	36.50	10.86	32.85																																																																																									
2	12870.00	49.93	88.20	-38.27	28.87	39.20	14.71																																																																																									





Mode	26																																																																																																	
	Harmonic																																																																																																	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6475.00</td><td>92.00</td><td>-----</td><td>77.49</td><td>36.50</td><td>10.89</td><td>32.88</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12950.00</td><td>50.37</td><td>88.20</td><td>-37.83</td><td>29.30</td><td>39.26</td><td>14.68</td><td>32.87</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6475.00	92.00	-----	77.49	36.50	10.89	32.88	--	--	Peak	2	12950.00	50.37	88.20	-37.83	29.30	39.26	14.68	32.87	--	--	Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6475.00</td><td>95.02</td><td>-----</td><td>80.51</td><td>36.50</td><td>10.89</td><td>32.88</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12950.00</td><td>49.33</td><td>88.20</td><td>-38.87</td><td>28.26</td><td>39.26</td><td>14.68</td><td>32.87</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6475.00	95.02	-----	80.51	36.50	10.89	32.88	--	--	Peak	2	12950.00	49.33	88.20	-38.87	28.26	39.26	14.68	32.87	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6475.00	92.00	-----	77.49	36.50	10.89	32.88	--	--	Peak																																																																																								
2	12950.00	50.37	88.20	-37.83	29.30	39.26	14.68	32.87	--	--	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6475.00	95.02	-----	80.51	36.50	10.89	32.88	--	--	Peak																																																																																								
2	12950.00	49.33	88.20	-38.87	28.26	39.26	14.68	32.87	--	--	Peak																																																																																							





Mode	27																																																																																																	
	Harmonic																																																																																																	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6515.00</td><td>91.24</td><td>-----</td><td>-----</td><td>76.74</td><td>36.50</td><td>10.92</td><td>32.92</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13030.00</td><td>49.30</td><td>88.20</td><td>-38.90</td><td>28.06</td><td>39.29</td><td>14.69</td><td>32.74</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6515.00	91.24	-----	-----	76.74	36.50	10.92	32.92	--	-- Peak	2	13030.00	49.30	88.20	-38.90	28.06	39.29	14.69	32.74	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6515.00</td><td>93.47</td><td>-----</td><td>-----</td><td>78.97</td><td>36.50</td><td>10.92</td><td>32.92</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13030.00</td><td>49.11</td><td>88.20</td><td>-39.09</td><td>27.87</td><td>39.29</td><td>14.69</td><td>32.74</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6515.00	93.47	-----	-----	78.97	36.50	10.92	32.92	--	-- Peak	2	13030.00	49.11	88.20	-39.09	27.87	39.29	14.69	32.74	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6515.00	91.24	-----	-----	76.74	36.50	10.92	32.92	--	-- Peak																																																																																								
2	13030.00	49.30	88.20	-38.90	28.06	39.29	14.69	32.74	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6515.00	93.47	-----	-----	78.97	36.50	10.92	32.92	--	-- Peak																																																																																								
2	13030.00	49.11	88.20	-39.09	27.87	39.29	14.69	32.74	--	-- Peak																																																																																								





Mode	28																																																																																								
	Harmonic																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6445.00</td><td>94.55</td><td>-----</td><td>80.04</td><td>36.50</td><td>10.87</td><td>32.86</td></tr><tr><td>2</td><td>12890.00</td><td>49.43</td><td>88.20</td><td>-38.77</td><td>28.40</td><td>39.21</td><td>14.70</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6445.00	94.55	-----	80.04	36.50	10.87	32.86	2	12890.00	49.43	88.20	-38.77	28.40	39.21	14.70	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6445.00</td><td>94.84</td><td>-----</td><td>80.33</td><td>36.50</td><td>10.87</td><td>32.86</td></tr><tr><td>2</td><td>12890.00</td><td>49.60</td><td>88.20</td><td>-38.60</td><td>28.57</td><td>39.21</td><td>14.70</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6445.00	94.84	-----	80.33	36.50	10.87	32.86	2	12890.00	49.60	88.20	-38.60	28.57	39.21
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	6445.00	94.55	-----	80.04	36.50	10.87	32.86																																																																																		
2	12890.00	49.43	88.20	-38.77	28.40	39.21	14.70																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	6445.00	94.84	-----	80.33	36.50	10.87	32.86																																																																																		
2	12890.00	49.60	88.20	-38.60	28.57	39.21	14.70																																																																																		





Mode	29																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6485.00</td><td>93.48</td><td>-----</td><td>-----</td><td>78.97</td><td>36.50</td><td>10.90</td><td>32.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12970.00</td><td>49.03</td><td>88.20</td><td>-39.17</td><td>27.91</td><td>39.27</td><td>14.67</td><td>32.82</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6485.00	93.48	-----	-----	78.97	36.50	10.90	32.89	--	--	Peak	2	12970.00	49.03	88.20	-39.17	27.91	39.27	14.67	32.82	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6485.00</td><td>92.65</td><td>-----</td><td>-----</td><td>78.14</td><td>36.50</td><td>10.90</td><td>32.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12970.00</td><td>49.21</td><td>88.20</td><td>-38.99</td><td>28.09</td><td>39.27</td><td>14.67</td><td>32.82</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6485.00	92.65	-----	-----	78.14	36.50	10.90	32.89	--	--	Peak	2	12970.00	49.21	88.20	-38.99	28.09	39.27	14.67	32.82	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	6485.00	93.48	-----	-----	78.97	36.50	10.90	32.89	--	--	Peak																																																																																																								
2	12970.00	49.03	88.20	-39.17	27.91	39.27	14.67	32.82	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	6485.00	92.65	-----	-----	78.14	36.50	10.90	32.89	--	--	Peak																																																																																																								
2	12970.00	49.21	88.20	-38.99	28.09	39.27	14.67	32.82	--	--	Peak																																																																																																								





Mode	30																																																																																																											
	Harmonic																																																																																																											
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6525.00</td><td>92.04</td><td>-----</td><td>77.55</td><td>36.50</td><td>10.93</td><td>32.94</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13050.00</td><td>48.43</td><td>88.20</td><td>-39.77</td><td>27.17</td><td>39.29</td><td>14.71</td><td>32.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg	1	6525.00	92.04	-----	77.55	36.50	10.93	32.94	--	--	Peak	2	13050.00	48.43	88.20	-39.77	27.17	39.29	14.71	32.74	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6525.00</td><td>93.89</td><td>-----</td><td>79.40</td><td>36.50</td><td>10.93</td><td>32.94</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13050.00</td><td>50.30</td><td>88.20</td><td>-37.90</td><td>29.04</td><td>39.29</td><td>14.71</td><td>32.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg	1	6525.00	93.89	-----	79.40	36.50	10.93	32.94	--	--	Peak	2	13050.00	50.30	88.20	-37.90	29.04	39.29	14.71	32.74	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg																																																																																																				
1	6525.00	92.04	-----	77.55	36.50	10.93	32.94	--	--	Peak																																																																																																		
2	13050.00	48.43	88.20	-39.77	27.17	39.29	14.71	32.74	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg																																																																																																				
1	6525.00	93.89	-----	79.40	36.50	10.93	32.94	--	--	Peak																																																																																																		
2	13050.00	50.30	88.20	-37.90	29.04	39.29	14.71	32.74	--	--	Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6525.00</td><td>92.04</td><td>-----</td><td>77.55</td><td>36.50</td><td>10.93</td><td>32.94</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13050.00</td><td>48.43</td><td>88.20</td><td>-39.77</td><td>27.17</td><td>39.29</td><td>14.71</td><td>32.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg	1	6525.00	92.04	-----	77.55	36.50	10.93	32.94	--	--	Peak	2	13050.00	48.43	88.20	-39.77	27.17	39.29	14.71	32.74	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6525.00</td><td>93.89</td><td>-----</td><td>79.40</td><td>36.50</td><td>10.93</td><td>32.94</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13050.00</td><td>50.30</td><td>88.20</td><td>-37.90</td><td>29.04</td><td>39.29</td><td>14.71</td><td>32.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg	1	6525.00	93.89	-----	79.40	36.50	10.93	32.94	--	--	Peak	2	13050.00	50.30	88.20	-37.90	29.04	39.29	14.71	32.74	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg																																																																																																				
1	6525.00	92.04	-----	77.55	36.50	10.93	32.94	--	--	Peak																																																																																																		
2	13050.00	48.43	88.20	-39.77	27.17	39.29	14.71	32.74	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg																																																																																																				
1	6525.00	93.89	-----	79.40	36.50	10.93	32.94	--	--	Peak																																																																																																		
2	13050.00	50.30	88.20	-37.90	29.04	39.29	14.71	32.74	--	--	Peak																																																																																																	





Mode	31																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6465.00</td><td>93.99</td><td>-----</td><td>-----</td><td>79.49</td><td>36.50</td><td>10.88</td><td>32.88</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12930.00</td><td>49.61</td><td>88.20</td><td>-38.59</td><td>28.57</td><td>39.24</td><td>14.68</td><td>32.88</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6465.00	93.99	-----	-----	79.49	36.50	10.88	32.88	--	--	Peak	2	12930.00	49.61	88.20	-38.59	28.57	39.24	14.68	32.88	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6465.00</td><td>96.16</td><td>-----</td><td>-----</td><td>81.66</td><td>36.50</td><td>10.88</td><td>32.88</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12930.00</td><td>49.50</td><td>88.20</td><td>-38.70</td><td>28.46</td><td>39.24</td><td>14.68</td><td>32.88</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6465.00	96.16	-----	-----	81.66	36.50	10.88	32.88	--	--	Peak	2	12930.00	49.50	88.20	-38.70	28.46	39.24	14.68	32.88	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	6465.00	93.99	-----	-----	79.49	36.50	10.88	32.88	--	--	Peak																																																																																																					
2	12930.00	49.61	88.20	-38.59	28.57	39.24	14.68	32.88	--	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	6465.00	96.16	-----	-----	81.66	36.50	10.88	32.88	--	--	Peak																																																																																																					
2	12930.00	49.50	88.20	-38.70	28.46	39.24	14.68	32.88	--	--	Peak																																																																																																					





Mode	32																																																																																																											
	Harmonic																																																																																																											
	U-NII-6_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal					Vertical																																																																																																						
Peak Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>91.09</td><td>-----</td><td>76.63</td><td>36.50</td><td>10.94</td><td>32.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13090.00</td><td>50.16</td><td>88.20</td><td>-38.04</td><td>28.86</td><td>39.28</td><td>14.75</td><td>32.73</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6545.00	91.09	-----	76.63	36.50	10.94	32.98	--	--	Peak	2	13090.00	50.16	88.20	-38.04	28.86	39.28	14.75	32.73	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>95.59</td><td>-----</td><td>81.13</td><td>36.50</td><td>10.94</td><td>32.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13090.00</td><td>49.30</td><td>88.20</td><td>-38.90</td><td>28.00</td><td>39.28</td><td>14.75</td><td>32.73</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6545.00	95.59	-----	81.13	36.50	10.94	32.98	--	--	Peak	2	13090.00	49.30	88.20	-38.90	28.00	39.28	14.75	32.73	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6545.00	91.09	-----	76.63	36.50	10.94	32.98	--	--	Peak																																																																																																		
2	13090.00	50.16	88.20	-38.04	28.86	39.28	14.75	32.73	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6545.00	95.59	-----	81.13	36.50	10.94	32.98	--	--	Peak																																																																																																		
2	13090.00	49.30	88.20	-38.90	28.00	39.28	14.75	32.73	--	--	Peak																																																																																																	



Mode	33																																																																																																	
	Harmonic																																																																																																	
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6505.00</td><td>92.99</td><td>-----</td><td>-----</td><td>78.49</td><td>36.50</td><td>10.91</td><td>32.91</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13010.00</td><td>49.50</td><td>88.20</td><td>-38.70</td><td>28.27</td><td>39.30</td><td>14.67</td><td>32.74</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6505.00	92.99	-----	-----	78.49	36.50	10.91	32.91	--	-- Peak	2	13010.00	49.50	88.20	-38.70	28.27	39.30	14.67	32.74	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6505.00</td><td>94.74</td><td>-----</td><td>-----</td><td>80.24</td><td>36.50</td><td>10.91</td><td>32.91</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13010.00</td><td>49.83</td><td>88.20</td><td>-38.37</td><td>28.60</td><td>39.30</td><td>14.67</td><td>32.74</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6505.00	94.74	-----	-----	80.24	36.50	10.91	32.91	--	-- Peak	2	13010.00	49.83	88.20	-38.37	28.60	39.30	14.67	32.74	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6505.00	92.99	-----	-----	78.49	36.50	10.91	32.91	--	-- Peak																																																																																								
2	13010.00	49.50	88.20	-38.70	28.27	39.30	14.67	32.74	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6505.00	94.74	-----	-----	80.24	36.50	10.91	32.91	--	-- Peak																																																																																								
2	13010.00	49.83	88.20	-38.37	28.60	39.30	14.67	32.74	--	-- Peak																																																																																								





Mode	34																																																																																		
	Harmonic																																																																																		
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>6535.00</td><td>88.68</td><td>-----</td><td>74.21</td><td>36.50</td><td>10.94</td><td>32.97</td><td>-- -- Peak</td></tr><tr><td>2</td><td>13070.00</td><td>48.63</td><td>88.20 -39.57</td><td>27.35</td><td>39.29</td><td>14.73</td><td>32.74</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	6535.00	88.68	-----	74.21	36.50	10.94	32.97	-- -- Peak	2	13070.00	48.63	88.20 -39.57	27.35	39.29	14.73	32.74	-- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>6535.00</td><td>93.35</td><td>-----</td><td>78.88</td><td>36.50</td><td>10.94</td><td>32.97</td><td>-- -- Peak</td></tr><tr><td>2</td><td>13070.00</td><td>48.21</td><td>88.20 -39.99</td><td>26.93</td><td>39.29</td><td>14.73</td><td>32.74</td><td>-- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	6535.00	93.35	-----	78.88	36.50	10.94	32.97	-- -- Peak	2	13070.00	48.21	88.20 -39.99	26.93	39.29	14.73	32.74	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
1	6535.00	88.68	-----	74.21	36.50	10.94	32.97	-- -- Peak																																																																											
2	13070.00	48.63	88.20 -39.57	27.35	39.29	14.73	32.74	-- -- Peak																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
1	6535.00	93.35	-----	78.88	36.50	10.94	32.97	-- -- Peak																																																																											
2	13070.00	48.21	88.20 -39.99	26.93	39.29	14.73	32.74	-- -- Peak																																																																											
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6535.00</td><td>88.68</td><td>-----</td><td>74.21</td><td>36.50</td><td>10.94</td><td>32.97</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13070.00</td><td>48.63</td><td>88.20 -39.57</td><td>27.35</td><td>39.29</td><td>14.73</td><td>32.74</td><td>--</td><td>-- Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	88.68	-----	74.21	36.50	10.94	32.97	--	-- Peak	2	13070.00	48.63	88.20 -39.57	27.35	39.29	14.73	32.74	--	-- Peak	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6535.00</td><td>93.35</td><td>-----</td><td>78.88</td><td>36.50</td><td>10.94</td><td>32.97</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13070.00</td><td>48.21</td><td>88.20 -39.99</td><td>26.93</td><td>39.29</td><td>14.73</td><td>32.74</td><td>--</td><td>-- Peak</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	93.35	-----	78.88	36.50	10.94	32.97	--	-- Peak	2	13070.00	48.21	88.20 -39.99	26.93	39.29	14.73	32.74	--	-- Peak													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	6535.00	88.68	-----	74.21	36.50	10.94	32.97	--	-- Peak																																																																										
2	13070.00	48.63	88.20 -39.57	27.35	39.29	14.73	32.74	--	-- Peak																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	6535.00	93.35	-----	78.88	36.50	10.94	32.97	--	-- Peak																																																																										
2	13070.00	48.21	88.20 -39.99	26.93	39.29	14.73	32.74	--	-- Peak																																																																										





Mode	35																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>89.91</td><td>-----</td><td>-----</td><td>75.54</td><td>36.50</td><td>11.09</td><td>33.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>29.86</td><td>39.22</td><td>14.87</td><td>32.75</td><td>144</td><td>85</td><td>Peak</td></tr><tr><td>3</td><td>13390.00</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>21.19</td><td>39.22</td><td>14.87</td><td>32.75</td><td>144</td><td>85</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	89.91	-----	-----	75.54	36.50	11.09	33.22	--	--	Peak	2	13390.00	51.20	74.00	-22.80	29.86	39.22	14.87	32.75	144	85	Peak	3	13390.00	42.53	54.00	-11.47	21.19	39.22	14.87	32.75	144	85	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>93.28</td><td>-----</td><td>-----</td><td>78.91</td><td>36.50</td><td>11.09</td><td>33.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>50.06</td><td>74.00</td><td>-23.94</td><td>28.72</td><td>39.22</td><td>14.87</td><td>32.75</td><td>152</td><td>109</td><td>Peak</td></tr><tr><td>3</td><td>13390.00</td><td>41.32</td><td>54.00</td><td>-12.68</td><td>19.98</td><td>39.22</td><td>14.87</td><td>32.75</td><td>152</td><td>109</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	93.28	-----	-----	78.91	36.50	11.09	33.22	--	--	Peak	2	13390.00	50.06	74.00	-23.94	28.72	39.22	14.87	32.75	152	109	Peak	3	13390.00	41.32	54.00	-12.68	19.98	39.22	14.87	32.75	152	109	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	6695.00	89.91	-----	-----	75.54	36.50	11.09	33.22	--	--	Peak																																																																																																																																		
2	13390.00	51.20	74.00	-22.80	29.86	39.22	14.87	32.75	144	85	Peak																																																																																																																																		
3	13390.00	42.53	54.00	-11.47	21.19	39.22	14.87	32.75	144	85	Average																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	6695.00	93.28	-----	-----	78.91	36.50	11.09	33.22	--	--	Peak																																																																																																																																		
2	13390.00	50.06	74.00	-23.94	28.72	39.22	14.87	32.75	152	109	Peak																																																																																																																																		
3	13390.00	41.32	54.00	-12.68	19.98	39.22	14.87	32.75	152	109	Average																																																																																																																																		





Mode	36																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal					Vertical																																																																																																
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6855.00</td><td>92.10</td><td>-----</td><td>77.69</td><td>36.56</td><td>11.22</td><td>33.37</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13710.00</td><td>49.55</td><td>88.20</td><td>-38.65</td><td>28.03</td><td>39.12</td><td>15.14</td><td>32.74</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6855.00	92.10	-----	77.69	36.56	11.22	33.37	--	-- Peak	2	13710.00	49.55	88.20	-38.65	28.03	39.12	15.14	32.74	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6855.00</td><td>94.33</td><td>-----</td><td>79.92</td><td>36.56</td><td>11.22</td><td>33.37</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13710.00</td><td>48.90</td><td>88.20</td><td>-39.30</td><td>27.38</td><td>39.12</td><td>15.14</td><td>32.74</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6855.00	94.33	-----	79.92	36.56	11.22	33.37	--	-- Peak	2	13710.00	48.90	88.20	-39.30	27.38	39.12	15.14	32.74	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6855.00	92.10	-----	77.69	36.56	11.22	33.37	--	-- Peak																																																																																													
2	13710.00	49.55	88.20	-38.65	28.03	39.12	15.14	32.74	--	-- Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6855.00	94.33	-----	79.92	36.56	11.22	33.37	--	-- Peak																																																																																													
2	13710.00	48.90	88.20	-39.30	27.38	39.12	15.14	32.74	--	-- Peak																																																																																												





Mode	37																																																																																																							
	Harmonic																																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal					Vertical																																																																																																		
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6875.00</td><td>91.79</td><td>-----</td><td>77.33</td><td>36.58</td><td>11.23</td><td>33.35</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13750.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>25.73</td><td>39.10</td><td>15.14</td><td>32.70</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6875.00	91.79	-----	77.33	36.58	11.23	33.35	--	-- Peak	2	13750.00	47.27	88.20	-40.93	25.73	39.10	15.14	32.70	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6875.00</td><td>95.02</td><td>-----</td><td>80.56</td><td>36.58</td><td>11.23</td><td>33.35</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13750.00</td><td>48.53</td><td>88.20</td><td>-39.67</td><td>26.99</td><td>39.10</td><td>15.14</td><td>32.70</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6875.00	95.02	-----	80.56	36.58	11.23	33.35	--	-- Peak	2	13750.00	48.53	88.20	-39.67	26.99	39.10	15.14	32.70	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6875.00	91.79	-----	77.33	36.58	11.23	33.35	--	-- Peak																																																																																															
2	13750.00	47.27	88.20	-40.93	25.73	39.10	15.14	32.70	--	-- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6875.00	95.02	-----	80.56	36.58	11.23	33.35	--	-- Peak																																																																																															
2	13750.00	48.53	88.20	-39.67	26.99	39.10	15.14	32.70	--	-- Peak																																																																																														





Mode	38																																																																																																													
	Harmonic																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6535.00</td><td>90.66</td><td>-----</td><td>76.19</td><td>36.50</td><td>10.94</td><td>32.97</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13070.00</td><td>48.57</td><td>88.20</td><td>-39.63</td><td>27.29</td><td>39.29</td><td>14.73</td><td>32.74</td><td>--</td><td>Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6535.00	90.66	-----	76.19	36.50	10.94	32.97	--	--	Peak	2	13070.00	48.57	88.20	-39.63	27.29	39.29	14.73	32.74	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6535.00</td><td>92.98</td><td>-----</td><td>78.51</td><td>36.50</td><td>10.94</td><td>32.97</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13070.00</td><td>51.33</td><td>88.20</td><td>-36.87</td><td>30.05</td><td>39.29</td><td>14.73</td><td>32.74</td><td>--</td><td>Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6535.00	92.98	-----	78.51	36.50	10.94	32.97	--	--	Peak	2	13070.00	51.33	88.20	-36.87	30.05	39.29	14.73	32.74	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6535.00	90.66	-----	76.19	36.50	10.94	32.97	--	--	Peak																																																																																																				
2	13070.00	48.57	88.20	-39.63	27.29	39.29	14.73	32.74	--	Peak																																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6535.00	92.98	-----	78.51	36.50	10.94	32.97	--	--	Peak																																																																																																				
2	13070.00	51.33	88.20	-36.87	30.05	39.29	14.73	32.74	--	Peak																																																																																																				





Mode	39																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																														
Peak Avg	 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6695.00</td><td>89.66</td><td>-----</td><td>75.29</td><td>36.50</td><td>11.09</td><td>33.22</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>30.72</td><td>39.22</td><td>14.87</td><td>32.75</td><td>193</td><td>290</td><td>Peak</td></tr><tr><td>3</td><td>13390.00</td><td>43.95</td><td>54.00</td><td>-10.05</td><td>22.61</td><td>39.22</td><td>14.87</td><td>32.75</td><td>193</td><td>290</td><td>Average</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	6695.00	89.66	-----	75.29	36.50	11.09	33.22	--	--	--	Peak	2	13390.00	52.06	74.00	-21.94	30.72	39.22	14.87	32.75	193	290	Peak	3	13390.00	43.95	54.00	-10.05	22.61	39.22	14.87	32.75	193	290	Average	 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6695.00</td><td>92.82</td><td>-----</td><td>78.45</td><td>36.50</td><td>11.09</td><td>33.22</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>28.82</td><td>39.22</td><td>14.87</td><td>32.75</td><td>116</td><td>250</td><td>Peak</td></tr><tr><td>3</td><td>13390.00</td><td>41.36</td><td>54.00</td><td>-12.64</td><td>20.02</td><td>39.22</td><td>14.87</td><td>32.75</td><td>116</td><td>250</td><td>Average</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	6695.00	92.82	-----	78.45	36.50	11.09	33.22	--	--	--	Peak	2	13390.00	50.16	74.00	-23.84	28.82	39.22	14.87	32.75	116	250	Peak	3	13390.00	41.36	54.00	-12.64	20.02	39.22	14.87	32.75	116	250	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	6695.00	89.66	-----	75.29	36.50	11.09	33.22	--	--	--	Peak																																																																																																																																					
2	13390.00	52.06	74.00	-21.94	30.72	39.22	14.87	32.75	193	290	Peak																																																																																																																																					
3	13390.00	43.95	54.00	-10.05	22.61	39.22	14.87	32.75	193	290	Average																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	6695.00	92.82	-----	78.45	36.50	11.09	33.22	--	--	--	Peak																																																																																																																																					
2	13390.00	50.16	74.00	-23.84	28.82	39.22	14.87	32.75	116	250	Peak																																																																																																																																					
3	13390.00	41.36	54.00	-12.64	20.02	39.22	14.87	32.75	116	250	Average																																																																																																																																					





Mode	40																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>91.01</td><td>-----</td><td>76.60</td><td>36.56</td><td>11.22</td><td>33.37</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13710.00</td><td>48.81</td><td>88.20</td><td>-39.39</td><td>27.29</td><td>39.12</td><td>15.14</td><td>32.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6855.00	91.01	-----	76.60	36.56	11.22	33.37	--	--	Peak	2	13710.00	48.81	88.20	-39.39	27.29	39.12	15.14	32.74	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>94.69</td><td>-----</td><td>80.28</td><td>36.56</td><td>11.22</td><td>33.37</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13710.00</td><td>48.34</td><td>88.20</td><td>-39.86</td><td>26.82</td><td>39.12</td><td>15.14</td><td>32.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6855.00	94.69	-----	80.28	36.56	11.22	33.37	--	--	Peak	2	13710.00	48.34	88.20	-39.86	26.82	39.12	15.14	32.74	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6855.00	91.01	-----	76.60	36.56	11.22	33.37	--	--	Peak																																																																																							
2	13710.00	48.81	88.20	-39.39	27.29	39.12	15.14	32.74	--	--	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6855.00	94.69	-----	80.28	36.56	11.22	33.37	--	--	Peak																																																																																							
2	13710.00	48.34	88.20	-39.86	26.82	39.12	15.14	32.74	--	--	Peak																																																																																						
Avg																																																																																																	





Mode	41																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6875.00</td><td>91.81</td><td>-----</td><td>77.35</td><td>36.58</td><td>11.23</td><td>33.35</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13750.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>25.59</td><td>39.10</td><td>15.14</td><td>32.70</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6875.00	91.81	-----	77.35	36.58	11.23	33.35	--	-- Peak	2 13750.00	47.13	88.20	-41.07	25.59	39.10	15.14	32.70	-- -- Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6875.00</td><td>93.74</td><td>-----</td><td>79.28</td><td>36.58</td><td>11.23</td><td>33.35</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13750.00</td><td>48.77</td><td>88.20</td><td>-39.43</td><td>27.23</td><td>39.10</td><td>15.14</td><td>32.70</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6875.00	93.74	-----	79.28	36.58	11.23	33.35	--	-- Peak	2 13750.00	48.77	88.20	-39.43	27.23	39.10	15.14	32.70	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1 6875.00	91.81	-----	77.35	36.58	11.23	33.35	--	-- Peak																																																																																
2 13750.00	47.13	88.20	-41.07	25.59	39.10	15.14	32.70	-- -- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1 6875.00	93.74	-----	79.28	36.58	11.23	33.35	--	-- Peak																																																																																
2 13750.00	48.77	88.20	-39.43	27.23	39.10	15.14	32.70	-- -- Peak																																																																																





Mode	42																																																																																																	
	Harmonic																																																																																																	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6565.00</td><td>93.03</td><td>-----</td><td>-----</td><td>78.58</td><td>36.50</td><td>10.96</td><td>33.01</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13130.00</td><td>49.04</td><td>88.20</td><td>-39.16</td><td>27.69</td><td>39.27</td><td>14.79</td><td>32.71</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6565.00	93.03	-----	-----	78.58	36.50	10.96	33.01	--	-- Peak	2	13130.00	49.04	88.20	-39.16	27.69	39.27	14.79	32.71	--	-- Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6565.00</td><td>93.45</td><td>-----</td><td>-----</td><td>79.00</td><td>36.50</td><td>10.96</td><td>33.01</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13130.00</td><td>48.56</td><td>88.20</td><td>-39.64</td><td>27.21</td><td>39.27</td><td>14.79</td><td>32.71</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6565.00	93.45	-----	-----	79.00	36.50	10.96	33.01	--	-- Peak	2	13130.00	48.56	88.20	-39.64	27.21	39.27	14.79	32.71	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6565.00	93.03	-----	-----	78.58	36.50	10.96	33.01	--	-- Peak																																																																																								
2	13130.00	49.04	88.20	-39.16	27.69	39.27	14.79	32.71	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6565.00	93.45	-----	-----	79.00	36.50	10.96	33.01	--	-- Peak																																																																																								
2	13130.00	48.56	88.20	-39.64	27.21	39.27	14.79	32.71	--	-- Peak																																																																																								





Mode	43																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>89.30</td><td>-----</td><td>-----</td><td>74.94</td><td>36.50</td><td>11.07</td><td>33.21</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13370.00</td><td>50.10</td><td>74.00</td><td>-23.90</td><td>28.79</td><td>39.23</td><td>14.87</td><td>32.79</td><td>125</td><td>180</td><td>Peak</td></tr><tr><td>3</td><td>13370.00</td><td>41.54</td><td>54.00</td><td>-12.46</td><td>20.23</td><td>39.23</td><td>14.87</td><td>32.79</td><td>125</td><td>180</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	89.30	-----	-----	74.94	36.50	11.07	33.21	--	--	Peak	2	13370.00	50.10	74.00	-23.90	28.79	39.23	14.87	32.79	125	180	Peak	3	13370.00	41.54	54.00	-12.46	20.23	39.23	14.87	32.79	125	180	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>93.42</td><td>-----</td><td>-----</td><td>79.06</td><td>36.50</td><td>11.07</td><td>33.21</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13370.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>31.26</td><td>39.23</td><td>14.87</td><td>32.79</td><td>106</td><td>325</td><td>Peak</td></tr><tr><td>3</td><td>13370.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>22.93</td><td>39.23</td><td>14.87</td><td>32.79</td><td>106</td><td>325</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	93.42	-----	-----	79.06	36.50	11.07	33.21	--	--	Peak	2	13370.00	52.57	74.00	-21.43	31.26	39.23	14.87	32.79	106	325	Peak	3	13370.00	44.24	54.00	-9.76	22.93	39.23	14.87	32.79	106	325	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	6685.00	89.30	-----	-----	74.94	36.50	11.07	33.21	--	--	Peak																																																																																																																																		
2	13370.00	50.10	74.00	-23.90	28.79	39.23	14.87	32.79	125	180	Peak																																																																																																																																		
3	13370.00	41.54	54.00	-12.46	20.23	39.23	14.87	32.79	125	180	Average																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	6685.00	93.42	-----	-----	79.06	36.50	11.07	33.21	--	--	Peak																																																																																																																																		
2	13370.00	52.57	74.00	-21.43	31.26	39.23	14.87	32.79	106	325	Peak																																																																																																																																		
3	13370.00	44.24	54.00	-9.76	22.93	39.23	14.87	32.79	106	325	Average																																																																																																																																		







Mode	44																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>92.80</td><td>-----</td><td>-----</td><td>78.40</td><td>36.55</td><td>11.22</td><td>33.37</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13690.00</td><td>48.55</td><td>88.20</td><td>-39.65</td><td>27.05</td><td>39.12</td><td>15.14</td><td>32.76</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6845.00	92.80	-----	-----	78.40	36.55	11.22	33.37	--	-- Peak	2	13690.00	48.55	88.20	-39.65	27.05	39.12	15.14	32.76	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>94.59</td><td>-----</td><td>-----</td><td>80.19</td><td>36.55</td><td>11.22</td><td>33.37</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13690.00</td><td>48.30</td><td>88.20</td><td>-39.90</td><td>26.80</td><td>39.12</td><td>15.14</td><td>32.76</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6845.00	94.59	-----	-----	80.19	36.55	11.22	33.37	--	-- Peak	2	13690.00	48.30	88.20	-39.90	26.80	39.12	15.14	32.76	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	6845.00	92.80	-----	-----	78.40	36.55	11.22	33.37	--	-- Peak																																																																																																
2	13690.00	48.55	88.20	-39.65	27.05	39.12	15.14	32.76	--	-- Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	6845.00	94.59	-----	-----	80.19	36.55	11.22	33.37	--	-- Peak																																																																																																
2	13690.00	48.30	88.20	-39.90	26.80	39.12	15.14	32.76	--	-- Peak																																																																																																





Mode	45																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6885.00</td><td>92.07</td><td>-----</td><td>-----</td><td>77.58</td><td>36.59</td><td>11.24</td><td>33.34</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13770.00</td><td>48.34</td><td>88.20</td><td>-39.86</td><td>26.73</td><td>39.09</td><td>15.14</td><td>32.62</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6885.00	92.07	-----	-----	77.58	36.59	11.24	33.34	--	-- Peak	2	13770.00	48.34	88.20	-39.86	26.73	39.09	15.14	32.62	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6885.00</td><td>94.32</td><td>-----</td><td>-----</td><td>79.83</td><td>36.59</td><td>11.24</td><td>33.34</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13770.00</td><td>48.76</td><td>88.20</td><td>-39.44</td><td>27.15</td><td>39.09</td><td>15.14</td><td>32.62</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6885.00	94.32	-----	-----	79.83	36.59	11.24	33.34	--	-- Peak	2	13770.00	48.76	88.20	-39.44	27.15	39.09	15.14	32.62	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	6885.00	92.07	-----	-----	77.58	36.59	11.24	33.34	--	-- Peak																																																																																																
2	13770.00	48.34	88.20	-39.86	26.73	39.09	15.14	32.62	--	-- Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	6885.00	94.32	-----	-----	79.83	36.59	11.24	33.34	--	-- Peak																																																																																																
2	13770.00	48.76	88.20	-39.44	27.15	39.09	15.14	32.62	--	-- Peak																																																																																																





Mode	46																																																																											
	Harmonic																																																																											
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal																																																																											
Peak																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>90.25</td><td>-----</td><td>-----</td><td>75.86</td><td>36.50</td><td>11.01</td><td>33.12</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>28.88</td><td>39.25</td><td>14.87</td><td>33.04</td><td>152</td><td>80</td><td>Peak</td></tr><tr><td>3</td><td>13250.00</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>21.00</td><td>39.25</td><td>14.87</td><td>33.04</td><td>152</td><td>80</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	90.25	-----	-----	75.86	36.50	11.01	33.12	--	--	Peak	2	13250.00	49.96	74.00	-24.04	28.88	39.25	14.87	33.04	152	80	Peak	3	13250.00	42.08	54.00	-11.92	21.00	39.25	14.87	33.04	152	80	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	6625.00	90.25	-----	-----	75.86	36.50	11.01	33.12	--	--	Peak																																																																	
2	13250.00	49.96	74.00	-24.04	28.88	39.25	14.87	33.04	152	80	Peak																																																																	
3	13250.00	42.08	54.00	-11.92	21.00	39.25	14.87	33.04	152	80	Average																																																																	
Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>90.25</td><td>-----</td><td>-----</td><td>75.86</td><td>36.50</td><td>11.01</td><td>33.12</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>28.88</td><td>39.25</td><td>14.87</td><td>33.04</td><td>152</td><td>80</td><td>Peak</td></tr><tr><td>3</td><td>13250.00</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>21.00</td><td>39.25</td><td>14.87</td><td>33.04</td><td>152</td><td>80</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	90.25	-----	-----	75.86	36.50	11.01	33.12	--	--	Peak	2	13250.00	49.96	74.00	-24.04	28.88	39.25	14.87	33.04	152	80	Peak	3	13250.00	42.08	54.00	-11.92	21.00	39.25	14.87	33.04	152	80	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	6625.00	90.25	-----	-----	75.86	36.50	11.01	33.12	--	--	Peak																																																																	
2	13250.00	49.96	74.00	-24.04	28.88	39.25	14.87	33.04	152	80	Peak																																																																	
3	13250.00	42.08	54.00	-11.92	21.00	39.25	14.87	33.04	152	80	Average																																																																	
Pol.	Vertical																																																																											
Peak																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>96.48</td><td>-----</td><td>-----</td><td>82.09</td><td>36.50</td><td>11.01</td><td>33.12</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>29.55</td><td>39.25</td><td>14.87</td><td>33.04</td><td>124</td><td>171</td><td>Peak</td></tr><tr><td>3</td><td>13250.00</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>22.32</td><td>39.25</td><td>14.87</td><td>33.04</td><td>124</td><td>171</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	96.48	-----	-----	82.09	36.50	11.01	33.12	--	--	Peak	2	13250.00	50.63	74.00	-23.37	29.55	39.25	14.87	33.04	124	171	Peak	3	13250.00	43.40	54.00	-10.60	22.32	39.25	14.87	33.04	124	171	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	6625.00	96.48	-----	-----	82.09	36.50	11.01	33.12	--	--	Peak																																																																	
2	13250.00	50.63	74.00	-23.37	29.55	39.25	14.87	33.04	124	171	Peak																																																																	
3	13250.00	43.40	54.00	-10.60	22.32	39.25	14.87	33.04	124	171	Average																																																																	
Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>96.48</td><td>-----</td><td>-----</td><td>82.09</td><td>36.50</td><td>11.01</td><td>33.12</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>29.55</td><td>39.25</td><td>14.87</td><td>33.04</td><td>124</td><td>171</td><td>Peak</td></tr><tr><td>3</td><td>13250.00</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>22.32</td><td>39.25</td><td>14.87</td><td>33.04</td><td>124</td><td>171</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	96.48	-----	-----	82.09	36.50	11.01	33.12	--	--	Peak	2	13250.00	50.63	74.00	-23.37	29.55	39.25	14.87	33.04	124	171	Peak	3	13250.00	43.40	54.00	-10.60	22.32	39.25	14.87	33.04	124	171	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	6625.00	96.48	-----	-----	82.09	36.50	11.01	33.12	--	--	Peak																																																																	
2	13250.00	50.63	74.00	-23.37	29.55	39.25	14.87	33.04	124	171	Peak																																																																	
3	13250.00	43.40	54.00	-10.60	22.32	39.25	14.87	33.04	124	171	Average																																																																	





Mode	47																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6705.00</td><td>90.66</td><td>-----</td><td>-----</td><td>76.29</td><td>36.50</td><td>11.10</td><td>33.23</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13400.00</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>30.24</td><td>39.22</td><td>14.88</td><td>32.75</td><td>116</td><td>245</td><td>Peak</td></tr><tr><td>3</td><td>13400.00</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>22.45</td><td>39.22</td><td>14.88</td><td>32.75</td><td>116</td><td>245</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6705.00	90.66	-----	-----	76.29	36.50	11.10	33.23	--	--	Peak	2	13400.00	51.59	74.00	-22.41	30.24	39.22	14.88	32.75	116	245	Peak	3	13400.00	43.80	54.00	-10.20	22.45	39.22	14.88	32.75	116	245	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6705.00</td><td>93.51</td><td>-----</td><td>-----</td><td>79.14</td><td>36.50</td><td>11.10</td><td>33.23</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13400.00</td><td>49.56</td><td>74.00</td><td>-24.44</td><td>28.21</td><td>39.22</td><td>14.88</td><td>32.75</td><td>105</td><td>241</td><td>Peak</td></tr><tr><td>3</td><td>13400.00</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>20.20</td><td>39.22</td><td>14.88</td><td>32.75</td><td>105</td><td>241</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6705.00	93.51	-----	-----	79.14	36.50	11.10	33.23	--	--	Peak	2	13400.00	49.56	74.00	-24.44	28.21	39.22	14.88	32.75	105	241	Peak	3	13400.00	41.55	54.00	-12.45	20.20	39.22	14.88	32.75	105	241	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	6705.00	90.66	-----	-----	76.29	36.50	11.10	33.23	--	--	Peak																																																																																																																											
2	13400.00	51.59	74.00	-22.41	30.24	39.22	14.88	32.75	116	245	Peak																																																																																																																											
3	13400.00	43.80	54.00	-10.20	22.45	39.22	14.88	32.75	116	245	Average																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	6705.00	93.51	-----	-----	79.14	36.50	11.10	33.23	--	--	Peak																																																																																																																											
2	13400.00	49.56	74.00	-24.44	28.21	39.22	14.88	32.75	105	241	Peak																																																																																																																											
3	13400.00	41.55	54.00	-12.45	20.20	39.22	14.88	32.75	105	241	Average																																																																																																																											





Mode	48																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>93.10</td><td>-----</td><td>-----</td><td>78.69</td><td>36.50</td><td>11.18</td><td>33.27</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13570.00</td><td>48.42</td><td>88.20</td><td>-39.78</td><td>26.84</td><td>39.17</td><td>15.10</td><td>32.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	93.10	-----	-----	78.69	36.50	11.18	33.27	--	--	Peak	2	13570.00	48.42	88.20	-39.78	26.84	39.17	15.10	32.69	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>97.47</td><td>-----</td><td>-----</td><td>83.06</td><td>36.50</td><td>11.18</td><td>33.27</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13570.00</td><td>48.24</td><td>88.20</td><td>-39.96</td><td>26.66</td><td>39.17</td><td>15.10</td><td>32.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	97.47	-----	-----	83.06	36.50	11.18	33.27	--	--	Peak	2	13570.00	48.24	88.20	-39.96	26.66	39.17	15.10	32.69	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	6785.00	93.10	-----	-----	78.69	36.50	11.18	33.27	--	--	Peak																																																																																																									
2	13570.00	48.42	88.20	-39.78	26.84	39.17	15.10	32.69	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	6785.00	97.47	-----	-----	83.06	36.50	11.18	33.27	--	--	Peak																																																																																																									
2	13570.00	48.24	88.20	-39.96	26.66	39.17	15.10	32.69	--	--	Peak																																																																																																									





Mode	49																																																																																																	
	Harmonic																																																																																																	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6865.00</td><td>93.25</td><td>-----</td><td>-----</td><td>78.81</td><td>36.57</td><td>11.23</td><td>33.36</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13730.00</td><td>49.92</td><td>88.20</td><td>-38.28</td><td>28.39</td><td>39.11</td><td>15.14</td><td>32.72</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6865.00	93.25	-----	-----	78.81	36.57	11.23	33.36	--	-- Peak	2	13730.00	49.92	88.20	-38.28	28.39	39.11	15.14	32.72	--	-- Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6865.00</td><td>95.47</td><td>-----</td><td>-----</td><td>81.03</td><td>36.57</td><td>11.23</td><td>33.36</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13730.00</td><td>50.22</td><td>88.20</td><td>-37.98</td><td>28.69</td><td>39.11</td><td>15.14</td><td>32.72</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6865.00	95.47	-----	-----	81.03	36.57	11.23	33.36	--	-- Peak	2	13730.00	50.22	88.20	-37.98	28.69	39.11	15.14	32.72	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6865.00	93.25	-----	-----	78.81	36.57	11.23	33.36	--	-- Peak																																																																																								
2	13730.00	49.92	88.20	-38.28	28.39	39.11	15.14	32.72	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6865.00	95.47	-----	-----	81.03	36.57	11.23	33.36	--	-- Peak																																																																																								
2	13730.00	50.22	88.20	-37.98	28.69	39.11	15.14	32.72	--	-- Peak																																																																																								





Mode	50																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6665.00</td><td>90.34</td><td>-----</td><td>-----</td><td>75.97</td><td>36.50</td><td>11.05</td><td>33.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13330.00</td><td>51.78</td><td>74.00</td><td>-22.22</td><td>30.52</td><td>39.23</td><td>14.87</td><td>32.84</td><td>192</td><td>85</td><td>Peak</td></tr><tr><td>3</td><td>13330.00</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>22.46</td><td>39.23</td><td>14.87</td><td>32.84</td><td>192</td><td>85</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6665.00	90.34	-----	-----	75.97	36.50	11.05	33.18	--	--	Peak	2	13330.00	51.78	74.00	-22.22	30.52	39.23	14.87	32.84	192	85	Peak	3	13330.00	43.72	54.00	-10.28	22.46	39.23	14.87	32.84	192	85	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6665.00</td><td>93.85</td><td>-----</td><td>-----</td><td>79.48</td><td>36.50</td><td>11.05</td><td>33.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13330.00</td><td>50.92</td><td>74.00</td><td>-23.08</td><td>29.66</td><td>39.23</td><td>14.87</td><td>32.84</td><td>144</td><td>210</td><td>Peak</td></tr><tr><td>3</td><td>13330.00</td><td>42.45</td><td>54.00</td><td>-11.55</td><td>21.19</td><td>39.23</td><td>14.87</td><td>32.84</td><td>144</td><td>210</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6665.00	93.85	-----	-----	79.48	36.50	11.05	33.18	--	--	Peak	2	13330.00	50.92	74.00	-23.08	29.66	39.23	14.87	32.84	144	210	Peak	3	13330.00	42.45	54.00	-11.55	21.19	39.23	14.87	32.84	144	210	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	6665.00	90.34	-----	-----	75.97	36.50	11.05	33.18	--	--	Peak																																																																																																																																					
2	13330.00	51.78	74.00	-22.22	30.52	39.23	14.87	32.84	192	85	Peak																																																																																																																																					
3	13330.00	43.72	54.00	-10.28	22.46	39.23	14.87	32.84	192	85	Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	6665.00	93.85	-----	-----	79.48	36.50	11.05	33.18	--	--	Peak																																																																																																																																					
2	13330.00	50.92	74.00	-23.08	29.66	39.23	14.87	32.84	144	210	Peak																																																																																																																																					
3	13330.00	42.45	54.00	-11.55	21.19	39.23	14.87	32.84	144	210	Average																																																																																																																																					





Mode	51																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. A significant peak is visible at 6825 MHz, reaching approximately 122.5 dBuV/m. The x-axis ranges from 1000 to 18000 MHz, and the y-axis ranges from 0 to 140 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6825.00</td><td>91.00</td><td>-----</td><td>76.59</td><td>36.53</td><td>11.21</td><td>33.33</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13650.00</td><td>48.76</td><td>88.20 -39.44</td><td>27.29</td><td>39.14</td><td>15.14</td><td>32.81</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6825.00	91.00	-----	76.59	36.53	11.21	33.33	--	-- Peak	2 13650.00	48.76	88.20 -39.44	27.29	39.14	15.14	32.81	--	-- Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. A significant peak is visible at 6825 MHz, reaching approximately 122.5 dBuV/m. The x-axis ranges from 1000 to 18000 MHz, and the y-axis ranges from 0 to 140 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6825.00</td><td>93.39</td><td>-----</td><td>78.98</td><td>36.53</td><td>11.21</td><td>33.33</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13650.00</td><td>49.90</td><td>88.20 -38.30</td><td>28.43</td><td>39.14</td><td>15.14</td><td>32.81</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6825.00	93.39	-----	78.98	36.53	11.21	33.33	--	-- Peak	2 13650.00	49.90	88.20 -38.30	28.43	39.14	15.14	32.81	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1 6825.00	91.00	-----	76.59	36.53	11.21	33.33	--	-- Peak																																																																																
2 13650.00	48.76	88.20 -39.44	27.29	39.14	15.14	32.81	--	-- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1 6825.00	93.39	-----	78.98	36.53	11.21	33.33	--	-- Peak																																																																																
2 13650.00	49.90	88.20 -38.30	28.43	39.14	15.14	32.81	--	-- Peak																																																																																







Mode	52																																																																																																							
	Harmonic																																																																																																							
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal					Vertical																																																																																																		
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6895.00</td><td>90.44</td><td>-----</td><td>75.93</td><td>36.60</td><td>11.24</td><td>33.33</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13790.00</td><td>49.86</td><td>88.20</td><td>-38.34</td><td>28.18</td><td>39.08</td><td>15.14</td><td>32.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6895.00	90.44	-----	75.93	36.60	11.24	33.33	--	-- Peak	2	13790.00	49.86	88.20	-38.34	28.18	39.08	15.14	32.54	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6895.00</td><td>94.76</td><td>-----</td><td>80.25</td><td>36.60</td><td>11.24</td><td>33.33</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13790.00</td><td>49.09</td><td>88.20</td><td>-39.11</td><td>27.41</td><td>39.08</td><td>15.14</td><td>32.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6895.00	94.76	-----	80.25	36.60	11.24	33.33	--	-- Peak	2	13790.00	49.09	88.20	-39.11	27.41	39.08	15.14	32.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	6895.00	90.44	-----	75.93	36.60	11.24	33.33	--	-- Peak																																																																																															
2	13790.00	49.86	88.20	-38.34	28.18	39.08	15.14	32.54	--	-- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	6895.00	94.76	-----	80.25	36.60	11.24	33.33	--	-- Peak																																																																																															
2	13790.00	49.09	88.20	-39.11	27.41	39.08	15.14	32.54	--	-- Peak																																																																																														



Mode	53																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. A significant peak is visible at 6995 MHz, reaching approximately 122.5 dBuV/m. The x-axis ranges from 1000 to 18000 MHz, and the y-axis ranges from 0 to 140 dBuV/m.	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. A significant peak is visible at 6995 MHz, reaching approximately 122.5 dBuV/m. The x-axis ranges from 1000 to 18000 MHz, and the y-axis ranges from 0 to 140 dBuV/m.																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6995.00</td><td>90.32</td><td>-----</td><td>76.67</td><td>35.66</td><td>11.30</td><td>33.31</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13990.00</td><td>47.72</td><td>88.20 -40.48</td><td>26.20</td><td>39.01</td><td>15.26</td><td>32.75</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6995.00	90.32	-----	76.67	35.66	11.30	33.31	--	-- Peak	2 13990.00	47.72	88.20 -40.48	26.20	39.01	15.26	32.75	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6995.00</td><td>94.22</td><td>-----</td><td>80.57</td><td>35.66</td><td>11.30</td><td>33.31</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13990.00</td><td>48.28</td><td>88.20 -39.92</td><td>26.76</td><td>39.01</td><td>15.26</td><td>32.75</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6995.00	94.22	-----	80.57	35.66	11.30	33.31	--	-- Peak	2 13990.00	48.28	88.20 -39.92	26.76	39.01	15.26	32.75	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1 6995.00	90.32	-----	76.67	35.66	11.30	33.31	--	-- Peak																																																																																
2 13990.00	47.72	88.20 -40.48	26.20	39.01	15.26	32.75	--	-- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1 6995.00	94.22	-----	80.57	35.66	11.30	33.31	--	-- Peak																																																																																
2 13990.00	48.28	88.20 -39.92	26.76	39.01	15.26	32.75	--	-- Peak																																																																																





Mode	54																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7162.83</td><td>52.14</td><td>88.20</td><td>-36.06</td><td>38.78</td><td>35.60</td><td>11.35</td><td>33.59</td><td>102</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>7342.35</td><td>52.50</td><td>74.00</td><td>-21.50</td><td>38.98</td><td>35.64</td><td>11.47</td><td>33.59</td><td>102</td><td>245</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7162.83	52.14	88.20	-36.06	38.78	35.60	11.35	33.59	102	245	PEAK	2	7342.35	52.50	74.00	-21.50	38.98	35.64	11.47	33.59	102	245	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.75</td><td>-----</td><td>-----</td><td>75.26</td><td>35.60</td><td>11.33</td><td>33.44</td><td>102</td><td>245</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	88.75	-----	-----	75.26	35.60	11.33	33.44	102	245
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7162.83	52.14	88.20	-36.06	38.78	35.60	11.35	33.59	102	245	PEAK																																																																																											
2	7342.35	52.50	74.00	-21.50	38.98	35.64	11.47	33.59	102	245	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	88.75	-----	-----	75.26	35.60	11.33	33.44	102	245	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7208.48</td><td>42.80</td><td>68.20</td><td>-25.40</td><td>29.41</td><td>35.60</td><td>11.36</td><td>33.57</td><td>102</td><td>245</td><td>AVERAGE</td></tr><tr><td>2</td><td>7290.33</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>29.27</td><td>35.60</td><td>11.43</td><td>33.60</td><td>102</td><td>245</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7208.48	42.80	68.20	-25.40	29.41	35.60	11.36	33.57	102	245	AVERAGE	2	7290.33	42.70	54.00	-11.30	29.27	35.60	11.43	33.60	102	245	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.52</td><td>-----</td><td>-----</td><td>68.03</td><td>35.60</td><td>11.33</td><td>33.44</td><td>102</td><td>245</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	81.52	-----	-----	68.03	35.60	11.33	33.44	102	245
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7208.48	42.80	68.20	-25.40	29.41	35.60	11.36	33.57	102	245	AVERAGE																																																																																											
2	7290.33	42.70	54.00	-11.30	29.27	35.60	11.43	33.60	102	245	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	81.52	-----	-----	68.03	35.60	11.33	33.44	102	245	AVERAGE																																																																																											







		54																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																			
ANT		1																																																																																																			
Pol.		Vertical					Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7200.83	51.94	88.20	-36.26	38.55	35.60	11.36	33.57	111	95	PEAK	2	7306.91	52.05	74.00	-21.95	38.61	35.60	11.44	33.60	111	95	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	89.61	-----	-----	76.12	35.60	11.33	33.44	111	95	PEAK									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7200.83	51.94	88.20	-36.26	38.55	35.60	11.36	33.57	111	95	PEAK																																																																																										
2	7306.91	52.05	74.00	-21.95	38.61	35.60	11.44	33.60	111	95	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7095.00	89.61	-----	-----	76.12	35.60	11.33	33.44	111	95	PEAK																																																																																										
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7203.38	42.79	68.20	-25.41	29.40	35.60	11.36	33.57	111	95	AVERAGE	2	7291.61	42.81	54.00	-11.19	29.38	35.60	11.43	33.60	111	95	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	82.80	-----	-----	69.31	35.60	11.33	33.44	111	95	AVERAGE									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7203.38	42.79	68.20	-25.41	29.40	35.60	11.36	33.57	111	95	AVERAGE																																																																																										
2	7291.61	42.81	54.00	-11.19	29.38	35.60	11.43	33.60	111	95	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7095.00	82.80	-----	-----	69.31	35.60	11.33	33.44	111	95	AVERAGE																																																																																										







Mode	54																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal										Vertical																																																																																											
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>48.72</td><td>88.20</td><td>-39.48</td><td>52.91</td><td>39.08</td><td>15.20</td><td>58.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	48.72	88.20	-39.48	52.91	39.08	15.20	58.47	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>49.15</td><td>88.20</td><td>-39.05</td><td>53.34</td><td>39.08</td><td>15.20</td><td>58.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	49.15	88.20	-39.05	53.34	39.08	15.20	58.47	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	14190.00	48.72	88.20	-39.48	52.91	39.08	15.20	58.47	--	--	Peak																																																																																											
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	14190.00	49.15	88.20	-39.05	53.34	39.08	15.20	58.47	--	--	Peak																																																																																											





		55																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>60.81</td><td>88.20</td><td>-27.39</td><td>47.39</td><td>35.60</td><td>11.34</td><td>33.52</td><td>113</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>7296.66</td><td>51.77</td><td>74.00</td><td>-22.23</td><td>38.34</td><td>35.60</td><td>11.43</td><td>33.60</td><td>113</td><td>183</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	60.81	88.20	-27.39	47.39	35.60	11.34	33.52	113	183	PEAK	2	7296.66	51.77	74.00	-22.23	38.34	35.60	11.43	33.60	113	183	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>88.26</td><td>-----</td><td>-----</td><td>74.82</td><td>35.60</td><td>11.33</td><td>33.49</td><td>113</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	88.26	-----	-----	74.82	35.60	11.33	33.49	113	183
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.11	60.81	88.20	-27.39	47.39	35.60	11.34	33.52	113	183	PEAK																																																																																											
2	7296.66	51.77	74.00	-22.23	38.34	35.60	11.43	33.60	113	183	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	88.26	-----	-----	74.82	35.60	11.33	33.49	113	183	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>50.65</td><td>68.20</td><td>-17.55</td><td>37.23</td><td>35.60</td><td>11.34</td><td>33.52</td><td>113</td><td>183</td><td>AVERAGE</td></tr><tr><td>2</td><td>7257.88</td><td>42.75</td><td>54.00</td><td>-11.25</td><td>29.35</td><td>35.60</td><td>11.40</td><td>33.60</td><td>113</td><td>183</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	50.65	68.20	-17.55	37.23	35.60	11.34	33.52	113	183	AVERAGE	2	7257.88	42.75	54.00	-11.25	29.35	35.60	11.40	33.60	113	183	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.84</td><td>-----</td><td>-----</td><td>68.40</td><td>35.60</td><td>11.33</td><td>33.49</td><td>113</td><td>183</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.84	-----	-----	68.40	35.60	11.33	33.49	113	183
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.11	50.65	68.20	-17.55	37.23	35.60	11.34	33.52	113	183	AVERAGE																																																																																											
2	7257.88	42.75	54.00	-11.25	29.35	35.60	11.40	33.60	113	183	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	81.84	-----	-----	68.40	35.60	11.33	33.49	113	183	AVERAGE																																																																																											





Mode	55																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.11</td><td>60.71</td><td>88.20</td><td>-27.49</td><td>47.29</td><td>35.60</td><td>11.34</td><td>33.52</td><td>105</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>7280.91</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>38.57</td><td>35.60</td><td>11.42</td><td>33.60</td><td>105</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	60.71	88.20	-27.49	47.29	35.60	11.34	33.52	105	76	PEAK	2	7280.91	51.99	74.00	-22.01	38.57	35.60	11.42	33.60	105	76	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>87.61</td><td>-----</td><td>-----</td><td>74.17</td><td>35.60</td><td>11.33</td><td>33.49</td><td>105</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	87.61	-----	-----	74.17	35.60	11.33	33.49	105	76
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7125.11	60.71	88.20	-27.49	47.29	35.60	11.34	33.52	105	76	PEAK																																																																																												
2	7280.91	51.99	74.00	-22.01	38.57	35.60	11.42	33.60	105	76	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7115.00	87.61	-----	-----	74.17	35.60	11.33	33.49	105	76	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.11</td><td>51.64</td><td>68.20</td><td>-16.56</td><td>38.22</td><td>35.60</td><td>11.34</td><td>33.52</td><td>105</td><td>76</td><td>AVERAGE</td></tr><tr><td>2</td><td>7281.62</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>29.34</td><td>35.60</td><td>11.42</td><td>33.60</td><td>105</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	51.64	68.20	-16.56	38.22	35.60	11.34	33.52	105	76	AVERAGE	2	7281.62	42.76	54.00	-11.24	29.34	35.60	11.42	33.60	105	76	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>81.44</td><td>-----</td><td>-----</td><td>68.00</td><td>35.60</td><td>11.33</td><td>33.49</td><td>105</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.44	-----	-----	68.00	35.60	11.33	33.49	105	76
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7125.11	51.64	68.20	-16.56	38.22	35.60	11.34	33.52	105	76	AVERAGE																																																																																												
2	7281.62	42.76	54.00	-11.24	29.34	35.60	11.42	33.60	105	76	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7115.00	81.44	-----	-----	68.00	35.60	11.33	33.49	105	76	AVERAGE																																																																																												



Mode	55																																																																																								
	Harmonic																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal										Vertical																																																																														
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14230.00</td><td>48.66</td><td>88.20</td><td>-39.54</td><td>52.79</td><td>39.09</td><td>15.20</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	48.66	88.20	-39.54	52.79	39.09	15.20	58.42	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14230.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>51.60</td><td>39.09</td><td>15.20</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	47.47	88.20	-40.73	51.60	39.09	15.20	58.42	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 14230.00	48.66	88.20	-39.54	52.79	39.09	15.20	58.42	--	--	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 14230.00	47.47	88.20	-40.73	51.60	39.09	15.20	58.42	--	--	Peak																																																																															







Mode	56																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																																																										
ANT	1																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6895.00</td><td>88.54</td><td>-----</td><td>74.03</td><td>36.60</td><td>11.24</td><td>33.33</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13790.00</td><td>49.08</td><td>88.20</td><td>-39.12</td><td>27.40</td><td>39.08</td><td>15.14</td><td>32.54</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6895.00	88.54	-----	74.03	36.60	11.24	33.33	--	--	Peak	2	13790.00	49.08	88.20	-39.12	27.40	39.08	15.14	32.54	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6895.00</td><td>91.01</td><td>-----</td><td>76.50</td><td>36.60</td><td>11.24</td><td>33.33</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13790.00</td><td>46.34</td><td>88.20</td><td>-41.86</td><td>24.66</td><td>39.08</td><td>15.14</td><td>32.54</td><td>--</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6895.00	91.01	-----	76.50	36.60	11.24	33.33	--	--	Peak	2	13790.00	46.34	88.20	-41.86	24.66	39.08	15.14	32.54	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	6895.00	88.54	-----	74.03	36.60	11.24	33.33	--	--	Peak																																																																																																																	
2	13790.00	49.08	88.20	-39.12	27.40	39.08	15.14	32.54	--	Peak																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	6895.00	91.01	-----	76.50	36.60	11.24	33.33	--	--	Peak																																																																																																																	
2	13790.00	46.34	88.20	-41.86	24.66	39.08	15.14	32.54	--	Peak																																																																																																																	







		57																																																											
Mode		Harmonic																																																											
		U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																											
ANT		1																																																											
Pol.		Horizontal					Vertical																																																						
Peak Avg																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6995.00</td><td>90.90</td><td>-----</td><td>77.25</td><td>35.66</td><td>11.30</td><td>33.31</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13990.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>25.95</td><td>39.01</td><td>15.26</td><td>32.75</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6995.00	90.90	-----	77.25	35.66	11.30	33.31	--	--	Peak	2	13990.00	47.47	88.20	-40.73	25.95	39.01	15.26	32.75	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	6995.00	90.90	-----	77.25	35.66	11.30	33.31	--	--	Peak																																																			
2	13990.00	47.47	88.20	-40.73	25.95	39.01	15.26	32.75	--	--	Peak																																																		
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6995.00</td><td>92.98</td><td>-----</td><td>79.33</td><td>35.66</td><td>11.30</td><td>33.31</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13990.00</td><td>47.21</td><td>88.20</td><td>-40.99</td><td>25.69</td><td>39.01</td><td>15.26</td><td>32.75</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6995.00	92.98	-----	79.33	35.66	11.30	33.31	--	--	Peak	2	13990.00	47.21	88.20	-40.99	25.69	39.01	15.26	32.75	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	6995.00	92.98	-----	79.33	35.66	11.30	33.31	--	--	Peak																																																			
2	13990.00	47.21	88.20	-40.99	25.69	39.01	15.26	32.75	--	--	Peak																																																		





		58																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7219.44</td><td>52.66</td><td>88.20</td><td>-35.54</td><td>39.27</td><td>35.60</td><td>11.37</td><td>33.58</td><td>102</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>7313.03</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>39.06</td><td>35.61</td><td>11.45</td><td>33.60</td><td>102</td><td>180</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7219.44	52.66	88.20	-35.54	39.27	35.60	11.37	33.58	102	180	PEAK	2	7313.03	52.52	74.00	-21.48	39.06	35.61	11.45	33.60	102	180	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>91.29</td><td>-----</td><td>-----</td><td>77.80</td><td>35.60</td><td>11.33</td><td>33.44</td><td>102</td><td>180</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	91.29	-----	-----	77.80	35.60	11.33	33.44	102	180
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7219.44	52.66	88.20	-35.54	39.27	35.60	11.37	33.58	102	180	PEAK																																																																																											
2	7313.03	52.52	74.00	-21.48	39.06	35.61	11.45	33.60	102	180	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	91.29	-----	-----	77.80	35.60	11.33	33.44	102	180	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7222.50</td><td>42.99</td><td>68.20</td><td>-25.21</td><td>29.60</td><td>35.60</td><td>11.37</td><td>33.58</td><td>102</td><td>180</td><td>AVERAGE</td></tr><tr><td>2</td><td>7286.51</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>29.42</td><td>35.60</td><td>11.43</td><td>33.60</td><td>102</td><td>180</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7222.50	42.99	68.20	-25.21	29.60	35.60	11.37	33.58	102	180	AVERAGE	2	7286.51	42.85	54.00	-11.15	29.42	35.60	11.43	33.60	102	180	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>82.84</td><td>-----</td><td>-----</td><td>69.35</td><td>35.60</td><td>11.33</td><td>33.44</td><td>102</td><td>180</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	82.84	-----	-----	69.35	35.60	11.33	33.44	102	180
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7222.50	42.99	68.20	-25.21	29.60	35.60	11.37	33.58	102	180	AVERAGE																																																																																											
2	7286.51	42.85	54.00	-11.15	29.42	35.60	11.43	33.60	102	180	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	82.84	-----	-----	69.35	35.60	11.33	33.44	102	180	AVERAGE																																																																																											







		58																																																										
Mode	Band Edge																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																											
ANT	1																																																											
Pol.	Vertical																																																											
Peak																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7243.41</td><td>52.41</td><td>88.20</td><td>-35.79</td><td>39.01</td><td>35.60</td><td>11.39</td><td>33.59</td><td>102</td><td>72 PEAK</td></tr><tr><td>2</td><td>7327.31</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>38.76</td><td>35.62</td><td>11.46</td><td>33.60</td><td>102</td><td>72 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7243.41	52.41	88.20	-35.79	39.01	35.60	11.39	33.59	102	72 PEAK	2	7327.31	52.24	74.00	-21.76	38.76	35.62	11.46	33.60	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	7243.41	52.41	88.20	-35.79	39.01	35.60	11.39	33.59	102	72 PEAK																																																		
2	7327.31	52.24	74.00	-21.76	38.76	35.62	11.46	33.60	102	72 PEAK																																																		
Fundamental																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>90.03</td><td>-----</td><td>-----</td><td>76.54</td><td>35.60</td><td>11.33</td><td>33.44</td><td>102</td><td>72 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	90.03	-----	-----	76.54	35.60	11.33	33.44	102	72 PEAK										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	7095.00	90.03	-----	-----	76.54	35.60	11.33	33.44	102	72 PEAK																																																		
Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7204.40</td><td>42.90</td><td>68.20</td><td>-25.30</td><td>29.51</td><td>35.60</td><td>11.36</td><td>33.57</td><td>102</td><td>72 AVERAGE</td></tr><tr><td>2</td><td>7300.53</td><td>42.80</td><td>54.00</td><td>-11.20</td><td>29.36</td><td>35.60</td><td>11.44</td><td>33.60</td><td>102</td><td>72 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7204.40	42.90	68.20	-25.30	29.51	35.60	11.36	33.57	102	72 AVERAGE	2	7300.53	42.80	54.00	-11.20	29.36	35.60	11.44	33.60	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	7204.40	42.90	68.20	-25.30	29.51	35.60	11.36	33.57	102	72 AVERAGE																																																		
2	7300.53	42.80	54.00	-11.20	29.36	35.60	11.44	33.60	102	72 AVERAGE																																																		
Ave																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>81.64</td><td>-----</td><td>-----</td><td>68.15</td><td>35.60</td><td>11.33</td><td>33.44</td><td>102</td><td>72 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	81.64	-----	-----	68.15	35.60	11.33	33.44	102	72 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	7095.00	81.64	-----	-----	68.15	35.60	11.33	33.44	102	72 AVERAGE																																																		







Mode	58																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>49.29</td><td>88.20</td><td>-38.91</td><td>53.48</td><td>39.08</td><td>15.20</td><td>58.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	49.29	88.20	-38.91	53.48	39.08	15.20	58.47	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>52.63</td><td>39.08</td><td>15.20</td><td>58.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.44	88.20	-39.76	52.63	39.08	15.20	58.47	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	49.29	88.20	-38.91	53.48	39.08	15.20	58.47	--	--	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	48.44	88.20	-39.76	52.63	39.08	15.20	58.47	--	--	Peak																																																																																		







		59																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_26/8_7095MHz																																																																																																			
ANT		1																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7234.74</td><td>51.94</td><td>88.20</td><td>-36.26</td><td>38.55</td><td>35.60</td><td>11.38</td><td>33.59</td><td>100</td><td>252</td><td>PEAK</td></tr><tr><td>2</td><td>7299.26</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>40.12</td><td>35.60</td><td>11.44</td><td>33.60</td><td>100</td><td>252</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7234.74	51.94	88.20	-36.26	38.55	35.60	11.38	33.59	100	252	PEAK	2	7299.26	53.56	74.00	-20.44	40.12	35.60	11.44	33.60	100	252	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.23</td><td>-----</td><td>-----</td><td>76.76</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>252</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	90.23	-----	-----	76.76	35.60	11.33	33.46	100	252
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7234.74	51.94	88.20	-36.26	38.55	35.60	11.38	33.59	100	252	PEAK																																																																																										
2	7299.26	53.56	74.00	-20.44	40.12	35.60	11.44	33.60	100	252	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7095.00	90.23	-----	-----	76.76	35.60	11.33	33.46	100	252	PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7196.49</td><td>42.54</td><td>68.20</td><td>-25.66</td><td>29.15</td><td>35.60</td><td>11.36</td><td>33.57</td><td>100</td><td>252</td><td>AVERAGE</td></tr><tr><td>2</td><td>7304.10</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>29.15</td><td>35.60</td><td>11.44</td><td>33.60</td><td>100</td><td>252</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7196.49	42.54	68.20	-25.66	29.15	35.60	11.36	33.57	100	252	AVERAGE	2	7304.10	42.59	54.00	-11.41	29.15	35.60	11.44	33.60	100	252	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.23</td><td>-----</td><td>-----</td><td>68.76</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>252</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.23	-----	-----	68.76	35.60	11.33	33.46	100	252
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7196.49	42.54	68.20	-25.66	29.15	35.60	11.36	33.57	100	252	AVERAGE																																																																																										
2	7304.10	42.59	54.00	-11.41	29.15	35.60	11.44	33.60	100	252	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7095.00	82.23	-----	-----	68.76	35.60	11.33	33.46	100	252	AVERAGE																																																																																										







Mode	59																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_26/8_7095MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7197.51</td><td>52.11</td><td>88.20</td><td>-36.09</td><td>38.72</td><td>35.60</td><td>11.36</td><td>33.57</td><td>100</td><td>97 PEAK</td></tr><tr><td>2</td><td>7346.18</td><td>52.60</td><td>74.00</td><td>-21.40</td><td>39.07</td><td>35.65</td><td>11.47</td><td>33.59</td><td>100</td><td>97 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7197.51	52.11	88.20	-36.09	38.72	35.60	11.36	33.57	100	97 PEAK	2	7346.18	52.60	74.00	-21.40	39.07	35.65	11.47	33.59	100	97 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>93.50</td><td>-----</td><td>-----</td><td>80.03</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>97 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	93.50	-----	-----	80.03	35.60	11.33	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7197.51	52.11	88.20	-36.09	38.72	35.60	11.36	33.57	100	97 PEAK																																																																																								
2	7346.18	52.60	74.00	-21.40	39.07	35.65	11.47	33.59	100	97 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7095.00	93.50	-----	-----	80.03	35.60	11.33	33.46	100	97 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7200.06</td><td>42.56</td><td>68.20</td><td>-25.64</td><td>29.17</td><td>35.60</td><td>11.36</td><td>33.57</td><td>100</td><td>97 AVERAGE</td></tr><tr><td>2</td><td>7290.33</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>29.14</td><td>35.60</td><td>11.43</td><td>33.60</td><td>100</td><td>97 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7200.06	42.56	68.20	-25.64	29.17	35.60	11.36	33.57	100	97 AVERAGE	2	7290.33	42.57	54.00	-11.43	29.14	35.60	11.43	33.60	100	97 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>84.76</td><td>-----</td><td>-----</td><td>71.29</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>97 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	84.76	-----	-----	71.29	35.60	11.33	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7200.06	42.56	68.20	-25.64	29.17	35.60	11.36	33.57	100	97 AVERAGE																																																																																								
2	7290.33	42.57	54.00	-11.43	29.14	35.60	11.43	33.60	100	97 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7095.00	84.76	-----	-----	71.29	35.60	11.33	33.46	100	97 AVERAGE																																																																																								







Mode	60																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_52/40_7095MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7189.35</td><td>52.09</td><td>88.20</td><td>-36.11</td><td>38.71</td><td>35.60</td><td>11.36</td><td>33.58</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>7346.94</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>38.68</td><td>35.65</td><td>11.47</td><td>33.59</td><td>100</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7189.35	52.09	88.20	-36.11	38.71	35.60	11.36	33.58	100	242	PEAK	2	7346.94	52.21	74.00	-21.79	38.68	35.65	11.47	33.59	100	242	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.11</td><td>-----</td><td>-----</td><td>76.64</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	90.11	-----	-----	76.64	35.60	11.33	33.46	100	242
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7189.35	52.09	88.20	-36.11	38.71	35.60	11.36	33.58	100	242	PEAK																																																																																												
2	7346.94	52.21	74.00	-21.79	38.68	35.65	11.47	33.59	100	242	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7095.00	90.11	-----	-----	76.64	35.60	11.33	33.46	100	242	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.96</td><td>42.63</td><td>68.20</td><td>-25.57</td><td>29.24</td><td>35.60</td><td>11.38</td><td>33.59</td><td>100</td><td>242</td><td>AVERAGE</td></tr><tr><td>2</td><td>7267.13</td><td>42.64</td><td>54.00</td><td>-11.36</td><td>29.23</td><td>35.60</td><td>11.41</td><td>33.60</td><td>100</td><td>242</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7232.96	42.63	68.20	-25.57	29.24	35.60	11.38	33.59	100	242	AVERAGE	2	7267.13	42.64	54.00	-11.36	29.23	35.60	11.41	33.60	100	242	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.96</td><td>-----</td><td>-----</td><td>68.49</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>242</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	81.96	-----	-----	68.49	35.60	11.33	33.46	100	242
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7232.96	42.63	68.20	-25.57	29.24	35.60	11.38	33.59	100	242	AVERAGE																																																																																												
2	7267.13	42.64	54.00	-11.36	29.23	35.60	11.41	33.60	100	242	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7095.00	81.96	-----	-----	68.49	35.60	11.33	33.46	100	242	AVERAGE																																																																																												







Mode	60																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_52/40_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7196.24</td><td>52.07</td><td>88.20</td><td>-36.13</td><td>38.68</td><td>35.60</td><td>11.36</td><td>33.57</td><td>100</td><td>96</td><td>PEAK</td></tr><tr><td>2</td><td>7298.75</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>39.19</td><td>35.60</td><td>11.44</td><td>33.60</td><td>100</td><td>96</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7196.24	52.07	88.20	-36.13	38.68	35.60	11.36	33.57	100	96	PEAK	2	7298.75	52.63	74.00	-21.37	39.19	35.60	11.44	33.60	100	96	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>93.54</td><td>-----</td><td>-----</td><td>80.07</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>96</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	93.54	-----	-----	80.07	35.60	11.33	33.46	100	96
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7196.24	52.07	88.20	-36.13	38.68	35.60	11.36	33.57	100	96	PEAK																																																																																											
2	7298.75	52.63	74.00	-21.37	39.19	35.60	11.44	33.60	100	96	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	93.54	-----	-----	80.07	35.60	11.33	33.46	100	96	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7230.41</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>29.24</td><td>35.60</td><td>11.38</td><td>33.58</td><td>100</td><td>96</td><td>AVERAGE</td></tr><tr><td>2</td><td>7266.11</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>29.35</td><td>35.60</td><td>11.41</td><td>33.60</td><td>100</td><td>96</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7230.41	42.64	68.20	-25.56	29.24	35.60	11.38	33.58	100	96	AVERAGE	2	7266.11	42.76	54.00	-11.24	29.35	35.60	11.41	33.60	100	96	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>85.12</td><td>-----</td><td>-----</td><td>71.65</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>96</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	85.12	-----	-----	71.65	35.60	11.33	33.46	100	96
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7230.41	42.64	68.20	-25.56	29.24	35.60	11.38	33.58	100	96	AVERAGE																																																																																											
2	7266.11	42.76	54.00	-11.24	29.35	35.60	11.41	33.60	100	96	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	85.12	-----	-----	71.65	35.60	11.33	33.46	100	96	AVERAGE																																																																																											







		61																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_106/54_7095MHz																																																																																																			
ANT		1																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7211.79</td><td>52.02</td><td>88.20</td><td>-36.18</td><td>38.62</td><td>35.60</td><td>11.37</td><td>33.57</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>7277.58</td><td>52.60</td><td>74.00</td><td>-21.40</td><td>39.18</td><td>35.60</td><td>11.42</td><td>33.60</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7211.79	52.02	88.20	-36.18	38.62	35.60	11.37	33.57	100	235	PEAK	2	7277.58	52.60	74.00	-21.40	39.18	35.60	11.42	33.60	100	235	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.10</td><td>-----</td><td>-----</td><td>76.63</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	90.10	-----	-----	76.63	35.60	11.33	33.46	100	235
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7211.79	52.02	88.20	-36.18	38.62	35.60	11.37	33.57	100	235	PEAK																																																																																										
2	7277.58	52.60	74.00	-21.40	39.18	35.60	11.42	33.60	100	235	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7095.00	90.10	-----	-----	76.63	35.60	11.33	33.46	100	235	PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.13</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>29.25</td><td>35.60</td><td>11.37</td><td>33.58</td><td>100</td><td>235</td><td>AVERAGE</td></tr><tr><td>2</td><td>7272.23</td><td>42.61</td><td>54.00</td><td>-11.39</td><td>29.20</td><td>35.60</td><td>11.41</td><td>33.60</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7216.13	42.64	68.20	-25.56	29.25	35.60	11.37	33.58	100	235	AVERAGE	2	7272.23	42.61	54.00	-11.39	29.20	35.60	11.41	33.60	100	235	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.99</td><td>-----</td><td>-----</td><td>68.52</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	81.99	-----	-----	68.52	35.60	11.33	33.46	100	235
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7216.13	42.64	68.20	-25.56	29.25	35.60	11.37	33.58	100	235	AVERAGE																																																																																										
2	7272.23	42.61	54.00	-11.39	29.20	35.60	11.41	33.60	100	235	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7095.00	81.99	-----	-----	68.52	35.60	11.33	33.46	100	235	AVERAGE																																																																																										







Mode	61																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU_106/54_7095MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7194.96</td><td>52.14</td><td>88.20</td><td>-36.06</td><td>38.75</td><td>35.60</td><td>11.36</td><td>33.57</td><td>100</td><td>71 PEAK</td></tr><tr><td>2</td><td>7314.56</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>38.53</td><td>35.61</td><td>11.45</td><td>33.60</td><td>100</td><td>71 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7194.96	52.14	88.20	-36.06	38.75	35.60	11.36	33.57	100	71 PEAK	2	7314.56	51.99	74.00	-22.01	38.53	35.61	11.45	33.60	100	71 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.54</td><td>-----</td><td>-----</td><td>78.07</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>71 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	91.54	-----	-----	78.07	35.60	11.33	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7194.96	52.14	88.20	-36.06	38.75	35.60	11.36	33.57	100	71 PEAK																																																																																								
2	7314.56	51.99	74.00	-22.01	38.53	35.61	11.45	33.60	100	71 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7095.00	91.54	-----	-----	78.07	35.60	11.33	33.46	100	71 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7237.04</td><td>42.68</td><td>68.20</td><td>-25.52</td><td>29.28</td><td>35.60</td><td>11.39</td><td>33.59</td><td>100</td><td>71 AVERAGE</td></tr><tr><td>2</td><td>7292.37</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>29.23</td><td>35.60</td><td>11.43</td><td>33.60</td><td>100</td><td>71 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7237.04	42.68	68.20	-25.52	29.28	35.60	11.39	33.59	100	71 AVERAGE	2	7292.37	42.66	54.00	-11.34	29.23	35.60	11.43	33.60	100	71 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>83.51</td><td>-----</td><td>-----</td><td>70.04</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>71 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	83.51	-----	-----	70.04	35.60	11.33	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7237.04	42.68	68.20	-25.52	29.28	35.60	11.39	33.59	100	71 AVERAGE																																																																																								
2	7292.37	42.66	54.00	-11.34	29.23	35.60	11.43	33.60	100	71 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7095.00	83.51	-----	-----	70.04	35.60	11.33	33.46	100	71 AVERAGE																																																																																								



Mode	62																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>64.57</td><td>88.20</td><td>-23.63</td><td>51.15</td><td>35.60</td><td>11.34</td><td>33.52</td><td>101</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>7301.83</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>38.51</td><td>35.60</td><td>11.44</td><td>33.60</td><td>101</td><td>182</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	64.57	88.20	-23.63	51.15	35.60	11.34	33.52	101	182	PEAK	2	7301.83	51.95	74.00	-22.05	38.51	35.60	11.44	33.60	101	182	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>89.12</td><td>-----</td><td>-----</td><td>75.68</td><td>35.60</td><td>11.33</td><td>33.49</td><td>101</td><td>182</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	89.12	-----	-----	75.68	35.60	11.33	33.49	101	182	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7125.11	64.57	88.20	-23.63	51.15	35.60	11.34	33.52	101	182	PEAK																																																																																												
2	7301.83	51.95	74.00	-22.05	38.51	35.60	11.44	33.60	101	182	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7115.00	89.12	-----	-----	75.68	35.60	11.33	33.49	101	182	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>51.58</td><td>68.20</td><td>-16.62</td><td>38.16</td><td>35.60</td><td>11.34</td><td>33.52</td><td>101</td><td>182</td><td>AVERAGE</td></tr><tr><td>2</td><td>7262.82</td><td>42.78</td><td>54.00</td><td>-11.22</td><td>29.37</td><td>35.60</td><td>11.41</td><td>33.60</td><td>101</td><td>182</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	51.58	68.20	-16.62	38.16	35.60	11.34	33.52	101	182	AVERAGE	2	7262.82	42.78	54.00	-11.22	29.37	35.60	11.41	33.60	101	182	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.30</td><td>-----</td><td>-----</td><td>67.86</td><td>35.60</td><td>11.33</td><td>33.49</td><td>101</td><td>182</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.30	-----	-----	67.86	35.60	11.33	33.49	101	182	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7125.11	51.58	68.20	-16.62	38.16	35.60	11.34	33.52	101	182	AVERAGE																																																																																												
2	7262.82	42.78	54.00	-11.22	29.37	35.60	11.41	33.60	101	182	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7115.00	81.30	-----	-----	67.86	35.60	11.33	33.49	101	182	AVERAGE																																																																																												







Mode	62																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.11</td><td>64.79</td><td>88.20</td><td>-23.41</td><td>51.37</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>7280.21</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>38.53</td><td>35.60</td><td>11.42</td><td>33.60</td><td>100</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	64.79	88.20	-23.41	51.37	35.60	11.34	33.52	100	76	PEAK	2	7280.21	51.95	74.00	-22.05	38.53	35.60	11.42	33.60	100	76	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>90.32</td><td>-----</td><td>-----</td><td>76.88</td><td>35.60</td><td>11.33</td><td>33.49</td><td>100</td><td>76</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	90.32	-----	-----	76.88	35.60	11.33	33.49	100	76
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.11	64.79	88.20	-23.41	51.37	35.60	11.34	33.52	100	76	PEAK																																																																																											
2	7280.21	51.95	74.00	-22.05	38.53	35.60	11.42	33.60	100	76	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	90.32	-----	-----	76.88	35.60	11.33	33.49	100	76	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.11</td><td>52.08</td><td>68.20</td><td>-16.12</td><td>38.66</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>76</td><td>AVERAGE</td></tr><tr><td>2</td><td>7349.30</td><td>42.80</td><td>54.00</td><td>-11.20</td><td>29.26</td><td>35.65</td><td>11.48</td><td>33.59</td><td>100</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	52.08	68.20	-16.12	38.66	35.60	11.34	33.52	100	76	AVERAGE	2	7349.30	42.80	54.00	-11.20	29.26	35.65	11.48	33.59	100	76	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>81.14</td><td>-----</td><td>-----</td><td>67.70</td><td>35.60</td><td>11.33</td><td>33.49</td><td>100</td><td>76</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.14	-----	-----	67.70	35.60	11.33	33.49	100	76
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.11	52.08	68.20	-16.12	38.66	35.60	11.34	33.52	100	76	AVERAGE																																																																																											
2	7349.30	42.80	54.00	-11.20	29.26	35.65	11.48	33.59	100	76	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	81.14	-----	-----	67.70	35.60	11.33	33.49	100	76	AVERAGE																																																																																											







Mode	62																																																					
	Harmonic																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																					
ANT	1																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>48.31</td><td>88.20</td><td>-39.89</td><td>52.44</td><td>39.09</td><td>15.20</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	48.31	88.20	-39.89	52.44	39.09	15.20	58.42	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1 14230.00	48.31	88.20	-39.89	52.44	39.09	15.20	58.42	--	--	Peak																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>49.03</td><td>88.20</td><td>-39.17</td><td>53.16</td><td>39.09</td><td>15.20</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	49.03	88.20	-39.17	53.16	39.09	15.20	58.42	--	--	Peak	
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1 14230.00	49.03	88.20	-39.17	53.16	39.09	15.20	58.42	--	--	Peak																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>48.31</td><td>88.20</td><td>-39.89</td><td>52.44</td><td>39.09</td><td>15.20</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	48.31	88.20	-39.89	52.44	39.09	15.20	58.42	--	--	Peak	
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1 14230.00	48.31	88.20	-39.89	52.44	39.09	15.20	58.42	--	--	Peak																																												







Mode	63																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_26/8_7115MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>66.89</td><td>88.20</td><td>-21.31</td><td>53.47</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>7267.28</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>39.15</td><td>35.60</td><td>11.41</td><td>33.60</td><td>100</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	66.89	88.20	-21.31	53.47	35.60	11.34	33.52	100	270	PEAK	2	7267.28	52.56	74.00	-21.44	39.15	35.60	11.41	33.60	100	270	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>88.92</td><td>-----</td><td>-----</td><td>75.50</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>270</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	88.92	-----	-----	75.50	35.60	11.34	33.52	100	270	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7125.00	66.89	88.20	-21.31	53.47	35.60	11.34	33.52	100	270	PEAK																																																																																												
2	7267.28	52.56	74.00	-21.44	39.15	35.60	11.41	33.60	100	270	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7115.00	88.92	-----	-----	75.50	35.60	11.34	33.52	100	270	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>52.11</td><td>68.20</td><td>-16.09</td><td>38.69</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>270</td><td>AVERAGE</td></tr><tr><td>2</td><td>7347.89</td><td>42.65</td><td>54.00</td><td>-11.35</td><td>29.12</td><td>35.65</td><td>11.47</td><td>33.59</td><td>100</td><td>270</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	52.11	68.20	-16.09	38.69	35.60	11.34	33.52	100	270	AVERAGE	2	7347.89	42.65	54.00	-11.35	29.12	35.65	11.47	33.59	100	270	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.11</td><td>-----</td><td>-----</td><td>67.69</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>270</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.11	-----	-----	67.69	35.60	11.34	33.52	100	270	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7125.00	52.11	68.20	-16.09	38.69	35.60	11.34	33.52	100	270	AVERAGE																																																																																												
2	7347.89	42.65	54.00	-11.35	29.12	35.65	11.47	33.59	100	270	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7115.00	81.11	-----	-----	67.69	35.60	11.34	33.52	100	270	AVERAGE																																																																																												







Mode	63																																																														
	Band Edge																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_26/8_7115MHz																																																														
ANT	1																																																														
Pol.	Vertical																																																														
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>67.56</td><td>88.20</td><td>-20.64</td><td>54.14</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>93</td><td>PEAK</td></tr><tr><td>2</td><td>7261.88</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>39.01</td><td>35.60</td><td>11.41</td><td>33.60</td><td>100</td><td>93</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	67.56	88.20	-20.64	54.14	35.60	11.34	33.52	100	93	PEAK	2	7261.88	52.42	74.00	-21.58	39.01	35.60	11.41	33.60	100	93	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7125.00	67.56	88.20	-20.64	54.14	35.60	11.34	33.52	100	93	PEAK																																																				
2	7261.88	52.42	74.00	-21.58	39.01	35.60	11.41	33.60	100	93	PEAK																																																				
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>54.52</td><td>68.20</td><td>-13.68</td><td>41.10</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>93</td><td>AVERAGE</td></tr><tr><td>2</td><td>7279.50</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>29.21</td><td>35.60</td><td>11.42</td><td>33.60</td><td>100</td><td>93</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	54.52	68.20	-13.68	41.10	35.60	11.34	33.52	100	93	AVERAGE	2	7279.50	42.63	54.00	-11.37	29.21	35.60	11.42	33.60	100	93	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7125.00	54.52	68.20	-13.68	41.10	35.60	11.34	33.52	100	93	AVERAGE																																																				
2	7279.50	42.63	54.00	-11.37	29.21	35.60	11.42	33.60	100	93	AVERAGE																																																				
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>91.70</td><td>-----</td><td>-----</td><td>78.28</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>93</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	91.70	-----	-----	78.28	35.60	11.34	33.52	100	93	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7115.00	91.70	-----	-----	78.28	35.60	11.34	33.52	100	93	PEAK																																																				
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>83.50</td><td>-----</td><td>-----</td><td>70.08</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>93</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	83.50	-----	-----	70.08	35.60	11.34	33.52	100	93	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7115.00	83.50	-----	-----	70.08	35.60	11.34	33.52	100	93	AVERAGE																																																				







		64																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_52/40_7115MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>65.96</td><td>88.20</td><td>-22.24</td><td>52.54</td><td>35.60</td><td>11.34</td><td>33.52</td><td>103</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>7287.49</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>38.78</td><td>35.60</td><td>11.43</td><td>33.60</td><td>103</td><td>270</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	65.96	88.20	-22.24	52.54	35.60	11.34	33.52	103	270	PEAK	2	7287.49	52.21	74.00	-21.79	38.78	35.60	11.43	33.60	103	270	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>89.65</td><td>-----</td><td>-----</td><td>76.23</td><td>35.60</td><td>11.34</td><td>33.52</td><td>103</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	89.65	-----	-----	76.23	35.60	11.34	33.52	103	270
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.00	65.96	88.20	-22.24	52.54	35.60	11.34	33.52	103	270	PEAK																																																																																											
2	7287.49	52.21	74.00	-21.79	38.78	35.60	11.43	33.60	103	270	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	89.65	-----	-----	76.23	35.60	11.34	33.52	103	270	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>52.33</td><td>68.20</td><td>-15.87</td><td>38.91</td><td>35.60</td><td>11.34</td><td>33.52</td><td>103</td><td>270</td><td>AVERAGE</td></tr><tr><td>2</td><td>7292.19</td><td>42.61</td><td>54.00</td><td>-11.39</td><td>29.18</td><td>35.60</td><td>11.43</td><td>33.60</td><td>103</td><td>270</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	52.33	68.20	-15.87	38.91	35.60	11.34	33.52	103	270	AVERAGE	2	7292.19	42.61	54.00	-11.39	29.18	35.60	11.43	33.60	103	270	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.10</td><td>-----</td><td>-----</td><td>67.68</td><td>35.60</td><td>11.33</td><td>33.51</td><td>103</td><td>270</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.10	-----	-----	67.68	35.60	11.33	33.51	103	270
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.00	52.33	68.20	-15.87	38.91	35.60	11.34	33.52	103	270	AVERAGE																																																																																											
2	7292.19	42.61	54.00	-11.39	29.18	35.60	11.43	33.60	103	270	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	81.10	-----	-----	67.68	35.60	11.33	33.51	103	270	AVERAGE																																																																																											



Mode	64																																																																																				
	Band Edge																																																																																				
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_52/40_7115MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical					Fundamental																																																																															
Peak																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.00</td><td>67.74</td><td>88.20</td><td>-20.46</td><td>54.32</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100 77 PEAK</td></tr><tr><td>2 7260.00</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>39.25</td><td>35.60</td><td>11.40</td><td>33.60</td><td>100 77 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 7125.00	67.74	88.20	-20.46	54.32	35.60	11.34	33.52	100 77 PEAK	2 7260.00	52.65	74.00	-21.35	39.25	35.60	11.40	33.60	100 77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>91.60</td><td>-----</td><td>78.18</td><td>35.60</td><td>11.33</td><td>33.51</td><td>100 77 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 7115.00	91.60	-----	78.18	35.60	11.33	33.51
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1 7125.00	67.74	88.20	-20.46	54.32	35.60	11.34	33.52	100 77 PEAK																																																																													
2 7260.00	52.65	74.00	-21.35	39.25	35.60	11.40	33.60	100 77 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1 7115.00	91.60	-----	78.18	35.60	11.33	33.51	100 77 PEAK																																																																														
Avg																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.00</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>41.68</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100 77 AVERAGE</td></tr><tr><td>2 7286.08</td><td>42.83</td><td>54.00</td><td>-11.17</td><td>29.40</td><td>35.60</td><td>11.43</td><td>33.60</td><td>100 77 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 7125.00	55.10	68.20	-13.10	41.68	35.60	11.34	33.52	100 77 AVERAGE	2 7286.08	42.83	54.00	-11.17	29.40	35.60	11.43	33.60	100 77 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>83.93</td><td>-----</td><td>70.51</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100 77 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 7115.00	83.93	-----	70.51	35.60	11.34	33.52
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1 7125.00	55.10	68.20	-13.10	41.68	35.60	11.34	33.52	100 77 AVERAGE																																																																													
2 7286.08	42.83	54.00	-11.17	29.40	35.60	11.43	33.60	100 77 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1 7115.00	83.93	-----	70.51	35.60	11.34	33.52	100 77 AVERAGE																																																																														





Mode	65																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_106/54_7115MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>68.79</td><td>88.20</td><td>-19.41</td><td>55.37</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100 235 PEAK</td></tr><tr><td>2</td><td>7285.61</td><td>52.29</td><td>74.00</td><td>-21.71</td><td>38.87</td><td>35.60</td><td>11.42</td><td>33.60</td><td>100 235 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	68.79	88.20	-19.41	55.37	35.60	11.34	33.52	100 235 PEAK	2	7285.61	52.29	74.00	-21.71	38.87	35.60	11.42	33.60	100 235 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>91.11</td><td>-----</td><td>-----</td><td>77.69</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100 235 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	91.11	-----	-----	77.69	35.60	11.34	33.52
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	7125.00	68.79	88.20	-19.41	55.37	35.60	11.34	33.52	100 235 PEAK																																																																																								
2	7285.61	52.29	74.00	-21.71	38.87	35.60	11.42	33.60	100 235 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	7115.00	91.11	-----	-----	77.69	35.60	11.34	33.52	100 235 PEAK																																																																																								
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>53.46</td><td>68.20</td><td>-14.74</td><td>40.04</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100 235</td></tr><tr><td>2</td><td>7297.36</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>29.34</td><td>35.60</td><td>11.43</td><td>33.60</td><td>100 235</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	53.46	68.20	-14.74	40.04	35.60	11.34	33.52	100 235	2	7297.36	42.77	54.00	-11.23	29.34	35.60	11.43	33.60	100 235	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.57</td><td>-----</td><td>-----</td><td>68.15</td><td>35.60</td><td>11.33</td><td>33.51</td><td>100 235 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.57	-----	-----	68.15	35.60	11.33	33.51
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	7125.00	53.46	68.20	-14.74	40.04	35.60	11.34	33.52	100 235																																																																																								
2	7297.36	42.77	54.00	-11.23	29.34	35.60	11.43	33.60	100 235																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	7115.00	81.57	-----	-----	68.15	35.60	11.33	33.51	100 235 AVERAGE																																																																																								



		65																																																												
Mode		Band Edge																																																												
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_RU_106/54_7115MHz																																																												
ANT		1																																																												
Pol.		Vertical					Fundamental																																																							
Peak																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>68.13</td><td>88.20</td><td>-20.07</td><td>54.71</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>89</td><td>PEAK</td></tr><tr><td>2</td><td>7311.46</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>38.65</td><td>35.61</td><td>11.45</td><td>33.60</td><td>100</td><td>89</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	68.13	88.20	-20.07	54.71	35.60	11.34	33.52	100	89	PEAK	2	7311.46	52.11	74.00	-21.89	38.65	35.61	11.45	33.60	100	89
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7125.00	68.13	88.20	-20.07	54.71	35.60	11.34	33.52	100	89	PEAK																																																			
2	7311.46	52.11	74.00	-21.89	38.65	35.61	11.45	33.60	100	89	PEAK																																																			
Avg																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>54.73</td><td>68.20</td><td>-13.47</td><td>41.31</td><td>35.60</td><td>11.34</td><td>33.52</td><td>100</td><td>89</td><td>AVERAGE</td></tr><tr><td>2</td><td>7275.98</td><td>42.69</td><td>54.00</td><td>-11.31</td><td>29.27</td><td>35.60</td><td>11.42</td><td>33.60</td><td>100</td><td>89</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	54.73	68.20	-13.47	41.31	35.60	11.34	33.52	100	89	AVERAGE	2	7275.98	42.69	54.00	-11.31	29.27	35.60	11.42	33.60	100	89
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7125.00	54.73	68.20	-13.47	41.31	35.60	11.34	33.52	100	89	AVERAGE																																																			
2	7275.98	42.69	54.00	-11.31	29.27	35.60	11.42	33.60	100	89	AVERAGE																																																			







Mode	66																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6925.00</td><td>92.25</td><td>-----</td><td>77.99</td><td>36.35</td><td>11.26</td><td>33.35</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13850.00</td><td>48.84</td><td>88.20</td><td>-39.36</td><td>27.08</td><td>39.06</td><td>15.17</td><td>32.47</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6925.00	92.25	-----	77.99	36.35	11.26	33.35	--	-- Peak	2	13850.00	48.84	88.20	-39.36	27.08	39.06	15.17	32.47	--	-- Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6925.00</td><td>93.01</td><td>-----</td><td>78.75</td><td>36.35</td><td>11.26</td><td>33.35</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>13850.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>25.76</td><td>39.06</td><td>15.17</td><td>32.47</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6925.00	93.01	-----	78.75	36.35	11.26	33.35	--	-- Peak	2	13850.00	47.52	88.20	-40.68	25.76	39.06	15.17	32.47	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	6925.00	92.25	-----	77.99	36.35	11.26	33.35	--	-- Peak																																																																																							
2	13850.00	48.84	88.20	-39.36	27.08	39.06	15.17	32.47	--	-- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	6925.00	93.01	-----	78.75	36.35	11.26	33.35	--	-- Peak																																																																																							
2	13850.00	47.52	88.20	-40.68	25.76	39.06	15.17	32.47	--	-- Peak																																																																																						







Mode	67																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal										Vertical																																																																																															
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>7005.00</td><td>90.82</td><td>-----</td><td>77.22</td><td>35.60</td><td>11.30</td><td>33.30</td><td>-- -- Peak</td></tr><tr><td>2</td><td>14010.00</td><td>47.64</td><td>88.20</td><td>-40.56</td><td>26.07</td><td>39.00</td><td>15.27</td><td>32.70 -- -- Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7005.00	90.82	-----	77.22	35.60	11.30	33.30	-- -- Peak	2	14010.00	47.64	88.20	-40.56	26.07	39.00	15.27	32.70 -- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>7005.00</td><td>92.93</td><td>-----</td><td>79.33</td><td>35.60</td><td>11.30</td><td>33.30</td><td>-- -- Peak</td></tr><tr><td>2</td><td>14010.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>25.52</td><td>39.00</td><td>15.27</td><td>32.70 -- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7005.00	92.93	-----	79.33	35.60	11.30	33.30	-- -- Peak	2	14010.00	47.09	88.20	-41.11	25.52	39.00	15.27	32.70 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	7005.00	90.82	-----	77.22	35.60	11.30	33.30	-- -- Peak																																																																																																		
2	14010.00	47.64	88.20	-40.56	26.07	39.00	15.27	32.70 -- -- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	7005.00	92.93	-----	79.33	35.60	11.30	33.30	-- -- Peak																																																																																																		
2	14010.00	47.09	88.20	-41.11	25.52	39.00	15.27	32.70 -- -- Peak																																																																																																		



		68																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																			
ANT		1																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7186.76</td><td>52.23</td><td>88.20</td><td>-35.97</td><td>38.86</td><td>35.60</td><td>11.35</td><td>33.58</td><td>104</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>7311.05</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>38.48</td><td>35.60</td><td>11.45</td><td>33.60</td><td>104</td><td>180</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7186.76	52.23	88.20	-35.97	38.86	35.60	11.35	33.58	104	180	PEAK	2	7311.05	51.93	74.00	-22.07	38.48	35.60	11.45	33.60	104	180	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>93.92</td><td>-----</td><td>-----</td><td>80.41</td><td>35.60</td><td>11.33</td><td>33.42</td><td>104</td><td>180</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	93.92	-----	-----	80.41	35.60	11.33	33.42	104	180
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7186.76	52.23	88.20	-35.97	38.86	35.60	11.35	33.58	104	180	PEAK																																																																																										
2	7311.05	51.93	74.00	-22.07	38.48	35.60	11.45	33.60	104	180	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7085.00	93.92	-----	-----	80.41	35.60	11.33	33.42	104	180	PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7221.48</td><td>43.61</td><td>68.20</td><td>-24.59</td><td>30.22</td><td>35.60</td><td>11.37</td><td>33.58</td><td>104</td><td>180</td><td>AVERAGE</td></tr><tr><td>2</td><td>7293.82</td><td>43.73</td><td>54.00</td><td>-10.27</td><td>30.30</td><td>35.60</td><td>11.43</td><td>33.60</td><td>104</td><td>180</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7221.48	43.61	68.20	-24.59	30.22	35.60	11.37	33.58	104	180	AVERAGE	2	7293.82	43.73	54.00	-10.27	30.30	35.60	11.43	33.60	104	180	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>83.26</td><td>-----</td><td>-----</td><td>69.74</td><td>35.60</td><td>11.32</td><td>33.40</td><td>104</td><td>180</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	83.26	-----	-----	69.74	35.60	11.32	33.40	104	180
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7221.48	43.61	68.20	-24.59	30.22	35.60	11.37	33.58	104	180	AVERAGE																																																																																										
2	7293.82	43.73	54.00	-10.27	30.30	35.60	11.43	33.60	104	180	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7085.00	83.26	-----	-----	69.74	35.60	11.32	33.40	104	180	AVERAGE																																																																																										







		68																																																																																																
Mode		Band Edge																																																																																																
		U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																
ANT		1																																																																																																
Pol.		Vertical					Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7227.84</td><td>52.24</td><td>88.20</td><td>-35.96</td><td>38.84</td><td>35.60</td><td>11.38</td><td>33.58</td><td>100</td><td>73 PEAK</td></tr><tr><td>2</td><td>7307.07</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>39.08</td><td>35.60</td><td>11.44</td><td>33.60</td><td>100</td><td>73 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7227.84	52.24	88.20	-35.96	38.84	35.60	11.38	33.58	100	73 PEAK	2	7307.07	52.52	74.00	-21.48	39.08	35.60	11.44	33.60	100	73 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>90.34</td><td>-----</td><td>-----</td><td>76.82</td><td>35.60</td><td>11.32</td><td>33.40</td><td>100</td><td>73 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	90.34	-----	-----	76.82	35.60	11.32	33.40	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7227.84	52.24	88.20	-35.96	38.84	35.60	11.38	33.58	100	73 PEAK																																																																																								
2	7307.07	52.52	74.00	-21.48	39.08	35.60	11.44	33.60	100	73 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7085.00	90.34	-----	-----	76.82	35.60	11.32	33.40	100	73 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7179.08</td><td>43.53</td><td>68.20</td><td>-24.67</td><td>30.16</td><td>35.60</td><td>11.35</td><td>33.58</td><td>100</td><td>73 AVERAGE</td></tr><tr><td>2</td><td>7295.94</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>30.48</td><td>35.60</td><td>11.43</td><td>33.60</td><td>100</td><td>73 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7179.08	43.53	68.20	-24.67	30.16	35.60	11.35	33.58	100	73 AVERAGE	2	7295.94	43.91	54.00	-10.09	30.48	35.60	11.43	33.60	100	73 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>82.55</td><td>-----</td><td>-----</td><td>69.03</td><td>35.60</td><td>11.32</td><td>33.40</td><td>100</td><td>73 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	82.55	-----	-----	69.03	35.60	11.32	33.40	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7179.08	43.53	68.20	-24.67	30.16	35.60	11.35	33.58	100	73 AVERAGE																																																																																								
2	7295.94	43.91	54.00	-10.09	30.48	35.60	11.43	33.60	100	73 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7085.00	82.55	-----	-----	69.03	35.60	11.32	33.40	100	73 AVERAGE																																																																																								







Mode	68																																																									
	Harmonic																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14170.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>51.48</td><td>39.07</td><td>15.21</td><td>58.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14170.00	47.26	88.20	-40.94	51.48	39.07	15.21	58.50	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	14170.00	47.26	88.20	-40.94	51.48	39.07	15.21	58.50	--	--	Peak																																															
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14176.80</td><td>47.64</td><td>88.20</td><td>-40.56</td><td>51.85</td><td>39.07</td><td>15.21</td><td>58.49</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14176.80	47.64	88.20	-40.56	51.85	39.07	15.21	58.49	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	14176.80	47.64	88.20	-40.56	51.85	39.07	15.21	58.49	--	--	Peak																																															







		69																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU_242/62_7085MHz																																																																																																													
ANT		1																																																																																																													
Pol.		Horizontal					Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7186.50</td><td>52.30</td><td>88.20</td><td>-35.90</td><td>38.93</td><td>35.60</td><td>11.35</td><td>33.58</td><td>101</td><td>250</td><td>PEAK</td></tr><tr><td>2</td><td>7299.12</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>39.45</td><td>35.60</td><td>11.44</td><td>33.60</td><td>101</td><td>250</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7186.50	52.30	88.20	-35.90	38.93	35.60	11.35	33.58	101	250	PEAK	2	7299.12	52.89	74.00	-21.11	39.45	35.60	11.44	33.60	101	250	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>92.52</td><td>-----</td><td>-----</td><td>79.05</td><td>35.60</td><td>11.33</td><td>33.46</td><td>101</td><td>250</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	92.52	-----	-----	79.05	35.60	11.33	33.46	101	250
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7186.50	52.30	88.20	-35.90	38.93	35.60	11.35	33.58	101	250	PEAK																																																																																																				
2	7299.12	52.89	74.00	-21.11	39.45	35.60	11.44	33.60	101	250	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7085.00	92.52	-----	-----	79.05	35.60	11.33	33.46	101	250	PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7237.11</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>30.15</td><td>35.60</td><td>11.39</td><td>33.59</td><td>101</td><td>250</td><td>AVERAGE</td></tr><tr><td>2</td><td>7269.18</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>30.05</td><td>35.60</td><td>11.41</td><td>33.60</td><td>101</td><td>250</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7237.11	43.55	68.20	-24.65	30.15	35.60	11.39	33.59	101	250	AVERAGE	2	7269.18	43.46	54.00	-10.54	30.05	35.60	11.41	33.60	101	250	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>82.71</td><td>-----</td><td>-----</td><td>69.24</td><td>35.60</td><td>11.33</td><td>33.46</td><td>101</td><td>250</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	82.71	-----	-----	69.24	35.60	11.33	33.46	101	250
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7237.11	43.55	68.20	-24.65	30.15	35.60	11.39	33.59	101	250	AVERAGE																																																																																																				
2	7269.18	43.46	54.00	-10.54	30.05	35.60	11.41	33.60	101	250	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7085.00	82.71	-----	-----	69.24	35.60	11.33	33.46	101	250	AVERAGE																																																																																																				







Mode	69																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU_242/62_7085MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7231.28</td><td>52.10</td><td>88.20</td><td>-36.10</td><td>38.71</td><td>35.60</td><td>11.38</td><td>33.59</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>2</td><td>7317.94</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>38.57</td><td>35.61</td><td>11.45</td><td>33.60</td><td>100</td><td>73</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7231.28	52.10	88.20	-36.10	38.71	35.60	11.38	33.59	100	73	PEAK	2	7317.94	52.03	74.00	-21.97	38.57	35.61	11.45	33.60	100	73	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>93.03</td><td>-----</td><td>-----</td><td>79.52</td><td>35.60</td><td>11.33</td><td>33.42</td><td>100</td><td>73</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	93.03	-----	-----	79.52	35.60	11.33	33.42	100	73
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7231.28	52.10	88.20	-36.10	38.71	35.60	11.38	33.59	100	73	PEAK																																																																																											
2	7317.94	52.03	74.00	-21.97	38.57	35.61	11.45	33.60	100	73	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7085.00	93.03	-----	-----	79.52	35.60	11.33	33.42	100	73	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7235.79</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>30.16</td><td>35.60</td><td>11.38</td><td>33.59</td><td>100</td><td>73</td><td>AVERAGE</td></tr><tr><td>2</td><td>7286.93</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>30.09</td><td>35.60</td><td>11.43</td><td>33.60</td><td>100</td><td>73</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7235.79	43.55	68.20	-24.65	30.16	35.60	11.38	33.59	100	73	AVERAGE	2	7286.93	43.52	54.00	-10.48	30.09	35.60	11.43	33.60	100	73	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>83.83</td><td>-----</td><td>-----</td><td>70.36</td><td>35.60</td><td>11.33</td><td>33.46</td><td>100</td><td>73</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	83.83	-----	-----	70.36	35.60	11.33	33.46	100	73
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7235.79	43.55	68.20	-24.65	30.16	35.60	11.38	33.59	100	73	AVERAGE																																																																																											
2	7286.93	43.52	54.00	-10.48	30.09	35.60	11.43	33.60	100	73	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7085.00	83.83	-----	-----	70.36	35.60	11.33	33.46	100	73	AVERAGE																																																																																											





		70																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																																			
ANT		1																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7151.25</td><td>52.80</td><td>88.20</td><td>-35.40</td><td>39.44</td><td>35.60</td><td>11.34</td><td>33.58</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>7316.25</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>39.40</td><td>35.61</td><td>11.45</td><td>33.60</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7151.25	52.80	88.20	-35.40	39.44	35.60	11.34	33.58	100	238	PEAK	2	7316.25	52.86	74.00	-21.14	39.40	35.61	11.45	33.60	100	238	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>94.65</td><td>-----</td><td>-----</td><td>80.60</td><td>36.14</td><td>11.27</td><td>33.36</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6945.00	94.65	-----	-----	80.60	36.14	11.27	33.36	100	238
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7151.25	52.80	88.20	-35.40	39.44	35.60	11.34	33.58	100	238	PEAK																																																																																										
2	7316.25	52.86	74.00	-21.14	39.40	35.61	11.45	33.60	100	238	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	6945.00	94.65	-----	-----	80.60	36.14	11.27	33.36	100	238	PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7146.88</td><td>45.50</td><td>68.20</td><td>-22.70</td><td>32.13</td><td>35.60</td><td>11.34</td><td>33.57</td><td>100</td><td>238</td><td>AVERAGE</td></tr><tr><td>2</td><td>7268.75</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>31.87</td><td>35.60</td><td>11.41</td><td>33.60</td><td>100</td><td>238</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7146.88	45.50	68.20	-22.70	32.13	35.60	11.34	33.57	100	238	AVERAGE	2	7268.75	45.28	54.00	-8.72	31.87	35.60	11.41	33.60	100	238	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>86.47</td><td>-----</td><td>-----</td><td>72.42</td><td>36.14</td><td>11.27</td><td>33.36</td><td>100</td><td>238</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6945.00	86.47	-----	-----	72.42	36.14	11.27	33.36	100	238
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7146.88	45.50	68.20	-22.70	32.13	35.60	11.34	33.57	100	238	AVERAGE																																																																																										
2	7268.75	45.28	54.00	-8.72	31.87	35.60	11.41	33.60	100	238	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	6945.00	86.47	-----	-----	72.42	36.14	11.27	33.36	100	238	AVERAGE																																																																																										







Mode	70																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7155.63</td><td>52.40</td><td>88.20</td><td>-35.80</td><td>39.04</td><td>35.60</td><td>11.35</td><td>33.59</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>7283.75</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>39.33</td><td>35.60</td><td>11.42</td><td>33.60</td><td>100</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7155.63	52.40	88.20	-35.80	39.04	35.60	11.35	33.59	100	88	PEAK	2	7283.75	52.75	74.00	-21.25	39.33	35.60	11.42	33.60	100	88	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>95.37</td><td>-----</td><td>-----</td><td>81.38</td><td>36.08</td><td>11.27</td><td>33.36</td><td>100</td><td>88</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6945.00	95.37	-----	-----	81.38	36.08	11.27	33.36	100	88
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7155.63	52.40	88.20	-35.80	39.04	35.60	11.35	33.59	100	88	PEAK																																																																																											
2	7283.75	52.75	74.00	-21.25	39.33	35.60	11.42	33.60	100	88	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6945.00	95.37	-----	-----	81.38	36.08	11.27	33.36	100	88	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7211.88</td><td>45.38</td><td>68.20</td><td>-22.82</td><td>31.98</td><td>35.60</td><td>11.37</td><td>33.57</td><td>100</td><td>88</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.88</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>32.41</td><td>35.60</td><td>11.40</td><td>33.60</td><td>100</td><td>88</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7211.88	45.38	68.20	-22.82	31.98	35.60	11.37	33.57	100	88	AVERAGE	2	7251.88	45.81	54.00	-8.19	32.41	35.60	11.40	33.60	100	88	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>87.40</td><td>-----</td><td>-----</td><td>73.35</td><td>36.14</td><td>11.27</td><td>33.36</td><td>100</td><td>88</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6945.00	87.40	-----	-----	73.35	36.14	11.27	33.36	100	88
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7211.88	45.38	68.20	-22.82	31.98	35.60	11.37	33.57	100	88	AVERAGE																																																																																											
2	7251.88	45.81	54.00	-8.19	32.41	35.60	11.40	33.60	100	88	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6945.00	87.40	-----	-----	73.35	36.14	11.27	33.36	100	88	AVERAGE																																																																																											







Mode	70																																																																																								
	Harmonic																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13890.00</td><td>48.31</td><td>88.20</td><td>-39.89</td><td>52.58</td><td>39.05</td><td>15.20</td><td>58.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13890.00	48.31	88.20	-39.89	52.58	39.05	15.20	58.52	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13890.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>51.45</td><td>39.05</td><td>15.20</td><td>58.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13890.00	47.18	88.20	-41.02	51.45	39.05	15.20	58.52	---	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13890.00	48.31	88.20	-39.89	52.58	39.05	15.20	58.52	---	---	Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13890.00	47.18	88.20	-41.02	51.45	39.05	15.20	58.52	---	---	Peak																																																																															





		71																																																																																														
Mode		Band Edge																																																																																														
		U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																														
ANT		1																																																																																														
Pol.		Horizontal					Fundamental																																																																																									
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E					 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E																																																																																										
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7227.48	52.79	88.20	-35.41	39.39	35.60	11.38	33.58	100	243	PEAK	2	7289.88	52.09	74.00	-21.91	38.66	35.60	11.43	33.60	100	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>93.70</td><td>-----</td><td>-----</td><td>80.10</td><td>35.60</td><td>11.30</td><td>33.30</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.70	-----	-----	80.10	35.60	11.30	33.30	100	243
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7227.48	52.79	88.20	-35.41	39.39	35.60	11.38	33.58	100	243	PEAK																																																																																					
2	7289.88	52.09	74.00	-21.91	38.66	35.60	11.43	33.60	100	243	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	93.70	-----	-----	80.10	35.60	11.30	33.30	100	243	PEAK																																																																																					
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E					 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E																																																																																										
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7204.40	45.39	68.20	-22.81	32.00	35.60	11.36	33.57	100	243	AVERAGE	2	7344.48	44.96	54.00	-9.04	31.44	35.64	11.47	33.59	100	243	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>86.48</td><td>-----</td><td>-----</td><td>72.87</td><td>35.60</td><td>11.31</td><td>33.30</td><td>100</td><td>243</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	86.48	-----	-----	72.87	35.60	11.31	33.30	100	243
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7204.40	45.39	68.20	-22.81	32.00	35.60	11.36	33.57	100	243	AVERAGE																																																																																					
2	7344.48	44.96	54.00	-9.04	31.44	35.64	11.47	33.59	100	243	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	86.48	-----	-----	72.87	35.60	11.31	33.30	100	243	AVERAGE																																																																																					







Mode	71																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7213.83</td><td>52.35</td><td>88.20</td><td>-35.85</td><td>38.96</td><td>35.60</td><td>11.37</td><td>33.58</td><td>101</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>7273.63</td><td>52.09</td><td>74.00</td><td>-21.91</td><td>38.67</td><td>35.60</td><td>11.42</td><td>33.60</td><td>101</td><td>92</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7213.83	52.35	88.20	-35.85	38.96	35.60	11.37	33.58	101	92	PEAK	2	7273.63	52.09	74.00	-21.91	38.67	35.60	11.42	33.60	101	92	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>92.73</td><td>-----</td><td>-----</td><td>79.12</td><td>35.60</td><td>11.31</td><td>33.30</td><td>101</td><td>92</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	92.73	-----	-----	79.12	35.60	11.31	33.30	101	92
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7213.83	52.35	88.20	-35.85	38.96	35.60	11.37	33.58	101	92	PEAK																																																																																												
2	7273.63	52.09	74.00	-21.91	38.67	35.60	11.42	33.60	101	92	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7025.00	92.73	-----	-----	79.12	35.60	11.31	33.30	101	92	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7240.15</td><td>44.99</td><td>68.20</td><td>-23.21</td><td>31.59</td><td>35.60</td><td>11.39</td><td>33.59</td><td>101</td><td>92</td><td>AVERAGE</td></tr><tr><td>2</td><td>7309.38</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>31.85</td><td>35.60</td><td>11.44</td><td>33.60</td><td>101</td><td>92</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7240.15	44.99	68.20	-23.21	31.59	35.60	11.39	33.59	101	92	AVERAGE	2	7309.38	45.29	54.00	-8.71	31.85	35.60	11.44	33.60	101	92	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>86.08</td><td>-----</td><td>-----</td><td>72.47</td><td>35.60</td><td>11.31</td><td>33.30</td><td>101</td><td>92</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	86.08	-----	-----	72.47	35.60	11.31	33.30	101	92
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7240.15	44.99	68.20	-23.21	31.59	35.60	11.39	33.59	101	92	AVERAGE																																																																																												
2	7309.38	45.29	54.00	-8.71	31.85	35.60	11.44	33.60	101	92	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7025.00	86.08	-----	-----	72.47	35.60	11.31	33.30	101	92	AVERAGE																																																																																												







Mode	71																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14050.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>51.65</td><td>39.02</td><td>15.25</td><td>58.64</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14050.00	47.28	88.20	-40.92	51.65	39.02	15.25	58.64	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14050.00</td><td>46.55</td><td>88.20</td><td>-41.65</td><td>50.92</td><td>39.02</td><td>15.25</td><td>58.64</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14050.00	46.55	88.20	-41.65	50.92	39.02	15.25	58.64	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	14050.00	47.28	88.20	-40.92	51.65	39.02	15.25	58.64	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	14050.00	46.55	88.20	-41.65	50.92	39.02	15.25	58.64	--	--	Peak																																																																																														







		72																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial_RU_484/66_7025MHz																																																																																																			
ANT		1																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7161.83</td><td>51.96</td><td>88.20</td><td>-36.24</td><td>38.60</td><td>35.60</td><td>11.35</td><td>33.59</td><td>100</td><td>275</td><td>PEAK</td></tr><tr><td>2</td><td>7300.60</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>38.15</td><td>35.60</td><td>11.44</td><td>33.60</td><td>100</td><td>275</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7161.83	51.96	88.20	-36.24	38.60	35.60	11.35	33.59	100	275	PEAK	2	7300.60	51.59	74.00	-22.41	38.15	35.60	11.44	33.60	100	275	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>92.87</td><td>-----</td><td>-----</td><td>79.26</td><td>35.60</td><td>11.31</td><td>33.30</td><td>100</td><td>275</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	92.87	-----	-----	79.26	35.60	11.31	33.30	100	275
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7161.83	51.96	88.20	-36.24	38.60	35.60	11.35	33.59	100	275	PEAK																																																																																										
2	7300.60	51.59	74.00	-22.41	38.15	35.60	11.44	33.60	100	275	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7025.00	92.87	-----	-----	79.26	35.60	11.31	33.30	100	275	PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7234.30</td><td>44.75</td><td>68.20</td><td>-23.45</td><td>31.36</td><td>35.60</td><td>11.38</td><td>33.59</td><td>100</td><td>275</td><td>AVERAGE</td></tr><tr><td>2</td><td>7323.68</td><td>45.25</td><td>54.00</td><td>-8.75</td><td>31.77</td><td>35.62</td><td>11.46</td><td>33.60</td><td>100</td><td>275</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7234.30	44.75	68.20	-23.45	31.36	35.60	11.38	33.59	100	275	AVERAGE	2	7323.68	45.25	54.00	-8.75	31.77	35.62	11.46	33.60	100	275	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>85.18</td><td>-----</td><td>-----</td><td>71.57</td><td>35.60</td><td>11.31</td><td>33.30</td><td>100</td><td>275</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	85.18	-----	-----	71.57	35.60	11.31	33.30	100	275
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7234.30	44.75	68.20	-23.45	31.36	35.60	11.38	33.59	100	275	AVERAGE																																																																																										
2	7323.68	45.25	54.00	-8.75	31.77	35.62	11.46	33.60	100	275	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7025.00	85.18	-----	-----	71.57	35.60	11.31	33.30	100	275	AVERAGE																																																																																										







Mode	72																																																																																													
	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial_RU_484/66_7025MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7238.20</td><td>52.40</td><td>88.20</td><td>-35.80</td><td>39.00</td><td>35.60</td><td>11.39</td><td>33.59</td><td>100</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>7348.05</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>39.37</td><td>35.65</td><td>11.47</td><td>33.59</td><td>100</td><td>97</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7238.20	52.40	88.20	-35.80	39.00	35.60	11.39	33.59	100	97	PEAK	2	7348.05	52.90	74.00	-21.10	39.37	35.65	11.47	33.59	100	97	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>96.82</td><td>-----</td><td>-----</td><td>83.24</td><td>35.60</td><td>11.32</td><td>33.34</td><td>100</td><td>97</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	96.82	-----	-----	83.24	35.60	11.32	33.34	100	97	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	7238.20	52.40	88.20	-35.80	39.00	35.60	11.39	33.59	100	97	PEAK																																																																																			
2	7348.05	52.90	74.00	-21.10	39.37	35.65	11.47	33.59	100	97	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	7025.00	96.82	-----	-----	83.24	35.60	11.32	33.34	100	97	PEAK																																																																																			
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7192.38</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>31.61</td><td>35.60</td><td>11.36</td><td>33.57</td><td>100</td><td>97</td><td>AVERAGE</td></tr><tr><td>2</td><td>7256.40</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>31.30</td><td>35.60</td><td>11.40</td><td>33.60</td><td>100</td><td>97</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7192.38	45.00	68.20	-23.20	31.61	35.60	11.36	33.57	100	97	AVERAGE	2	7256.40	44.70	54.00	-9.30	31.30	35.60	11.40	33.60	100	97	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>87.96</td><td>-----</td><td>-----</td><td>74.35</td><td>35.60</td><td>11.31</td><td>33.30</td><td>100</td><td>97</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	87.96	-----	-----	74.35	35.60	11.31	33.30	100	97	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	7192.38	45.00	68.20	-23.20	31.61	35.60	11.36	33.57	100	97	AVERAGE																																																																																			
2	7256.40	44.70	54.00	-9.30	31.30	35.60	11.40	33.60	100	97	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	7025.00	87.96	-----	-----	74.35	35.60	11.31	33.30	100	97	AVERAGE																																																																																			









Mode	73																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.00</td><td>58.08</td><td>88.20</td><td>-30.12</td><td>44.67</td><td>35.60</td><td>11.34</td><td>33.53</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>7349.38</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>38.86</td><td>35.65</td><td>11.48</td><td>33.59</td><td>100</td><td>241</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7130.00	58.08	88.20	-30.12	44.67	35.60	11.34	33.53	100	241	PEAK	2	7349.38	52.40	74.00	-21.60	38.86	35.65	11.48	33.59	100	241	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>93.46</td><td>-----</td><td>-----</td><td>79.71</td><td>35.78</td><td>11.29</td><td>33.32</td><td>100</td><td>241</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	93.46	-----	-----	79.71	35.78	11.29	33.32	100	241
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7130.00	58.08	88.20	-30.12	44.67	35.60	11.34	33.53	100	241	PEAK																																																																																											
2	7349.38	52.40	74.00	-21.60	38.86	35.65	11.48	33.59	100	241	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6985.00	93.46	-----	-----	79.71	35.78	11.29	33.32	100	241	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7129.38</td><td>49.89</td><td>68.20</td><td>-18.31</td><td>36.48</td><td>35.60</td><td>11.34</td><td>33.53</td><td>100</td><td>241</td><td>AVERAGE</td></tr><tr><td>2</td><td>7288.13</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>32.03</td><td>35.60</td><td>11.43</td><td>33.60</td><td>100</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7129.38	49.89	68.20	-18.31	36.48	35.60	11.34	33.53	100	241	AVERAGE	2	7288.13	45.46	54.00	-8.54	32.03	35.60	11.43	33.60	100	241	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>86.53</td><td>-----</td><td>-----</td><td>72.78</td><td>35.78</td><td>11.29</td><td>33.32</td><td>100</td><td>241</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	86.53	-----	-----	72.78	35.78	11.29	33.32	100	241
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7129.38	49.89	68.20	-18.31	36.48	35.60	11.34	33.53	100	241	AVERAGE																																																																																											
2	7288.13	45.46	54.00	-8.54	32.03	35.60	11.43	33.60	100	241	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6985.00	86.53	-----	-----	72.78	35.78	11.29	33.32	100	241	AVERAGE																																																																																											







		73																																																																																										
Mode		Band Edge																																																																																										
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																										
ANT		1																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7132.50	60.85	88.20	-27.35	47.45	35.60	11.34	33.54	100	95	PEAK	2	7348.75	52.25	74.00	-21.75	38.71	35.65	11.48	33.59	100	95	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>94.15</td><td>-----</td><td>-----</td><td>80.03</td><td>36.20</td><td>11.27</td><td>33.35</td><td>100</td><td>95</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	94.15	-----	-----	80.03	36.20	11.27	33.35	100	95
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	7132.50	60.85	88.20	-27.35	47.45	35.60	11.34	33.54	100	95	PEAK																																																																																	
2	7348.75	52.25	74.00	-21.75	38.71	35.65	11.48	33.59	100	95	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6985.00	94.15	-----	-----	80.03	36.20	11.27	33.35	100	95	PEAK																																																																																	
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7129.38	53.14	68.20	-15.06	39.73	35.60	11.34	33.53	100	95	AVERAGE	2	7332.50	45.61	54.00	-8.39	32.11	35.63	11.46	33.59	100	95	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>86.74</td><td>-----</td><td>-----</td><td>72.99</td><td>35.78</td><td>11.29</td><td>33.32</td><td>100</td><td>95</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	86.74	-----	-----	72.99	35.78	11.29	33.32	100	95
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	7129.38	53.14	68.20	-15.06	39.73	35.60	11.34	33.53	100	95	AVERAGE																																																																																	
2	7332.50	45.61	54.00	-8.39	32.11	35.63	11.46	33.59	100	95	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6985.00	86.74	-----	-----	72.99	35.78	11.29	33.32	100	95	AVERAGE																																																																																	





Mode	73																																																																																																				
	Harmonic																																																																																																				
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal										Vertical																																																																																										
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>52.40</td><td>39.01</td><td>15.25</td><td>58.65</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13970.00	48.01	88.20	-40.19	52.40	39.01	15.25	58.65	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>46.96</td><td>88.20</td><td>-41.24</td><td>51.35</td><td>39.01</td><td>15.25</td><td>58.65</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13970.00	46.96	88.20	-41.24	51.35	39.01	15.25	58.65	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 13970.00	48.01	88.20	-40.19	52.40	39.01	15.25	58.65	--	--	Peak																																																																																											
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 13970.00	46.96	88.20	-41.24	51.35	39.01	15.25	58.65	--	--	Peak																																																																																											

Mode	74																																																																																						
	Band Edge																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial_RU_996/S67_6985MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot features a blue trace with a significant peak at 7225 MHz. A red step function is overlaid, with a label 'PEAK_BE(UNII)_6E' pointing to the peak. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 6725 to 7350 MHz. <table border="1"> <thead> <tr> <th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr> </thead> <tbody> <tr> <td>1</td><td>7211.25</td><td>52.61</td><td>68.20</td><td>-35.59</td><td>39.21</td><td>35.60</td><td>11.37</td><td>33.57</td><td>100</td><td>250 PEAK</td></tr> <tr> <td>2</td><td>7255.00</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>39.35</td><td>35.60</td><td>11.40</td><td>33.60</td><td>100</td><td>250 PEAK</td></tr> </tbody> </table>						Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7211.25	52.61	68.20	-35.59	39.21	35.60	11.37	33.57	100	250 PEAK	2	7255.00	52.75	74.00	-21.25	39.35	35.60	11.40	33.60	100	250 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot features a blue trace with a significant peak at 7200 MHz. A red step function is overlaid, with a label 'PEAK_BE(UNII)_6E' pointing to the peak. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7200 MHz. <table border="1"> <thead> <tr> <th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr> </thead> <tbody> <tr> <td>1</td><td>6985.00</td><td>92.51</td><td>-----</td><td>78.90</td><td>35.60</td><td>11.31</td><td>33.30</td><td>100</td><td>250</td><td>PEAK</td></tr> </tbody> </table>						Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	92.51	-----	78.90	35.60	11.31	33.30	100	250	PEAK
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7211.25	52.61	68.20	-35.59	39.21	35.60	11.37	33.57	100	250 PEAK																																																																													
2	7255.00	52.75	74.00	-21.25	39.35	35.60	11.40	33.60	100	250 PEAK																																																																													
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6985.00	92.51	-----	78.90	35.60	11.31	33.30	100	250	PEAK																																																																													
Avg	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot features a blue trace with a significant peak at 7225 MHz. A red step function is overlaid, with a label 'AVG_BE(UNII)_6E' pointing to the peak. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 6725 to 7350 MHz. <table border="1"> <thead> <tr> <th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr> </thead> <tbody> <tr> <td>1</td><td>7214.38</td><td>45.39</td><td>68.20</td><td>-22.81</td><td>32.00</td><td>35.60</td><td>11.37</td><td>33.58</td><td>100</td><td>250 AVERAGE</td></tr> <tr> <td>2</td><td>7315.00</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>31.54</td><td>35.61</td><td>11.45</td><td>33.60</td><td>100</td><td>250 AVERAGE</td></tr> </tbody> </table>						Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7214.38	45.39	68.20	-22.81	32.00	35.60	11.37	33.58	100	250 AVERAGE	2	7315.00	45.00	54.00	-9.00	31.54	35.61	11.45	33.60	100	250 AVERAGE	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot features a blue trace with a significant peak at 7200 MHz. A red step function is overlaid, with a label 'AVG_BE(UNII)_6E' pointing to the peak. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7200 MHz. <table border="1"> <thead> <tr> <th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr> </thead> <tbody> <tr> <td>1</td><td>6985.00</td><td>85.43</td><td>-----</td><td>71.82</td><td>35.60</td><td>11.31</td><td>33.30</td><td>100</td><td>250</td><td>AVERAGE</td></tr> </tbody> </table>						Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	85.43	-----	71.82	35.60	11.31	33.30	100	250	AVERAGE
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7214.38	45.39	68.20	-22.81	32.00	35.60	11.37	33.58	100	250 AVERAGE																																																																													
2	7315.00	45.00	54.00	-9.00	31.54	35.61	11.45	33.60	100	250 AVERAGE																																																																													
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6985.00	85.43	-----	71.82	35.60	11.31	33.30	100	250	AVERAGE																																																																													



		74																																																																																							
Mode		Band Edge																																																																																							
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial_RU_996/S67_6985MHz																																																																																							
ANT		1																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7164.38	53.35	88.20	-34.85	39.99	35.60	11.35	33.59	100	97 PEAK	2	7300.00	52.36	74.00	-21.64	38.92	35.60	11.44	33.60	100	97 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>93.71</td><td>-----</td><td>-----</td><td>80.01</td><td>35.72</td><td>11.29</td><td>33.31</td><td>100</td><td>97 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	93.71	-----	-----	80.01	35.72	11.29	33.31	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7164.38	53.35	88.20	-34.85	39.99	35.60	11.35	33.59	100	97 PEAK																																																																															
2	7300.00	52.36	74.00	-21.64	38.92	35.60	11.44	33.60	100	97 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6985.00	93.71	-----	-----	80.01	35.72	11.29	33.31	100	97 PEAK																																																																															
Avg																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7137.50	45.68	68.20	-22.52	32.29	35.60	11.34	33.55	100	97 AVERAGE	2	7280.00	45.27	54.00	-8.73	31.85	35.60	11.42	33.60	100	97 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>88.26</td><td>-----</td><td>-----</td><td>74.62</td><td>35.65</td><td>11.30</td><td>33.31</td><td>100</td><td>97 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	88.26	-----	-----	74.62	35.65	11.30	33.31	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7137.50	45.68	68.20	-22.52	32.29	35.60	11.34	33.55	100	97 AVERAGE																																																																															
2	7280.00	45.27	54.00	-8.73	31.85	35.60	11.42	33.60	100	97 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6985.00	88.26	-----	-----	74.62	35.65	11.30	33.31	100	97 AVERAGE																																																																															



Mode	75																																																																																																														
	LF																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE80 LF_CH199_Full RU_6945MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal																																																																																																														
QPI/ Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>22.79</td><td>40.00</td><td>-17.21</td><td>29.07</td><td>24.72</td><td>0.54</td><td>31.54</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>191.99</td><td>22.05</td><td>43.50</td><td>-21.45</td><td>37.29</td><td>14.87</td><td>1.41</td><td>31.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>222.06</td><td>28.65</td><td>46.00</td><td>-17.35</td><td>42.85</td><td>15.77</td><td>1.53</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>435.46</td><td>27.72</td><td>46.00</td><td>-18.28</td><td>34.04</td><td>22.81</td><td>2.17</td><td>31.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>856.44</td><td>30.75</td><td>46.00</td><td>-15.25</td><td>29.58</td><td>29.15</td><td>3.06</td><td>31.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>956.35</td><td>31.88</td><td>46.00</td><td>-14.12</td><td>27.80</td><td>31.67</td><td>3.24</td><td>30.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	22.79	40.00	-17.21	29.07	24.72	0.54	31.54	---	---	Peak	2	191.99	22.05	43.50	-21.45	37.29	14.87	1.41	31.52	---	---	Peak	3	222.06	28.65	46.00	-17.35	42.85	15.77	1.53	31.50	---	---	Peak	4	435.46	27.72	46.00	-18.28	34.04	22.81	2.17	31.30	---	---	Peak	5	856.44	30.75	46.00	-15.25	29.58	29.15	3.06	31.04	---	---	Peak	6	956.35	31.88	46.00	-14.12	27.80	31.67	3.24	30.83	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
	1	30.97	22.79	40.00	-17.21	29.07	24.72	0.54	31.54	---	---	Peak																																																																																																			
	2	191.99	22.05	43.50	-21.45	37.29	14.87	1.41	31.52	---	---	Peak																																																																																																			
	3	222.06	28.65	46.00	-17.35	42.85	15.77	1.53	31.50	---	---	Peak																																																																																																			
	4	435.46	27.72	46.00	-18.28	34.04	22.81	2.17	31.30	---	---	Peak																																																																																																			
	5	856.44	30.75	46.00	-15.25	29.58	29.15	3.06	31.04	---	---	Peak																																																																																																			
6	956.35	31.88	46.00	-14.12	27.80	31.67	3.24	30.83	---	---	Peak																																																																																																				
Vertical																																																																																																															
																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>44.55</td><td>24.71</td><td>40.00</td><td>-15.29</td><td>38.44</td><td>17.41</td><td>0.65</td><td>31.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>191.99</td><td>20.79</td><td>43.50</td><td>-22.71</td><td>36.03</td><td>14.87</td><td>1.41</td><td>31.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>218.18</td><td>23.28</td><td>46.00</td><td>-22.72</td><td>37.79</td><td>15.48</td><td>1.51</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>440.31</td><td>26.40</td><td>46.00</td><td>-19.60</td><td>32.64</td><td>22.88</td><td>2.18</td><td>31.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>743.92</td><td>28.97</td><td>46.00</td><td>-17.03</td><td>28.47</td><td>28.67</td><td>2.84</td><td>31.01</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>956.35</td><td>31.27</td><td>46.00</td><td>-14.73</td><td>27.19</td><td>31.67</td><td>3.24</td><td>30.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	44.55	24.71	40.00	-15.29	38.44	17.41	0.65	31.79	---	---	Peak	2	191.99	20.79	43.50	-22.71	36.03	14.87	1.41	31.52	---	---	Peak	3	218.18	23.28	46.00	-22.72	37.79	15.48	1.51	31.50	---	---	Peak	4	440.31	26.40	46.00	-19.60	32.64	22.88	2.18	31.30	---	---	Peak	5	743.92	28.97	46.00	-17.03	28.47	28.67	2.84	31.01	---	---	Peak	6	956.35	31.27	46.00	-14.73	27.19	31.67	3.24	30.83	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	44.55	24.71	40.00	-15.29	38.44	17.41	0.65	31.79	---	---	Peak																																																																																																				
2	191.99	20.79	43.50	-22.71	36.03	14.87	1.41	31.52	---	---	Peak																																																																																																				
3	218.18	23.28	46.00	-22.72	37.79	15.48	1.51	31.50	---	---	Peak																																																																																																				
4	440.31	26.40	46.00	-19.60	32.64	22.88	2.18	31.30	---	---	Peak																																																																																																				
5	743.92	28.97	46.00	-17.03	28.47	28.67	2.84	31.01	---	---	Peak																																																																																																				
6	956.35	31.27	46.00	-14.73	27.19	31.67	3.24	30.83	---	---	Peak																																																																																																				



Co-location

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 71	CO-TX	2400-2483.5	0	Bluetooth-LE	39	2480	2Mbps	-	-
	CO-TX	6.875-7.125	1	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 72	CO-TX	2400-2483.5	0	Zigbee	26	2480	250k	-	-
	CO-TX	6.875-7.125	1	802.11ax HE80	199	6945	MCS0	Full RU	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
71	CO_TX	-	2483.52	46.9	54	-7.1	V	Average	Pass	Band Edge
	CO_TX	-	4960	39.4	54	-14.6	V	Average	Pass	Harmonic
72	CO_TX	-	2483.52	45.44	54	-8.56	V	Average	Pass	Band Edge
	CO_TX	-	4960	38.97	54	-15.03	V	Average	Pass	Harmonic