


# TEST REPORT

Report No.: MTi260410018-0203E4

Mode8 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5350.000     | 48.26                    | 2.64                    | 50.90                      | 74.00           | -23.10     | peak     |         |
| 2   | *   | 5350.000     | 37.57                    | 2.64                    | 40.21                      | 54.00           | -13.79     | AVG      |         |
| 3   |     | 5460.000     | 47.01                    | 2.98                    | 49.99                      | 74.00           | -24.01     | peak     |         |
| 4   |     | 5460.000     | 36.59                    | 2.98                    | 39.57                      | 54.00           | -14.43     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode9 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.04                    | 1.09                    | 47.13                      | 74.00           | -26.87     | peak     |         |
| 2   |     | 4500.000     | 35.96                    | 1.09                    | 37.05                      | 54.00           | -16.95     | AVG      |         |
| 3   |     | 5150.000     | 49.13                    | 2.77                    | 51.90                      | 74.00           | -22.10     | peak     |         |
| 4   | *   | 5150.000     | 37.67                    | 2.77                    | 40.44                      | 54.00           | -13.56     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode9 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 45.97                    | 1.09                    | 47.06                      | 74.00           | -26.94     | peak     |         |
| 2   |     | 4500.000     | 36.21                    | 1.09                    | 37.30                      | 54.00           | -16.70     | AVG      |         |
| 3   |     | 5150.000     | 48.30                    | 2.77                    | 51.07                      | 74.00           | -22.93     | peak     |         |
| 4   | *   | 5150.000     | 37.27                    | 2.77                    | 40.04                      | 54.00           | -13.96     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode9 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5350.000 | 53.52   | 2.64    | 56.16    | 74.00  | -17.84 | peak     |
| 2   | *   | 5350.000 | 41.77   | 2.64    | 44.41    | 54.00  | -9.59  | AVG      |
| 3   |     | 5460.000 | 47.03   | 2.98    | 50.01    | 74.00  | -23.99 | peak     |
| 4   |     | 5460.000 | 36.75   | 2.98    | 39.73    | 54.00  | -14.27 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode9 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5350.000 | 48.40   | 2.64    | 51.04    | 74.00  | -22.96 | peak     |
| 2   | *   | 5350.000 | 38.42   | 2.64    | 41.06    | 54.00  | -12.94 | AVG      |
| 3   |     | 5460.000 | 45.93   | 2.98    | 48.91    | 74.00  | -25.09 | peak     |
| 4   |     | 5460.000 | 36.72   | 2.98    | 39.70    | 54.00  | -14.30 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode10 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 48.41                    | 1.09                    | 49.50                      | 74.00           | -24.50     | peak     |         |
| 2   |     | 4500.000     | 37.35                    | 1.09                    | 38.44                      | 54.00           | -15.56     | AVG      |         |
| 3   |     | 5150.000     | 48.61                    | 2.77                    | 51.38                      | 74.00           | -22.62     | peak     |         |
| 4   | *   | 5150.000     | 38.37                    | 2.77                    | 41.14                      | 54.00           | -12.86     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode10 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.64                    | 1.09                    | 47.73                      | 74.00           | -26.27     | peak     |         |
| 2   |     | 4500.000     | 37.40                    | 1.09                    | 38.49                      | 54.00           | -15.51     | AVG      |         |
| 3   |     | 5150.000     | 47.83                    | 2.77                    | 50.60                      | 74.00           | -23.40     | peak     |         |
| 4   | *   | 5150.000     | 38.29                    | 2.77                    | 41.06                      | 54.00           | -12.94     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode10 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |         |
| 1   |     | 5350.000 | 48.56   | 2.64    | 51.20    | 74.00  | -22.80 | peak     |         |
| 2   | *   | 5350.000 | 38.45   | 2.64    | 41.09    | 54.00  | -12.91 | AVG      |         |
| 3   |     | 5460.000 | 49.04   | 2.98    | 52.02    | 74.00  | -21.98 | peak     |         |
| 4   |     | 5460.000 | 38.06   | 2.98    | 41.04    | 54.00  | -12.96 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode10 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5350.000     | 47.65                    | 2.64                    | 50.29                      | 74.00           | -23.71     | peak     |         |
| 2   |     | 5350.000     | 37.59                    | 2.64                    | 40.23                      | 54.00           | -13.77     | AVG      |         |
| 3   |     | 5460.000     | 49.81                    | 2.98                    | 52.79                      | 74.00           | -21.21     | peak     |         |
| 4   | *   | 5460.000     | 38.26                    | 2.98                    | 41.24                      | 54.00           | -12.76     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode11 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.97                    | 1.09                    | 49.06                      | 74.00           | -24.94     | peak     |         |
| 2   |     | 4500.000     | 37.46                    | 1.09                    | 38.55                      | 54.00           | -15.45     | AVG      |         |
| 3   | *   | 5149.740     | 38.55                    | 2.76                    | 41.31                      | 54.00           | -12.69     | AVG      |         |
| 4   |     | 5150.000     | 48.15                    | 2.77                    | 50.92                      | 74.00           | -23.08     | peak     |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode11 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.08                    | 1.09                    | 48.17                      | 74.00           | -25.83     | peak     |         |
| 2   |     | 4500.000     | 37.45                    | 1.09                    | 38.54                      | 54.00           | -15.46     | AVG      |         |
| 3   |     | 5150.000     | 48.31                    | 2.77                    | 51.08                      | 74.00           | -22.92     | peak     |         |
| 4   | *   | 5150.000     | 38.15                    | 2.77                    | 40.92                      | 54.00           | -13.08     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode11 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |         |
| 1   |     | 5350.000 | 49.72   | 2.64    | 52.36    | 74.00  | -21.64 | peak     |         |
| 2   | *   | 5350.000 | 39.01   | 2.64    | 41.65    | 54.00  | -12.35 | AVG      |         |
| 3   |     | 5460.000 | 48.79   | 2.98    | 51.77    | 74.00  | -22.23 | peak     |         |
| 4   |     | 5460.000 | 38.19   | 2.98    | 41.17    | 54.00  | -12.83 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode11 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5350.000     | 48.57                    | 2.64                    | 51.21                      | 74.00           | -22.79     | peak     |         |
| 2   |     | 5350.000     | 37.85                    | 2.64                    | 40.49                      | 54.00           | -13.51     | AVG      |         |
| 3   |     | 5460.000     | 49.17                    | 2.98                    | 52.15                      | 74.00           | -21.85     | peak     |         |
| 4   | *   | 5460.000     | 38.02                    | 2.98                    | 41.00                      | 54.00           | -13.00     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode12 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.05                    | 1.09                    | 48.14                      | 74.00           | -25.86     | peak     |         |
| 2   |     | 4500.000     | 37.58                    | 1.09                    | 38.67                      | 54.00           | -15.33     | AVG      |         |
| 3   |     | 5150.000     | 49.25                    | 2.77                    | 52.02                      | 74.00           | -21.98     | peak     |         |
| 4   | *   | 5150.000     | 38.32                    | 2.77                    | 41.09                      | 54.00           | -12.91     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode12 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.36                    | 1.09                    | 48.45                      | 74.00           | -25.55     | peak     |         |
| 2   |     | 4500.000     | 37.79                    | 1.09                    | 38.88                      | 54.00           | -15.12     | AVG      |         |
| 3   |     | 5150.000     | 47.88                    | 2.77                    | 50.65                      | 74.00           | -23.35     | peak     |         |
| 4   | *   | 5150.000     | 38.16                    | 2.77                    | 40.93                      | 54.00           | -13.07     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode12 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5350.000 | 55.93   | 2.64    | 58.57    | 74.00  | -15.43 | peak     |
| 2   | *   | 5350.000 | 42.21   | 2.64    | 44.85    | 54.00  | -9.15  | AVG      |
| 3   |     | 5460.000 | 47.58   | 2.98    | 50.56    | 74.00  | -23.44 | peak     |
| 4   |     | 5460.000 | 38.09   | 2.98    | 41.07    | 54.00  | -12.93 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode12 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |  | Detector | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|--|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |  |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |  |          |         |
| 1   |     | 5350.000 | 50.12   | 2.64    | 52.76    | 74.00  | -21.24 |  | peak     |         |
| 2   | *   | 5350.000 | 39.18   | 2.64    | 41.82    | 54.00  | -12.18 |  | AVG      |         |
| 3   |     | 5460.000 | 48.02   | 2.98    | 51.00    | 74.00  | -23.00 |  | peak     |         |
| 4   |     | 5460.000 | 37.88   | 2.98    | 40.86    | 54.00  | -13.14 |  | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode13 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.40                    | 1.09                    | 48.49                      | 74.00           | -25.51     | peak     |         |
| 2   |     | 4500.000     | 37.39                    | 1.09                    | 38.48                      | 54.00           | -15.52     | AVG      |         |
| 3   |     | 5150.000     | 48.54                    | 2.77                    | 51.31                      | 74.00           | -22.69     | peak     |         |
| 4   | *   | 5150.000     | 38.12                    | 2.77                    | 40.89                      | 54.00           | -13.11     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode13 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.75                    | 1.09                    | 47.84                      | 74.00           | -26.16     | peak     |         |
| 2   |     | 4500.000     | 37.52                    | 1.09                    | 38.61                      | 54.00           | -15.39     | AVG      |         |
| 3   |     | 5150.000     | 48.15                    | 2.77                    | 50.92                      | 74.00           | -23.08     | peak     |         |
| 4   | *   | 5150.000     | 38.24                    | 2.77                    | 41.01                      | 54.00           | -12.99     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode13 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5350.000 | 48.45   | 2.64    | 51.09    | 74.00  | -22.91 | peak     |         |
| 2   |     | 5350.000 | 38.32   | 2.64    | 40.96    | 54.00  | -13.04 | AVG      |         |
| 3   |     | 5460.000 | 48.84   | 2.98    | 51.82    | 74.00  | -22.18 | peak     |         |
| 4   | *   | 5460.000 | 38.14   | 2.98    | 41.12    | 54.00  | -12.88 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode13 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5350.000     | 48.45                    | 2.64                    | 51.09                      | 74.00           | -22.91     | peak     |         |
| 2   |     | 5350.000     | 37.79                    | 2.64                    | 40.43                      | 54.00           | -13.57     | AVG      |         |
| 3   |     | 5460.000     | 48.69                    | 2.98                    | 51.67                      | 74.00           | -22.33     | peak     |         |
| 4   | *   | 5460.000     | 38.08                    | 2.98                    | 41.06                      | 54.00           | -12.94     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode14 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.72                    | 1.09                    | 48.81                      | 74.00           | -25.19     | peak     |         |
| 2   |     | 4500.000     | 37.58                    | 1.09                    | 38.67                      | 54.00           | -15.33     | AVG      |         |
| 3   |     | 5150.000     | 48.75                    | 2.77                    | 51.52                      | 74.00           | -22.48     | peak     |         |
| 4   | *   | 5150.000     | 38.27                    | 2.77                    | 41.04                      | 54.00           | -12.96     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode14 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.78                    | 1.09                    | 48.87                      | 74.00           | -25.13     | peak     |         |
| 2   |     | 4500.000     | 37.43                    | 1.09                    | 38.52                      | 54.00           | -15.48     | AVG      |         |
| 3   |     | 5150.000     | 47.91                    | 2.77                    | 50.68                      | 74.00           | -23.32     | peak     |         |
| 4   | *   | 5150.000     | 38.22                    | 2.77                    | 40.99                      | 54.00           | -13.01     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode14 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |         |
| 1   |     | 5350.000 | 53.29   | 2.64    | 55.93    | 74.00  | -18.07 | peak     |         |
| 2   | *   | 5350.000 | 41.45   | 2.64    | 44.09    | 54.00  | -9.91  | AVG      |         |
| 3   |     | 5460.000 | 49.90   | 2.98    | 52.88    | 74.00  | -21.12 | peak     |         |
| 4   |     | 5460.000 | 37.97   | 2.98    | 40.95    | 54.00  | -13.05 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode14 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5350.000 | 49.04   | 2.64    | 51.68    | 74.00  | -22.32 | peak     |
| 2   | *   | 5350.000 | 38.83   | 2.64    | 41.47    | 54.00  | -12.53 | AVG      |
| 3   |     | 5460.000 | 48.08   | 2.98    | 51.06    | 74.00  | -22.94 | peak     |
| 4   |     | 5460.000 | 38.11   | 2.98    | 41.09    | 54.00  | -12.91 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode15 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 48.11                    | 1.09                    | 49.20                      | 74.00           | -24.80     | peak     |         |
| 2   |     | 4500.000     | 37.45                    | 1.09                    | 38.54                      | 54.00           | -15.46     | AVG      |         |
| 3   |     | 5150.000     | 48.36                    | 2.77                    | 51.13                      | 74.00           | -22.87     | peak     |         |
| 4   | *   | 5150.000     | 38.39                    | 2.77                    | 41.16                      | 54.00           | -12.84     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode15 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.66                    | 1.09                    | 47.75                      | 74.00           | -26.25     | peak     |         |
| 2   |     | 4500.000     | 37.77                    | 1.09                    | 38.86                      | 54.00           | -15.14     | AVG      |         |
| 3   |     | 5150.000     | 48.14                    | 2.77                    | 50.91                      | 74.00           | -23.09     | peak     |         |
| 4   | *   | 5150.000     | 38.31                    | 2.77                    | 41.08                      | 54.00           | -12.92     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode15 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5350.000 | 55.95   | 2.64    | 58.59    | 74.00  | -15.41 | peak     |
| 2   | *   | 5350.000 | 44.24   | 2.64    | 46.88    | 54.00  | -7.12  | AVG      |
| 3   |     | 5460.000 | 47.86   | 2.98    | 50.84    | 74.00  | -23.16 | peak     |
| 4   |     | 5460.000 | 37.96   | 2.98    | 40.94    | 54.00  | -13.06 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode15 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5350.000     | 50.42                    | 2.64                    | 53.06                      | 74.00           | -20.94     | peak     |         |
| 2   | *   | 5350.000     | 40.21                    | 2.64                    | 42.85                      | 54.00           | -11.15     | AVG      |         |
| 3   |     | 5460.000     | 48.13                    | 2.98                    | 51.11                      | 74.00           | -22.89     | peak     |         |
| 4   |     | 5460.000     | 37.96                    | 2.98                    | 40.94                      | 54.00           | -13.06     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode16 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.79                    | 1.09                    | 48.88                      | 74.00           | -25.12     | peak     |         |
| 2   |     | 4500.000     | 37.41                    | 1.09                    | 38.50                      | 54.00           | -15.50     | AVG      |         |
| 3   |     | 5150.000     | 47.90                    | 2.77                    | 50.67                      | 74.00           | -23.33     | peak     |         |
| 4   | *   | 5150.000     | 38.29                    | 2.77                    | 41.06                      | 54.00           | -12.94     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode16 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.92                    | 1.09                    | 49.01                      | 74.00           | -24.99     | peak     |         |
| 2   |     | 4500.000     | 37.61                    | 1.09                    | 38.70                      | 54.00           | -15.30     | AVG      |         |
| 3   |     | 5150.000     | 48.47                    | 2.77                    | 51.24                      | 74.00           | -22.76     | peak     |         |
| 4   | *   | 5150.000     | 38.27                    | 2.77                    | 41.04                      | 54.00           | -12.96     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode16 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5350.000     | 47.77                    | 2.64                    | 50.41                      | 74.00           | -23.59     | peak     |         |
| 2   |     | 5350.000     | 38.25                    | 2.64                    | 40.89                      | 54.00           | -13.11     | AVG      |         |
| 3   |     | 5460.000     | 48.50                    | 2.98                    | 51.48                      | 74.00           | -22.52     | peak     |         |
| 4   | *   | 5460.000     | 37.95                    | 2.98                    | 40.93                      | 54.00           | -13.07     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode16 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5350.000     | 46.60                    | 2.64                    | 49.24                      | 74.00           | -24.76     | peak     |         |
| 2   |     | 5350.000     | 37.70                    | 2.64                    | 40.34                      | 54.00           | -13.66     | AVG      |         |
| 3   |     | 5460.000     | 47.34                    | 2.98                    | 50.32                      | 74.00           | -23.68     | peak     |         |
| 4   | *   | 5460.000     | 37.98                    | 2.98                    | 40.96                      | 54.00           | -13.04     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode17 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.98                    | 1.09                    | 48.07                      | 74.00           | -25.93     | peak     |         |
| 2   |     | 4500.000     | 37.32                    | 1.09                    | 38.41                      | 54.00           | -15.59     | AVG      |         |
| 3   |     | 5150.000     | 49.03                    | 2.77                    | 51.80                      | 74.00           | -22.20     | peak     |         |
| 4   | *   | 5150.000     | 38.38                    | 2.77                    | 41.15                      | 54.00           | -12.85     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode17 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.91                    | 1.09                    | 49.00                      | 74.00           | -25.00     | peak     |         |
| 2   |     | 4500.000     | 37.44                    | 1.09                    | 38.53                      | 54.00           | -15.47     | AVG      |         |
| 3   |     | 5150.000     | 49.45                    | 2.77                    | 52.22                      | 74.00           | -21.78     | peak     |         |
| 4   | *   | 5150.000     | 38.27                    | 2.77                    | 41.04                      | 54.00           | -12.96     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode17 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |         |
| 1   |     | 5350.000 | 54.59   | 2.64    | 57.23    | 74.00  | -16.77 | peak     |         |
| 2   | *   | 5350.000 | 41.42   | 2.64    | 44.06    | 54.00  | -9.94  | AVG      |         |
| 3   |     | 5460.000 | 47.53   | 2.98    | 50.51    | 74.00  | -23.49 | peak     |         |
| 4   |     | 5460.000 | 37.95   | 2.98    | 40.93    | 54.00  | -13.07 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode17 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |         |
| 1   |     | 5350.000 | 48.56   | 2.64    | 51.20    | 74.00  | -22.80 | peak     |         |
| 2   | *   | 5350.000 | 38.99   | 2.64    | 41.63    | 54.00  | -12.37 | AVG      |         |
| 3   |     | 5460.000 | 47.48   | 2.98    | 50.46    | 74.00  | -23.54 | peak     |         |
| 4   |     | 5460.000 | 37.98   | 2.98    | 40.96    | 54.00  | -13.04 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode18 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.42                    | 1.09                    | 48.51                      | 74.00           | -25.49     | peak     |         |
| 2   |     | 4500.000     | 37.48                    | 1.09                    | 38.57                      | 54.00           | -15.43     | AVG      |         |
| 3   |     | 5150.000     | 49.30                    | 2.77                    | 52.07                      | 74.00           | -21.93     | peak     |         |
| 4   | *   | 5150.000     | 38.51                    | 2.77                    | 41.28                      | 54.00           | -12.72     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode18 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.48                    | 1.09                    | 48.57                      | 74.00           | -25.43     | peak     |         |
| 2   |     | 4500.000     | 37.44                    | 1.09                    | 38.53                      | 54.00           | -15.47     | AVG      |         |
| 3   |     | 5150.000     | 48.00                    | 2.77                    | 50.77                      | 74.00           | -23.23     | peak     |         |
| 4   | *   | 5150.000     | 38.26                    | 2.77                    | 41.03                      | 54.00           | -12.97     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode18 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |         |
| 1   |     | 5350.000 | 55.21   | 2.64    | 57.85    | 74.00  | -16.15 | peak     |         |
| 2   | *   | 5350.000 | 44.17   | 2.64    | 46.81    | 54.00  | -7.19  | AVG      |         |
| 3   |     | 5460.000 | 47.62   | 2.98    | 50.60    | 74.00  | -23.40 | peak     |         |
| 4   |     | 5460.000 | 37.97   | 2.98    | 40.95    | 54.00  | -13.05 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode18 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |         |
| 1   |     | 5350.000 | 50.00   | 2.64    | 52.64    | 74.00  | -21.36 | peak     |         |
| 2   | *   | 5350.000 | 40.52   | 2.64    | 43.16    | 54.00  | -10.84 | AVG      |         |
| 3   |     | 5460.000 | 48.11   | 2.98    | 51.09    | 74.00  | -22.91 | peak     |         |
| 4   |     | 5460.000 | 37.95   | 2.98    | 40.93    | 54.00  | -13.07 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

**U-NII-2C:**

Mode1 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.41                    | 1.09                    | 48.50                      | 74.00           | -25.50     | peak     |         |
| 2   |     | 4500.000     | 37.34                    | 1.09                    | 38.43                      | 54.00           | -15.57     | AVG      |         |
| 3   |     | 5150.000     | 47.57                    | 2.77                    | 50.34                      | 74.00           | -23.66     | peak     |         |
| 4   | *   | 5150.000     | 38.15                    | 2.77                    | 40.92                      | 54.00           | -13.08     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode1 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.49                    | 1.09                    | 48.58                      | 74.00           | -25.42     | peak     |         |
| 2   |     | 4500.000     | 37.28                    | 1.09                    | 38.37                      | 54.00           | -15.63     | AVG      |         |
| 3   |     | 5150.000     | 47.31                    | 2.77                    | 50.08                      | 74.00           | -23.92     | peak     |         |
| 4   | *   | 5150.760     | 38.29                    | 2.77                    | 41.06                      | 54.00           | -12.94     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode1 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 5985.000 | 50.17         | 4.47           | 54.64       | 74.00  | -19.36 | peak     |         |
| 2   | *   | 5985.000 | 38.89         | 4.47           | 43.36       | 54.00  | -10.64 | AVG      |         |
| 3   |     | 6540.000 | 47.56         | 5.65           | 53.21       | 74.00  | -20.79 | peak     |         |
| 4   |     | 6540.000 | 37.70         | 5.65           | 43.35       | 54.00  | -10.65 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode1 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 55.41   | 4.47    | 59.88    | 74.00  | -14.12 | peak     |         |
| 2   | *   | 5985.000 | 42.37   | 4.47    | 46.84    | 54.00  | -7.16  | AVG      |         |
| 3   |     | 6540.000 | 49.15   | 5.65    | 54.80    | 74.00  | -19.20 | peak     |         |
| 4   |     | 6540.000 | 37.70   | 5.65    | 43.35    | 54.00  | -10.65 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode2 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.03                    | 1.09                    | 48.12                      | 74.00           | -25.88     | peak     |         |
| 2   |     | 4500.000     | 37.12                    | 1.09                    | 38.21                      | 54.00           | -15.79     | AVG      |         |
| 3   |     | 5150.000     | 47.72                    | 2.77                    | 50.49                      | 74.00           | -23.51     | peak     |         |
| 4   | *   | 5150.000     | 38.18                    | 2.77                    | 40.95                      | 54.00           | -13.05     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode2 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.42                    | 1.09                    | 48.51                      | 74.00           | -25.49     | peak     |         |
| 2   |     | 4500.000     | 37.45                    | 1.09                    | 38.54                      | 54.00           | -15.46     | AVG      |         |
| 3   |     | 5150.000     | 47.20                    | 2.77                    | 49.97                      | 74.00           | -24.03     | peak     |         |
| 4   | *   | 5150.000     | 38.20                    | 2.77                    | 40.97                      | 54.00           | -13.03     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode2 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 49.20                    | 4.47                    | 53.67                      | 74.00           | -20.33     | peak     |         |
| 2   | *   | 5985.000     | 39.06                    | 4.47                    | 43.53                      | 54.00           | -10.47     | AVG      |         |
| 3   |     | 6540.000     | 47.52                    | 5.65                    | 53.17                      | 74.00           | -20.83     | peak     |         |
| 4   |     | 6540.000     | 37.83                    | 5.65                    | 43.48                      | 54.00           | -10.52     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode2 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5985.000 | 58.11   | 4.47    | 62.58    | 74.00  | -11.42 | peak     |
| 2   | *   | 5985.000 | 44.70   | 4.47    | 49.17    | 54.00  | -4.83  | AVG      |
| 3   |     | 6540.000 | 46.93   | 5.65    | 52.58    | 74.00  | -21.42 | peak     |
| 4   |     | 6540.000 | 37.90   | 5.65    | 43.55    | 54.00  | -10.45 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode3 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |  | Detector | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|--|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |  |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |  |          |         |
| 1   |     | 4500.000 | 47.42   | 1.09    | 48.51    | 74.00  | -25.49 |  | peak     |         |
| 2   |     | 4500.000 | 37.49   | 1.09    | 38.58    | 54.00  | -15.42 |  | AVG      |         |
| 3   |     | 5150.000 | 48.63   | 2.77    | 51.40    | 74.00  | -22.60 |  | peak     |         |
| 4   | *   | 5150.000 | 38.22   | 2.77    | 40.99    | 54.00  | -13.01 |  | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode3 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.98                    | 1.09                    | 48.07                      | 74.00           | -25.93     | peak     |         |
| 2   |     | 4500.000     | 37.33                    | 1.09                    | 38.42                      | 54.00           | -15.58     | AVG      |         |
| 3   |     | 5150.000     | 47.57                    | 2.77                    | 50.34                      | 74.00           | -23.66     | peak     |         |
| 4   | *   | 5150.000     | 38.36                    | 2.77                    | 41.13                      | 54.00           | -12.87     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode3 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 51.89   | 4.47    | 56.36    | 74.00  | -17.64 | peak     |         |
| 2   | *   | 5985.000 | 39.07   | 4.47    | 43.54    | 54.00  | -10.46 | AVG      |         |
| 3   |     | 6540.000 | 48.23   | 5.65    | 53.88    | 74.00  | -20.12 | peak     |         |
| 4   |     | 6540.000 | 37.77   | 5.65    | 43.42    | 54.00  | -10.58 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode3 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 49.41                    | 4.47                    | 53.88                      | 74.00           | -20.12     | peak     |         |
| 2   |     | 5985.000     | 38.68                    | 4.47                    | 43.15                      | 54.00           | -10.85     | AVG      |         |
| 3   |     | 6540.000     | 46.58                    | 5.65                    | 52.23                      | 74.00           | -21.77     | peak     |         |
| 4   | *   | 6540.000     | 37.73                    | 5.65                    | 43.38                      | 54.00           | -10.62     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode4 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.93                    | 1.09                    | 49.02                      | 74.00           | -24.98     | peak     |         |
| 2   |     | 4500.000     | 37.47                    | 1.09                    | 38.56                      | 54.00           | -15.44     | AVG      |         |
| 3   |     | 5150.000     | 47.47                    | 2.77                    | 50.24                      | 74.00           | -23.76     | peak     |         |
| 4   | *   | 5150.000     | 38.05                    | 2.77                    | 40.82                      | 54.00           | -13.18     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode4 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 48.10                    | 1.09                    | 49.19                      | 74.00           | -24.81     | peak     |         |
| 2   |     | 4500.000     | 37.42                    | 1.09                    | 38.51                      | 54.00           | -15.49     | AVG      |         |
| 3   |     | 5150.000     | 47.32                    | 2.77                    | 50.09                      | 74.00           | -23.91     | peak     |         |
| 4   | *   | 5150.000     | 38.20                    | 2.77                    | 40.97                      | 54.00           | -13.03     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode4 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 50.92   | 4.47    | 55.39    | 74.00  | -18.61 | peak     |         |
| 2   | *   | 5985.000 | 39.11   | 4.47    | 43.58    | 54.00  | -10.42 | AVG      |         |
| 3   |     | 6540.000 | 48.69   | 5.65    | 54.34    | 74.00  | -19.66 | peak     |         |
| 4   |     | 6540.000 | 37.83   | 5.65    | 43.48    | 54.00  | -10.52 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode4 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 53.45   | 4.47    | 57.92    | 74.00  | -16.08 | peak     |         |
| 2   | *   | 5985.000 | 40.53   | 4.47    | 45.00    | 54.00  | -9.00  | AVG      |         |
| 3   |     | 6540.000 | 47.76   | 5.65    | 53.41    | 74.00  | -20.59 | peak     |         |
| 4   |     | 6540.000 | 37.96   | 5.65    | 43.61    | 54.00  | -10.39 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode5 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.54                    | 1.09                    | 47.63                      | 74.00           | -26.37     | peak     |         |
| 2   |     | 4500.000     | 37.42                    | 1.09                    | 38.51                      | 54.00           | -15.49     | AVG      |         |
| 3   |     | 5150.000     | 47.25                    | 2.77                    | 50.02                      | 74.00           | -23.98     | peak     |         |
| 4   | *   | 5150.000     | 37.99                    | 2.77                    | 40.76                      | 54.00           | -13.24     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode5 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 48.18                    | 1.09                    | 49.27                      | 74.00           | -24.73     | peak     |         |
| 2   |     | 4500.000     | 37.38                    | 1.09                    | 38.47                      | 54.00           | -15.53     | AVG      |         |
| 3   |     | 5150.000     | 47.97                    | 2.77                    | 50.74                      | 74.00           | -23.26     | peak     |         |
| 4   | *   | 5150.000     | 38.24                    | 2.77                    | 41.01                      | 54.00           | -12.99     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode5 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 49.06                    | 4.47                    | 53.53                      | 74.00           | -20.47     | peak     |         |
| 2   |     | 5985.000     | 38.95                    | 4.47                    | 43.42                      | 54.00           | -10.58     | AVG      |         |
| 3   |     | 6540.000     | 47.46                    | 5.65                    | 53.11                      | 74.00           | -20.89     | peak     |         |
| 4   | *   | 6540.000     | 37.87                    | 5.65                    | 43.52                      | 54.00           | -10.48     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode5 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 50.64   | 4.47    | 55.11    | 74.00  | -18.89 | peak     |         |
| 2   | *   | 5985.000 | 39.34   | 4.47    | 43.81    | 54.00  | -10.19 | AVG      |         |
| 3   |     | 6540.000 | 48.05   | 5.65    | 53.70    | 74.00  | -20.30 | peak     |         |
| 4   |     | 6540.000 | 37.70   | 5.65    | 43.35    | 54.00  | -10.65 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode6 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5300.000     | 46.81                    | 2.62                    | 49.43                      | 74.00           | -24.57     | peak     |         |
| 2   |     | 5300.000     | 36.97                    | 2.62                    | 39.59                      | 54.00           | -14.41     | AVG      |         |
| 3   |     | 5460.000     | 47.77                    | 2.98                    | 50.75                      | 74.00           | -23.25     | peak     |         |
| 4   | *   | 5460.000     | 38.03                    | 2.98                    | 41.01                      | 54.00           | -12.99     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode6 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5300.000     | 47.23                    | 2.62                    | 49.85                      | 74.00           | -24.15     | peak     |         |
| 2   |     | 5300.000     | 37.22                    | 2.62                    | 39.84                      | 54.00           | -14.16     | AVG      |         |
| 3   |     | 5460.000     | 46.90                    | 2.98                    | 49.88                      | 74.00           | -24.12     | peak     |         |
| 4   | *   | 5460.000     | 37.69                    | 2.98                    | 40.67                      | 54.00           | -13.33     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode6 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   | Detector | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5700.000 | 56.03   | 3.61    | 59.64    | 74.00  | -14.36 | peak     |         |
| 2   | *   | 5700.000 | 44.57   | 3.61    | 48.18    | 54.00  | -5.82  | AVG      |         |
| 3   |     | 5800.000 | 47.42   | 3.77    | 51.19    | 74.00  | -22.81 | peak     |         |
| 4   |     | 5800.000 | 37.65   | 3.77    | 41.42    | 54.00  | -12.58 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode6 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5700.000     | 51.23                    | 3.61                    | 54.84                      | 74.00           | -19.16     | peak     |         |
| 2   | *   | 5700.000     | 40.56                    | 3.61                    | 44.17                      | 54.00           | -9.83      | AVG      |         |
| 3   |     | 5800.000     | 47.61                    | 3.77                    | 51.38                      | 74.00           | -22.62     | peak     |         |
| 4   |     | 5800.000     | 37.25                    | 3.77                    | 41.02                      | 54.00           | -12.98     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode7 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.10                    | 1.09                    | 48.19                      | 74.00           | -25.81     | peak     |         |
| 2   |     | 4500.000     | 37.30                    | 1.09                    | 38.39                      | 54.00           | -15.61     | AVG      |         |
| 3   |     | 5150.000     | 48.25                    | 2.77                    | 51.02                      | 74.00           | -22.98     | peak     |         |
| 4   | *   | 5150.000     | 37.88                    | 2.77                    | 40.65                      | 54.00           | -13.35     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode7 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.94                    | 1.09                    | 48.03                      | 74.00           | -25.97     | peak     |         |
| 2   |     | 4500.000     | 37.41                    | 1.09                    | 38.50                      | 54.00           | -15.50     | AVG      |         |
| 3   |     | 5150.000     | 48.18                    | 2.77                    | 50.95                      | 74.00           | -23.05     | peak     |         |
| 4   | *   | 5150.000     | 38.08                    | 2.77                    | 40.85                      | 54.00           | -13.15     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode7 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 49.09                    | 4.47                    | 53.56                      | 74.00           | -20.44     | peak     |         |
| 2   |     | 5985.000     | 38.51                    | 4.47                    | 42.98                      | 54.00           | -11.02     | AVG      |         |
| 3   |     | 6540.000     | 48.87                    | 5.65                    | 54.52                      | 74.00           | -19.48     | peak     |         |
| 4   | *   | 6540.000     | 37.95                    | 5.65                    | 43.60                      | 54.00           | -10.40     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode7 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 51.53                    | 4.47                    | 56.00                      | 74.00           | -18.00     | peak     |         |
| 2   | *   | 5985.000     | 39.77                    | 4.47                    | 44.24                      | 54.00           | -9.76      | AVG      |         |
| 3   |     | 6540.000     | 46.97                    | 5.65                    | 52.62                      | 74.00           | -21.38     | peak     |         |
| 4   |     | 6540.000     | 37.93                    | 5.65                    | 43.58                      | 54.00           | -10.42     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode8 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.52                    | 1.09                    | 47.61                      | 74.00           | -26.39     | peak     |         |
| 2   |     | 4500.000     | 37.19                    | 1.09                    | 38.28                      | 54.00           | -15.72     | AVG      |         |
| 3   |     | 5150.000     | 47.84                    | 2.77                    | 50.61                      | 74.00           | -23.39     | peak     |         |
| 4   | *   | 5150.000     | 38.08                    | 2.77                    | 40.85                      | 54.00           | -13.15     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode8 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 48.17                    | 1.09                    | 49.26                      | 74.00           | -24.74     | peak     |         |
| 2   |     | 4500.000     | 37.46                    | 1.09                    | 38.55                      | 54.00           | -15.45     | AVG      |         |
| 3   |     | 5150.000     | 47.76                    | 2.77                    | 50.53                      | 74.00           | -23.47     | peak     |         |
| 4   | *   | 5150.000     | 38.21                    | 2.77                    | 40.98                      | 54.00           | -13.02     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode8 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 51.89   | 4.47    | 56.36    | 74.00  | -17.64 | peak     |         |
| 2   | *   | 5985.000 | 39.67   | 4.47    | 44.14    | 54.00  | -9.86  | AVG      |         |
| 3   |     | 6540.000 | 47.85   | 5.65    | 53.50    | 74.00  | -20.50 | peak     |         |
| 4   |     | 6540.000 | 37.79   | 5.65    | 43.44    | 54.00  | -10.56 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode8 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 49.24                    | 4.47                    | 53.71                      | 74.00           | -20.29     | peak     |         |
| 2   |     | 5985.000     | 38.74                    | 4.47                    | 43.21                      | 54.00           | -10.79     | AVG      |         |
| 3   |     | 6540.000     | 47.29                    | 5.65                    | 52.94                      | 74.00           | -21.06     | peak     |         |
| 4   | *   | 6540.000     | 37.82                    | 5.65                    | 43.47                      | 54.00           | -10.53     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode9 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5300.000     | 47.91                    | 2.62                    | 50.53                      | 74.00           | -23.47     | peak     |         |
| 2   |     | 5300.000     | 36.96                    | 2.62                    | 39.58                      | 54.00           | -14.42     | AVG      |         |
| 3   |     | 5460.000     | 48.32                    | 2.98                    | 51.30                      | 74.00           | -22.70     | peak     |         |
| 4   | *   | 5460.000     | 38.07                    | 2.98                    | 41.05                      | 54.00           | -12.95     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode9 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5300.000     | 46.51                    | 2.62                    | 49.13                      | 74.00           | -24.87     | peak     |         |
| 2   |     | 5300.000     | 37.06                    | 2.62                    | 39.68                      | 54.00           | -14.32     | AVG      |         |
| 3   |     | 5460.000     | 47.60                    | 2.98                    | 50.58                      | 74.00           | -23.42     | peak     |         |
| 4   | *   | 5460.000     | 37.83                    | 2.98                    | 40.81                      | 54.00           | -13.19     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode9 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5740.000 | 46.70   | 3.56    | 50.26    | 74.00  | -23.74 | peak     |
| 2   | *   | 5740.000 | 37.68   | 3.56    | 41.24    | 54.00  | -12.76 | AVG      |
| 3   |     | 5800.000 | 47.20   | 3.77    | 50.97    | 74.00  | -23.03 | peak     |
| 4   |     | 5800.000 | 37.29   | 3.77    | 41.06    | 54.00  | -12.94 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode9 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5740.000 | 47.37   | 3.56    | 50.93    | 74.00  | -23.07 | peak     |
| 2   |     | 5740.000 | 37.18   | 3.56    | 40.74    | 54.00  | -13.26 | AVG      |
| 3   |     | 5800.000 | 47.24   | 3.77    | 51.01    | 74.00  | -22.99 | peak     |
| 4   | *   | 5800.000 | 37.28   | 3.77    | 41.05    | 54.00  | -12.95 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode10 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.87                    | 1.09                    | 48.96                      | 74.00           | -25.04     | peak     |         |
| 2   |     | 4500.000     | 37.37                    | 1.09                    | 38.46                      | 54.00           | -15.54     | AVG      |         |
| 3   |     | 5150.000     | 46.73                    | 2.77                    | 49.50                      | 74.00           | -24.50     | peak     |         |
| 4   | *   | 5150.000     | 38.22                    | 2.77                    | 40.99                      | 54.00           | -13.01     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode10 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.07                    | 1.09                    | 48.16                      | 74.00           | -25.84     | peak     |         |
| 2   |     | 4500.000     | 37.32                    | 1.09                    | 38.41                      | 54.00           | -15.59     | AVG      |         |
| 3   |     | 5150.000     | 47.81                    | 2.77                    | 50.58                      | 74.00           | -23.42     | peak     |         |
| 4   | *   | 5150.000     | 38.04                    | 2.77                    | 40.81                      | 54.00           | -13.19     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode10 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 50.97                    | 4.47                    | 55.44                      | 74.00           | -18.56     | peak     |         |
| 2   |     | 5985.000     | 39.07                    | 4.47                    | 43.54                      | 54.00           | -10.46     | AVG      |         |
| 3   |     | 6540.000     | 48.24                    | 5.65                    | 53.89                      | 74.00           | -20.11     | peak     |         |
| 4   | *   | 6540.000     | 38.01                    | 5.65                    | 43.66                      | 54.00           | -10.34     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode10 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 51.48                    | 4.47                    | 55.95                      | 74.00           | -18.05     | peak     |         |
| 2   | *   | 5985.000     | 39.43                    | 4.47                    | 43.90                      | 54.00           | -10.10     | AVG      |         |
| 3   |     | 6540.000     | 48.26                    | 5.65                    | 53.91                      | 74.00           | -20.09     | peak     |         |
| 4   |     | 6540.000     | 38.10                    | 5.65                    | 43.75                      | 54.00           | -10.25     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode11 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 48.04                    | 1.09                    | 49.13                      | 74.00           | -24.87     | peak     |         |
| 2   |     | 4500.000     | 37.41                    | 1.09                    | 38.50                      | 54.00           | -15.50     | AVG      |         |
| 3   |     | 5150.000     | 47.60                    | 2.77                    | 50.37                      | 74.00           | -23.63     | peak     |         |
| 4   | *   | 5150.000     | 38.24                    | 2.77                    | 41.01                      | 54.00           | -12.99     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode11 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 48.88                    | 1.09                    | 49.97                      | 74.00           | -24.03     | peak     |         |
| 2   |     | 4500.000     | 37.30                    | 1.09                    | 38.39                      | 54.00           | -15.61     | AVG      |         |
| 3   |     | 5150.000     | 48.22                    | 2.77                    | 50.99                      | 74.00           | -23.01     | peak     |         |
| 4   | *   | 5150.000     | 38.02                    | 2.77                    | 40.79                      | 54.00           | -13.21     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode11 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 50.35                    | 4.47                    | 54.82                      | 74.00           | -19.18     | peak     |         |
| 2   |     | 5985.000     | 38.55                    | 4.47                    | 43.02                      | 54.00           | -10.98     | AVG      |         |
| 3   |     | 6540.000     | 48.43                    | 5.65                    | 54.08                      | 74.00           | -19.92     | peak     |         |
| 4   | *   | 6540.000     | 37.85                    | 5.65                    | 43.50                      | 54.00           | -10.50     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode11 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5985.000 | 56.10   | 4.47    | 60.57    | 74.00  | -13.43 | peak     |
| 2   | *   | 5985.000 | 43.24   | 4.47    | 47.71    | 54.00  | -6.29  | AVG      |
| 3   |     | 6540.000 | 47.82   | 5.65    | 53.47    | 74.00  | -20.53 | peak     |
| 4   |     | 6540.000 | 38.03   | 5.65    | 43.68    | 54.00  | -10.32 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode12 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.23                    | 1.09                    | 47.32                      | 74.00           | -26.68     | peak     |         |
| 2   |     | 4500.000     | 37.49                    | 1.09                    | 38.58                      | 54.00           | -15.42     | AVG      |         |
| 3   |     | 5150.000     | 47.63                    | 2.77                    | 50.40                      | 74.00           | -23.60     | peak     |         |
| 4   | *   | 5150.000     | 38.22                    | 2.77                    | 40.99                      | 54.00           | -13.01     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode12 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.46                    | 1.09                    | 48.55                      | 74.00           | -25.45     | peak     |         |
| 2   |     | 4500.000     | 37.36                    | 1.09                    | 38.45                      | 54.00           | -15.55     | AVG      |         |
| 3   |     | 5150.000     | 48.08                    | 2.77                    | 50.85                      | 74.00           | -23.15     | peak     |         |
| 4   | *   | 5150.000     | 38.09                    | 2.77                    | 40.86                      | 54.00           | -13.14     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode12 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 51.16   | 4.47    | 55.63    | 74.00  | -18.37 | peak     |         |
| 2   | *   | 5985.000 | 39.47   | 4.47    | 43.94    | 54.00  | -10.06 | AVG      |         |
| 3   |     | 6540.000 | 47.11   | 5.65    | 52.76    | 74.00  | -21.24 | peak     |         |
| 4   |     | 6540.000 | 37.86   | 5.65    | 43.51    | 54.00  | -10.49 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode12 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   | Detector | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 51.02   | 4.47    | 55.49    | 74.00  | -18.51 | peak     |         |
| 2   | *   | 5985.000 | 39.09   | 4.47    | 43.56    | 54.00  | -10.44 | AVG      |         |
| 3   |     | 6540.000 | 48.49   | 5.65    | 54.14    | 74.00  | -19.86 | peak     |         |
| 4   |     | 6540.000 | 37.80   | 5.65    | 43.45    | 54.00  | -10.55 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode13 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.72                    | 1.09                    | 47.81                      | 74.00           | -26.19     | peak     |         |
| 2   |     | 4500.000     | 37.21                    | 1.09                    | 38.30                      | 54.00           | -15.70     | AVG      |         |
| 3   |     | 5150.000     | 48.97                    | 2.77                    | 51.74                      | 74.00           | -22.26     | peak     |         |
| 4   | *   | 5150.000     | 38.09                    | 2.77                    | 40.86                      | 54.00           | -13.14     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode13 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.57                    | 1.09                    | 48.66                      | 74.00           | -25.34     | peak     |         |
| 2   |     | 4500.000     | 37.30                    | 1.09                    | 38.39                      | 54.00           | -15.61     | AVG      |         |
| 3   |     | 5150.000     | 46.89                    | 2.77                    | 49.66                      | 74.00           | -24.34     | peak     |         |
| 4   | *   | 5150.000     | 38.00                    | 2.77                    | 40.77                      | 54.00           | -13.23     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode13 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 50.11                    | 4.47                    | 54.58                      | 74.00           | -19.42     | peak     |         |
| 2   | *   | 5985.000     | 39.07                    | 4.47                    | 43.54                      | 54.00           | -10.46     | AVG      |         |
| 3   |     | 6540.000     | 46.57                    | 5.65                    | 52.22                      | 74.00           | -21.78     | peak     |         |
| 4   |     | 6540.000     | 37.86                    | 5.65                    | 43.51                      | 54.00           | -10.49     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode13 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5985.000 | 52.26   | 4.47    | 56.73    | 74.00  | -17.27 | peak     |
| 2   | *   | 5985.000 | 39.68   | 4.47    | 44.15    | 54.00  | -9.85  | AVG      |
| 3   |     | 6540.000 | 47.34   | 5.65    | 52.99    | 74.00  | -21.01 | peak     |
| 4   |     | 6540.000 | 38.14   | 5.65    | 43.79    | 54.00  | -10.21 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode14 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.74                    | 1.09                    | 47.83                      | 74.00           | -26.17     | peak     |         |
| 2   |     | 4500.000     | 37.44                    | 1.09                    | 38.53                      | 54.00           | -15.47     | AVG      |         |
| 3   |     | 5150.000     | 47.28                    | 2.77                    | 50.05                      | 74.00           | -23.95     | peak     |         |
| 4   | *   | 5150.000     | 38.05                    | 2.77                    | 40.82                      | 54.00           | -13.18     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode14 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.43                    | 1.09                    | 48.52                      | 74.00           | -25.48     | peak     |         |
| 2   |     | 4500.000     | 37.55                    | 1.09                    | 38.64                      | 54.00           | -15.36     | AVG      |         |
| 3   |     | 5150.000     | 48.13                    | 2.77                    | 50.90                      | 74.00           | -23.10     | peak     |         |
| 4   | *   | 5150.000     | 38.26                    | 2.77                    | 41.03                      | 54.00           | -12.97     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode14 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 50.95                    | 4.47                    | 55.42                      | 74.00           | -18.58     | peak     |         |
| 2   | *   | 5985.000     | 39.29                    | 4.47                    | 43.76                      | 54.00           | -10.24     | AVG      |         |
| 3   |     | 6540.000     | 46.66                    | 5.65                    | 52.31                      | 74.00           | -21.69     | peak     |         |
| 4   |     | 6540.000     | 37.82                    | 5.65                    | 43.47                      | 54.00           | -10.53     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode14 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 49.45                    | 4.47                    | 53.92                      | 74.00           | -20.08     | peak     |         |
| 2   |     | 5985.000     | 38.83                    | 4.47                    | 43.30                      | 54.00           | -10.70     | AVG      |         |
| 3   |     | 6540.000     | 47.12                    | 5.65                    | 52.77                      | 74.00           | -21.23     | peak     |         |
| 4   | *   | 6540.000     | 37.91                    | 5.65                    | 43.56                      | 54.00           | -10.44     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode15 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5300.000     | 46.80                    | 2.62                    | 49.42                      | 74.00           | -24.58     | peak     |         |
| 2   |     | 5300.000     | 37.19                    | 2.62                    | 39.81                      | 54.00           | -14.19     | AVG      |         |
| 3   |     | 5460.000     | 48.18                    | 2.98                    | 51.16                      | 74.00           | -22.84     | peak     |         |
| 4   | *   | 5460.000     | 38.21                    | 2.98                    | 41.19                      | 54.00           | -12.81     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode15 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5300.000     | 48.09                    | 2.62                    | 50.71                      | 74.00           | -23.29     | peak     |         |
| 2   |     | 5300.000     | 37.22                    | 2.62                    | 39.84                      | 54.00           | -14.16     | AVG      |         |
| 3   |     | 5460.000     | 47.23                    | 2.98                    | 50.21                      | 74.00           | -23.79     | peak     |         |
| 4   | *   | 5460.000     | 37.83                    | 2.98                    | 40.81                      | 54.00           | -13.19     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode15 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   | Detector | Comment |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5700.000 | 51.48   | 3.61    | 55.09    | 74.00  | -18.91 | peak     |         |
| 2   | *   | 5700.000 | 39.70   | 3.61    | 43.31    | 54.00  | -10.69 | AVG      |         |
| 3   |     | 5800.000 | 48.04   | 3.77    | 51.81    | 74.00  | -22.19 | peak     |         |
| 4   |     | 5800.000 | 37.26   | 3.77    | 41.03    | 54.00  | -12.97 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode15 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5700.000     | 48.66                    | 3.61                    | 52.27                      | 74.00           | -21.73     | peak     |         |
| 2   | *   | 5700.000     | 37.98                    | 3.61                    | 41.59                      | 54.00           | -12.41     | AVG      |         |
| 3   |     | 5800.000     | 46.66                    | 3.77                    | 50.43                      | 74.00           | -23.57     | peak     |         |
| 4   |     | 5800.000     | 37.41                    | 3.77                    | 41.18                      | 54.00           | -12.82     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode16 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 46.78                    | 1.09                    | 47.87                      | 74.00           | -26.13     | peak     |         |
| 2   |     | 4500.000     | 37.29                    | 1.09                    | 38.38                      | 54.00           | -15.62     | AVG      |         |
| 3   |     | 5150.000     | 47.75                    | 2.77                    | 50.52                      | 74.00           | -23.48     | peak     |         |
| 4   | *   | 5150.000     | 37.96                    | 2.77                    | 40.73                      | 54.00           | -13.27     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode16 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.13                    | 1.09                    | 48.22                      | 74.00           | -25.78     | peak     |         |
| 2   |     | 4500.000     | 37.39                    | 1.09                    | 38.48                      | 54.00           | -15.52     | AVG      |         |
| 3   |     | 5150.000     | 48.89                    | 2.77                    | 51.66                      | 74.00           | -22.34     | peak     |         |
| 4   | *   | 5150.000     | 38.28                    | 2.77                    | 41.05                      | 54.00           | -12.95     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode16 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 48.91                    | 4.47                    | 53.38                      | 74.00           | -20.62     | peak     |         |
| 2   |     | 5985.000     | 38.58                    | 4.47                    | 43.05                      | 54.00           | -10.95     | AVG      |         |
| 3   |     | 6540.000     | 47.72                    | 5.65                    | 53.37                      | 74.00           | -20.63     | peak     |         |
| 4   | *   | 6540.000     | 37.74                    | 5.65                    | 43.39                      | 54.00           | -10.61     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode16 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 47.37                    | 4.47                    | 51.84                      | 74.00           | -22.16     | peak     |         |
| 2   |     | 5985.000     | 38.21                    | 4.47                    | 42.68                      | 54.00           | -11.32     | AVG      |         |
| 3   |     | 6540.000     | 47.41                    | 5.65                    | 53.06                      | 74.00           | -20.94     | peak     |         |
| 4   | *   | 6540.000     | 37.79                    | 5.65                    | 43.44                      | 54.00           | -10.56     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode17 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.37                    | 1.09                    | 48.46                      | 74.00           | -25.54     | peak     |         |
| 2   |     | 4500.000     | 37.37                    | 1.09                    | 38.46                      | 54.00           | -15.54     | AVG      |         |
| 3   |     | 5150.000     | 48.37                    | 2.77                    | 51.14                      | 74.00           | -22.86     | peak     |         |
| 4   | *   | 5150.000     | 38.05                    | 2.77                    | 40.82                      | 54.00           | -13.18     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode17 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4500.000     | 47.23                    | 1.09                    | 48.32                      | 74.00           | -25.68     | peak     |         |
| 2   |     | 4500.000     | 37.29                    | 1.09                    | 38.38                      | 54.00           | -15.62     | AVG      |         |
| 3   |     | 5150.000     | 48.21                    | 2.77                    | 50.98                      | 74.00           | -23.02     | peak     |         |
| 4   | *   | 5150.000     | 38.07                    | 2.77                    | 40.84                      | 54.00           | -13.16     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode17 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5985.000 | 52.13   | 4.47    | 56.60    | 74.00  | -17.40 | peak     |         |
| 2   | *   | 5985.000 | 40.25   | 4.47    | 44.72    | 54.00  | -9.28  | AVG      |         |
| 3   |     | 6540.000 | 47.09   | 5.65    | 52.74    | 74.00  | -21.26 | peak     |         |
| 4   |     | 6540.000 | 37.78   | 5.65    | 43.43    | 54.00  | -10.57 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode17 / Polarization: Vertical / CH: H



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5985.000     | 51.39                    | 4.47                    | 55.86                      | 74.00           | -18.14     | peak     |         |
| 2   | *   | 5985.000     | 39.94                    | 4.47                    | 44.41                      | 54.00           | -9.59      | AVG      |         |
| 3   |     | 6540.000     | 46.54                    | 5.65                    | 52.19                      | 74.00           | -21.81     | peak     |         |
| 4   |     | 6540.000     | 46.54                    | 5.65                    | 52.19                      | 74.00           | -21.81     | peak     |         |
| 5   |     | 6540.000     | 37.85                    | 5.65                    | 43.50                      | 54.00           | -10.50     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode18 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 5300.000 | 46.73   | 2.62    | 49.35    | 74.00  | -24.65 | peak     |         |
| 2   |     | 5300.000 | 37.20   | 2.62    | 39.82    | 54.00  | -14.18 | AVG      |         |
| 3   |     | 5460.000 | 53.67   | 2.98    | 56.65    | 74.00  | -17.35 | peak     |         |
| 4   | *   | 5460.000 | 38.52   | 2.98    | 41.50    | 54.00  | -12.50 | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode18 / Polarization: Vertical / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5300.000     | 46.84                    | 2.62                    | 49.46                      | 74.00           | -24.54     | peak     |         |
| 2   |     | 5300.000     | 36.94                    | 2.62                    | 39.56                      | 54.00           | -14.44     | AVG      |         |
| 3   |     | 5460.000     | 47.36                    | 2.98                    | 50.34                      | 74.00           | -23.66     | peak     |         |
| 4   | *   | 5460.000     | 37.79                    | 2.98                    | 40.77                      | 54.00           | -13.23     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode18 / Polarization: Horizontal / CH: H




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector |
| 1   |     | 5740.000 | 47.83   | 3.56    | 51.39    | 74.00  | -22.61 | peak     |
| 2   | *   | 5740.000 | 37.41   | 3.56    | 40.97    | 54.00  | -13.03 | AVG      |
| 3   |     | 5800.000 | 47.76   | 3.77    | 51.53    | 74.00  | -22.47 | peak     |
| 4   |     | 5800.000 | 37.20   | 3.77    | 40.97    | 54.00  | -13.03 | AVG      |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode18 / Polarization: Vertical / CH: H




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 5740.000     | 46.34                    | 3.56                    | 49.90                      | 74.00           | -24.10     | peak     |         |
| 2   |     | 5740.000     | 37.15                    | 3.56                    | 40.71                      | 54.00           | -13.29     | AVG      |         |
| 3   |     | 5800.000     | 46.37                    | 3.77                    | 50.14                      | 74.00           | -23.86     | peak     |         |
| 4   | *   | 5800.000     | 37.25                    | 3.77                    | 41.02                      | 54.00           | -12.98     | AVG      |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

**U-NII-3:**

Mode1 / Polarization: Horizontal / CH: L




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 5650.000     | 46.34                    | 3.29                    | 49.63                      | 68.20           | -18.57     | peak     |         |
| 2   |     | 5700.000     | 46.42                    | 3.61                    | 50.03                      | 105.20          | -55.17     | peak     |         |
| 3   |     | 5720.000     | 47.43                    | 3.59                    | 51.02                      | 110.80          | -59.78     | peak     |         |
| 4   |     | 5725.000     | 51.64                    | 3.58                    | 55.22                      | 122.20          | -66.98     | peak     |         |

# TEST REPORT

Report No.: MTi260410018-0203E4

Mode1 / Polarization: Vertical / CH: L



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 5650.000     | 46.57                    | 3.29                    | 49.86                      | 68.20           | -18.34     | peak     |         |
| 2   |     | 5700.000     | 45.97                    | 3.61                    | 49.58                      | 105.20          | -55.62     | peak     |         |
| 3   |     | 5720.000     | 46.18                    | 3.59                    | 49.77                      | 110.80          | -61.03     | peak     |         |
| 4   |     | 5725.000     | 48.70                    | 3.58                    | 52.28                      | 122.20          | -69.92     | peak     |         |