



# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT


Report No.: MTI260410018-0203E4



# TEST REPORT


Report No.: MTI260410018-0203E4






# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4



# TEST REPORT


Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4

11AC40SISO\_Ant1\_5755




11AC40SISO\_Ant2\_5755




# TEST REPORT

Report No.: MTI260410018-0203E4

11AC40SISO\_Ant1\_5795




11AC40SISO\_Ant2\_5795



# TEST REPORT


Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4

11AC80SISO\_Ant1\_5290




11AC80SISO\_Ant2\_5290




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT


Report No.: MTI260410018-0203E4



# TEST REPORT


Report No.: MTI260410018-0203E4






# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4



# TEST REPORT


Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4

11AX20SISO\_Ant1\_5785




11AX20SISO\_Ant2\_5785




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




11AX40SISO Ant1 5510



# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4

11AX40SISO\_Ant1\_5670




11AX40SISO\_Ant2\_5670




# TEST REPORT

Report No.: MTI260410018-0203E4

11AX40SISO\_Ant1\_5755




11AX40SISO\_Ant2\_5755




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4



# TEST REPORT

Report No.: MTI260410018-0203E4



# TEST REPORT

Report No.: MTi260410018-0203E4

## Appendix C: Maximum conducted output power

### Test Result Channel Power

| Test Mode  | Antenna | Frequency [MHz] | Channel Power [dBm] | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | EIRP [dBm] | Verdict |
|------------|---------|-----------------|---------------------|----------------|-----------------|--------------|-------------|------------|---------|
| 11A        | Ant1    | 5180            | -6.46               | 99.31          | 0.06            | -6.40        | ≤23.98      | -3.60      | PASS    |
|            | Ant2    | 5180            | -3.22               | 98.62          | 2.78            | -0.43        | ≤23.98      | 2.36       | PASS    |
|            | Ant1    | 5200            | -6.05               | 99.31          | 0.06            | -5.99        | ≤23.98      | -3.19      | PASS    |
|            | Ant2    | 5200            | -3.14               | 96.00          | 2.78            | -0.36        | ≤23.98      | 2.44       | PASS    |
|            | Ant1    | 5240            | -5.21               | 98.62          | 0.03            | -5.18        | ≤23.98      | -2.38      | PASS    |
|            | Ant2    | 5240            | -2.12               | 99.31          | 2.79            | 0.68         | ≤23.98      | 3.47       | PASS    |
|            | Ant1    | 5260            | -5.09               | 95.33          | 0.03            | -5.07        | ≤23.98      | -2.26      | PASS    |
|            | Ant2    | 5260            | -1.80               | 98.62          | 2.79            | 0.99         | ≤23.98      | 3.79       | PASS    |
|            | Ant1    | 5280            | -4.83               | 98.62          | 0.03            | -4.80        | ≤23.98      | -2.00      | PASS    |
|            | Ant2    | 5280            | -1.40               | 95.33          | 2.79            | 1.40         | ≤23.98      | 4.19       | PASS    |
|            | Ant1    | 5320            | -4.53               | 96.00          | 0.03            | -4.50        | ≤23.86      | -1.70      | PASS    |
|            | Ant2    | 5320            | -1.58               | 99.31          | 2.78            | 1.20         | ≤23.98      | 4.00       | PASS    |
|            | Ant1    | 5500            | -5.48               | 95.33          | 0.06            | -5.42        | ≤23.98      | -2.62      | PASS    |
|            | Ant2    | 5500            | -4.41               | 95.33          | 2.79            | -1.61        | ≤23.98      | 1.18       | PASS    |
|            | Ant1    | 5580            | -3.77               | 95.33          | 0.06            | -3.71        | ≤23.98      | -0.91      | PASS    |
|            | Ant2    | 5580            | -2.18               | 98.62          | 2.78            | 0.60         | ≤23.98      | 3.40       | PASS    |
|            | Ant1    | 5700            | -4.49               | 99.31          | 2.79            | -1.70        | ≤23.92      | 1.10       | PASS    |
|            | Ant2    | 5700            | -1.88               | 95.33          | 2.79            | 0.90         | ≤23.98      | 3.71       | PASS    |
|            | Ant1    | 5745            | -4.84               | 98.62          | 2.78            | -2.06        | ≤30.00      | 0.74       | PASS    |
|            | Ant2    | 5745            | -2.09               | 98.62          | 2.79            | 0.70         | ≤30.00      | 3.50       | PASS    |
| 11N20SIS O | Ant1    | 5785            | -6.10               | 99.31          | 2.78            | -3.32        | ≤30.00      | -0.52      | PASS    |
|            | Ant2    | 5785            | -3.37               | 95.97          | 2.79            | -0.58        | ≤30.00      | 2.22       | PASS    |
|            | Ant1    | 5825            | -5.92               | 95.97          | 2.78            | -3.14        | ≤30.00      | -0.34      | PASS    |
|            | Ant2    | 5825            | -3.39               | 98.62          | 2.79            | -0.60        | ≤30.00      | 2.20       | PASS    |
|            | Ant1    | 5180            | -4.86               | 98.53          | 0.03            | -4.84        | ≤23.98      | -2.03      | PASS    |
|            | Ant2    | 5180            | -4.34               | 95.04          | 2.87            | -1.47        | ≤23.98      | 1.33       | PASS    |
|            | Ant1    | 5200            | -4.37               | 99.26          | 0.06            | -4.31        | ≤23.98      | -1.51      | PASS    |
|            | Ant2    | 5200            | -4.20               | 95.04          | 2.42            | -1.78        | ≤23.98      | 1.02       | PASS    |
|            | Ant1    | 5240            | -3.52               | 98.53          | 0.06            | -3.46        | ≤23.98      | -0.66      | PASS    |
|            | Ant2    | 5240            | -3.13               | 98.53          | 2.87            | -0.25        | ≤23.98      | 2.54       | PASS    |
|            | Ant1    | 5260            | -3.53               | 98.53          | 0.03            | -3.50        | ≤23.98      | -0.70      | PASS    |
|            | Ant2    | 5260            | -2.86               | 98.53          | 2.87            | 0.01         | ≤23.98      | 2.81       | PASS    |
|            | Ant1    | 5280            | -3.12               | 98.53          | 0.03            | -3.09        | ≤23.98      | -0.29      | PASS    |
|            | Ant2    | 5280            | -2.46               | 98.53          | 2.87            | 0.41         | ≤23.98      | 3.21       | PASS    |
|            | Ant1    | 5320            | -2.59               | 95.04          | 0.06            | -2.53        | ≤23.98      | 0.27       | PASS    |
|            | Ant2    | 5320            | -2.53               | 95.71          | 2.87            | 0.34         | ≤23.98      | 3.14       | PASS    |
|            | Ant1    | 5500            | -3.61               | 95.04          | 0.03            | -3.58        | ≤23.98      | -0.78      | PASS    |
|            | Ant2    | 5500            | -5.39               | 95.04          | 2.87            | -2.52        | ≤23.98      | 0.28       | PASS    |
|            | Ant1    | 5580            | -1.77               | 99.26          | 2.87            | 1.09         | ≤23.98      | 3.90       | PASS    |
|            | Ant2    | 5580            | -3.12               | 95.04          | 2.87            | -0.25        | ≤23.98      | 2.55       | PASS    |
| 11N40SIS O | Ant1    | 5700            | -2.70               | 98.53          | 2.87            | 0.17         | ≤23.98      | 2.97       | PASS    |
|            | Ant2    | 5700            | -2.82               | 98.53          | 2.87            | 0.05         | ≤23.98      | 2.85       | PASS    |
|            | Ant1    | 5745            | -3.13               | 98.53          | 2.87            | -0.26        | ≤30.00      | 2.54       | PASS    |
|            | Ant2    | 5745            | -3.04               | 98.53          | 2.87            | -0.17        | ≤30.00      | 2.63       | PASS    |
|            | Ant1    | 5785            | -4.39               | 98.53          | 2.87            | -1.52        | ≤30.00      | 1.28       | PASS    |
|            | Ant2    | 5785            | -4.41               | 95.04          | 2.87            | -1.54        | ≤30.00      | 1.26       | PASS    |
|            | Ant1    | 5825            | -4.36               | 99.26          | 2.87            | -1.49        | ≤30.00      | 1.31       | PASS    |
|            | Ant2    | 5825            | -4.34               | 95.04          | 2.87            | -1.47        | ≤30.00      | 1.33       | PASS    |
| 11N40SIS O | Ant1    | 5190            | -4.61               | 97.06          | 0.07            | -4.55        | ≤23.98      | -1.74      | PASS    |
|            | Ant2    | 5190            | -4.57               | 93.14          | 3.04            | -1.53        | ≤23.98      | 1.27       | PASS    |
|            | Ant1    | 5230            | -3.63               | 97.06          | 0.06            | -3.56        | ≤23.98      | -0.77      | PASS    |
|            | Ant2    | 5230            | -3.25               | 90.41          | 3.04            | -0.21        | ≤23.98      | 2.59       | PASS    |
|            | Ant1    | 5270            | -2.99               | 98.53          | 0.06            | -2.93        | ≤23.98      | -0.13      | PASS    |
|            | Ant2    | 5270            | -2.89               | 98.53          | 3.03            | 0.14         | ≤23.98      | 2.94       | PASS    |

# TEST REPORT

Report No.: MTi260410018-0203E4

|                |      |      |       |       |      |       |        |       |      |
|----------------|------|------|-------|-------|------|-------|--------|-------|------|
|                | Ant1 | 5310 | -2.65 | 98.53 | 0.13 | -2.52 | ≤23.98 | 0.28  | PASS |
|                | Ant2 | 5310 | -2.41 | 90.41 | 3.04 | 0.63  | ≤23.98 | 3.43  | PASS |
|                | Ant1 | 5510 | -3.43 | 90.41 | 2.59 | -0.84 | ≤23.98 | 1.96  | PASS |
|                | Ant2 | 5510 | -5.22 | 91.78 | 3.04 | -2.18 | ≤23.98 | 0.62  | PASS |
|                | Ant1 | 5550 | -2.58 | 98.53 | 3.04 | 0.46  | ≤23.98 | 3.26  | PASS |
|                | Ant2 | 5550 | -4.16 | 90.41 | 3.04 | -1.12 | ≤23.98 | 1.68  | PASS |
|                | Ant1 | 5670 | -2.47 | 98.53 | 3.04 | 0.57  | ≤23.98 | 3.37  | PASS |
|                | Ant2 | 5670 | -2.81 | 98.51 | 3.04 | 0.23  | ≤23.98 | 3.03  | PASS |
|                | Ant1 | 5755 | -3.58 | 90.41 | 3.04 | -0.54 | ≤30.00 | 2.26  | PASS |
|                | Ant2 | 5755 | -3.44 | 91.78 | 3.04 | -0.40 | ≤30.00 | 2.40  | PASS |
|                | Ant1 | 5795 | -4.57 | 98.53 | 3.04 | -1.53 | ≤30.00 | 1.27  | PASS |
|                | Ant2 | 5795 | -4.55 | 97.06 | 3.04 | -1.52 | ≤30.00 | 1.29  | PASS |
| 11AC20SI<br>SO | Ant1 | 5180 | -4.77 | 95.74 | 0.06 | -4.72 | ≤23.98 | -1.91 | PASS |
|                | Ant2 | 5180 | -4.34 | 99.26 | 2.86 | -1.48 | ≤23.98 | 1.32  | PASS |
|                | Ant1 | 5200 | -4.27 | 98.54 | 0.03 | -4.24 | ≤23.98 | -1.44 | PASS |
|                | Ant2 | 5200 | -4.18 | 99.26 | 2.87 | -1.30 | ≤23.98 | 1.49  | PASS |
|                | Ant1 | 5240 | -3.43 | 98.54 | 0.03 | -3.39 | ≤23.98 | -0.60 | PASS |
|                | Ant2 | 5240 | -3.08 | 99.26 | 2.87 | -0.21 | ≤23.98 | 2.59  | PASS |
|                | Ant1 | 5260 | -3.42 | 98.54 | 0.03 | -3.40 | ≤23.98 | -0.59 | PASS |
|                | Ant2 | 5260 | -2.88 | 95.04 | 2.87 | -0.01 | ≤23.98 | 2.79  | PASS |
|                | Ant1 | 5280 | -3.07 | 99.26 | 0.06 | -3.01 | ≤23.98 | -0.21 | PASS |
|                | Ant2 | 5280 | -2.49 | 99.26 | 2.86 | 0.37  | ≤23.98 | 3.17  | PASS |
|                | Ant1 | 5320 | -2.60 | 95.07 | 0.22 | -2.38 | ≤23.98 | 0.42  | PASS |
|                | Ant2 | 5320 | -2.50 | 99.26 | 2.87 | 0.37  | ≤23.98 | 3.17  | PASS |
|                | Ant1 | 5500 | -3.56 | 99.26 | 0.22 | -3.34 | ≤23.98 | -0.54 | PASS |
|                | Ant2 | 5500 | -5.38 | 95.74 | 2.86 | -2.52 | ≤23.98 | 0.28  | PASS |
|                | Ant1 | 5580 | -1.69 | 95.07 | 2.87 | 1.18  | ≤23.98 | 3.98  | PASS |
|                | Ant2 | 5580 | -3.06 | 95.07 | 2.87 | -0.18 | ≤23.98 | 2.61  | PASS |
|                | Ant1 | 5700 | -2.63 | 98.54 | 2.87 | 0.25  | ≤23.98 | 3.04  | PASS |
|                | Ant2 | 5700 | -2.77 | 99.26 | 2.87 | 0.09  | ≤23.98 | 2.90  | PASS |
|                | Ant1 | 5745 | -3.01 | 98.54 | 2.87 | -0.15 | ≤30.00 | 2.66  | PASS |
|                | Ant2 | 5745 | -3.02 | 98.54 | 2.42 | -0.60 | ≤30.00 | 2.20  | PASS |
|                | Ant1 | 5785 | -4.36 | 99.26 | 2.86 | -1.50 | ≤30.00 | 1.30  | PASS |
|                | Ant2 | 5785 | -4.41 | 99.26 | 2.87 | -1.54 | ≤30.00 | 1.26  | PASS |
|                | Ant1 | 5825 | -4.34 | 95.74 | 2.87 | -1.47 | ≤30.00 | 1.33  | PASS |
|                | Ant2 | 5825 | -4.33 | 98.53 | 2.87 | -1.47 | ≤30.00 | 1.34  | PASS |
| 11AC40SI<br>SO | Ant1 | 5190 | -4.55 | 93.27 | 3.04 | -1.51 | ≤23.98 | 1.29  | PASS |
|                | Ant2 | 5190 | -4.46 | 93.27 | 3.03 | -1.44 | ≤23.98 | 1.37  | PASS |
|                | Ant1 | 5230 | -3.43 | 97.10 | 3.03 | -0.40 | ≤23.98 | 2.40  | PASS |
|                | Ant2 | 5230 | -3.21 | 97.10 | 3.04 | -0.17 | ≤23.98 | 2.63  | PASS |
|                | Ant1 | 5270 | -2.94 | 90.54 | 3.03 | 0.09  | ≤23.98 | 2.89  | PASS |
|                | Ant2 | 5270 | -2.85 | 97.10 | 3.04 | 0.18  | ≤23.98 | 2.99  | PASS |
|                | Ant1 | 5310 | -2.59 | 97.10 | 3.04 | 0.44  | ≤23.98 | 3.25  | PASS |
|                | Ant2 | 5310 | -2.37 | 97.10 | 3.04 | 0.67  | ≤23.98 | 3.47  | PASS |
|                | Ant1 | 5510 | -3.35 | 97.10 | 3.04 | -0.31 | ≤23.98 | 2.49  | PASS |
|                | Ant2 | 5510 | -5.18 | 91.89 | 3.03 | -2.15 | ≤23.98 | 0.65  | PASS |
|                | Ant1 | 5550 | -2.47 | 90.54 | 3.04 | 0.57  | ≤23.98 | 3.37  | PASS |
|                | Ant2 | 5550 | -4.11 | 98.55 | 3.04 | -1.08 | ≤23.98 | 1.73  | PASS |
|                | Ant1 | 5670 | -2.39 | 97.10 | 3.04 | 0.64  | ≤23.98 | 3.45  | PASS |
|                | Ant2 | 5670 | -2.79 | 98.55 | 3.04 | 0.25  | ≤23.98 | 3.05  | PASS |
|                | Ant1 | 5755 | -3.53 | 98.53 | 3.04 | -0.49 | ≤30.00 | 2.31  | PASS |
|                | Ant2 | 5755 | -3.45 | 97.10 | 3.04 | -0.41 | ≤30.00 | 2.39  | PASS |
|                | Ant1 | 5795 | -4.56 | 97.10 | 3.04 | -1.52 | ≤30.00 | 1.28  | PASS |
|                | Ant2 | 5795 | -4.53 | 97.10 | 3.03 | -1.50 | ≤30.00 | 1.30  | PASS |
| 11AC80SI<br>SO | Ant1 | 5210 | -3.52 | 94.29 | 1.37 | -2.15 | ≤23.98 | 0.65  | PASS |
|                | Ant2 | 5210 | -3.95 | 97.14 | 1.30 | -2.69 | ≤23.98 | 0.15  | PASS |
|                | Ant1 | 5290 | -2.39 | 97.14 | 1.37 | -1.02 | ≤23.98 | 1.78  | PASS |
|                | Ant2 | 5290 | -2.23 | 97.06 | 1.43 | -0.80 | ≤23.98 | 2.00  | PASS |
|                | Ant1 | 5530 | -2.65 | 97.14 | 1.37 | -1.28 | ≤23.98 | 1.52  | PASS |
|                | Ant2 | 5530 | -4.28 | 33.33 | 1.37 | -2.92 | ≤23.98 | -0.11 | PASS |
|                | Ant1 | 5610 | -1.74 | 97.06 | 1.43 | -0.31 | ≤23.98 | 2.49  | PASS |
|                | Ant2 | 5610 | -2.72 | 94.29 | 1.37 | -1.35 | ≤23.98 | 1.45  | PASS |

# TEST REPORT

Report No.: MTi260410018-0203E4


|                |      |      |       |       |      |       |        |       |      |
|----------------|------|------|-------|-------|------|-------|--------|-------|------|
| 11AX20SI<br>SO | Ant1 | 5775 | -2.70 | 97.14 | 1.34 | -1.33 | ≤23.98 | 1.47  | PASS |
|                | Ant2 | 5775 | -4.94 | 94.29 | 1.37 | -3.57 | ≤30.00 | -0.77 | PASS |
|                | Ant1 | 5180 | -4.55 | 98.11 | 0.08 | -4.48 | ≤23.98 | -1.67 | PASS |
|                | Ant2 | 5180 | -4.19 | 99.06 | 3.49 | -0.71 | ≤23.98 | 2.10  | PASS |
|                | Ant1 | 5200 | -4.15 | 94.59 | 0.04 | -4.11 | ≤23.98 | -1.31 | PASS |
|                | Ant2 | 5200 | -4.02 | 98.11 | 3.48 | -0.54 | ≤23.98 | 2.26  | PASS |
|                | Ant1 | 5240 | -3.11 | 99.06 | 0.08 | -3.03 | ≤23.98 | -0.23 | PASS |
|                | Ant2 | 5240 | -2.98 | 98.11 | 3.48 | 0.50  | ≤23.98 | 3.30  | PASS |
|                | Ant1 | 5260 | -3.10 | 99.06 | 0.04 | -3.06 | ≤23.98 | -0.26 | PASS |
|                | Ant2 | 5260 | -2.77 | 94.59 | 3.48 | 0.71  | ≤23.98 | 3.51  | PASS |
|                | Ant1 | 5280 | -2.78 | 98.11 | 0.08 | -2.69 | ≤23.98 | 0.10  | PASS |
|                | Ant2 | 5280 | -2.38 | 98.11 | 3.48 | 1.09  | ≤23.98 | 3.90  | PASS |
|                | Ant1 | 5320 | -2.39 | 99.06 | 0.08 | -2.31 | ≤23.98 | 0.49  | PASS |
|                | Ant2 | 5320 | -2.63 | 93.69 | 3.48 | 0.86  | ≤23.98 | 3.65  | PASS |
|                | Ant1 | 5500 | -3.29 | 98.11 | 0.08 | -3.21 | ≤23.98 | -0.41 | PASS |
|                | Ant2 | 5500 | -5.17 | 98.11 | 3.49 | -1.69 | ≤23.98 | 1.12  | PASS |
|                | Ant1 | 5580 | -1.45 | 93.69 | 3.49 | 2.04  | ≤23.98 | 4.84  | PASS |
|                | Ant2 | 5580 | -2.96 | 98.11 | 3.48 | 0.52  | ≤23.98 | 3.32  | PASS |
|                | Ant1 | 5700 | -2.30 | 99.06 | 3.48 | 1.18  | ≤23.98 | 3.98  | PASS |
|                | Ant2 | 5700 | -2.65 | 94.59 | 3.48 | 0.84  | ≤23.98 | 3.63  | PASS |
|                | Ant1 | 5745 | -2.56 | 98.11 | 3.48 | 0.92  | ≤30.00 | 3.72  | PASS |
|                | Ant2 | 5745 | -2.92 | 99.06 | 3.49 | 0.57  | ≤30.00 | 3.37  | PASS |
|                | Ant1 | 5785 | -3.96 | 98.11 | 3.48 | -0.47 | ≤30.00 | 2.32  | PASS |
|                | Ant2 | 5785 | -4.23 | 98.11 | 3.49 | -0.74 | ≤30.00 | 2.06  | PASS |
|                | Ant1 | 5825 | -4.01 | 93.75 | 3.49 | -0.52 | ≤30.00 | 2.28  | PASS |
|                | Ant2 | 5825 | -4.14 | 98.11 | 3.48 | -0.66 | ≤30.00 | 2.14  | PASS |
| 11AX40SI<br>SO | Ant1 | 5190 | -4.28 | 96.49 | 3.52 | -0.76 | ≤23.98 | 2.04  | PASS |
|                | Ant2 | 5190 | -4.35 | 88.71 | 3.49 | -0.86 | ≤23.98 | 1.94  | PASS |
|                | Ant1 | 5230 | -3.13 | 88.71 | 3.50 | 0.37  | ≤23.98 | 3.17  | PASS |
|                | Ant2 | 5230 | -3.04 | 96.49 | 3.50 | 0.46  | ≤23.98 | 3.26  | PASS |
|                | Ant1 | 5270 | -2.88 | 98.21 | 3.50 | 0.61  | ≤23.98 | 3.42  | PASS |
|                | Ant2 | 5270 | -2.76 | 96.49 | 3.50 | 0.73  | ≤23.98 | 3.54  | PASS |
|                | Ant1 | 5310 | -2.53 | 88.71 | 3.04 | 0.51  | ≤23.98 | 3.31  | PASS |
|                | Ant2 | 5310 | -2.46 | 98.21 | 3.49 | 1.02  | ≤23.98 | 3.83  | PASS |
|                | Ant1 | 5510 | -3.23 | 96.49 | 3.49 | 0.26  | ≤23.98 | 3.06  | PASS |
|                | Ant2 | 5510 | -5.01 | 96.49 | 3.49 | -1.53 | ≤23.98 | 1.28  | PASS |
|                | Ant1 | 5550 | -2.40 | 98.21 | 3.50 | 1.09  | ≤23.98 | 3.90  | PASS |
|                | Ant2 | 5550 | -3.94 | 98.21 | 3.50 | -0.45 | ≤23.98 | 2.36  | PASS |
|                | Ant1 | 5670 | -2.21 | 88.71 | 3.49 | 1.28  | ≤23.98 | 4.08  | PASS |
|                | Ant2 | 5670 | -2.67 | 90.16 | 3.50 | 0.83  | ≤23.98 | 3.63  | PASS |
|                | Ant1 | 5755 | -3.05 | 96.49 | 3.49 | 0.44  | ≤30.00 | 3.24  | PASS |
|                | Ant2 | 5755 | -3.21 | 98.21 | 3.49 | 0.27  | ≤30.00 | 3.08  | PASS |
|                | Ant1 | 5795 | -4.04 | 96.49 | 3.49 | -0.55 | ≤30.00 | 2.25  | PASS |
|                | Ant2 | 5795 | -4.26 | 88.71 | 3.50 | -0.77 | ≤30.00 | 2.04  | PASS |
| 11AX80SI<br>SO | Ant1 | 5210 | -3.71 | 50.00 | 1.95 | -1.77 | ≤23.98 | 1.04  | PASS |
|                | Ant2 | 5210 | -3.85 | 89.47 | 1.23 | -2.62 | ≤23.98 | 0.18  | PASS |
|                | Ant1 | 5290 | -2.44 | 96.67 | 1.43 | -1.00 | ≤23.98 | 1.79  | PASS |
|                | Ant2 | 5290 | -2.31 | 92.31 | 1.37 | -0.94 | ≤23.98 | 1.86  | PASS |
|                | Ant1 | 5530 | -3.04 | 93.55 | 1.37 | -1.67 | ≤23.98 | 1.13  | PASS |
|                | Ant2 | 5530 | -4.33 | 83.33 | 1.37 | -2.95 | ≤23.98 | -0.16 | PASS |
|                | Ant1 | 5610 | -1.71 | 93.55 | 1.37 | -0.33 | ≤23.98 | 2.46  | PASS |
|                | Ant2 | 5610 | -2.80 | 96.67 | 1.37 | -1.43 | ≤23.98 | 1.37  | PASS |
|                | Ant1 | 5775 | -4.04 | 89.47 | 1.30 | -2.75 | ≤30.00 | 0.06  | PASS |
|                | Ant2 | 5775 | -5.06 | 89.47 | 1.37 | -3.69 | ≤30.00 | -0.89 | PASS |

Note: The Duty Cycle Factor is compensated in the graph.

# TEST REPORT


Report No.: MTi260410018-0203E4

## Test Graphs




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTI260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4




# TEST REPORT

Report No.: MTi260410018-0203E4



# TEST REPORT

Report No.: MTi260410018-0203E4



# TEST REPORT

Report No.: MTI260410018-0203E4

