


























A2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-3.36	21	Pass
NVNT	1-DH5	2441	Ant1	-4.79	21	Pass
NVNT	1-DH5	2480	Ant1	-3.66	21	Pass
NVNT	2-DH5	2402	Ant1	-3.35	21	Pass
NVNT	2-DH5	2441	Ant1	-4.83	21	Pass
NVNT	2-DH5	2480	Ant1	-3.66	21	Pass
NVNT	3-DH5	2402	Ant1	-3.19	21	Pass
NVNT	3-DH5	2441	Ant1	-4.62	21	Pass
NVNT	3-DH5	2480	Ant1	-3.45	21	Pass















A3.-20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.97	Pass
NVNT	1-DH5	2441	Ant1	0.924	Pass
NVNT	1-DH5	2480	Ant1	1.02	Pass
NVNT	2-DH5	2402	Ant1	1.336	Pass
NVNT	2-DH5	2441	Ant1	1.28	Pass
NVNT	2-DH5	2480	Ant1	1.28	Pass
NVNT	3-DH5	2402	Ant1	1.284	Pass
NVNT	3-DH5	2441	Ant1	1.284	Pass
NVNT	3-DH5	2480	Ant1	1.284	Pass















A4. Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.84	2402.916	1.076	0.647	Pass
NVNT	1-DH5	Ant1	2440.894	2441.88	0.986	0.616	Pass
NVNT	1-DH5	Ant1	2478.86	2479.882	1.022	0.633	Pass
NVNT	2-DH5	Ant1	2401.902	2402.906	1.004	0.891	Pass
NVNT	2-DH5	Ant1	2440.7	2441.676	0.976	0.853	Pass
NVNT	2-DH5	Ant1	2478.756	2479.715	0.959	0.876	Pass
NVNT	3-DH5	Ant1	2402.058	2403.164	1.106	0.856	Pass
NVNT	3-DH5	Ant1	2440.979	2442.02	1.041	0.856	Pass
NVNT	3-DH5	Ant1	2478.894	2479.856	0.962	0.855	Pass













A5. Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass








A6. Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-43.63	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-44.56	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-44.1	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-46.31	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-41.81	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-45.46	-20	Pass
















A7. Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-42.97	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-42.75	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-44.77	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-41.91	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-44.73	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-42.25	-20	Pass






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref

Spectrum

Ref Level 20.00 dBm Offset 2.94 dB RBW 100 kHz
Att 35 dB SWT 18.9 μ s VBW 300 kHz Mode Auto FFT
SGL Count 8000/8000

1Pk Max




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission

Spectrum


Ref Level 20.00 dBm Offset 2.94 dB RBW 100 kHz
Att 35 dB SWT 227.5 μ s VBW 300 kHz Mode Auto FFT
SGL Count 1200/1200


1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		2.40575 GHz	-4.18 dBm		
M2	1		2.4 GHz	-52.63 dBm		
M3	1		2.39 GHz	-53.67 dBm		
M4	1		2.3489 GHz	-48.42 dBm		





Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref

Spectrum

Ref Level 20.00 dBm Offset 3.08 dB RBW 100 kHz
Att 35 dB SWT 18.9 μ s VBW 300 kHz Mode Auto FFT
SGL Count 8000/8000

1Pk Max




Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission

Spectrum

Ref Level 20.00 dBm Offset 3.08 dB RBW 100 kHz
Att 35 dB SWT 227.5 μ s VBW 300 kHz Mode Auto FFT
SGL Count 1200/1200

1Pk Max





Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		2.47685 GHz	-8.09 dBm		
M2	1		2.4835 GHz	-51.65 dBm		
M3	1		2.5 GHz	-52.57 dBm		
M4	1		2.4994 GHz	-49.78 dBm		


A8. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-37.26	-20	Pass
NVNT	1-DH5	2441	Ant1	-36.78	-20	Pass
NVNT	1-DH5	2480	Ant1	-38.07	-20	Pass
NVNT	2-DH5	2402	Ant1	-37.72	-20	Pass
NVNT	2-DH5	2441	Ant1	-36.43	-20	Pass
NVNT	2-DH5	2480	Ant1	-38.41	-20	Pass
NVNT	3-DH5	2402	Ant1	-39.81	-20	Pass
NVNT	3-DH5	2441	Ant1	-37.19	-20	Pass
NVNT	3-DH5	2480	Ant1	-39.14	-20	Pass























--- End of Report ---