

Differences Declaration

To whom concern,

We company Shenzhen Shimu Technology Co., Ltd.

Here by declares:

S109 Series and S208 Series are the internal circuits and structures of all models are exactly the same,different types of light strings are used. The S109E/S208E and S109F/S208F use two power supplies and select the maximum power for testing. The S109A/S208A, S109B/S208B, S109C/S208C, and S109D/S208D all use one power supply. S109D/S208D is the one with the maximum power in the power supply, so a differential test was conducted.

Name :Wen Luo

FCC ID: 2A4O2-S208XS109X


Signature: *Wen Luo*


Company name: Shenzhen Shimu Technology Co., Ltd.

Company address: Room 703, East Commercial Building, 222 Minzhi Avenue, Minkang Community, Minzhi Street, Longhua District, Shenzhen, Guangdong, China

Tel: +86 13025756046

E-Mail: 981801229@qq.com

Model	S109A	S109B	S109C	S109D	S109E	S109F
Power Adapter	1	1	1	1	2	2
Controller	1	1	1	1	1	1
5m (12 LEDs) string section	3	4	7	9	14	17
2.5m (6 LEDs) string section	×	3	3	3	5	9
1.25m (3 LEDs) string section	×	1	1	5	5	8
0.42m (1 LED) string section	×	3	3	3	3	6
Picture						
Different	1.RF boards: Same 2.Circuitry: Same 3.Light board: different LED numbers. 4.The exterior casing: Same					

Model	S208A	S208B	S208C	S208D	S208E	S208F
Power Adapter	1	1	1	1	2	2
Controller	1	1	1	1	1	1
5m (14 LEDs) string section	3	4	7	9	14	17
2.5m (7 LEDs) string section	×	3	3	4	5	9
1.07m (3 LEDs) string section	×	1	1	3	5	9
0.42m (1 LED) string section	×	4	4	5	6	8
Picture						
Different	1. RF boards: Same 2. Circuitry: Same 3. Light board: different LED numbers. 4. The exterior casing: Same					