







2DH5 Ant1 2480 30~1000




2DH5 Ant1 2480 1000~26500




3DH5 Ant1 2402 0~Reference




3DH5 Ant1 2402 30~1000




3DH5 Ant1 2402 1000~26500




3DH5 Ant1 2441 0~Reference




3DH5 Ant1 2441 30~1000




3DH5 Ant1 2441 1000~26500




3DH5 Ant1 2480 0~Reference



3DH5 Ant1 2480 30~1000



3DH5 Ant1 2480 1000~26500




Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/B [kHz]
DH5	Ant1	2402	2.90	3.75	77.33	0.34
		2441	2.90	3.75	77.33	0.34
		2480	2.89	3.74	77.27	0.35
2DH5	Ant1	2402	2.89	3.75	77.07	0.35
		2441	2.88	3.75	76.80	0.35
		2480	2.89	3.75	77.07	0.35
3DH5	Ant1	2402	2.89	3.75	77.07	0.35
		2441	2.88	3.75	76.80	0.35
		2480	2.89	3.75	77.07	0.35

Test Graphs


DH5 Ant1_2402




DH5 Ant1_2441




DH5 Ant1_2480




2DH5 Ant1_2402




2DH5_Ant1_2441



2DH5_Ant1_2480



3DH5_Ant1_2402



Appendix J: Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Channel	Detector	Freq(MHz)	Result(dBm)	Limit(dBm)	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-49.25	≤-41.20	PASS
				AV	2383.790	-48.85	≤-41.20	PASS
				AV	2390.000	-48.99	≤-41.20	PASS
				Peak	2310.000	-42.04	≤-21.20	PASS
				Peak	2325.830	-38.57	≤-21.20	PASS
		High	2480	Peak	2390.000	-41.02	≤-21.20	PASS
				AV	2483.500	-47.96	≤-41.20	PASS
				AV	2483.520	-47.96	≤-41.20	PASS
				AV	2500.000	-48.28	≤-41.20	PASS
				Peak	2483.500	-40.88	≤-21.20	PASS
Peak	2491.520	-38.53	≤-21.20	PASS				
					Peak	2500.000	-42.47	≤-21.20
2DH5	Ant1	Low	2402	AV	2310.000	-49.29	≤-41.20	PASS
				AV	2382.215	-48.85	≤-41.20	PASS
				AV	2390.000	-48.95	≤-41.20	PASS
				Peak	2310.000	-41.55	≤-21.20	PASS
				Peak	2387.570	-38.97	≤-21.20	PASS
		High	2480	Peak	2390.000	-40.62	≤-21.20	PASS
				AV	2483.500	-48.11	≤-41.20	PASS
				AV	2483.520	-48.11	≤-41.20	PASS
				AV	2500.000	-48.26	≤-41.20	PASS
				Peak	2483.500	-41.2	≤-21.20	PASS
Peak	2498.720	-38.39	≤-21.20	PASS				
					Peak	2500.000	-42.62	≤-21.20
3DH5	Ant1	Low	2402	AV	2310.000	-49.28	≤-41.20	PASS
				AV	2388.200	-48.81	≤-41.20	PASS
				AV	2390.000	-48.97	≤-41.20	PASS
				Peak	2310.000	-41.36	≤-21.20	PASS
				Peak	2371.505	-38.98	≤-21.20	PASS
				Peak	2390.000	-43.06	≤-21.20	PASS
		High	2480	AV	2483.500	-47.93	≤-41.20	PASS
				AV	2483.520	-47.93	≤-41.20	PASS
				AV	2500.000	-48.37	≤-41.20	PASS
				Peak	2483.500	-41.21	≤-21.20	PASS
Peak	2488.000	-38.39	≤-21.20	PASS				
					Peak	2500.000	-41.03	≤-21.20

Note :


1. The Antenna Gain is compensated in the graph with 2dBi and Antenna Gain which is Higher.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


DH5 Ant1 Low 2402 AV




DH5 Ant1 Low 2402 Peak




DH5 Ant1 High 2480 AV




DH5 Ant1 High 2480 Peak




2DH5 Ant1 Low 2402 AV




2DH5 Ant1 Low 2402 Peak




2DH5 Ant1 High 2480 AV



2DH5 Ant1 High 2480 Peak



3DH5 Ant1 Low 2402 AV



3DH5 Ant1 Low 2402 Peak

