







3DH5 Ant1 2402 30~1000




3DH5 Ant1 2402 1000~26500




3DH5 Ant1 2441 0~Reference




3DH5 Ant1 2441 30~1000



3DH5 Ant1 2441 1000~26500



3DH5 Ant1 2480 0~Reference




Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/B [kHz]
DH5	Ant1	2.88	3.75	76.80	0.35	2.88
		2.88	3.75	76.80	0.35	2.88
		2.89	3.76	76.86	0.35	2.89
2DH5	Ant1	2.89	3.75	77.07	0.35	2.89
		2.88	3.75	76.80	0.35	2.88
		2.89	3.75	77.07	0.35	2.89
3DH5	Ant1	2.89	3.75	77.07	0.35	2.89
		2.88	3.75	76.80	0.35	2.88
		2.89	3.75	77.07	0.35	2.89

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441



2DH5_Ant1_2480



3DH5_Ant1_2402



Appendix J: Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Channel	Detector	Freq(MHz)	Result(dBm)	Limit(dBm)	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-49.74	≤-41.20	PASS
				AV	2372.240	-49.31	≤-41.20	PASS
				AV	2390.000	-49.42	≤-41.20	PASS
				Peak	2310.000	-42.66	≤-21.20	PASS
				Peak	2385.890	-39.27	≤-21.20	PASS
				Peak	2390.000	-43.5	≤-21.20	PASS
		High	2480	AV	2483.500	-48.56	≤-41.20	PASS
				AV	2483.520	-48.56	≤-41.20	PASS
				AV	2500.000	-48.71	≤-41.20	PASS
				Peak	2483.500	-41.84	≤-21.20	PASS
				Peak	2496.880	-39.01	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-49.75	≤-41.20	PASS
				AV	2386.730	-49.23	≤-41.20	PASS
				AV	2390.000	-49.41	≤-41.20	PASS
				Peak	2310.000	-42.38	≤-21.20	PASS
				Peak	2313.440	-39.37	≤-21.20	PASS
				Peak	2390.000	-42.32	≤-21.20	PASS
		High	2480	AV	2483.500	-48.17	≤-41.20	PASS
				AV	2483.520	-48.17	≤-41.20	PASS
				AV	2500.000	-48.73	≤-41.20	PASS
				Peak	2483.500	-42.96	≤-21.20	PASS
				Peak	2487.120	-39.42	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-49.63	≤-41.20	PASS
				AV	2384.525	-49.35	≤-41.20	PASS
				AV	2390.000	-49.46	≤-41.20	PASS
				Peak	2310.000	-43.42	≤-21.20	PASS
				Peak	2343.050	-38.89	≤-21.20	PASS
				Peak	2390.000	-41.21	≤-21.20	PASS
		High	2480	AV	2483.500	-47.89	≤-41.20	PASS
				AV	2483.520	-47.89	≤-41.20	PASS
				AV	2500.000	-48.76	≤-41.20	PASS
				Peak	2483.500	-41.97	≤-21.20	PASS
				Peak	2498.240	-39.33	≤-21.20	PASS
				Peak	2500.000	-41.11	≤-21.20	PASS

Note :


1. The Antenna Gain is compensated in the graph with 2dBi and Antenna Gain which is Higher.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


DH5 Ant1 Low 2402 AV




DH5 Ant1 Low 2402 Peak




DH5 Ant1 High 2480 AV




DH5 Ant1 High 2480 Peak




2DH5 Ant1 Low 2402 AV




2DH5 Ant1 Low 2402 Peak




2DH5 Ant1 High 2480 AV



2DH5 Ant1 High 2480 Peak



3DH5 Ant1 Low 2402 AV



3DH5 Ant1 Low 2402 Peak

